
References

- Arita Y, Kihara S, Ouchi N, *et al.* (1999). Paradoxical decrease of an adipose-specific protein, adiponectin, in obesity. *Biochem Biophys Res Commun* **257**: 79-83.
- Arya R, Bhattacharya A & Saini K (2008). *Dictyostelium discoideum*—a promising expression system for the production of eukaryotic proteins. *The FASEB Journal* **22**: 4055-4066.
- Asami Y, Nagano H, Ikematsu S, *et al.* (2000). An approach to the removal of yeast speciWc O-linked oligo-mannoses from human midkine expressed in *Pichia pastoris* using site-speciWc mutagenesis, *J. Biochem.* **128**: 823-826.
- Avides M, Domingues L, Vicente A, *et al.* (2008). Differentiation of human pre-adipocytes by recombinant adiponectin. *Prot Expr Purif* **59**: 122-126.
- Baneyx F (1999). Recombinant protein expression in *Escherichia coli*. *Curr. Opin. Biotechnol.* **10**: 411-421.
- Barr K, Hopkins S & Sreekrishna K (1992). Protocol for efficient secretion of HAS developed from *P. pastoris*. *Pharm. Eng.* **12**: 48-51.
- Berg A, Combs T, Du X, *et al.* (2001). The adipocyte-secreted protein Acrp30 enhances hepatic insulin action. *Nat Med* **7**: 947-953.
- Bergkamp R, Kool I, Geerse R, *et al.* (1992). Multi-copy integration of the a-galactosidase gene from *Cyamopsis tetragonoloba* into the ribosomal DNA of *Kluyveromyces lactis*. *Curr. Genet.* **21**: 365-370.
- Berner H, Lyngstadaas S, Spahr A, *et al.* (2004). Adiponectin and its receptors are expressed in boneforming cells. *Bone* **35**: 842-849.
- Binnie C, Cossar J, & Stewart D (1997). Heterologous biopharmaceutical protein expression in *Streptomyces*. *Trends Biotechnol* **15**: 315-320.
- Bookout A & Mangeladorf D (2003). Quantitative real-time PCR protocol for analysis of nuclear receptor signaling pathways. *Nuclear Receptor Signaling* 1: DOI : 10.1621/NRS.01012.
- Blattner F, Plunkett G, Bloch C, *et al.* (1997). The Complete Genome Sequence of *Escherichia coli* K-12 1997. *Science* **277**: 1453-1462.
- Boze H, Laborde C, Chemardin P, *et al.* (2001). High-level secretory production of recombinant porcine follicle-stimulating hormone by *Pichia pastoris*. *Process Biochem* **36**: 907-913.

Braun P, Hu Y, Shen B, *et al.* (2002). Proteome-scale purification of human proteins from bacteria. *Proc Natl Acad Sci USA* **99**: 2654-2659.

Brawner M, Poste G, Rosenberg M, *et al.* (1991). Streptomyces: a host for heterologous gene expression. *Curr Opin Biotechnol* **2**: 674-681.

Brockmeier U, Caspers M, Freudl R, *et al.* (2006). Systematic Screening of All Signal Peptides from *Bacillus subtilis*: A Powerful Strategy in Optimizing Heterologous Protein Secretion in Gram-positive Bacteria. *J Mol Biol* **362**: 393-402.

Bruin E, Duitman E, Boer A, *et al.* (2005). Pharmaceutical proteins from methylotrophic yeasts. *Methods Mol. Biol.* **308**: 65-76.

Bussow K, Scheich C, Sievert V, *et al.* (2005). Structural genomics of human proteins – target selection and generation of a public catalogue of expression clones. *Microbial Cell Factories* **4**:21DOI:10.1186/1475-2859-4-21.

Byrne L, O’callaghan K & Tuite M (2005). Heterologous gene expression in yeast. *Methods Mol. Biol.* **308**: 51-64.

Carrio M, Cubarsi R & Villaverde A (2000). Fine architecture of bacterial inclusion bodies. *FEBS Lett.* **471**: 7-11.

Ceddia R, Somwar R, Maida A, *et al.* (2005). Globular adiponectin increases GLUT4 translocation and glucose uptake but reduces glycogen synthesis in rat skeletal muscle cells. *Diabetologia* **48**: 132-139.

Cereghino J & Cregg J (2000). Heterologous protein expression in the methylotrophic yeast *Pichia pastoris*. *FEMS Microbiol Rev* **24**: 45-66.

Chart H, Smith H, La Ragione R, *et al.* (2000). An investigation into the pathogenic properties of *Escherichia coli* strains BLR, BL21, DH5alpha and EQ1. *J Appl Microbiol* **89**: 1048-1058.

Chawla A, Saez E & Evans R (2000). Don’t know much biology. *Cell* **103**: 1-4.

Chu N, Wang D, Shieh S, *et al.* (2000). Plasma leptin concentrations and obesity in relation to insulin resistance syndrome components among school children in Taiwan--The Taipei Children Heart Study. *Int J Obes Relat Metab Disord.* **24**: 1265-1271.

Cregg J & Higgins D (1995). Production of foreign proteins in the yeast *Pichia pastoris*. *Can J Bot Suppl* **73**: 5981-5987.

Cregg J, Lin Cereghino J, Shi J, *et al.* (2000). Recombinant protein expression in *Pichia pastoris*. *Mol Biotechnol.* **16**: 23-52.

Cregg J, Vedvick T & Raschke W (1993). Recent advances in the Expression of foreign genes in *Pichia pastoris*. *Bio/Technol.* **11**: 905-910.

Combs T, Berg A, Obici S, *et al.* (2001). Endogenous glucose production is inhibited by the adipose-derived protein Acrp30. *J Clin Invest.* **108**: 1875-1881.

Combs T, Berg A, Rajala M, *et al.* (2003). Sexual differentiation, pregnancy, calorie restriction, and aging affect the adipocyte-specific secretory protein adiponectin. *Diabetes* **52**: 268-276.

Connell S, Tracz D, Nierhaus K, *et al.* (2003). Ribosomal protection proteins and their mechanism of tetracycline resistance. *Antimicrob. Agents Chemother.* **47**: 3675-3681.

Delaigle A, Jonas J, Bauche I, *et al.* (2004). Induction of adiponectin in skeletal muscle by inflammatory cytokines: in vivo and in vitro studies. *Endocrinology* **145**: 5589-5597.

Delporte M, Brichard S, Hermans M, *et al.* (2003). Hyperadiponectinaemia in anorexia nervosa. *Clin Endocrinol (Oxf)* **58**: 22-29.

Doelle H (1994). *Microbial process development*. New Jersey: World scientific publishing Co. Pte. Ltd.

Dyson R, Shadbolt S, Vincent K, *et al.* (2004). Production of soluble mammalian proteins in *Escherichia coli*: identification of protein features that correlate with successful expression. *BMC Biotechnology* **4**: 32-49.

Ehrnsperger M, Graber S, Gaestel M, *et al.* (1997). Binding of non-native protein to Hsp25 during heat shock creates a reservoir of folding intermediates for reactivation. *EMBO J* **16**: 221-229.

Faber K, Harder W, Ab G, *et al.* (1995). Methylotrophic yeast as factories for the production of foreign proteins. *Yeast* **11**: 1331-1344.

Fang X & Sweeney G (2006). Mechanisms regulating energy metabolism by adiponectin in obesity and diabetes. *Biochem Soc Transac* **34**: 798-801.

Fasshauer M, Klein J, Neumann S, *et al.* (2002). Hormonal regulation of adiponectin gene expression in 3T3-L1 adipocytes. *Biochem Biophys Res Commun* **290**: 1084-1089.

Filippi E, Sentinelli F, Trischitta V, *et al.* (2004). Association of the human adiponectin gene and insulin resistance. *Eur J Hum Genet.* **12**: 199-205.

Fredriksson J, Carlsson E, Orho-melander M, *et al.* (2006). A polymorphism in the adiponectin gene influences adiponectin expression levels in visceral fat in obese subjects. *Int J Obes (Lond)* **30**: 226-232.

Friedman J & Halaas J (1998). Leptin and the regulation of body weight in mammals. *Nature* **395**: 763-770.

Fruebis J, Tsao T, Javorschi S, *et al.* (2001). Proteolytic cleavage product of 30-kDa adipocyte complement-related protein increases fatty acid oxidation in muscle and causes weight loss in mice. *Proc Natl Acad Sci USA* **98**: 2005-2010.

Frydman J (2001). Folding of newly translated proteins in vivo: the role of molecular chaperones. *Annu. Rev. Biochem.* **70**: 603-47.

Funahashi T, Nakamura T, Shimomura I, *et al.* (1999). Role of adipocytokines on the atherogenesis of atherosclerosis in visceral obesity. *Intern Med* **38**: 202-206.

Furukawa S, Fujita T, Shimabukuro M, *et al.* (2004). Increased oxidative stress in obesity and its impact on metabolic syndrome. *J Clin Invest* **114**: 1752-1761.

Geisse S, Gram H, Kleuser B, *et al.* (1996). Eukaryotic expression systems - a comparison. *Prot Expr Purif.* **8**: 271-282.

Gellissen G, & Melber K, (1996). Methylotrophic yeast *Hansenula potvmorpha* as production organism for recombinant pharmaceuticals. *Drug Res.* **46**: 943-948.

Ghakshusmathi G & Varadarajan R (2002). Protein misfolding and inclusion body resolubilization. *PINSA* **68**: 375-384.

Goldstein B (2002). Insulin resistance as the core defect in type 2 diabetes Mellitus. *Am J Cardiol* **90** (supp 1): 3G-10G.

Gonzalez-sanchez J, Zabena C, Martinez-larrad M, *et al.* (2005). An SNP in the adiponectin gene is associated with decreased serum adiponectin levels and risk for impaired glucose tolerance. *Obes Res* **13**: 807-812.

Goulding C & Perry L (2003). Protein production in *Escherichia coli* for structural studies by X-ray crystallography. *J Struct Biol* **142**: 133-143.

Hammarstrom M, Hellgren N, Den Berg S, *et al.* (2002). Rapid screening for improved solubility of small human proteins produced as fusion proteins in *Escherichia coli*. *Protein Sci.* **11**: 313-321.

Hannig G & Makrides S, (1998). Strategies for optimizing heterologous protein expression in *Escherichia coli*. *Trends Biotechnol.***16**: 54-60.

Halaas J, Gajiwala K, Maffei M, *et al.* (1995). Weight-reducing effects of the plasma protein encoded by the obese gene. *Science* **269**: 543-546.

Halleux C, Takahashi M, Delporte M, *et al.* (2001). Secretion of adiponectin and regulation of apM1 gene expression in human visceral adipose tissue. *Biochem Biophys Res Commun* **288**: 1102-1107.

Hara K, Boutin P, Mori Y, *et al.* (2002). Genetic variation in the gene encoding adiponectin is associated with an increased risk of type 2 diabetes in the Japanese population. *Diabetes* **51**: 536-540.

Hara K, Horikoshi M, Yamauchi T, *et al.* (2006). Measurement of the high-molecular weight form of adiponectin in plasma is useful for the prediction of insulin resistance and metabolic syndrome. *Diabetes Care* **29**: 1357-1362.

Harder W & Veenhuis M (1989). Metabolism of one carbon compounds. In Rose AH & Harrison JS (eds), *The yeasts* Vol 3 London: Academic press, pp. 289-316.

Havel P (2002). Control of energy homeostasis and insulin action by adipocyte hormones: leptin, acylation stimulating protein, and adiponectin. *Curr Opin Lipidol* **13**: 51-59.

He X, Liu N, Li W, *et al.* (2008). Inducible and constitutive expression of a novel thermostable alkaline β -mannanase from alkaliphilic *Bacillus* sp. N16-5 in *Pichia pastoris* and characterization of the recombinant enzyme. *Enzyme Microb Technol* **43**: 13-18.

Heckman K & Pease L (2007). Gene splicing and mutagenesis by PCR-driven overlap extension *Nature Protocols* **2**: 924-932.

Heitzer M, Eckert A, Fuhrmann M, *et al.* (2007). Influence of codon bias on the expression of foreign genes in microalgae. In León R, Gaván A & Fernández E (eds), *Transgenic Microalgae as Green Cell Factories* Vol 616 New York: Springer, pp. 46-52.

Hellwig S, Emde F, Raven N, *et al.* (2001). Analysis of single-chain antibody production in *Pichia pastoris* using on-line methanol control in fed-batch and mixed feed fermentations. *Biotechnol Bioeng.* **74**: 344-352.

Himanen J, Rajashankar K, Lackmann M, *et al.* (2001). Crystal structure of an Eph receptor-ephrin complex. *Nature* **414**: 933-938.

Housova J, Anderlova K, Krizova J, *et al.* (2005). Serum adiponectin and resistin concentrations in patients with restrictive and binge/purge form of anorexia nervosa and bulimia nervosa. *J Clin Endocrinol Metab* **90**: 1366-1370.

Hotta K, Funahashi T, Arita Y, *et al.* (2000). Plasma concentrations of a novel adipose-specific protein, adiponectin, in type 2 diabetic patients. *Arterioscler Thromb Vasc Biol.* **20**: 1595-1599.

Hotta K, Funahashi T, Bodkin N, *et al.* (2001). Circulating concentrations of the Adipocyte protein adiponectin are decreased parallel with reduced insulin sensitivity during the progression to type 2 diabetes in rhesus monkeys. *Diabetes* **50**: 1126-1133.

Hu E, Liang P & Spiegelman B (1996). AdipoQ is a novel adipospecific gene dysregulated in obesity. *J Biol Chem* **271**: 10697-10703.

Hu XB, Zhang YJ, Zhang HT, *et al.* (2003). Cloning and expression of adiponectin and its globular domain and measurement of the biological activity *in vivo*. *ACTA BIOCHIMICA et BIOPHYSICA SINICA* **35**: 1023-1028.

Hug C & Lodish H (2005). The role of the adipocyte hormone adiponecin in cardiovascular disease. *Curr Opin Pharmacol* **5**: 129-134.

Hundal R, Krssak M, Dufour S, *et al.* (2000). Mechanism by which metformin reduces glucose production in type 2 diabetes. *Diabetes* **49**: 2063-2069.

Iwaki M, Matsuda M, Maeda N, *et al.* (2003). Induction of adiponectin, a fat-derived antidiabetic and antiatherogenic factor, by nuclear receptors. *Diabetes* **52**: 1655-1663.

Iwashima Y, Katsuya T, Ishikawa K, *et al.* (2004). Hypoadiponectinemia is an independent risk factor for hypertension. *Hypertension* **43**: 1318-1323.

Jacobi S, Ajuwon K, Weber T, *et al.* (2004). Cloning and expression of porcine adiponectin and its relationship to adiposity, lipogenesis and the acute phase response. *J Endocr* **182**: 133-144.

Jonasson P, Liljeqvist S, Nygren P, *et al.* (2002). Genetic design for facilitated production and recovery of recombinant proteins in *Escherichia coli*. *Biotechnol. Appl. Biochem.* **35**: 91-105.

Kadowaki T & Yamauchi T (2005). Adiponectin and adiponectin receptors. *Endocr Rev* **26**: 439-451.

Kadowaki T, Yamauchi T, Kubota N, *et al.* (2006). Adiponectin and adiponectin receptors in insulin resistance, diabetes, and the metabolic syndrome. *J. Clin. Invest.* **116**: 1784–1792.

Kadowaki T, Yamauchi T & Kubota N (2008). The physiological and pathophysiological role of adiponectin and adiponectin receptors in the peripheral tissues and CNS. *FEBS Lett* **582**: 74-80.

Kahn C (2000). Triglycerides and toggling the tummy. *Nat Genet* **25**: 6-7.

Kahn B, Alquier T, Carling D, *et al.* (2005). AMP-activated protein kinase: ancient energy gauge provides clues to modern understanding of metabolism. *Cell Metab* **1**: 15-25.

Kapust R & Waugh D (1999). *Escherichia coli* maltose-binding protein is uncommonly effective at promoting the solubility of polypeptides to which it is fused. *Protein Sci* **8**: 1668-1674.

Karmazyn M, Purdham D, Rajapurohitam V, *et al.* (2008). Signalling mechanisms underlying the metabolic and other effects of adipokines on the heart. *Cardiovasc Res* **79**: 279-286.

Kelly S & Price N (1991). The unfolding and refolding of pig heart fumarase. *Biochem J* **275**: 745-749.

Kissebah A, Sonnenberg G, Myklebust J, *et al.* (2000). Quantitative trait loci on chromosomes 3 and 17 influence phenotypes of the metabolic syndrome. *Proc Natl Acad Sci USA* **97**: 14478-14483.

Koutz P, Davis G, Stillman C, *et al.* (1989). Structural comparison of the *Pichia pastoris* alcohol oxidase genes. *Yeast* **5**: 167-177.

Kubota N, Terauchi Y, Yamauchi T *et al.* (2002). Disruption of adiponectin causes insulin resistance and neointimal formation. *J Biol Chem* **277**:25863-25866.

Kumada M, Kihara S, Sumitsuji S, *et al.* (2003). Association of hypoadiponectinemia with coronary artery disease in men. *Arterioscler. Thromb Vasc Biol* **23**: 85-89.

Laursen B, Steffensen S, Hedegaard J, *et al.* (2002). Structural requirements of the mRNA for intracistronic translation initiation of the enterobacterial *inf B* gene. *Genes Cells* **7**: 901-910.

LaVallie E, Mc Coy J, Smith D, *et al.* (2001). Enzymatic and chemical cleavage of fusion proteins *Curr Protoc Mol Biol* DOI:10.1002/0471142727.mb1604bs28.

Li S, Shin H, Ding E, *et al.* (2009). Adiponectin Levels and Risk of Type 2 Diabetes: A Systematic Review and Meta-analysis. *JAMA* **302**: 179-188.

Liao Y, Takashima S, Maeda N, *et al.* (2005). Exacerbation of heart failure in adiponectin-deficient mice due to impaired regulation of AMPK and glucose metabolism. *Cardiovascular Res* **67**: 705-713.

Lichty J, Malecki J, Agnew H, *et al.* (2005). Comparison of affinity tags for protein purification. *Export. Prot Expr Purif* **41**: 98-105.

Lilie H, Schwarz E & Rudolph R (1998). Advances in refolding of proteins produced in *E. coli*. *Curr Opin Biotechnol* **9**:497-501.

Lin Cereghino G & Cregg J (1999). Applications of yeast in biotechnology: protein production and genetic analysis. *Curr Opin Biotechnol* **10**: 422-427.

Lindsay R, Funahashi T, Hanson R, *et al.* (2002). Adiponectin and development of type 2 diabetes in the Pima Indian population. *Lancet* **360**: 57-58.

Liu D, Liu H, Song T, *et al.* (2007). Functional expression of the globular domain of human adiponectin in *Pichia pastoris*. *Biochem Biophys Res Commun* **363**: 769-775.

Lowell B (1999). PPARgamma: an essential regulator of adipogenesis and modulator of fat cell function. *Cell* **99**: 239-242.

Maeda K, Okubo K, Shimomura I, *et al.* (1996). cDNA cloning and expression of a novel adipose specific collagen-like factor, apM1 (AdiPose Most abundant Gene transcript 1). *Biochem Biophys Res Commun* **221**: 286-289.

Maeda K, Okubo K, Shimomura I, *et al.* (1997). Analysis of expression profile of genes in the human adipose tissue. *Gene* **190**: 227-235.

Maeda N, Shimomura I, Kishida K, *et al.* (2002). Diet-induced insulin resistance in mice lacking adiponectin/ACRP30. *Nat Med* **8**: 731-737.

Maeda N, Takahashi M, Funahashi T, *et al.* (2001). PPAR-ligands increase expression and plasma concentration of adiponectin, an adipose-derived protein. *Diabetes*. **50**: 2094-2099.

Martinez A, Knappskog P, Olafsdottir S, *et al.* (1995). Expression of recombinant human phenylalanine hydroxylase as fusion protein in *Escherichia coli* circumvents proteolytic degradation by host cell proteases. Isolation and characterization of the wild-type enzyme. *Biochem J* **306**: 589-597.

Matsumoto S, Kishida K, Shimomura I, *et al.* (2002). Increased Plasma HB-EGF Associated with Obesity and Coronary Artery Disease. *Biochem Biophys Res Commun* **292**: 781-786.

Matsuzawa Y, Funahashi T, Kihara S, *et al.* (2004). Adiponectin and Metabolic Syndrome. *Vasc Biol*. **24**: 29-33.

Menzaghi C, Ercolino T, Dipaola R, *et al.* (2002). A haplotype at the adiponectin locus is associated with obesity and other features of the insulin resistance syndrome. *Diabetes* **51**: 2306-2312.

Middelberg A (2002). Preparative protein refolding. *Trends Biotechnol* **20**: 437.

Minokoshi Y, Kim Y, Peroni O, *et al.* (2002). Leptin stimulates fatty-acid oxidation by activating AMP-activated protein kinase. *Nature* **415**: 339-343

Mochizuki S, Hamato N, Hirose M, *et al.* (2001). Expression and characterization of recombinant human antithrombin III in *Pichia pastoris*. *Prot Exp Pur* **23**: 55-65.

Molloy P, Harris W, Strachan G, *et al.* (1998). Production of soluble single-chain T-cell receptor fragments in *Escherichia coli* trxB mutants. *Mol Immunol* **35**: 73-81.

Nakano Y, Tobe T, Choi-Miura N, *et al.* (1996). Isolation and characterization of GBP28, a novel gelatin-binding protein purified from human plasma. *J Biochem* **120**: 803-812.

Nawrocki A, Rajala M, Tomas E, *et al.* (2006). Mice lacking adiponectin show decreased hepatic insulin sensitivity and reduced responsiveness to peroxisome proliferator activated receptor gamma agonists. *J Biol Chem* **281**: 2654-2660.

Nishihara K, Kanemori M, Kitagawa M, *et al.* (1998). Chaperone coexpression plasmids: differential and synergistic roles of DnaK-DnaJ-GrpE and GroEL-GroES in assisting folding of an allergen of Japanese cedar pollen, Cryj2, in *Escherichia coli*. *Appl Environ Microbiol* **64**: 1694-1699.

Onay-Besikci A, Altarejos J & Lopaschuk G (2004). gAd-globular head domain of adiponectin increases fatty acid oxidation in newborn rabbit hearts. *J Biol Chem* **279**: 44320-44326.

Ouchi N, Kihara S, Arita Y, *et al.* (1999). Novel modulator for endothelial adhesion molecules: adipocytederived plasma protein adiponectin. *Circulation* **100**: 2473-2476.

Ouchi N, Kihara S, Arita Y, *et al.* (2001). Adipocyte-derived plasma protein, adiponectin, suppresses lipid accumulation and class A scavenger receptor expression in human monocyte-derived macrophages. *Circulation* **103**: 1057-1063.

Ozeki N, Hara K, Yatsuka C, *et al.* (2009). Serum high-molecular weight adiponectin decreases abruptly after an oral glucose load in subjects with normal glucose tolerance or impaired fasting glucose, but not those with impaired glucose tolerance or diabetes mellitus. *Metabolism* **58**: 1470-1476.

Pajvani U, Hawkins M, Combs T, *et al.* (2004). Complex distribution, not absolute amount of adiponectin, correlates with thiazolidinedione-mediated improvement in insulin sensitivity. *J Biol Chem* **279**: 12152-12162.

Payne G, DelaCruz N & Coppella S (1990). Improved production of heterologous protein from *Streptomyces lividans*. *Appl Microbiol Biotechnol* **33**: 395-400.

Peake P, Hughes J, Shen Y, *et al.* (2007). Glycosylation of human adiponectin affects its conformation and stability. *J Mol Endocr* **39**: 45-52.

Pineiro R, Iglesias M, Gallego R, *et al.* (2005). Adiponectin is synthesized and secreted by human and murine cardiomyocytes. *FEBS Lett* **579**: 5163-5169.

Resina D, Serrano A, Valero F, *et al.* (2004). Expression of a *Rhizopus oryzae* lipase in *Pichia pastoris* under control of the nitrogen source-regulated formaldehyde dehydrogenase promoter. *J Biotechnol* **109**: 103-113.

Retnakaran R, Hanley A, Raif N, *et al.* (2004). Reduced adiponectin concentration in women with gestational diabetes: a potential factor in progression to type 2 diabetes. *Diabetes Care* **27**: 799-800.

Richards A, Stephens T, Charlton H, *et al.* (2006). Adiponectin multimerization is dependent on conserved lysines in the collagenous domain: evidence for regulation of multimerization by alterations in posttranslational modifications. *Mol Endocr* **20**: 1673-1687.

Rietsch A & Beckwith J (1998). The genetics of disulfide bond metabolism. *Annu. Rev. Genet.* **32**: 163-184.

Riggs P (2001). Expression and Purification of Maltose - Binding Protein Fusions. *Curr Protoc Mol Biol* DOI: 10.1002/0471142727.mb1606s28

Ringquist S, Shinedling S, Barrick D, *et al.* (1992). Translation initiation in *Escherichia coli*: sequences within the ribosome-binding site. *Mol. Microbiol.* **6**: 1219-1229.

Romanos M, Scorer C & Clare J (1992). Foreign gene expression in yeast: a review. *Yeast* **8**: 423-488.

Saito K, Tobe T, Minoshima S, *et al.* (1999). Organization of the gene for gelatin-binding protein (GBP28). *Gene* **229**: 67-73.

Sato C, Yasukawa Z, Honda N, *et al.* (2001). Identification and adipocyte differentiation-dependent expression of the unique disialic acid residue in an adipose tissue-specific glycoprotein, adipo Q. *J Biol Chem* **276**: 28849-28856.

Shapiro L & Scherer P (1998). The crystal structure of a complement-1q family protein suggests an evolutionary link to tumor necrosis factor. *Curr.Biol.* **8**:335–338.

Schein C & Noteborn M (1988). Formation of Soluble Recombinant Proteins in *Escherichia coli* is favored by lower growth temperatures. *Biotechnology* **6**: 291-294.

Scherer P, Williams S, Fogliano M, *et al.* (1995). A novel serum protein similar to C1q, produced exclusively in adipocytes. *J Biol Chem* **270**: 26746-26749.

Schwarz E, Lilie H & Rudolph R (1996). The effect of molecular chaperones on in vivo and in vitro folding processes. *Biol Chem* **377**: 411-416.

Scorer C, Clare J, McCombie W, *et al.* (1994). Rapid selection using G418 of high copy number transformants of *Pichia pastoris* for high level foreign gene expression. *Nature Biotechnol* **12**: 181-184.

Shapiro L & Scherer P (1998). The crystal structure of a complement-1q family protein suggests an evolutionary link to tumor necrosis factor. *Curr Biol*. **8**: 335-338.

Shen S, Sulter G, Jeffries T, *et al.* (1998). A strong nitrogen source-regulated promoter for controlled expression of foreign genes in the yeast *Pichia pastoris*. *Gene* **216**: 93-102.

Shibata R, Ouchi N, Ito M, *et al.* (2004). Adiponectin-mediated modulation of hypertrophic signals in the heart. *Nat Med* **10**: 1384-1389.

Shih Y, Kung W, Chen J, *et al.* (2002). High throughput screening of soluble recombinant proteins. *Protein Sci* **11**: 1714-1719.

Shimabukuro M, Koyama K, Chen G, *et al.* (1997). Direct antidiabetic effect of leptin through triglyceride depletion of tissues. *Proc Natl Acad Sci USA* **94**: 4637-4641.

Singh S & Panda A (2005) Solubilization and refolding of bacterial inclusion body proteins. *J Biosci. Bioeng.* **99**: 303-310.

Sorensen H, Laursen B, Mortensen K, *et al.* (2002). Bacterial translation initiation-mechanism and regulation. *Recent Res. Dev. Biophys. Biochem.* **2**: 243-270.

Sorensen H & Mortensen K (2005). Advanced genetic strategies for recombinant protein expression in *Escherichia coli*. *J Biotechnol* **115**: 113-128.

Sorensen H, Sperling-Petersen H & Mortensen K (2003). Dialysis strategies for protein refolding: Preparative streptavidin production. *Prot Expr Purif* **32**: 252-259.

Spiegelman B & Flier J (2001). Obesity and regulation of energy balance. *Cell* **104**: 531-543.

Stahl C, Wilson D & Lei X (2003). Comparison of extracellular *Escherichia coli* AppA phytases expressed in *Streptomyces lividans* and *Pichia pastoris*. *Biotechnol Lett* **25**: 827-831.

Staiger H, Kausch C, Guirguis A, *et al.* (2003). Induction of adiponectin gene expression in human myotubes by an adiponectin-containing HEK293 cell culture supernatant. *Diabetologia* **46**: 956-960.

Stenstrom C, Jin H, Major L, *et al.* (2001). Codon bias at the 3-side of the initiation codon is correlated with translation initiation efficiency in *Escherichia coli*. *Gene* **263**: 273-284.

Sun Y, Xun K, Wang C, *et al.* (2009). Adiponectin, an unlocking adipocytokine. *Cardiovascular Therapeutics* **27**: 59-75.

Takahashi M, Arita Y, Yamagata K, *et al.* (2000). Genomic structure and mutations in adipose-specific gene, adiponectin. *Int J Obes Relat Metab Disord* **24**: 861-868.

Thomson J, Gaucher E, Burgan M, *et al.* (2005). Resurrecting ancestral alcohol dehydrogenases from yeast. *Nat Genet* **37**: 630-635.

Tomas E, Tsao T, Saha A, *et al.* (2002). Enhanced muscle fat oxidation and glucose transport by ACRP30 globular domain: acetyl-CoA carboxylase inhibition and AMP-activated protein kinase activation. *Proc Natl Acad Sci USA* **99**: 16309-16313.

Tsuchida A, Yamauchi T, Ito Y, *et al.* (2004). Insulin/Foxo1 pathway regulates expression levels of adiponectin receptors and adiponectin sensitivity. *J Biol Chem* **279**: 30817-30822.

Vasseur F, Helbecque N, Dina C, *et al.* (2002). Single-nucleotide polymorphism haplotypes in the both proximal promoter and exon 3 of the APM1 gene modulate adipocyte secreted adiponectin hormone levels and contribute to the genetic risk for type 2 diabetes in French Caucasians. *Hum Mol Genet* **11**: 2607-2614.

Veinger L, Diamant S, Buchner J, *et al.* (1998). The small heat-shock protein IbpB from *Escherichia coli* stabilizes stress-denatured proteins for subsequent refolding by a multichaperone network. *J Biol Chem* **273**: 11032-11037.

Verma R, Boleti E & George A (1998). Antibody engineering: comparison of bacterial, yeast, insect and mammalian expression systems. *J Immunol Methods*. **216**:165-181.

Villaverde A & Carrio M (2003). Protein aggregation in recombinant bacteria: biological role of inclusion bodies. *Biotechnol. Lett.* **25**: 1385-1395.

Vionnet N, Hani E, Dupont S, *et al.* (2000). Genomewide search for type 2 diabetes-susceptibility genes in French whites: evidence for a novel susceptibility locus for early-onset diabetes on chromosome 3q27-qter and independent replication of a type 2-diabetes locus on chromosome 1q21-q24. *Am J Hum Genet* **67**: 1470-1480.

Waki H, Yamauchi T, Kamon J, *et al.* (2003). Impaired multimerization of human adiponectin mutants associated with diabetes. Molecular structure and multimer formation of adiponectin. *J Biol Chem* **278**: 40352-40363.

Waki H, Yamauchi T, Kamon J, *et al.* (2005). Generation of globular fragment of adiponectin by leukocyte elastase secreted by monocytic cell line THP-1. *Endocrinology* **146**: 790-796.

Wang Y, Xu A, Knight C, *et al.* (2002). Hydroxylation and glycosylation of the four conserved lysine residues in the collagenous domain of adiponectin. Potential role in the modulation of its insulin-sensitizing activity. *J Biol Chem* **277**: 19521-19529.

Wang Y, Lu G, Wong W, *et al.* (2004). Proteomic and functional characterization of endogenous adiponectin purified from fetal bovine serum. *Proteomics* **12**: 3933-3942.

Wang Y, Lam K, Chan L, *et al.* (2006). Post-translational modifications of the four conserved lysine residues within the collagenous domain of adiponectin are required for the formation of its high molecular weight oligomeric complex. *J Biol Chem* **281**: 16391-16400.

Wang Y, Lam K, Yau M, *et al.* (2008). Post-translational modifications of adiponectin: mechanisms and functional implications. *Biochem J* **409**: 623-633.

Waterham H, Digan M, Koutz P, *et al.* (1997). Isolation of the *Pichia pastoris* glyceraldehyde-3-phosphate dehydrogenase gene and regulation and use of its promoter. *Gene* **186**: 37-44.

Wegner G & Harder W (1986). Methylotrophic yeasts. *Antonie Van Leeuwenhoek* **53**: 29-36.

Williams M, Qiu C, Muiy-Rivera M, *et al.* (2004). Plasma adiponectin concentrations in early pregnancy and subsequent risk of gestational diabetes mellitus. *J Clin Endocrinol Metab* **89**: 2306-2311.

Winograd E, Pulido M & Wasserman M (1993). Production of DNA recombinant polypeptides by tac-inducible vectors using micromolar concentrations of IPTG. *Biotechniques* **14**: 886-890.

Wolf G (2008). New insights into thiol-mediated regulation of adiponectin secretion. *Nutr. Rev.* **66**: 642-645.

Wurch T, Lestienne F & Pauwels P (1998). A modified overlap extension PCR method to create chimeric genes in the absence of restriction enzymes. *Biotechnol Techniques* **12**: 653-657.

Wybenga-Groot L, Baskin B, Ong S, *et al.* (2001). Structural basis for autoinhibition of the Ephb2 receptor tyrosine kinase by the unphosphorylated juxtamembrane region. *Cell* **106**: 745-757.

Xita N, Georgiou I, Chatzikiyriakidou A, *et al.* (2005). Effect of adiponectin gene polymorphisms on circulating adiponectin and insulin resistance indexes in women with polycystic ovary syndrome. *Clin Chem* **51**: 416-423.

Xu A, Chan K, Hoo R, *et al.* (2005). Testosterone selectively reduces the high molecular weight form of adiponectin by inhibiting its secretion from adipocytes. *J Biol Chem* **280**: 18073-18080.

Xu A, Wang Y, Keshaw H, *et al.* (2003). The fat-derived hormone adiponectin alleviates alcoholic and nonalcoholic fatty liver diseases in mice. *J Clin Invest* **112**: 91-100.

Xu A, Wang Y & Lam K (2007). Adiponectin. In Fantuzzi G.& Mazzone T (eds), *Nutrition and Health: Adipose Tissue and Adipokines in Health and Disease*. New Jersey: Humana Press Inc., pp 47-59.

Yamamoto Y, Hirose H, Saito I, *et al.* (2004). Adiponectin, an adipocytederived protein, predicts future insulin-resistance: two-year follow-up study in Japanese population. *J. Clin. Endocrinol. Metab* **89**: 87-90.

Yamauchi T, Kamon J, Waki H, *et al.* (2001). The fat-derived hormone adiponectin reverses insulin resistance associated with both lipotrophy and obesity. *Nat Med* **7**: 941-946.

Yamauchi T, Kamon J, Minokoshi Y, *et al.* (2002). Adiponectin stimulates glucose utilization and fattyacid oxidation by activating AMP-activated protein kinase. *Nat Med* **8**: 1288-1295.

Yamauchi T, Kamon J, Waki H, *et al.* (2003). Globular adiponectin protected ob/ob mice from diabetes and ApoE-deficient mice from atherosclerosis. *J Biol Chem* **278**: 2461-2468.

Yang Q & Sze S (2009). Large-scale analysis of gene clustering in bacteria. *Bioinformatics* **25**: 571-577.

Yoda-Murakami M, Taniguchi M, Takahashi K, *et al.* (2001). Change in expression of GBP28/adiponectin in carbon tetrachloride-administrated mouse liver. *Biochem Biophys Res Commun* **285**: 372-377.

Young T, Dean H, Flett B, *et al.* (2000). Childhood obesity in a population at high risk for type 2 diabetes. *J Pediatr* **136**: 365-369.

Zhang W, Inan M & Meagher M (2000). Fermentation strategies for recombinant protein expression in the methylotrophic yeast *Pichia pastoris*. *Biotechnol Bioprocess Eng* **5**: 275-287.

Zhu H, Yao S & Wang S (2009). MF α Signal Peptide Enhances the Expression of Cellulase eg1 Gene in Yeast. *Appl Biochem Biotechnol* DOI 10.1007/s12010-009-8880-9.

Zimmet P, Collins V, Courten M *et al.*, (1998). Is there a relationship between leptin and insulin sensitivity independent of obesity? A population-based study in the Indian Ocean nation of Mauritius. *BMJ* **22**: 171-177.

References

Zimmet P, Hodge A, Nicolson M, *et al.* (1996). Serum leptin concentration, obesity, and insulin resistance in Western Samoans: cross sectional study. *BMJ* **313**:965-969.