

## BIBLIOGRAPHY

- Arjunan S.N.V., Tomita M., (2009). A New Multicompartmental reaction-diffusion modeling method links transient membrane attachment of E.coli MinE to E-ring formation. *Syst. Synth. Biol.* 4:35-53
- Bi E, Lutkenhaus .(1992). Isolation and characterization of ftsZ alleles that affect septal morphology. *J Bacteriol* 174:5414–5423
- Caspar DL: Movement and self-control in protein assemblies. Quasi-equivalence revisited. *Biophys J* 1980; 32:103–138.
- Cynthia A.H., Hans M.,de Boer Piet A.J. (2001). Dynamic Localization Cycle Of The Cell Division Regulator MinE in *Escherichia coli*. *The EMBO journal* 20(7):1563-1572
- Dajkovic A., Lan G., Sean X., Wirtz D., Lutkenhaus J. (2008) MinC Spatially Controls Bacterial Cytokinesis by Antagonizing the Scaffolding Function of FtsZ. *Current Biology* 18:235-244
- Dajkovic A., Lutkenhaus J. (2006) Z ring as Executor of bacterial Cell Division. *J. Mol. Microbiol Biotechnol.* 11:140-151
- Drew D.A., Osborn M.J., Rothfield L.I.: ‘A polymerization depolymerization model that accurately generates the self-sustained oscillatory system involved in bacterial division site placement’, *Proc. Natl. Acad. Sci. USA*, 2005, 102, pp. 6114 – 6118
- Ganhui L., Brian R. D., Terrence M. D., Denis W., Sean X. S . (2008). Condensation of FtsZ filaments can drive bacterial cell division. *PNAS* , 121-126.
- Hans M., de Boer Peit A.J. (2001). Pattern Formation in *Escherichia coli*: A model for the pole-to-pole oscillations of Min proteins and the localization of the division site. *PNAS* , 14202-14207.
- Hu Z. , Lutkenhaus J. : ‘Topological regulation of celldivision in *E. coli*: spatiotemporal oscillation of MinD requires stimulation of its ATPase by MinE and phospholipid’, *Mol. Cell*, 2001, 7, pp. 1337– 1343
- Huang K.C., Meir Y., Wingreen N.S.: ‘Dynamic structures in *Escherichia coli*: spontaneous formation of MinE rings and MinD polar zones’, *Proc. Natl. Acad. Sci. USA*, 2003, 100, 12724 – 12728.
- Jay E. Johnson, Laura L., Piet A.J. de Boer. (2002). Targeting of MinC/MinD and MinC/DicB complexes to septal rings in *Escherichia coli* suggests a multistep mechanism for MinC-Mediated destruction of nascent FtsZ rings. *Journal of Bacteriology* , 2951-2962.
- Jesus M., German R., Marisela V., Paulino G. P., Miguel V. (2010). Strong FtsZ is with the force mechanisms to constrict bacteria. *Trends in Microbiology* , 348-356.
- Takahashi K., Kaizu K., Hu B., Tomita M. (2004). *A multi-algorithm, multi-timescale method for cell simulation*. Japan: Keio University.
- Lutkenhaus J, Addinall SG: Bacterial cell division and the Z ring. *Annu Rev Biochem* 1997; 66:93–116.

- Lutkenhaus J: Dynamic proteins in bacteria *Curr Opin Microbiol* 2002; 5:548–552.
- Lutkenhaus J. (2007) Assembly Dynamics of the Bacterial MinCDE System and Spatial Regulation of the Z ring. *Annu. Rev. Biochem* 76:539-562.
- Ma X, Margolin W: Genetic and functional analyses of the conserved C-terminal core domain of *Escherichia coli* FtsZ. *J Bacteriol.*1999;181:7531–7544.
- Marc B., Suey V. B. (2009). Division site selection in rod-shaped bacteria. *ScienceDirect* , 683-688.
- Margolin, W. (2003). Bacterial division: The fellowship of the ring dispatch. *Current Biology* , 16-18.
- Margolin W: FtsZ and the division of prokaryotic cells and organelles. *Nat Rev Mol Cell.Biol.*2005;6:862-871.
- Meacci G., Kruse K.: ‘Min-oscillations in *Escherichia coli* induced by interactions of membranebound proteins’, *Phys. Biol.*, 2005, 2, pp. 89– 97
- Meacci G., Ries J., Fischer-Friedrich E., Kahya N., Schwille P., Kruse K. Tostevin F., Howard M.: ‘A stochastic model of Min oscillations in *Escherichia coli* and Min protein segregation during cell division’, *Phys. Biol.*, 2006, 3, 1 – 12
- Mieczyslaw M. K., Kenneth B. (2000). *Modeling Combined Time- and Event-Driven*. Boston: Northeastern University
- Pavin N., Paljetak H., Krstic V.: ‘Min-protein oscillations in *Escherichia coli* with spontaneous formation of two-stranded filaments in a three-dimensional stochastic .IET Syst. Biol., 2008, Vol. 2, No. 5, pp. 285–292
- Pichoff, S., B. Vollrath, C. Touriol, and J. P. Bouche. 1995. Deletion analysis of gene minE which encodes the topological specificity factor of cell division in *Escherichia coli*. *Mol. Microbiol.* 18:321–329.
- Sebastian P., Lutkenhaus J. (2001). *Eshcerichia coli* Division Inhibitor MinCD Blocks Septation BY Preventing Z ring Formation. *Journal of Biotechnology* 183(22):6630-6635
- Shen B., Lutkenhaus J. (2010) Differences in MinC/MinD Sensitivity between Polar and Internal Z Rings in *Escherichia coli*. *Journal of Bacteriology.* 2(193):367-376
- Shih YL, Le T, Rothfield L: Division site selection in *Escherichia coli* involves dynamic redistribution of Min proteins within coiled structures that extend between the two cell poles. *Proc Natl Acad Sci USA* 2003; 100: 7865–7870.
- Tostevin F., Howard M. (2006). A stochastic model of Min oscillations in *Escherichia coli* and Min protein segregation during cell division. *Physical Biology* , 1-12.
- Xu X., Kulkarni R.V. (2007) Modelling of processes governing subcellular localization of MinD in *Escherichia coli*. *IET System Biology* 2(5):285-292

- Yojina J., Ngamsaad W., Nuttavut N., Triampo D., Lenbury Y., Triampo W., Kanthang P., Srubby S. (2010). More realistic model for simulating Min protein dynamics: Lattice Boltzmann method incorporating the role of nucleoids. *International Journal of Computational and Mathematic Sciences* , 177-182
- Zhou H, Lutkenhaus J: MinC mutants deficient in MinD- and DicB-mediated cell division inhibition due to loss of interaction with MinD, DicB, or a septal component. *J Bacteriol* 2005;187:2846–2857.
- Zonglin H., Cristian S., Lutkenhaus J. (2002). Recruitment of MinC, an Inhibitor of Z ring Formation, to the Membrane in *Escherichia coli*: Role of MinD and MinE. *Journal of Biotechnology* 185(1):196-203.