

## Bibliography

Abba, M. C., Drake, J. A., Hawkins, K. A., Hu, Y., Sun, H., Notcovich, C., Gaddis, S., Sahin, A., Baggerly, K., and Aldaz, C. M. (2004). Transcriptomic changes in human breast cancer progression as determined by serial analysis of gene expression. *Breast Cancer Res* 6, R499-513.

Alevizos, I., Mahadevappa, M., Zhang, X., Ohyama, H., Kohno, Y., Posner, M., Gallagher, G. T., Varvares, M., Cohen, D., Kim, D., *et al.* (2001). Oral cancer in vivo gene expression profiling assisted by laser capture microdissection and microarray analysis. *Oncogene* 20, 6196-6204.

Althoefer, H., Eversole-Cire, P., and Simon, M. I. (1997). Constitutively active Galphaq and Galpha13 trigger apoptosis through different pathways. *J Biol Chem* 272, 24380-24386.

Andreu, P., Colnot, S., Godard, C., Laurent-Puig, P., Lamarque, D., Kahn, A., Perret, C., and Romagnolo, B. (2006). Identification of the IFITM family as a new molecular marker in human colorectal tumors. *Cancer Res* 66, 1949-1955.

Arora, S., Matta, A., Shukla, N. K., Deo, S. V., and Ralhan, R. (2005). Identification of differentially expressed genes in oral squamous cell carcinoma. *Mol Carcinog* 42, 97-108.

Arshavsky, V. Y., and Pugh, E. N., Jr. (1998). Lifetime regulation of G protein-effector complex: emerging importance of RGS proteins. *Neuron* 20, 11-14.

Barnes, L., Eveson, J. W., Reichart, P., and Sidransky, D., eds. (2005). *World Health Organization Classification of Tumours: Pathology and Genetics of Head and Neck Tumours* (Lyon: IARC Press).

Baselga, J. (2001). Clinical trials of Herceptin(R) (trastuzumab). *Eur J Cancer* 37 *Suppl* 1, 18-24.

Berestetskaya, Y. V., Faure, M. P., Ichijo, H., and Voyno-Yasenetskaya, T. A. (1998). Regulation of apoptosis by alpha-subunits of G12 and G13 proteins via apoptosis signal-regulating kinase-1. *J Biol Chem* 273, 27816-27823.

Bhargava, R., Chen, B., Klimstra, D. S., Saltz, L. B., Hedvat, C., Tang, L. H., Gerald, W., Teruya-Feldstein, J., Paty, P. B., Qin, J., and Shia, J. (2006). Comparison of two antibodies for immunohistochemical evaluation of epidermal growth factor receptor expression in colorectal carcinomas, adenomas, and normal mucosa. *Cancer* 106, 1857-1862.

Bian, D., Mahanivong, C., Yu, J., Frisch, S. M., Pan, Z. K., Ye, R. D., and Huang, S. (2006). The G12/13-RhoA signaling pathway contributes to efficient lysophosphatidic acid-stimulated cell migration. *Oncogene* 25, 2234-2244.

Booden, M. A., Siderovski, D. P., and Der, C. J. (2002). Leukemia-associated Rho guanine nucleotide exchange factor promotes G alpha q-coupled activation of RhoA. *Mol Cell Biol* 22, 4053-4061.

Borden, E. C., Lindner, D., Dreicer, R., Hussein, M., and Peereboom, D. (2000). Second-generation interferons for cancer: clinical targets. *Semin Cancer Biol* 10, 125-144.

Borden, E. C., Sen, G. C., Uze, G., Silverman, R. H., Ransohoff, R. M., Foster, G. R., and Stark, G. R. (2007). Interferons at age 50: past, current and future impact on biomedicine. *Nat Rev Drug Discov* 6, 975-990.

Braakhuis, B. J., Senft, A., de Bree, R., de Vries, J., Ylstra, B., Cloos, J., Kuik, D. J., Leemans, C. R., and Brakenhoff, R. H. (2006). Expression profiling and prediction of distant metastases in head and neck squamous cell carcinoma. *J Clin Pathol* 59, 1254-1260.

Brem, R., Certa, U., Neeb, M., Nair, A. P., and Moroni, C. (2001a). Global analysis of differential gene expression after transformation with the v-H-ras oncogene in a murine tumor model. *Oncogene* 20, 2854-2858.

Brem, R., Hildebrandt, T., Jarsch, M., Van Muijen, G. N., and Weidle, U. H. (2001b). Identification of metastasis-associated genes by transcriptional profiling of a metastasizing versus a non-metastasizing human melanoma cell line. *Anticancer Res* 21, 1731-1740.

Brem, R., Oraszlan-Szovik, K., Foser, S., Bohrmann, B., and Certa, U. (2003). Inhibition of proliferation by 1-8U in interferon-alpha-responsive and non-responsive cell lines. *Cell Mol Life Sci* 60, 1235-1248.

Brinkman, B. M., and Wong, D. T. (2006). Disease mechanism and biomarkers of oral squamous cell carcinoma. *Curr Opin Oncol* 18, 228-233.

Bryne, M. (1998). Is the invasive front of an oral carcinoma the most important area for prognostication? *Oral Dis* 4, 70-77.

Buhl, A. M., Johnson, N. L., Dhanasekaran, N., and Johnson, G. L. (1995). G alpha 12 and G alpha 13 stimulate Rho-dependent stress fiber formation and focal adhesion assembly. *J Biol Chem* 270, 24631-24634.

Chan, A. M., Fleming, T. P., McGovern, E. S., Chedid, M., Miki, T., and Aaronson, S. A. (1993). Expression cDNA cloning of a transforming gene encoding the wild-type G alpha 12 gene product. *Mol Cell Biol* 13, 762-768.

Cheong, S. C., Chandramouli, G. V., Saleh, A., Zain, R. B., Lau, S. H., Sivakumaren, S., Pathmanathan, R., Prime, S. S., Teo, S. H., Patel, V., and Gutkind, J. S. (2009b). Gene expression in human oral squamous cell carcinoma is influenced by risk factor exposure. *Oral Oncol* 45, 712-719.

Cheriyath, V., Glaser, K. B., Waring, J. F., Baz, R., Hussein, M. A., and Borden, E. C. (2007). G1P3, an IFN-induced survival factor, antagonizes TRAIL-induced apoptosis in human myeloma cells. *J Clin Invest* 117, 3107-3117.

Chung, C. H., Parker, J. S., Karaca, G., Wu, J., Funkhouser, W. K., Moore, D., Butterfoss, D., Xiang, D., Zanation, A., Yin, X., *et al.* (2004). Molecular classification of head and neck squamous cell carcinomas using patterns of gene expression. *Cancer Cell* 5, 489-500.

Clave, E., Carosella, E. D., Gluckman, E., and Socie, G. (1997). Radiation-enhanced expression of interferon-inducible genes in the KG1a primitive hematopoietic cell line. *Leukemia* 11, 114-119.

Coleman, I. M., Kiefer, J. A., Brown, L. G., Pitts, T. E., Nelson, P. S., Brubaker, K. D., Vessella, R. L., and Corey, E. (2006). Inhibition of androgen-independent prostate cancer by estrogenic compounds is associated with increased expression of immune-related genes. *Neoplasia* 8, 862-878.

Daniel-Carmi, V., Makovitzki-Avraham, E., Reuven, E. M., Goldstein, I., Zilkha, N., Rotter, V., Tzehoval, E., and Eisenbach, L. (2009). The human 1-8D gene (IFITM2) is a novel p53 independent pro-apoptotic gene. *Int J Cancer* 125, 2810-2819.

Das, B. R., and Nagpal, J. K. (2002). Understanding the biology of oral cancer. *Med Sci Monit* 8, RA258-267.

de Veer, M. J., Holko, M., Frevel, M., Walker, E., Der, S., Paranjape, J. M., Silverman, R. H., and Williams, B. R. (2001). Functional classification of interferon-stimulated genes identified using microarrays. *J Leukoc Biol* 69, 912-920.

Deblandre, G. A., Marinx, O. P., Evans, S. S., Majjaj, S., Leo, O., Caput, D., Huez, G. A., and Wathelet, M. G. (1995). Expression cloning of an interferon-inducible 17-kDa membrane protein implicated in the control of cell growth. *J Biol Chem* 270, 23860-23866.

Dermott, J. M., Reddy, M. R., Onesime, D., Reddy, E. P., and Dhanasekaran, N. (1999). Oncogenic mutant of Galpha12 stimulates cell proliferation through cyclooxygenase-2 signaling pathway. *Oncogene* 18, 7185-7189.

Dhanasekaran, N., Tsim, S. T., Dermott, J. M., and Onesime, D. (1998). Regulation of cell proliferation by G proteins. *Oncogene* 17, 1383-1394.

Dorsam, R. T., and Gutkind, J. S. (2007). G-protein-coupled receptors and cancer. *Nat Rev Cancer* 7, 79-94.

El-Tanani, M. K., Jin, D., Campbell, F. C., and Johnston, P. G. (2009). Interferon-induced transmembrane 3 binds osteopontin in vitro: expressed in vivo IFITM3 reduced OPN expression. *Oncogene*.

Evans, S. S., Collea, R. P., Leasure, J. A., and Lee, D. B. (1993). IFN-alpha induces homotypic adhesion and Leu-13 expression in human B lymphoid cells. *J Immunol* 150, 736-747.

Fan, J., Peng, Z., Zhou, C., Qiu, G., Tang, H., Sun, Y., Wang, X., Li, Q., Le, X., and Xie, K. (2008). Gene-expression profiling in Chinese patients with colon cancer by coupling experimental and bioinformatic genomewide gene-expression analyses: identification and validation of IFITM3 as a biomarker of early colon carcinogenesis. *Cancer* 113, 266-275.

Ferlay, J., Bray, F., Pisani, P., and Parkin, D. M. (2001). GLOBOCAN 2002. Cancer incidence, mortality and prevalence worldwide. IARC Cancer Base no. 5 (Lyon, France: International Agency for Research on Cancer).

Fernandez-Cobo, M., Melana, S. M., Holland, J. F., and Pogo, B. G. (2006). Transcription profile of a human breast cancer cell line expressing MMTV-like sequences. *Infect Agent Cancer* 1, 7.

Friedman, R. L., Manly, S. P., McMahon, M., Kerr, I. M., and Stark, G. R. (1984). Transcriptional and posttranscriptional regulation of interferon-induced gene expression in human cells. *Cell* 38, 745-755.

Fromm, C., Coso, O. A., Montaner, S., Xu, N., and Gutkind, J. S. (1997). The small GTP-binding protein Rho links G protein-coupled receptors and Galpha12 to the serum response element and to cellular transformation. *Proc Natl Acad Sci U S A* 94, 10098-10103.

Fukuhara, S., Marinissen, M. J., Chiariello, M., and Gutkind, J. S. (2000). Signaling from G protein-coupled receptors to ERK5/Big MAPK 1 involves Galpha q and Galpha 12/13 families of heterotrimeric G proteins. Evidence for the existence of a novel Ras AND Rho-independent pathway. *J Biol Chem* 275, 21730-21736.

Fukuhara, S., Murga, C., Zohar, M., Igishi, T., and Gutkind, J. S. (1999). A novel PDZ domain containing guanine nucleotide exchange factor links heterotrimeric G proteins to Rho. *J Biol Chem* 274, 5868-5879.

Fumoto, S., Shimokuni, T., Tanimoto, K., Hiyama, K., Otani, K., Ohtaki, M., Hihara, J., Yoshida, K., Hiyama, E., Noguchi, T., and Nishiyama, M. (2008). Selection of a novel drug-response predictor in esophageal cancer: a novel screening method using microarray and identification of IFITM1 as a potent marker gene of CDDP response. *Int J Oncol* 32, 413-423.

Garber, M. E., Troyanskaya, O. G., Schluens, K., Petersen, S., Thaesler, Z., Pacyna-Gengelbach, M., van de Rijn, M., Rosen, G. D., Perou, C. M., Whyte, R. I., *et al.* (2001). Diversity of gene expression in adenocarcinoma of the lung. *Proc Natl Acad Sci U S A* 98, 13784-13789.

Gavard, J., and Gutkind, J. S. (2008). Protein kinase C-related kinase and ROCK are required for thrombin-induced endothelial cell permeability downstream from Galpha12/13 and Galpha11/q. *J Biol Chem* 283, 29888-29896.

Geback, T., Schulz, M. M., Koumoutsakos, P., and Detmar, M. (2009). TScratch: a novel and simple software tool for automated analysis of monolayer wound healing assays. *Biotechniques* 46, 265-274.

Girkontaite, I., Missy, K., Sakk, V., Harenberg, A., Tedford, K., Potzel, T., Pfeffer, K., and Fischer, K. D. (2001). Lsc is required for marginal zone B cells, regulation of lymphocyte motility and immune responses. *Nat Immunol* 2, 855-862.

Gohla, A., Harhammer, R., and Schultz, G. (1998). The G-protein G13 but not G12 mediates signaling from lysophosphatidic acid receptor via epidermal growth factor receptor to Rho. *J Biol Chem* 273, 4653-4659.

Gohla, A., Offermanns, S., Wilkie, T. M., and Schultz, G. (1999). Differential involvement of Galpha12 and Galpha13 in receptor-mediated stress fiber formation. *J Biol Chem* 274, 17901-17907.

Golub, T. R., Slonim, D. K., Tamayo, P., Huard, C., Gaasenbeek, M., Mesirov, J. P., Coller, H., Loh, M. L., Downing, J. R., Caligiuri, M. A., *et al.* (1999). Molecular classification of cancer: class discovery and class prediction by gene expression monitoring. *Science* 286, 531-537.

Gresser, I., Bourali, C., Levy, J. P., Fontaine-Brouty-Boye, D., and Thomas, M. T. (1969). Increased survival in mice inoculated with tumor cells and treated with interferon preparations. *Proc Natl Acad Sci U S A* 63, 51-57.

Gu, J. L., Muller, S., Mancino, V., Offermanns, S., and Simon, M. I. (2002). Interaction of G alpha(12) with G alpha(13) and G alpha(q) signaling pathways. *Proc Natl Acad Sci U S A* 99, 9352-9357.

Gupta, P. C., and Ray, C. S. (2004). Epidemiology of betel quid usage. *Ann Acad Med Singapore* 33, 31-36.

Hall, A. (1998). Rho GTPases and the actin cytoskeleton. *Science* 279, 509-514.

Hamid, S., Lim, K. P., Zain, R. B., Ismail, S. M., Lau, S. H., Mustafa, W. M., Abraham, M. T., Nam, N. A., Teo, S. H., and Cheong, S. C. (2007). Establishment and characterization of Asian oral cancer cell lines as in vitro models to study a disease prevalent in Asia. *Int J Mol Med* 19, 453-460.

Hamm, H. E. (1998). The many faces of G protein signaling. *J Biol Chem* 273, 669-672.

Hatano, H., Kudo, Y., Ogawa, I., Tsunematsu, T., Kikuchi, A., Abiko, Y., and Takata, T. (2008). IFN-induced transmembrane protein 1 promotes invasion at early stage of head and neck cancer progression. *Clin Cancer Res* 14, 6097-6105.

Hepler, J. R., and Gilman, A. G. (1992). G proteins. *Trends Biochem Sci* 17, 383-387.

Hicks, M. J., and Flaitz, C. M. (2000). Oral mucosal melanoma: epidemiology and pathobiology. *Oral Oncol* 36, 152-169.

Hill, C. S., Wynne, J., and Treisman, R. (1995). The Rho family GTPases RhoA, Rac1, and CDC42Hs regulate transcriptional activation by SRF. *Cell* *81*, 1159-1170.

Hirayama, T. (1966). An epidemiological study of oral and pharyngeal cancer in Central and South-East Asia. *Bull World Health Organ* *34*, 41-69.

Hisamatsu, T., Watanabe, M., Ogata, H., Ezaki, T., Hozawa, S., Ishii, H., Kanai, T., and Hibi, T. (1999). Interferon-inducible gene family 1-8U expression in colitis-associated colon cancer and severely inflamed mucosa in ulcerative colitis. *Cancer Res* *59*, 5927-5931.

Holler, C., Freissmuth, M., and Nanoff, C. (1999). G proteins as drug targets. *Cell Mol Life Sci* *55*, 257-270.

Huang, H., Colella, S., Kurrer, M., Yonekawa, Y., Kleihues, P., and Ohgaki, H. (2000). Gene expression profiling of low-grade diffuse astrocytomas by cDNA arrays. *Cancer Res* *60*, 6868-6874.

Hung, H. C., Chuang, J., Chien, Y. C., Chern, H. D., Chiang, C. P., Kuo, Y. S., Hildesheim, A., and Chen, C. J. (1997). Genetic polymorphisms of CYP2E1, GSTM1, and GSTT1; environmental factors and risk of oral cancer. *Cancer Epidemiol Biomarkers Prev* *6*, 901-905.

Isaacs, A., and Lindenmann, J. (1957). Virus interference. I. The interferon. *Proc R Soc Lond B Biol Sci* *147*, 258-267.

Jemal, A., Siegel, R., Ward, E., Hao, Y., Xu, J., and Thun, M. J. (2009). Cancer statistics, 2009. *CA Cancer J Clin*.

Jiang, H., Wu, D., and Simon, M. I. (1993). The transforming activity of activated G alpha 12. *FEBS Lett* *330*, 319-322.

Jones, K. R., Lodge-Rigal, R. D., Reddick, R. L., Tudor, G. E., and Shockley, W. W. (1992). Prognostic factors in the recurrence of stage I and II squamous cell cancer of the oral cavity. *Arch Otolaryngol Head Neck Surg* *118*, 483-485.

Jung, I. S., Kim, M. H., Choi, I. S., Kim, K. H., Ahn, K. Y., Lee, H. C., Jung, S., Shin, B. A., and Choi, C. (2002). Altered expression of genes in a human urinary bladder transitional cell carcinoma cell line. *Chonnam Medical Journal*, 190-194.

Kang, C. J., Chen, Y. J., Liao, C. T., Wang, H. M., Chang, J. T., Lin, C. Y., Lee, L. Y., Wang, T. H., Yen, T. C., Shen, C. R., *et al.* (2009). Transcriptome profiling and network pathway analysis of genes associated with invasive phenotype in oral cancer. *Cancer Lett* 284, 131-140.

Katoh, H., Aoki, J., Yamaguchi, Y., Kitano, Y., Ichikawa, A., and Negishi, M. (1998). Constitutively active Galpha12, Galpha13, and Galphaq induce Rho-dependent neurite retraction through different signaling pathways. *J Biol Chem* 273, 28700-28707.

Kelly, P., Moeller, B. J., Juneja, J., Booden, M. A., Der, C. J., Daaka, Y., Dewhirst, M. W., Fields, T. A., and Casey, P. J. (2006a). The G12 family of heterotrimeric G proteins promotes breast cancer invasion and metastasis. *Proc Natl Acad Sci U S A* 103, 8173-8178.

Kelly, P., Stemmler, L. N., Madden, J. F., Fields, T. A., Daaka, Y., and Casey, P. J. (2006b). A role for the G12 family of heterotrimeric G proteins in prostate cancer invasion. *J Biol Chem* 281, 26483-26490.

Ko, Y. C., Huang, Y. L., Lee, C. H., Chen, M. J., Lin, L. M., and Tsai, C. C. (1995). Betel quid chewing, cigarette smoking and alcohol consumption related to oral cancer in Taiwan. *J Oral Pathol Med* 24, 450-453.

Kozasa, T., Jiang, X., Hart, M. J., Sternweis, P. M., Singer, W. D., Gilman, A. G., Bollag, G., and Sternweis, P. C. (1998). p115 RhoGEF, a GTPase activating protein for Galpha12 and Galpha13. *Science* 280, 2109-2111.

Kozasa, T., and Ye, R. D. (2004). Selective inhibition of G protein-mediated pathways using RGS domains. *Methods Mol Biol* 237, 153-167.

Kumar, R. N., Ha, J. H., Radhakrishnan, R., and Dhanasekaran, D. N. (2006a). Transactivation of platelet-derived growth factor receptor alpha by the GTPase-deficient activated mutant of Galpha12. *Mol Cell Biol* 26, 50-62.

Kumar, R. N., Shore, S. K., and Dhanasekaran, N. (2006b). Neoplastic transformation by the gep oncogene, Galpha12, involves signaling by STAT3. *Oncogene* 25, 899-906.

Kuo, W. P., Mendez, E., Chen, C., Whipple, M. E., Farrell, G., Agoff, N., and Park, P. J. (2003). Functional relationships between gene pairs in oral squamous cell carcinoma. *AMIA Annu Symp Proc*, 371-375.



Lange, U. C., Adams, D. J., Lee, C., Barton, S., Schneider, R., Bradley, A., and Surani, M. A. (2008). Normal germ line establishment in mice carrying a deletion of the *Ifitm/Fragilis* gene family cluster. *Mol Cell Biol* 28, 4688-4696.

Lange, U. C., Saitou, M., Western, P. S., Barton, S. C., and Surani, M. A. (2003). The *fragilis* interferon-inducible gene family of transmembrane proteins is associated with germ cell specification in mice. *BMC Dev Biol* 3, 1.

Leethanakul, C., Knezevic, V., Patel, V., Amornphimoltham, P., Gillespie, J., Shillitoe, E. J., Emko, P., Park, M. H., Emmert-Buck, M. R., Strausberg, R. L., *et al.* (2003). Gene discovery in oral squamous cell carcinoma through the Head and Neck Cancer Genome Anatomy Project: confirmation by microarray analysis. *Oral Oncol* 39, 248-258.

Leethanakul, C., Patel, V., Gillespie, J., Pallente, M., Ensley, J. F., Koontongkaew, S., Liotta, L. A., Emmert-Buck, M., and Gutkind, J. S. (2000a). Distinct pattern of expression of differentiation and growth-related genes in squamous cell carcinomas of the head and neck revealed by the use of laser capture microdissection and cDNA arrays. *Oncogene* 19, 3220-3224.

Leethanakul, C., Patel, V., Gillespie, J., Shillitoe, E., Kellman, R. M., Ensley, J. F., Limwongse, V., Emmert-Buck, M. R., Krizman, D. B., and Gutkind, J. S. (2000b). Gene expression profiles in squamous cell carcinomas of the oral cavity: use of laser capture microdissection for the construction and analysis of stage-specific cDNA libraries. *Oral Oncol* 36, 474-483.

Levi, F., Lucchini, F., Negri, E., and La Vecchia, C. (1999). Worldwide patterns of cancer mortality, 1990-1994. *Eur J Cancer Prev* 8, 381-400.

Lewin, A. R., Reid, L. E., McMahon, M., Stark, G. R., and Kerr, I. M. (1991). Molecular analysis of a human interferon-inducible gene family. *Eur J Biochem* 199, 417-423.

Liang, C. C., Park, A. Y., and Guan, J. L. (2007). In vitro scratch assay: a convenient and inexpensive method for analysis of cell migration in vitro. *Nat Protoc* 2, 329-333.

Lickert, H., Cox, B., Wehrle, C., Taketo, M. M., Kemler, R., and Rossant, J. (2005). Dissecting Wnt/beta-catenin signaling during gastrulation using RNA interference in mouse embryos. *Development* 132, 2599-2609.

Lim, G. C. C., Rampal, S., and Yahaya, H. (2008). Cancer Incidence in Peninsular Malaysia, 2003-2005.

Lin, F., Sepich, D. S., Chen, S., Topczewski, J., Yin, C., Solnica-Krezel, L., and Hamm, H. (2005). Essential roles of G $\alpha$ 12/13 signaling in distinct cell behaviors driving zebrafish convergence and extension gastrulation movements. *J Cell Biol* 169, 777-787.

Liu, H., Kang, H., Liu, R., Chen, X., and Zhao, K. (2002). Maximal induction of a subset of interferon target genes requires the chromatin-remodeling activity of the BAF complex. *Mol Cell Biol* 22, 6471-6479.

Liu, S. C., Jen, Y. M., Jiang, S. S., Chang, J. L., Hsiung, C. A., Wang, C. H., and Juang, J. L. (2009). G $\alpha$ 12-mediated pathway promotes invasiveness of nasopharyngeal carcinoma by modulating actin cytoskeleton reorganization. *Cancer Res* 69, 6122-6130.

Llewellyn, C. D., Johnson, N. W., and Warnakulasuriya, K. A. (2004). Risk factors for oral cancer in newly diagnosed patients aged 45 years and younger: a case-control study in Southern England. *J Oral Pathol Med* 33, 525-532.

Llewellyn, C. D., Linklater, K., Bell, J., Johnson, N. W., and Warnakulasuriya, K. A. (2003). Squamous cell carcinoma of the oral cavity in patients aged 45 years and under: a descriptive analysis of 116 cases diagnosed in the South East of England from 1990 to 1997. *Oral Oncol* 39, 106-114.

Lo, W. L., Kao, S. Y., Chi, L. Y., Wong, Y. K., and Chang, R. C. (2003). Outcomes of oral squamous cell carcinoma in Taiwan after surgical therapy: factors affecting survival. *J Oral Maxillofac Surg* 61, 751-758.

Macpherson, L. M., McCann, M. F., Gibson, J., Binnie, V. I., and Stephen, K. W. (2003). The role of primary healthcare professionals in oral cancer prevention and detection. *Br Dent J* 195, 277-281; discussion 263.

Marinissen, M. J., Chiariello, M., Tanos, T., Bernard, O., Narumiya, S., and Gutkind, J. S. (2004). The small GTP-binding protein RhoA regulates c-jun by a ROCK-JNK signaling axis. *Mol Cell* 14, 29-41.

Marinissen, M. J., and Gutkind, J. S. (2001). G-protein-coupled receptors and signaling networks: emerging paradigms. *Trends Pharmacol Sci* 22, 368-376.

Martensen, P. M., and Justesen, J. (2004). Small ISGs coming forward. *J Interferon Cytokine Res* 24, 1-19.

Massano, J., Regateiro, F. S., Januario, G., and Ferreira, A. (2006). Oral squamous cell carcinoma: review of prognostic and predictive factors. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 102, 67-76.

McCudden, C. R., Hains, M. D., Kimple, R. J., Siderovski, D. P., and Willard, F. S. (2005). G-protein signaling: back to the future. *Cell Mol Life Sci* 62, 551-577.

Meigs, T. E., Fedor-Chaiken, M., Kaplan, D. D., Brackenbury, R., and Casey, P. J. (2002). Galpha12 and Galpha13 negatively regulate the adhesive functions of cadherin. *J Biol Chem* 277, 24594-24600.

Meigs, T. E., Fields, T. A., McKee, D. D., and Casey, P. J. (2001). Interaction of Galpha 12 and Galpha 13 with the cytoplasmic domain of cadherin provides a mechanism for beta -catenin release. *Proc Natl Acad Sci U S A* 98, 519-524.

Meyer, T. N., Hunt, J., Schwesinger, C., and Denker, B. M. (2003). Galpha12 regulates epithelial cell junctions through Src tyrosine kinases. *Am J Physiol Cell Physiol* 285, C1281-1293.

Milligan, G., and Kostenis, E. (2006). Heterotrimeric G-proteins: a short history. *Br J Pharmacol* 147 *Suppl 1*, S46-55.

Mima, S., Tsutsumi, S., Ushijima, H., Takeda, M., Fukuda, I., Yokomizo, K., Suzuki, K., Sano, K., Nakanishi, T., Tomisato, W., *et al.* (2005). Induction of claudin-4 by nonsteroidal anti-inflammatory drugs and its contribution to their chemopreventive effect. *Cancer Res* 65, 1868-1876.

Ministry of Health Malaysia (1998). Annual Report.

Ministry of Health Malaysia (2006). Director General Technical Report.

Miyazaki, H., Patel, V., Wang, H., Ensley, J. F., Gutkind, J. S., and Yeudall, W. A. (2006). Growth factor-sensitive molecular targets identified in primary and metastatic head and neck squamous cell carcinoma using microarray analysis. *Oral Oncol* 42, 240-256.

Moers, A., Nieswandt, B., Massberg, S., Wettschureck, N., Gruner, S., Konrad, I., Schulte, V., Aktas, B., Gratacap, M. P., Simon, M. I., *et al.* (2003). G13 is an essential mediator of platelet activation in hemostasis and thrombosis. *Nat Med* 9, 1418-1422.

Mork, J., Moller, B., and Glattre, E. (1999). Familial risk in head and neck squamous cell carcinoma diagnosed before the age of 45: a population-based study. *Oral Oncol* 35, 360-367.

Nagpal, J. K., and Das, B. R. (2003). Oral cancer: reviewing the present understanding of its molecular mechanism and exploring the future directions for its effective management. *Oral Oncol* 39, 213-221.

Nair, U. J., Nair, J., Mathew, B., and Bartsch, H. (1999). Glutathione S-transferase M1 and T1 null genotypes as risk factors for oral leukoplakia in ethnic Indian betel quid/tobacco chewers. *Carcinogenesis* 20, 743-748.

Nakamura, Y. (2007). Personal communication (Tokyo).

Needham, L. K., and Rozengurt, E. (1998). Galpha12 and Galpha13 stimulate Rho-dependent tyrosine phosphorylation of focal adhesion kinase, paxillin, and p130 Crk-associated substrate. *J Biol Chem* 273, 14626-14632.

Nguyen, D. X., Bos, P. D., and Massague, J. (2009). Metastasis: from dissemination to organ-specific colonization. *Nat Rev Cancer* 9, 274-284.

Ni, Z., and Bremner, R. (2007). Brahma-related gene 1-dependent STAT3 recruitment at IL-6-inducible genes. *J Immunol* 178, 345-351.

Norlida, A., Ghani, W., Karen, N., Abraham, M., Prepageran, N., Mustafa, W., Rahman, Z., Ismail, S., Zain, R., Razak, I., *et al.* (2008). Two year follow-up of selected Malaysian oral cancer patients in relation to disease stage, nodal metastasis and tumor size, Paper presented at: World cancer congress, UICC (Geneva, Switzerland).

O'Donnell, R. K., Kupferman, M., Wei, S. J., Singhal, S., Weber, R., O'Malley, B., Cheng, Y., Putt, M., Feldman, M., Ziober, B., and Muschel, R. J. (2005). Gene expression signature predicts lymphatic metastasis in squamous cell carcinoma of the oral cavity. *Oncogene* 24, 1244-1251.

O-charoenrat, P., Pillai, G., Patel, S., Fisher, C., Archer, D., Eccles, S., and Rhys-Evans, P. (2003). Tumour thickness predicts cervical nodal metastases and survival in early oral tongue cancer. *Oral Oncol* 39, 386-390.

Offermanns, S. (2001). In vivo functions of heterotrimeric G-proteins: studies in Galpha-deficient mice. *Oncogene* 20, 1635-1642.

Offermanns, S., Hu, Y. H., and Simon, M. I. (1996). Galpha12 and galpha13 are phosphorylated during platelet activation. *J Biol Chem* 271, 26044-26048.

Offermanns, S., Mancino, V., Revel, J. P., and Simon, M. I. (1997). Vascular system defects and impaired cell chemokinesis as a result of Galpha13 deficiency. *Science* 275, 533-536.

Oliver, R. J., Dearing, J., and Hindle, I. (2000). Oral cancer in young adults: report of three cases and review of the literature. *Br Dent J* 188, 362-365.

Ord, R. A., and Blanchaert, R. H., Jr. (2001). Current management of oral cancer. A multidisciplinary approach. *J Am Dent Assoc* 132 *Suppl*, 19S-23S.

Parks, S., and Wieschaus, E. (1991). The *Drosophila* gastrulation gene *concertina* encodes a G alpha-like protein. *Cell* 64, 447-458.

Patel, V., Hood, B. L., Molinolo, A. A., Lee, N. H., Conrads, T. P., Braisted, J. C., Krizman, D. B., Veenstra, T. D., and Gutkind, J. S. (2008). Proteomic analysis of laser-captured paraffin-embedded tissues: a molecular portrait of head and neck cancer progression. *Clin Cancer Res* 14, 1002-1014.

Perona, R., Montaner, S., Saniger, L., Sanchez-Perez, I., Bravo, R., and Lacal, J. C. (1997). Activation of the nuclear factor-kappaB by Rho, CDC42, and Rac-1 proteins. *Genes Dev* 11, 463-475.

Perou, C. M., Sorlie, T., Eisen, M. B., van de Rijn, M., Jeffrey, S. S., Rees, C. A., Pollack, J. R., Ross, D. T., Johnsen, H., Akslen, L. A., *et al.* (2000). Molecular portraits of human breast tumours. *Nature* 406, 747-752.

Pestka, S., Krause, C. D., and Walter, M. R. (2004). Interferons, interferon-like cytokines, and their receptors. *Immunol Rev* 202, 8-32.

Petersen, P.E. (2009). Oral cancer prevention and control--the approach of the World Health Organization. *Oral Oncol* 45, 454-460.

Rainho, C. A., Kowalski, L. P., and Rogatto, S. R. (2001). Loss of imprinting and loss of heterozygosity on 11p15.5 in head and neck squamous cell carcinomas. *Head Neck* 23, 851-859.

Ramanathan, K., and Lakshimi, S. (1976). Oral carcinoma in Peninsular Malaysia: racial variations in the Indians, Malays, Chinese and Caucasians. *GANN Monograph on Cancer Research* 18, 27-36.

Ramaswamy, S., Ross, K. N., Lander, E. S., and Golub, T. R. (2003). A molecular signature of metastasis in primary solid tumors. *Nat Genet* 33, 49-54.

Raslova, H., Kauffmann, A., Sekkai, D., Ripoche, H., Larbret, F., Robert, T., Le Roux, D. T., Kroemer, G., Debili, N., Dessen, P., *et al.* (2007). Interrelation between polyploidization and megakaryocyte differentiation: a gene profiling approach. *Blood* 109, 3225-3234.

Reibel, J. (2003). Prognosis of oral pre-malignant lesions: significance of clinical, histopathological, and molecular biological characteristics. *Crit Rev Oral Biol Med* 14, 47-62.

Rens-Domiano, S., and Hamm, H. E. (1995). Structural and functional relationships of heterotrimeric G-proteins. *Faseb J* 9, 1059-1066.

Riobo, N. A., and Manning, D. R. (2005). Receptors coupled to heterotrimeric G proteins of the G12 family. *Trends Pharmacol Sci* 26, 146-154.

Roepman, P., de Jager, A., Groot Koerkamp, M. J., Kummer, J. A., Slootweg, P. J., and Holstege, F. C. (2006). Maintenance of head and neck tumor gene expression profiles upon lymph node metastasis. *Cancer Res* 66, 11110-11114.

Roepman, P., Wessels, L. F., Kettelarij, N., Kemmeren, P., Miles, A. J., Lijnzaad, P., Tilanus, M. G., Koole, R., Hordijk, G. J., van der Vliet, P. C., *et al.* (2005). An expression profile for diagnosis of lymph node metastases from primary head and neck squamous cell carcinomas. *Nat Genet* 37, 182-186.

Rogers, C. D., Fukushima, N., Sato, N., Shi, C., Prasad, N., Hustinx, S. R., Matsubayashi, H., Canto, M., Eshleman, J. R., Hruban, R. H., and Goggins, M. (2006). Differentiating pancreatic lesions by microarray and QPCR analysis of pancreatic juice RNAs. *Cancer Biol Ther* 5, 1383-1389.

Ropolo, A., Tomasini, R., Grasso, D., Dusetti, N. J., Cerquetti, M. C., Iovanna, J. L., and Vaccaro, M. I. (2004). Cloning of IP15, a pancreatitis-induced gene whose expression inhibits cell growth. *Biochem Biophys Res Commun* 319, 1001-1009.

Ruppel, K. M., Willison, D., Kataoka, H., Wang, A., Zheng, Y. W., Cornelissen, I., Yin, L., Xu, S. M., and Coughlin, S. R. (2005). Essential role for Galpha13 in endothelial cells during embryonic development. *Proc Natl Acad Sci U S A* 102, 8281-8286.

- Saetre, P., Emilsson, L., Axelsson, E., Kreuger, J., Lindholm, E., and Jazin, E. (2007). Inflammation-related genes up-regulated in schizophrenia brains. *BMC Psychiatry* 7, 46.
- Sah, V. P., Seasholtz, T. M., Sagi, S. A., and Brown, J. H. (2000). The role of Rho in G protein-coupled receptor signal transduction. *Annu Rev Pharmacol Toxicol* 40, 459-489.
- Sahai, E., and Marshall, C. J. (2002). RHO-GTPases and cancer. *Nat Rev Cancer* 2, 133-142.
- Saini, R., Tang, T. H., Zain, R. B., Cheong, S. C., Musa, K. I., Saini, D., Ismail, A. R., Abraham, M. T., Mustafa, W. M., and Santhanam, J. (2010). Significant association of high-risk human papillomavirus (HPV) but not of p53 polymorphisms with oral squamous cell carcinomas in Malaysia. *J Cancer Res Clin Oncol*.
- Saitou, M., Payer, B., Lange, U. C., Erhardt, S., Barton, S. C., and Surani, M. A. (2003). Specification of germ cell fate in mice. *Philos Trans R Soc Lond B Biol Sci* 358, 1363-1370.
- Saleh, A., Cheong, S.C., and Zain, R.B. (2010). Gene expression patterns of OSCC from different sites of the oral cavity (Unpublished data).
- Sarkaria, J. N., and Harari, P. M. (1994). Oral tongue cancer in young adults less than 40 years of age: rationale for aggressive therapy. *Head Neck* 16, 107-111.
- Schmalbach, C. E., Chepeha, D. B., Giordano, T. J., Rubin, M. A., Teknos, T. N., Bradford, C. R., Wolf, G. T., Kuick, R., Misek, D. E., Trask, D. K., and Hanash, S. (2004). Molecular profiling and the identification of genes associated with metastatic oral cavity/pharynx squamous cell carcinoma. *Arch Otolaryngol Head Neck Surg* 130, 295-302.
- Schwartz, J. L. (2000). Biomarkers and molecular epidemiology and chemoprevention of oral carcinogenesis. *Crit Rev Oral Biol Med* 11, 92-122.
- Seyfried, N. T., Huysentruyt, L. C., Atwood, J. A., 3rd, Xia, Q., Seyfried, T. N., and Orlando, R. (2008). Up-regulation of NG2 proteoglycan and interferon-induced transmembrane proteins 1 and 3 in mouse astrocytoma: a membrane proteomics approach. *Cancer Lett* 263, 243-252.
- Siderovski, D. P., Hessel, A., Chung, S., Mak, T. W., and Tyers, M. (1996). A new family of regulators of G-protein-coupled receptors? *Curr Biol* 6, 211-212.
- Simon, M. I., Strathmann, M. P., and Gautam, N. (1991). Diversity of G proteins in signal transduction. *Science* 252, 802-808.

- Slice, L. W., Walsh, J. H., and Rozengurt, E. (1999). G $\alpha$ (13) stimulates Rho-dependent activation of the cyclooxygenase-2 promoter. *J Biol Chem* 274, 27562-27566.
- Smith, R. A., Young, J., Weis, J. J., and Weis, J. H. (2006). Expression of the mouse fragilis gene products in immune cells and association with receptor signaling complexes. *Genes Immun* 7, 113-121.
- Stadel, J. M., Wilson, S., and Bergsma, D. J. (1997). Orphan G protein-coupled receptors: a neglected opportunity for pioneer drug discovery. *Trends Pharmacol Sci* 18, 430-437.
- Stewart, B. W., and Kleihues, P. (2003). World cancer report (Lyon: WHO International Agency for Research on Cancer), pp. 1-351.
- Strathmann, M. P., and Simon, M. I. (1991). G $\alpha$  12 and G $\alpha$  13 subunits define a fourth class of G protein alpha subunits. *Proc Natl Acad Sci U S A* 88, 5582-5586.
- Suzuki, N., Hajicek, N., and Kozasa, T. (2009). Regulation and physiological functions of G12/13-mediated signaling pathways. *Neurosignals* 17, 55-70.
- Suzuki, N., Hajicek, N., and Kozasa, T. (2009). Regulation and physiological functions of G12/13-mediated signaling pathways. *Neurosignals* 17, 55-70.
- Takes, R. P., Baatenburg de Jong, R. J., Schuurin, E., Hermans, J., Vis, A. A., Litvinov, S. V., and van Krieken, J. H. (1997). Markers for assessment of nodal metastasis in laryngeal carcinoma. *Arch Otolaryngol Head Neck Surg* 123, 412-419.
- Tanaka, S. S., Nagamatsu, G., Tokitake, Y., Kasa, M., Tam, P. P., and Matsui, Y. (2004). Regulation of expression of mouse interferon-induced transmembrane protein like gene-3, Ifitm3 (mil-1, fragilis), in germ cells. *Dev Dyn* 230, 651-659.
- Tanaka, S. S., Yamaguchi, Y. L., Tsoi, B., Lickert, H., and Tam, P. P. (2005). IFITM/Mil/fragilis family proteins IFITM1 and IFITM3 play distinct roles in mouse primordial germ cell homing and repulsion. *Dev Cell* 9, 745-756.
- Tirosh, B., Daniel-Carmi, V., Carmon, L., Paz, A., Lugassy, G., Vadai, E., Machlenkin, A., Bar-Haim, E., Do, M. S., Ahn, I. S., *et al.* (2007). '1-8 interferon inducible gene family': putative colon carcinoma-associated antigens. *Br J Cancer* 97, 1655-1663.
- Tsai, W. C., Tsai, S. T., Ko, J. Y., Jin, Y. T., Li, C., Huang, W., Young, K. C., Lai, M. D., Liu, H. S., and Wu, L. W. (2004). The mRNA profile of genes in betel quid chewing oral cancer patients. *Oral Oncol* 40, 418-426.



Untergasser, G., Koch, H. B., Menssen, A., and Hermeking, H. (2002). Characterization of epithelial senescence by serial analysis of gene expression: identification of genes potentially involved in prostate cancer. *Cancer Res* 62, 6255-6262.

Vaarala, M. H., Porvari, K., Kyllonen, A., and Vihko, P. (2000). Differentially expressed genes in two LNCaP prostate cancer cell lines reflecting changes during prostate cancer progression. *Lab Invest* 80, 1259-1268.

Vaiskunaite, R., Adarichev, V., Furthmayr, H., Kozasa, T., Gudkov, A., and Voyno-Yasenetskaya, T. A. (2000). Conformational activation of radixin by G13 protein alpha subunit. *J Biol Chem* 275, 26206-26212.

van 't Veer, L. J., Dai, H., van de Vijver, M. J., He, Y. D., Hart, A. A., Mao, M., Peterse, H. L., van der Kooy, K., Marton, M. J., Witteveen, A. T., *et al.* (2002). Gene expression profiling predicts clinical outcome of breast cancer. *Nature* 415, 530-536.

van der Waal, I. (2009). Oral lichen planus and oral lichenoid lesions; a critical appraisal with emphasis on the diagnostic aspects. *Med Oral Patol Oral Cir Bucal* 14, E310-314.

Vara Prasad, M. V., Shore, S. K., and Dhanasekaran, N. (1994). Activated mutant of G alpha 13 induces Egr-1, c-fos, and transformation in NIH 3T3 cells. *Oncogene* 9, 2425-2429.

Varambally, S., Yu, J., Laxman, B., Rhodes, D. R., Mehra, R., Tomlins, S. A., Shah, R. B., Chandran, U., Monzon, F. A., Becich, M. J., *et al.* (2005). Integrative genomic and proteomic analysis of prostate cancer reveals signatures of metastatic progression. *Cancer Cell* 8, 393-406.

Voyno-Yasenetskaya, T. A., Pace, A. M., and Bourne, H. R. (1994). Mutant alpha subunits of G12 and G13 proteins induce neoplastic transformation of Rat-1 fibroblasts. *Oncogene* 9, 2559-2565.

Warner, G. C., Reis, P. P., Jurisica, I., Sultan, M., Arora, S., Macmillan, C., Makitie, A. A., Grenman, R., Reid, N., Sukhai, M., *et al.* (2004). Molecular classification of oral cancer by cDNA microarrays identifies overexpressed genes correlated with nodal metastasis. *Int J Cancer* 110, 857-868.

Wennerberg, K., Rossman, K. L., and Der, C. J. (2005). The Ras superfamily at a glance. *J Cell Sci* 118, 843-846.

Wettschureck, N., and Offermanns, S. (2005). Mammalian G proteins and their cell type specific functions. *Physiol Rev* 85, 1159-1204.

Wittig, R., Nessling, M., Will, R. D., Mollenhauer, J., Salowsky, R., Munstermann, E., Schick, M., Helmbach, H., Gschwendt, B., Korn, B., *et al.* (2002). Candidate genes for cross-resistance against DNA-damaging drugs. *Cancer Res* 62, 6698-6705.

Woolgar, J. A. (2006). Histopathological prognosticators in oral and oropharyngeal squamous cell carcinoma. *Oral Oncol* 42, 229-239.

Wu, M. S., Lin, Y. S., Chang, Y. T., Shun, C. T., Lin, M. T., and Lin, J. T. (2005). Gene expression profiling of gastric cancer by microarray combined with laser capture microdissection. *World J Gastroenterol* 11, 7405-7412.

Xu, J., Wang, F., Van Keymeulen, A., Herzmark, P., Straight, A., Kelly, K., Takuwa, Y., Sugimoto, N., Mitchison, T., and Bourne, H. R. (2003). Divergent signals and cytoskeletal assemblies regulate self-organizing polarity in neutrophils. *Cell* 114, 201-214.

Xu, N., Bradley, L., Ambdukar, I., and Gutkind, J. S. (1993). A mutant alpha subunit of G12 potentiates the eicosanoid pathway and is highly oncogenic in NIH 3T3 cells. *Proc Natl Acad Sci U S A* 90, 6741-6745.

Yamaguchi, Y., Katoh, H., Mori, K., and Negishi, M. (2002). Galpha(12) and Galpha(13) interact with Ser/Thr protein phosphatase type 5 and stimulate its phosphatase activity. *Curr Biol* 12, 1353-1358.

Yamamoto, H., Itoh, F., Iku, S., Adachi, Y., Fukushima, H., Sasaki, S., Mukaiya, M., Hirata, K., and Imai, K. (2001). Expression of matrix metalloproteinases and tissue inhibitors of metalloproteinases in human pancreatic adenocarcinomas: clinicopathologic and prognostic significance of matrilysin expression. *J Clin Oncol* 19, 1118-1127.

Yang, G., Xu, Y., Chen, X., and Hu, G. (2007). IFITM1 plays an essential role in the antiproliferative action of interferon-gamma. *Oncogene* 26, 594-603.

Yang, Y., Lee, J. H., Kim, K. Y., Song, H. K., Kim, J. K., Yoon, S. R., Cho, D., Song, K. S., Lee, Y. H., and Choi, I. (2005). The interferon-inducible 9-27 gene modulates the susceptibility to natural killer cells and the invasiveness of gastric cancer cells. *Cancer Lett* 221, 191-200.

Zain, R. B. (2001). Cultural and dietary risk factors of oral cancer and precancer--a brief overview. *Oral Oncol* 37, 205-210.

Zain, R.B., and Ghazali, N. (2001). A review of epidemiological studies of oral cancer and precancer in Malaysia. *Annal Dent Univ Malaya* 8, 50-56

Zain, R. B., Ikeda, N., Gupta, P. C., Warnakulasuriya, S., van Wyk, C. W., Shrestha, P., and Axell, T. (1999). Oral mucosal lesions associated with betel quid, areca nut and tobacco chewing habits: consensus from a workshop held in Kuala Lumpur, Malaysia, November 25-27, 1996. *J Oral Pathol Med* 28, 1-4.

Zain, R. B., Ikeda, N., Razak, I. A., Axell, T., Majid, Z. A., Gupta, P. C., and Yaacob, M. (1997). A national epidemiological survey of oral mucosal lesions in Malaysia. *Community Dent Oral Epidemiol* 25, 377-383.

Zhang, L., Zhou, W., Velculescu, V. E., Kern, S. E., Hruban, R. H., Hamilton, S. R., Vogelstein, B., and Kinzler, K. W. (1997). Gene expression profiles in normal and cancer cells. *Science* 276, 1268-1272.

Zienolddiny, S., Aguelon, A. M., Mironov, N., Mathew, B., Thomas, G., Sankaranarayanan, R., and Yamasaki, H. (2004). Genomic instability in oral squamous cell carcinoma: relationship to betel-quid chewing. *Oral Oncol* 40, 298-303.

Zuber, J., Tchernitsa, O. I., Hinzmann, B., Schmitz, A. C., Grips, M., Hellriegel, M., Sers, C., Rosenthal, A., and Schafer, R. (2000). A genome-wide survey of RAS transformation targets. *Nat Genet* 24, 144-152.