

References

- Albakry, M., Guazzato, M., Swain, M.V. (2003). Fracture toughness and hardness evaluation of three pressable all-ceramic dental materials. *J Dent*; **31**:181-188.
- American society for metals handbook committee, laser beam welding. (1988). In: Metals Handbook, vol. **6**, ed. 9. Cleveland, OH: *Am Soc Metals*: 647-671
- Angelini, E., Pezzoli, M., Rosalbino, F., Zucchi F. (1991). Influence of corrosion on brazed joints' strength. *J Dent*; **19**:56-61.
- Angelini, E., Zucchi, F., (1991). *In vitro* corrosion of some Co-Cr and Ni-Cr alloys used for removable partial dentures: influence of heat treatments. *J Mater Sci Mater Med*; **2**: 27-35.
- Arvidson, K., Cottler Fox, M., Hammarlund, E., Friberg, U., (1987). Cytotoxic effects of cobalt chromium alloys on fibroblasts derived from human gingiva. *Scand J Dent Res*; **95**: 356-363.
- Baba, N. and Watanabe, I. (2005). Penetration depth into dental casting alloys by Nd: YAG laser. *J Biomed Mater Res B Appl Biomater*; **72**: 64-68.
- Baba, N., Watanabe, I., Liu, J., Atsuta, M., (2004). Mechanical strength of laser welded cobalt–chromium alloy. *J Biomed Mater Res B App lBiomater*; **69**: 121-124.
- Behr, M., Hindelang, U., Rosentritt, M., Lang, R. and Handel, G., (2000). Comparison of failure rates of adhesive-fixed partial dentures for *in vivo* and *in vitro* studies. *Clin Oral Invest*; **4**: 25-30.
- Berg, E., Wagner, W.C., Davik, G. and Dootz, E.R., (1995). Mechanical properties of laser-welded cast and wrought titanium. *J Prosthet Dent*; **74**: 250-257.
- Bertrand, C., Le Petitcorps, Y., Albingre, L., Dupuis, V., (2001). The laser welding technique applied to the non precious dental alloys procedure and results. *Br Dent J*; **190**: 255-257.
- Bertrand, C., Le Petitcorps, Y., Albingre, L. and Dupuis, V., (2004). Optimization of operator and physical parameters for laser welding of dental materials. *Br Dent J*; **96**: 413-418.
- Bissada, N.F., Ibrahim, S.I. and Barsoum, W.M., (1974). Gingival response to various types of removable partial dentures. *J Periodontol*; **45**: 651-659.
- Brandi, S. D. (1992). *Solidificação da poça de fusão. In: Soldagem: Processos e Metalurgia*. Wainer E, Brandi SD, Homem De Mello FD.(Editors). São Paulo: Edgard Blucher; p. 371-386.
- Browne M., Gregson, P.J. (2001). Accelerated fatigue testing of knee tibial trays, DTI Programme: Project CAM 2 Task 5.
- Brudvik, J.S., Nicholls, J.I., (1983). Soldering of removable partial dentures. *J Prosthet Dent*; **49**(6):762-765

- Brune, D.A.G., Hultquist, G., Leygraf, C., (1984). Corrosion resistance of a passivated and non passivated cobalt chromium alloy. *Scand J Dent Res*; **92**: 262-267.
- Brunette, D.M., Tengvall, P., Textor, M., Thomson, P. (2001) (ed) *Titanium in medicine*. Berlin: Springer.
- Boyer R., Welsch G., Collings EW (1994). *Titanium alloys. Material properties handbook*. Materials Park, OH ASM International, pp. 1057-1060.
- Cattell, M.J., Clarke, R.L., Lynch, E.J., (1997). The transverse strength, reliability and microstructural features of four dental ceramics-Part I. *J Dent*; **25**: 399-407.
- Chai, T., Chou, C.K., (1998). Mechanical properties of laser-welded cast titanium joints under different conditions. *J Prosthet Dent*; **79**: 477-483.
- Chen, J., Browne, M., Taylor, M., Gregson, P.J., (2004). Application of an interface failure model to predict fatigue crack growth in an implanted metallic femoral stem. *Comput Meth Programs Biomed*; **73**: 249-256.
- Cheng, A.C., Chai, J.Y., Gilbert, J., Jameson, L.M. (1994). Investigation of stiffness and microstructure of joints soldered with gas-oxygen torch and infrared methods. *J Prosthet Dent*; **72**: 8-15.
- Dawes, C., (1992). *Laser welding: A practical guide*. Woodhead Publishing Ltd., p. 272.
- de-Melo, J.F., Gjerdet, N.R., Erichsen, E.S., (1983). Metal release from cobalt-chromium partial dentures in the mouth. *Acta Odontol Scand*; **41**: 71-74.
- Dobberstein, H., Orlick, H. and Zuhrt, R., (1990). The welding of cobalt-chromium, nickel-chromium and silver-palladium alloys using a solid-state laser. *Zahn-, Mund-, und Kieferheilkunde mit Zentralblatt*; **78**: 259-261.
- Donachie, M.J. (1982). *Titanium and titanium alloys source book*, Metals Park, OH: The American Society for Metals, pp. 10-19.
- Galloza, A., Torres, J.J., Torres, J., Vargas, V.M. and Vega, O.M., (2004). Biomechanics of implants and dental materials. *Applications of Engineering Mechanics in Medicine*, <http://academic.uprm.edu/~mgoyal/materialsmay2004/a04dental.pdf>
- Geurtsen, W., (2001). Biocompatibility of root canal filling materials. *Aust Endod J*; **27**: 12-21.
- Glantz, P.O., (1998). Biomaterial considerations for the optimized therapy for the edentulous predicament. *J Prosthet Dent*; **79**: 90-92.
- Goncalves, V., Salema, A., (2003). Laser/TIG hybrid welding-program for the calculation of welding parameters and pre-heating temperature in alloy steels. *Sudura ASR*; **2**: 7-12.

- Gordon, T.E., Smith, D.L., (1970). Laser welding of prostheses-an initial report. *J Prosthet Dent*; **24**: 472-476.
- Gustavsen, F., Berge, M., Hegdahl, T., (1989). Flexural strength of a high-temperature soldered cobalt-chromium alloy. *J Prosthet Dent*; **61**: 568-571.
- Hoffman J. (1992). Dental laser welding technique. Procedural report.1.Quality, expense, and risks of innovative bonding technique. *Dent Lab*; **40**: 1221-1224.
- Honigsberg, A., Dworetzky, P.J., Kaufman, E.G. (1967). The use of infrared energy for dental soldering and melting procedures *Dent Res.***46** (special issue):80, IADR abstract no. 177.
- Huang, J., Li, Z., Cui, H., Yao, C., Wu, Y., (2010). Laser welding and laser cladding of high performance materials. *Physics Procedia*; **5**: 1-8.
- Ida, K., Tani, Y., Tsutsumi, S., Togaya, T., Nambu, T., Suese, K., Kawazoe, T., Nakamura, M. and Wada, H., (1985). Clinical application of pure titanium crowns. *Dent Mater J*; **4**: 191-195.
- Ishikawa, M., Kashiwabara, T., Ishida, O. and Ichikawa, T., (2002).Installing magnetic keepers using laser welding.*J Prosthodont*; **11**: 49-52.
- Iwasaki, K., Ohkawa, S., Rosca, I.D., Uo, M., Akasaka, T. and Watari, F., (2004). Distortion of laser-welded titanium plates.*Dent Mater J*; **23**: 593-599.
- Klages, K.,;Gillner, A.,; Olowinsky, A.,; Fronczek, S.,; Studt, A. (2003).Laser beam micro-welding of dissimilar metals. In: Miyamoto, I., Ostendorf, A., Sugioka, K. and Helvajian, H. eds proceeding of the fourth international symposium on laser precision microfabrication. Vol 5063. Bellingham: SPIE; pp. 303-307.
- Kummer, F.J. and Rose, R.M., (1983).Corrosion of titanium/cobalt-chromium alloy couples, *J Bone Joint Surg.*, **65-A** (8):1125-1126.
- Lawson, J.R., (1991). Alternative alloys for resin-bonded retainers. *J Prosthet Dent*; **65**: 97-99.
- Lee, W.V., Nicholls, J.I., Butson, T.J., Daly, C.H., (1997). Fatigue life of a Nd: YAG laser-welded metal ceramic alloy.*Int J Prosthodont*; **10**: 434-439.
- Lechner, S.K. (1987). The distal extension saddle partial denture. A review. *Aust Prosthodont J*; **1**: 59-64.
- Liu, J., Watanabe, I., Yoshida, K., Atsuta, M., (2002).Joint strength of laser-welded titanium. *Dent mater*; **18**: 143-148.
- Louly AC, Mora AF, Moore BK, Andres CJ, Goodacre CJ. (1991). Tensile strength of pre- ceramic solder joints formed using an infrared heat source. *Int J Prosthodont.*; **4**:425-431.
- McCracken, M. (1999). Dental implant materials: commercially pure titanium and titanium alloys. *J Prosthodont*; **8**: 40-43.

- Mezger, P.R. Vrijhoef, M.M.A., Newman, S.M., Greener, E.H., (1988). The corrosion resistance of a new cobalt-chromium-molybdenum-ceramic alloy. *J Oral Rehabil*; **15**: 421-428.
- NaBadalung, D.P. and Nicholls, J.I., (1998). Laser welding of a cobalt-chromium removable partial denture alloy. *J Prosthet Dent*; **79**: 285-290.
- Niinomi, M., (1998). Mechanical properties of biomedical titanium alloys. *Mater Sci Engng*; **A243**: 231-236.
- Ohkubo, C. Hanatani, S. and Hosoi, T. (2008) Present status of titanium removable dentures—a review of the literature. *J Oral Rehabil*; **35**: 706-714.
- Ohkubo, C., Watanabe, I., Tanaka, Y., Hosoi, T., (2003). Application of cast iron-platinum keeper to a collapsible denture for a patient with constricted oral opening: a clinical report. *J Prosthet Dent*; **90**: 6-9.
- Okabe T, Ohkubo C, Watanabe I, Okuno O, Takada Y. (1998). The present status of dental titanium casting. *J Metals*.; **50**:24–29.
- Oliveira, P.C.G., Adabo, G.L., Ribeiro, R.F., Rocha, S.S., (2006). The effect of mold temperature on castability of CP Ti and Ti-6Al-4V castings into phosphate bonded investment materials. *Dent Mater*; **22**: 1098-1102.
- Preston, J.D., Reisbeck, M.H. (1975) Laser fusion of dental casting alloys. *J Dent Res*; **54**: 232. 233.
- Philips, R.W. and Skinner, E.W. (1996). *Skinner's science of dental materials* (10th ed), WB Saunders Co, Philadelphia; p: 454-456.
- Pratt, R.C., Burgess, J.O., Schwartz, R.S. and Smith, J.H., (1989). Evaluation of bond strength of six porcelain repair systems. *J Prosthet Dent*; **62**: 11-13.
- Randle, V., Davies, H., (2001). A comparison between three-dimensional and two-dimensional grain boundary plane analysis. *Ultramicroscopy*; **90**: 153-162.
- Rhoads, J.E., Rudd, K.D., Morrow, R.M. (1986). *Dental Laboratory. Procedures. Fixed Partial Dentures*. St. Louis, Mosby; pp: 399-401
- Roggensack, M., Walter, M.H. and Böning, K.W., (1993). Studies on laser-and plasma-welded titanium. *Dental materials*; **9**: 104-107.
- Seghi, R.R., Sorensen, J.A., (1995). Relative flexural strength of six new ceramic materials. *Int J Prosthodont*; **8**: 239-246.
- Sjögren, G., Andersson, M., Bergman, M., (1988). Laser welding of titanium in dentistry. *Acta Odontologica Scandinavica*; **46**: 247-253.
- Skinner, E., Phillips, R.W., (1967). *The science of dental materials*. Saunders Philadelphia.

- Staffanou, R.S., Radke, R.A., Jendresen, M. D.(1980). Strength properties of soldered joints from various ceramic-metal combinations. *J Prosthet Dent*; **43**:31-39.
- Strandman, E. (1976). The influence of carbon content on the mechanical properties in a cast dental Co-Cr alloy. *Odontol Revy*; **27**: 273–286
- Stratton, R.J., Wiebolt, F.J. (1988) *An Atlas of Removable Partial Denture Design*. Quintessence. Publishing Co., Inc. Chicago, IL.
- Strietzel, R. (2001). Cobalt-chrome alloys with veneering capacity. BEGO document, Bremen. <http://www.dentricks.se/pr01.html>
- Sun, Z., Ion, J.C., (1995). Review laser welding of dissimilar metal combinations. *J MaterSci*; **30**:4205–4214.
- Suzuki, Y., Ohkubo, C., Abe, M., Hosoi, T. (2004) Titanium removable partial denture clasp repair using laser welding: A clinical report. *J Prosthet Dent*; **91**:418-420.
- Taylor, R., Maryan, C., Verran, J., (1998). Retention of oral microorganisms on cobalt-chromium alloy and dental acrylic resin with different surface finishes. *J Prosthet Dent*; **80**: 592-597.
- Thomas, C.J., Lechner, S., Mori, T., (1997). Titanium for removable dentures. II. Two-year clinical observations. *J Oral Rehabil*; **24**: 414-418.
- Tinschert, J., Zvez, D., Marx, R. and Anusavice, K.J., (2000). Structural reliability of alumina-, feldspar-, leucite-, mica-and zirconia-based ceramics. *J Dent*; **28**, 529-535.
- Uysal, H., Kurtoglu, C., Gurbuz, R.,Tutuncu, N. (2005).Structure and mechanical properties of Cresco-Ti laser-welded joints and stress analyses using finite element models of fixed distal extension and fixed partial prosthetic designs. *J Prosthet Dent*; **93**: 235–244.
- Uzun, H., (2004),Friction welding of functionally graded composites *Key Engineering Materials*, 264-268, 659.
- Viennot, S., Dalard, F., Lissac, M., Grosgeat, B., (2005). Corrosion resistance of cobalt chromium and palladium silver alloys used in fixed prosthetic restorations. *European J. Oral Sci*; **113**: 90-95.
- Wang, R.R. and Welsch, G.E., (1995). Joining titanium materials with tungsten inert gas welding, laser welding, and infrared brazing. *J Prosthet Dent*; **74**: 521-530.
- Watanabe, I., Liu, J., Atsuta, M. (2001).Effects of heat treatments on mechanical strength of laser-welded equi-atomic AuCu-6at%Ga alloy. *J Dent Res*; **80**:1813–1817.
- Watanabe, I., Topham, S. (2006). Laser welding of cast titanium and dental alloys using argon shielding. *J Prosthodont*; **15**: 102-107.

- Watanabe, I., Watkins, L.H., Nakajima, H., Atsuya, M., Okabe, T. (1997) Effect of pressure difference on the quality of titanium casting. *J Dent Res*; **76**; 773-779.
- Wilding, R., Reddy, J. (1987). Periodontal disease in partial denture wearers: a biologic index. *J Oral Rehabil*; **14**:111–124.
- Wictorin, L., Fredriksson, H. (1976): Microstructure of the Solder-Casting Zone in Bridges of Dental Gold Alloys, *Odont. Revy*; **27**:187-196.
- Wu, Q., Gong, J., Chen, G. and Xu, L., (2008). Research on laser welding of vehicle body. *Opt laser technol*; **40**: 420-426.
- Yamagishi, T., Ito, M., Fujimura, Y. (1993). Mechanical properties of laser welds of titanium in dentistry by pulsed Nd: YAG laser apparatus. *J Prosthet Dent*; **70**: 264-273.
- Zupancic, R., Legat, A., Funduk, N., (2006). Tensile strength and corrosion resistance of brazed and laser-welded cobalt-chromium alloy joints. *J Prosthet Dent*; **96**: 273-282.