

## REFERENCES

- Abdulhadi L.M. (2008). Restoration of large orofacial defect after graft breakdown: A case Study. *Int J of Anaplast*; 2(1): 31-36.
- Abdulhadi L.M. (2010), Faculty of Dentistry, University of Malaya, personal communication.
- Aina T.O., Wright S.M., Pullen-Warner E. (1978). The reproduction of skin color and texture in facial prostheses for Negro patients. *J Prosthet Dent*; 39: 74-79.
- Andres C.J., Haug S.P., Brown D.T., Bernal G. (1992). Effects of environmental factors on maxillofacial elastomers: Part II--Report of survey. *J Prosthet Dent*; 68:519-522.
- Aziz T, Waters M, Jagger R. (2003). Analysis of the properties of silicone rubber maxillofacial prosthetic materials. *J Dent*; 31:67-74.
- Bangston LK, Goodkind R J. (1982). The conversion of Chromascan designations to CIE tristimulus values. *J Prosthet Dent*; 48: 610-617.
- Barnhart GW. (1960). A new material and technic in the art of somato-prosthesis. *J Dent Res*; 39: 836-44.
- Ahmed Laith. (2010). Colours Average Calculator Software version 1 beta .
- Beatty MW, Mahanna GK, Dick K, Jia W. (1995). Color changes in dry-pigmented maxillofacial elastomer resulting from ultraviolet light exposure. *J Prosthet Dent*; 74: 493-498.
- Bernasconi R., Lott. TL (2000). *The Idea of Race*. 3<sup>rd</sup> Edn. Indianapolis, IN: Hackett Publishing Company.
- Beumer J, Curtis TA, Marunick MT, Editors. (1996). *Maxillofacial rehabilitation: prosthodontic and surgical considerations*, Ishiyaku Euro America Incorporated, St Louis Inc.
- Bicchierini M, Davalli A, Sacchetti R, Paganelli S. (2005). Colorimetric analysis of silicone cosmetic prostheses for upper-limb amputees. *J Rehabil Res Dev*; 42: 655-64.
- Bulman JS and Osborne JF (2002). Statistics in dentistry. 2<sup>nd</sup> Edn. British Dental Journal, London. p18-21.
- Caisey L, Grangeat F, Lemasson A, Talabot J, Voirin A. (2006). Skin color and makeup strategies of women from different ethnic groups. *Int J Cosmet Sci*; 28:427-437.
- Carsten DL. (2003). Successful shade matching--what does it take? *Compend Contin Educ Dent*; 24: 175-178.
- Coward TJ, Seelaus R, Li SY. (2008). Computerized color formulation for African-Canadian people requiring facial prostheses: a pilot study. *J Prosthodont*; 17: 327-335.

- Cowlishaw MF. (1985). Fundamental requirements for picture presentation. Proc. Society for Information Display; 26: 101–107.
- Deeb SS. (2005). The molecular basis of variation in human color vision. Clin Genet; 67: 369-377.
- Goldberg AJ, Craig RG, Filisko FE. (1978). Polyurethane elastomers as maxillofacial prosthetic materials. J Dent Res; 57: 563-569.
- Gozalo-Diaz DJ, Lindsey DT, Johnston WM, Wee AG. (2007). Measurement of color for craniofacial structures using a 45/0-degree optical configuration. J Prosthet Dent ;97:45-53.
- Gonzalez JB. (1978). Polyurethane elastomers for facial prosthesis. J Prosthodont; 39: 179-187.
- Guttal SS, Patil NP, Nadiger RK, Kulkarni R. (2008). A study on reproducing silicone shade guide for maxillofacial prostheses matching Indian skin color. Indian J Dent Res; 19:191-195.
- Hunter RS and Harold RW (1987), The Measurement of Appearance, 2nd Edn. New York: John & Wiley Sons Inc.
- Haug SP, Andres CJ, Moore BK. (1999). Color stability and colorant effect on maxillofacial elastomers. Part I: colorant effect on physical properties. J Prosthet Dent;81:418-422.
- Haug SP, Andres CJ, Moore BK. (1999). Color stability and colorant effect on maxillofacial elastomers. Part III: weathering effect on color. J Prosthet Dent; 81: 431-438.
- [http://www.swpp.co.uk/professional\\_imagemaker/accurate\\_reproduction\\_skin\\_tones.htm](http://www.swpp.co.uk/professional_imagemaker/accurate_reproduction_skin_tones.htm) ( June, 2010).
- <http://www.state.gov/r/pa/ei/bgn/2777.htm> (July, 2010).
- Jarad FD, Russell MD, Moss BW. (2005). The use of digital imaging for colour matching and communication in restorative dentistry. Br Dent J; 199: 43-49.
- Johnston WM. Color measurement in dentistry (2009). J Dent 37s;e2-e6.
- Kanter JC. (1970). The use of RTV silicones in maxillofacial prosthesis. J prosthodont; 24: 643-653.
- Lemon JC, Chambers MS, Jacobsen ML, Powers JM. (1995). Color stability of facial prostheses. J Prosthet Dent; 74: 613-618.
- Leow ME, Ow RK, Lee MH, Huak CY, Pho RW. (2006). Assessment of colour differences in silicone hand and digit prostheses: perceptible and acceptable thresholds for fair and dark skin shades. Prosthet Orthot Int; 30:5- 16.

Ma T, Hicken SC, Buchanan CR, Deboie RG. (1988). Chairside color verification for facial prostheses. *J Prosthet Dent*; 60: 219–21.

Margulis D (2006). Photoshop Lab Color: The Canyon Conundrum and Other Adventures in the Most Powerful Colorspace. Berkeley, Calif.: London: Peachpit ; Pearson Education.

Obermeier B (2007). Photoshop guide: Photoshop CS3 all-in-one desk reference for dummies. River street, Hoboken: USA; Indianapolis; Wiley publishing,inc.

Okubo SR, Kanawati A, Richards MW, Childress S. (1998). Evaluation of visual and instrument shade matching. *J Prosthet Dent*; 80: 642–8.

Ouellette JE. (1969). Spray coloring of silicone elastomer maxillofacial prostheses. *J Prosthet Dent*; 22: 271-275.

Over LM, Andres CJ, Moore BK, Goodacre CJ, Muñoz CA. (1998). Using a colorimeter to develop an intrinsic silicone shade guide for facial prostheses. *J Prosthodont*; 7: 237-249.

Polyzois GL. (1999). Color stability of facial silicone prosthetic polymers after outdoor weathering. *J Prosthet Dent*; 82: 447-450.

Richards GM, Oresajo CO, Halder RM (2003). Structure and function of ethnic skin and hair. *Dermatol Clin* 21; 595-600.

Quevedo, W. C. Jr, Fitzpatrick, T. B., Pathak, M. A. & Jimbow, K. (1975). Role of light in human skin color variation. *Am. J. phys. Anthropol*; 43, 393–408.

Schaff NG. (1970). Color characterizing silicone rubber facial prosthesis. *J Prosthet Dent*; 24: 198-202.

Tran NH, Scarbecz M, Gary JJ. (2004). In vitro evaluation of color change in maxillofacial elastomer through the use of an ultraviolet light absorber and a hindered amine light stabilizer. *J Prosthet Dent*; 91: 483-490.

Tung FF, Goldstein GR, Hittelman EJS. (2002). The repeatability of an intraoral dental colourimeter. *J Prosthet Dent*; 88: 585-590.

Valauri AJ. (1982). Maxillofacial prosthetics. *Aesth Plast Surg* ; 6:159-164.

Wei L, Xuemin W, Wei L, Li L, Ping Z, Yanyu W, Ying L, Yan L, Yan T, Yan W, Li C. (2007). Skin color measurement in Chinese female population: analysis of 407 cases from 4 major cities of China. *Int J Dermatol*; 46: 835-839.

Yokosawa K. and Era. A. (2006). Surface reflectance properties and feel of object surface. *J Vis*; 6:718.

Yu R, Koran A, Craig RC. (1980). Physical properties of maxillofacial elastomers under conditions of accelerated aging. *J Dent Res*; 59: 1041- 47.