

References

- Abdul Jalil A. (2003). Comparison of expression of Ki-67 and PCNA at the tumor invasive front of oral squamous cell carcinoma. Unpublished master's thesis. University of Malaya, Kuala Lumpur.
- Allison, P., Locker, D., & Fiene, JS. (1998). The role of diagnostic delays in the prognosis of oral cancer a review of literature. *Oral Oncol*, 34(3), 161-170.
- Altieri, A., Bosetti, C., Gallus, S., Franceschi, S., Dal Maso, L., Talamini, R., et al. (2004). Wine, beer and spirits and risk of oral and pharyngeal cancer: a case-control study from Italy and Switzerland. *Oral Oncol*, 40, 904-909.
- Al-Rajhi, N., Khafaga, Y., El-Husseiny, J., Saleem, M., Mourad, W., Al-Otieschan, A., et al. (2000). Early stage carcinoma of oral tongue: prognostic factors for local control and survival, *Oral Oncol*, 36(6), 508-14.
- Amaral, T.M.P., Da Silva Freire, A.R., Carvalho, A.L., Pinto, C.A. & Kowalski, L.P. (2004). Predictive factors of occult metastasis and prognosis of clinical stages I and II squamous cell carcinoma of the tongue and floor of the mouth. *Oral Oncol*, 40, 780-786.
- Angadi, P.V., & Krishnapallai, R. (2007). Cyclin D1 expression in oral squamous cell carcinoma and verrucous carcinoma: correlation with histological differentiation. *Oral Surg Med Oral Pathol Oral Radiol Endod*, 103, 30-35.
- Ayo-Yusuf, O.A., Swart, T.J.P., & Pickworth, W. (2004). Nicotine delivery capabilities of smokeless tobacco products and implications for control of tobacco dependence in South Africa. *Tob Control*, 13, 186-189.
- Balaram, P., Sridhar, H., Rajkumar, T., Vaccarella, S., Herrero, R., Nandakumar, A., et al. (2002). Oral cancer in southern India: the influence of smoking, drinking, paan-shewing and oral hygiene. *Int J Cancer*, 98, 440-445.
- Baldin, V., Lukas, J., Marcote, M.J., Pagano, M., & Draetta, G. (1993): Cyclin D1 is a nuclear protein required for cell cycle progression in G1. *Genes Dev*, 7, 812-821.
- Barrera, J.E., Ai, H., Pan, Z., Meyers, A.D. & Varella-Garcia, M., (1998). Malignancy detection by molecular cytogenetics in clinically normal mucosa adjacent to head and neck tumors. *Arch Otolaryngol Head Neck Surg*, 124, 847-851.
- Bartek, J., Lukas, J. & Bartkova, J. (1999). Perspective: Defects in cell cycle control and cancer. *J Pathol*, 187, 95-99.

- Bartkova, J., Lukas, J., Muller, H., Strauss, M., Gusterson, B., & Bartek, J. (1995). Abnormal of cyclin D1 expression and G1 regulatory in human head and neck cancer. *Cancer Res*, 55, 949-956.
- Batsakis, J.G. (Eds). (2003). *Clinical Pathology of Oral Cancer*. In JP Shah, NW Johnson, JG Batsakis. *Oral Cancer*, London; Martin Dunitz, an imprint of The Taylor & Francis Group.
- Binnie, V.H., & Rankin, K.V. (1983). Etiology of oral squamous cell carcinoma. *J Oral Pathol*, 12, 11-29.
- Blot, J.W., Mclaughlin, J.K., Winn, D.M., Austin, D.F., Greenberg, R.S., Preston-Martin, S., et al. (1988). Smoking and drinking in relation to oral and pharyngeal cancer. *Cancer Res.*, 48, 3282-3287.
- Boey, W. (2002). *Expression of p53 and PCNA at the tumor invasive front of oral squamous cell carcinomas in buccal mucosa*. Kuala Lumpur, Malaysia : Faculty of dentistry, University Malaya.
- Boffeta, P., Mashberg, A., Winkelmann, R., & Garfinkel, L. (1992). Carcinogenic effect of tobacco smoking and alcohol drinking on anatomic sites of the oral cavity and oropharynx. *Int J Cancer*, 52, 530-533.
- Bova, R.J., Quinn, D.I., Nankervis, J.S., Cole, I.E., Sheridan, B.F., Jensen, M.J., et al. (1999). Cyclin D1 and p16 expression predict reduced survival in carcinoma of the anterior tongue. *Clin Cancer Res*, 5, 2810-2819.
- Broders, A.C. (1920). Squamous cell epithioma of the lip: A study of five hundred and thirty seven cases. *J Am Med Assoc.*, 74(10), 656-664.
- Bryne, M. (1998). Is the invasive front of an oral carcinoma the most important area for prognostication? *Oral Dis*, 4(2), 70-77.
- Bryne, M., Jenssen, N., & Boysen, M.. (1995). Histologic grading in the deep invasive front of T1 and T2 glottic squamous cell carcinomas has high prognostic value. *Virchows Arch*, 427, 277-281.
- Burim, R.V., Canalle, R., Takahashi, C.S., Tavares, D.C., Martinelli, A.d., Ade, L., et al. (2004). Clastogenic effect of ethanol in chronic and abstinent alcoholics. *Mutat Res*, 560(2), 187-198.
- Callender, T., El-Nagger, A.K., Lee, M.S., Frankenthaler, R., Luna, M.A., & Batsakis, J.G. (1994) PRAD-1 (CCND1)/cyclin D1 oncogene amplification in primary head and neck squamous cell carcinoma. *Cancer*, 74, 152–158.
- Chhetri, D.K., Rawnsely, J.D., & Calcaterra, T.C. (2000). Carcinoma of the buccal mucosa. *Otolaryngology-Head Neck Surg*, 123, 566-571.
- Cawson, R.A., & Odell, E.W., (2002). *Oral Cancer. Essentials of oral pathology and oral medicine*. Churchill Livingstone.
- Chen, J.W., & Katz, R.V. (1990). Intraoral squamous carcinoma: epidemiological patterns in Connecticut from 1935-1985. *Cancer*, 66, 1288-1296.

- Chhetri, D.K., Rawnsely, J.D., & Calcaterra, T.C. (2000). Carcinoma of buccal mucosa. *Otolaryngology Head Neck Surg*, *123*, 566-571.
- Chidzonga, M.M. (2005). Lip cancer in Zimbabwe. Report of 14 cases. *Int J Oral Maxillofac Surg*, *34*, 149-151.
- Choi, K.K., Kim, M.J., Yun, P.Y., Lee, J.H., Moon, H.S., Lee, T.R., et al. (2006). Independent prognostic factors of 861 cases of oral squamous cell carcinoma in Korean adults. *Oral Oncology*, *42*(2), 208–217.
- Cordon-Cardo, C. (1995). Mutation of cell cycle regulators-biological and clinical implications for human neoplasia. *Am J of Pathol*, *147*, 545-560.
- Costello, A. B., & Osborne, J. W., (2005). Best practices in exploratory factor analysis: four recommendations for getting the most from your analysis, *Practical Assessment, Research & Evaluation*, *10*(7).
- Cremer, T., Tessin, D., Hopman, A.H., & Manuelidis, L. (1988). Rapid interphase and metaphase assessment of specific chromosomal changes in neuroectodermal tumour cells by in situ hybridization with chemically modified DNA probes. *Exp Cell Res*, *176*, 199-220.
- DeMarini, D.M. (2004). Genotoxicity of tobacco smoke and tobacco smoke condensate: a review. *Mut Res*, *567*, 447-474.
- de Vicente, C., Herrero-Zapatero, J., Fresno, A., & López-Arranz, J.S. (2002). Expression of cyclin D1 and Ki-67 in squamous cell carcinoma of the oral cavity: clinicopathological and prognostic significance. *Oral Oncol*, *38*(3), 301-308.
- de Visscher, J.G.A.M., & van der Waal, I. (1998). Etiology of cancer of the lip. *Int. J. Oral Maxillofac. Surg.*, *27*(3), 199-203.
- Dickenson, A.J., Currie, W.J.R., & Avery, B.S. (1995). Screening for syphilis in patients with carcinoma of the tongue. *Br J Oral Maxillofacial Surg*, *33*(5), 319-320.
- Dodds, A.P., Rankin, K.V., Jones, D.L., & Seals, R.R, Jr. (1994). What are you doing about oral cancer? Report of a survey of texas dentist. *Texas Dent J*, *114*, 39-41.
- Dongpo, Cai., Vaughan, M., Latham Zhang, X., & Shapiro, G.I. (2006), Combined Depletion of Cell Cycle and Transcriptional Cyclin-Dependent Kinase Activities Induces Apoptosis in Cancer Cells. *Cancer Research*, *66*, 9270-9280.
- Dubrow, R. & Wegman, D.H. (1984). Cancer and occupation in Massachusetts: a death certificate study. *Am J Industrial Med*, *6*, 207-230.
- El-Naggar, A.K., Hurr, K., Hurr, V. Huff, G. L., Clayman, M. A., & Batsakis, J. G. (1996). Microsatellite instability in pre-invasive and invasive head neck squamous carcinoma. *Am J Pathol*, *148*(6), 2067-2072.
- Emmerich, P., Jauch, A., Hofmann, M.C., Cremer, T. & Walt, H. (1989). Interphase cytogenetics in paraffin embedded sections from testicular germ cell tumor xenografts and in corresponding cultured cells. *Labs Invest*, *61*, 235-242.

- Farber, E. (1980). The sequential analysis of cancer development. *Adv Cancer Res*, 1(31), 125.
- Fearon, E. R., & Vogelstein, B. (1990). A genetic model for colorectal tumourigenesis. *Cell*, 61, 759-767.
- Ferlito, A., Rinaldo, A., Robbins, K.T., Leemans, C.R., Shah, J.P., Shaha, A.R., et al. (2003). Changing concepts in the surgical management of the cervical node metastasis. *Oral Oncol*, 39(5), 429-435.
- Fortin, A., Guerry, M., Guerry, R., Talbot, M., Parise, O., Schwaab, G., et al. (1997). Chromosome 11q13 gene amplifications in oral and oropharyngeal carcinomas: no correlation with subclinical lymph node invasion and disease recurrence. *Clin Can Res.*, 3(9), 1609–1614.
- Franceschi, S., Favero, A., Conti, E., Talamini, R., Volpe, R., Negri, E., et al. (1999). Food groups, oils and butter, and cancer of the oral cavity and pharynx. *Br J Cancer*, 80, 614-620.
- Francesco, R., Schirosi, L., Bettelli, S., Bigiani, N., & Curatola, C. (2008). FISH analysis in cell touch preparations and cytological specimens from formalin-fixed fetal autopsies. *Diagnostic Cytopathology*, 36(9), 633–636.
- Fukano, H., Matsuura, H., Hasegawa, Y., & Nakamura, S. (1997). Depth of invasion as a predictive factor for cervical lymph node metastasis in tongue carcinoma. *Head & Neck*, 19, 205-210.
- Fujii, M., Ishiguro, R., Yamashita, T., & Tashiro, M. (2001). Cyclin D1 amplification correlates with early recurrence of squamous cell carcinoma of the tongue. *Cancer Letters*, 172, 187–192.
- Ghoshal, S., Mallick, I., Panda, N., & Sharma, S.C. (2006). Carcinoma of buccal mucosa: Analysis of clinical presentation, outcome and prognostic factors. *Oral Oncol*, 42, 533-539.
- Giwereman, A., Hopman, A.H.N., Ramaekers, F.C. & Skakkebaek, N. E. (1990). Carcinoma in situ of the testis. Detection of malignant germ cells in seminal fluid by means of in situ hybridization. *Am J Pathol*, 136, 497-502.
- Goldenberg (2002). A risk factor for oral and oropharyngeal cancer. *Oral Oncol*, 38, 646-649.
- Gonzalez-Moles, M.A., Esteban, F., Rodriguez-Archilla, A., Ruiz-Avila, I. & Gonzalez-Moles, S. (2002). Importance of tumour thickness measurement in prognosis of tongue cancer. *Oral Oncol*, 38(4), 394-397.
- Gonzalez-Moles, M.A., Galindo, P., Gutierrez-Fernandez, J., Sanchez-Fernandez, E., Rodriguez-Archilla, A., Ruiz-Avilla, et al. (2001). P53 protein expression in oral squamous cell carcinoma, survival analysis. *Anticancer Res.*, 21, 2889-2894.
- Greene, F. & Page, D. (2002). *Cancer Staging Manual Sixth Edition*. New York, Springer-Verlag.

- Grunfeld, E. (2005). Health Services and Outcomes Research. *Cancer Care Nova Scotia*, 2, 3.
- Guo, Y., Yang, K., Harwalkar, J., Nye, J.M., Mason, D.R., Garrett, M.D., et al. (2005): Phosphorylation of cyclin D1 at Thr 286 during S phase leads to its proteasomal degradation and allows efficient DNA synthesis. *Oncogene*, 24, 2599-2612.
- Gupta, P.C., & Ray, C.S. (2004). Epidemiology of Betel Quid Usage. *Ann Acad Singapore*, 33, 31S-36S.
- Gupta, P.C., & Nandakumar, A. (1999). Oral cancer scene in India. *Oral Dis*, 5(1), 1-2.
- Hackel, C., & Varella-Garcia, M. (1997). Interphase cytogenetics using fluorescent in situ hybridization: an overview of its application to diffuse and solid tissue. *Braz J Genet*; 10, 97-106.
- Gabriel, H.E., Liu, Z., Crott, J.W., Choi, S.W., Song, B.C., Mason, J.B., & Johnson, E.J. (2006). A comparison of carotenoids, retinoids and tocopherols in the serum and buccal mucosa of chronic cigarette smokers versus nonsmokers. *Cancer Epi Bio Prev*, 15, 993-999.
- Helliwell, T.R., & Woolgar, J.A. (2000). *Minimum data set for head and neck carcinoma*. London: Roal College of Pathologist.
- Hemmer, J., & Prinz, W. (1997). Comparison of DNA flow cytometry and fluorescence in situ hybridization with a set of 10 chromosome-specific DNA probes in four head and neck carcinomas. *Cancer Gene Cytogenet*, 97, 35-38.
- Hindle, I., Downer, M.C., Moles, D.R., & Speight, P.M. (2000). Is alcohol responsible for more intra-oral cancer? *Oral Oncol*, 36, 328-333.
- Hollows, P., McAndrew, P.G., & Perini, M.G. (2000). Delays in the referral and treatment of oral squamous cell carcinoma. *Br Dent J*, 188(5), 262-265.
- Hopman, A.H.N., Poddighe, P.J., Smeets, A.W., Moesker, O., Beck, J.L., Vooijs, G.P., et al. (1989). Detection of numerical chromosome aberrations in bladder cancer by in situ hybridization. *Am J Pathol*, 135, 1105-1117.
- Hopman, A.H.N., Ramaerkers, F.C.S., Raap, A.K., Beck, J.L., Devilee, P., van der Ploeg, M., et al. (1988). In situ hybridization as a tool to study numerical chromosome aberrations in solid bladder tumours. *Histochem*, 89, 307-316.
- Horowitz, A.M., Drury, T.F., Goodman, H.S., & Yellowitz, J.A. (2000). Oral pharyngeal cancer prevention and early detection. Dentist's opinions and practices. *Oral Am Dent Assoc*; 131, 453-462.
- Huang, X., Gollin, S.M., Raja, S., & Godfrey, T.E. (2002). High-resolution mapping of the 11q13 amplicon and identification of a gene, TAOS1, that is amplified and overexpressed in oral cancer cells. *Proc Natl Acad Sci U S A.*, 99(17), 11369-74.

- Hyunmin, Yi., Li-Qun, Wu., Ghodssi, R., Rubloff, G.W., Payne, G.F., & Bentley, W.E. (2005). Signal-Directed Sequential Assembly of Biomolecules on Patterned Surfaces. *Langmuir*, 21(6), 2104–2107.
- Israel, H.A. (1986). Early squamous cell carcinoma of the mouth part I: Clinical evaluation. *Compend Contin Educ Dent*, 7, 563-546, 566-570.
- John, W.W. (2007). *Oral cancer diagnosis. management and rehabilitation*.
- Johnson, N.W. (2001). Tobacco use and oral cancer: A global perspective. *J Dent Edu*, 65, 328-339.
- Johnson, N.W. (Eds) 1999. *Oral cancer. London: FDI World Dental Press Ltd*.
- Johnson, N.W., & Warnakulasuriya, K.A.A.S. (1993). Epidemiology and aetiology of oral cancer in the United Kingdom. *Comm Dent Health*, 10, 13-29.
- Kane, S.V., Gupta, M., Kakade, A.C., & D’Gruze, A. (2006). Depth of invasion is the significant histological predictor of subclinical cervical lymph node metastasis in early squamous cell carcinomas of the oral cavity. *J. Cancer Surg.*, 32, 1-9.
- Kannan, S., Tahara, H., Yokozaki, H., Mathew, B., Nalinakumari, KR., Nair, M.K. et al. (1997). Telomerase activity in premalignant and malignant lesions of human oral mucosa. *Cancer Epidemiol Biomarkers Prev.*, 6(6), 413-20.
- Kerr, J.F.R. (1971). Shrinkage necrosis: a distinct mode of cellular death. *J Pathol*, 105, 13-20.
- Kerr, J.F.R., Wyllie, A.H., & Currie, A.R. (1972). Apoptosis: a basic biological phenomenon with wide ranging implications in tissue kinetics. *Br J Cancer*, 26, 239-257.
- Ko, Y.C., Huang, Y.L., Lee, C.H., Chen, M.J., Lin, L.M., & Tsai, C.C. (1995). Betel quid chewing, cigarette smoking and alcohol consumption related to oral cancer in Taiwan. *J oral Pathol Med*, 24, 450-453.
- Kobayashi, I., Shima, K., Saito, I., Kiyoshima, T., Matsuo, K., Ozeki, Set al. (1999). Prevalence of Epstein-Barr virus in oral squamous cell carcinoma. *J Pathol*, 189, 34-39.
- Kristensen, G.B., Abeler, V.M., Bjørn, Risberg, Claes Tropé, & Magne Bryne. (1999). Tumor size, depth of invasion and grading of the invasive front are the main prognostic factors in early squamous cell cervical carcinoma. *Gynecologic Oncolog*, 74, 245-251.
- Krogh, P. (1990). The role of yeasts in oral cancer by means of endogenous nitrosation. *Acta Odontol Scand.*, 48(1), 85-88.
- Kuo, M.Y.P., Lin, C.Y., Cheng, S.J., & Chiang, C.P. (1999). Expression of cyclin D1 is correlated with poor prognosis in patients with areca quid chewing related oral squamous cell carcinoma in Taiwan. *J. Oral Pathol Med.*, 28, 165-169.

Kuo, M.Y.P., Hsu, H.Y., Kok, S.H., Kuo, R.C., Yang, H., Hahn, L., et al. (2002). Prognostic role of p27 expression in oral squamous cell carcinoma in Taiwan. *Oral Oncol*, 38, 172-178.

Kyomoto, R., Kumazawa, H., Toda, Y., Sakaida, N., Okamura, A., Iwanaga, M., et al. (1997). Cyclin-D1-gene amplification is a more potent prognostic factor than its protein over-expression in human head-and-neck squamous cell carcinoma. *Int J Cancer*, 74, 576-581.

Lamb, J., Ramaswamy, S., Ford, L., Contreras, B., Martinez, R., Frances, S., et al. (2003). A Mechanism of Cyclin D1 Action Encoded in the Patterns of Gene Expression in Human Cancer. *Cell*, 114(3), 323-334.

Lee, J.J., Hung, H.C., Cheng, S.J., Chen, Y.J., Chiang, C.P., Liu, B.Y., et al. (2006). Carcinoma and dysplasia in Taiwan: prevalence and risk factors. *Oral Pathol Oral Med Periodontol*, 101, 472-480.

Lee, C.N. (2006). *Immunohistochemical study of proliferative and apoptotic activity at the tumor invasive front in oral squamous cell carcinoma*. Kuala Lumpur, Malaysia: Faculty of Dentistry, University of Malaya. (Dissertation).

Lengauer, C., Speicher, M.R., Susanne, P., Jauch, A., Masafumi, T., Ramaiah, N., et al. (1993). Chromosomal bar codes produced by multicolor fluorescence in situ hybridization with multiple YAC clones and whole chromosome painting probes. *Hum Mol Genet*, 2, 505.

Levi, F., Pasche, C., La Vecchia, C., Lucchini, F., Franceschi, S., & Monnier, P. (1998). Food groups and risk of oral and pharyngeal cancer. *Int J Cancer*, 77, 705-709.

Levy, D.T., Mumford, E.A., Michael K.C., Elizabeth, A., Gilpin, G.A., Giovino, A., et al. (2004). The relative risks of low-nitrosamine smokeless tobacco product compared with smoking cigarettes: estimates of panel of experts. *Cancer Epidemiol Biomarkers Prev*, 13(12), 2035-2042.

Liu, C.J., Chang, K.W., Chao, S.Y., Kwan, P.C., Chang, S.M., Yen, R.Y., et al. (2004). The molecular markers for prognostic evaluation of areca-associated buccal squamous cell carcinoma. *J Oral Pathol Med*, 33, 327-334.

Llewellyn, C.D., Johnson, N.W., & Warnakulasuriya, K.A. (2001). Risk factors for squamous cell carcinoma of the oral cavity in young people. A comprehensive literature review. *Oncol Oncol*, 37, 401-418.

Machlin, L.J., & Bendich, A. (1987). Free radical tissue damage: protective role of antioxidant nutrients. *FASEB J*, 1, 441-445.

Macluskey, B.O., Piffkò, J., & Bänkfalvi, A. (2004). Prognostic and predictive factors in oral squamous cell cancer: important tools for planning individual therapy. *Oral Oncology*, 40(2), 110-119.

Mahazir, S., Malik, R., Maria, M., Kanwal, A., Farida, M., Atif, M., et al. (2006). Socio-demographic correlates of betel, areca and smokeless tobacco use as a high

risk behavior for head and neck cancers in a squatter settlement of Karanchi, Pakistan. *Subs Abus Treat Prev Policy*, 1, 1-6.

Mashberg, A. (2000). Diagnosis of early oral and oropharyngeal squamous carcinoma: obstacles and their amelioration. *Oral Oncol*, 36, 253-255.

Massano, J., Regateiro, F.S., Januário, G., & Ferreira, A. (2006). Oral squamous cell carcinoma: review of prognostic and predictive factors. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 102, 67-76.

McCullough, M., Jaber, M., Barrett, A.W., Bain, L., Speight, P.M., & Porter, S.R.. (2002). Oral yeast carriage correlates with presence of oral epithelial dysplasia. *Oral Oncol.*, 38, 391-393.

Meyer, C.A., Jacobs, H.W., & Lehner, C.F. (2002). Cyclin D-cdk4 is not a master regulator of cell multiplication in *Drosophila* embryos. *Curr. Biol.*, 12, 661-666.

Meyer, I., & Abbey, L.M. (1970). The relationship of syphilis to primary carcinoma of the tongue. *Oral Surg Oral Med Oral Pathol.*, 30, 678-681.

Michalek, A.M., Mahoney, M.C., McLaughlin, C.C., Murphy, D., & Metzger, B.B. (1994). Historical and contemporary correlates of syphilis and cancer. *Int J Epidemiology*, 23, 381-385.

Michalides, R., Van, V.N., Hart, A., Loftus, B., Wientjens, E., & Blam, A. (1995). Overexpression of cyclin D1 correlates with recurrence in a group of forty seven operable squamous cell carcinoma of the neck and head. *Cancer Res.*, 55, 975-978.

Miller, C.S., & Johnstone, B.M. (2001). Human papillomavirus as a risk factor for oral squamous cell carcinoma: A meta-analysis, 1982-1997. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.*, 91, 622-635.

Miyamoto, R., Uzuwa, N., Nagaoka, S., Hirata, Y., & Amagasa, T. (2003). Prognostic significance of cyclin D1 amplification and overexpression in oral squamous cell carcinoma. *Oral Oncol.*, 39, 610-618.

Miyamoto, R., Uzuwa, N., Nagaoka, S., Nakakuki, K., Hirata, Y., & Amagasa, T. (2002). Potential marker of oral squamous cell carcinoma aggressiveness detected by Fluorescence in Situ Hybridization in fine-needle aspiration biopsies. *Cancer.*, 95(10), 2152-9.

Moller, H. (1989). Changing incidence in of cancer of the tongue, oral cavity and pharynx in Denmark. *J Oral Path Med.*, 18, 224-229.

Moore, S.R., Johnson, N.W., Pierce, A.M., & Wilson, D.F. (2000). The epidemiology of tongue cancer; a review of global incidence. *Oral Dis.*, 6, 75-84.

Moulin, J.J., Mur, J.M., Pascal, W. J., Perreux, P., & Quang, T.P. (1986). Oral cavity and laryngeal cancers among man-made mineral fiber production workers. *Scand J Work Enviro Hlth*, 12, 27-31.

Murphy, J.J. (2002). Cytogenetic and histologic findings in Wilms' tumor, *J Pediatr Surg* 37, 823-827.

- Murray, A. (2004). Recycling the Cell Cycle Cyclins Revisited. *Cell*, 116(2), 221–234.
- Myo, K., Uzawa, N., Miyamoto, R., Sonoda, I., Yuki, Y., & Amagasa, T. (2005). Cyclin D1 gene numerical aberration is a predictive marker for occult cervical lymph node metastasis in TNM Stage I and II squamous cell carcinoma of the oral cavity. *Cancer*, 104(12), 2709-16.
- Nagy, K.N., & Sonkodi, I. (1998). The microflora associated with human oral carcinomas. *Oral Oncology*, 34, 304-308.
- Nakahara, Y., Shintani, S., Mihara, M., Kiyota, A., Ueyama, Y., & Mastsumura, T. (2000). Alternation of Rb, p16 and cyclin D1 in the tumorigenesis of oral squamous cell carcinoma. *Cancer Lett.*, 160, 3-8.
- Nederlof, P.M., & Robinson, D. (1989). Three-color fluorescence in situ hybridization for the simultaneous detection of multiple nuclei acid sequences. *Cytomert*, 10, 20-27.
- Negri, E., & Franceschi, S. (2000). Selected micronutrients and oral and pharyngeal cancer. *Int J Cancer*, 86, 122-127.
- Neville, B.M., & Day, T.A. (2002). Oral cancer and precancerous lesions. *CA Cancer J Clin.*, 52, 195-215.
- Ng, K.H., Siar, C.H., Ramanathan, K., Murugasu, P., & Chelvarnayagam, P.I. (1985). Squamous cell carcinoma of the oral mucosa in Malaysia-any change? *Southeast Asian L Trop. Med. Pub. Hlth.*, 16(4), 602-606.
- Ng, K.H., & Siar, C.H. (1997). Oral cancer in Malaysia and national oral cancer control programme. *Dent J Malaysia*, 18, 48-51.
- Nowell, P.C. (1976). *The clonal evolution of tumor cell populations*. University of Pennsylvania, Philadelphia.
- O-charoenrat, P., Pillai, G., Patel, S., Fisher, C., Archer, D., Eccles, S. et al. (2003). Tumor thickness predicts cervical nodal metastases and survival in early tongue cancer. *Oral Oncol*, 39(4), 386–90.
- Ogden, G.R., & Macluskey, M. (2000). An overview of the prevention of oral cancer and diagnostic markers of malignant change: 1. Prevention. *Dent Update*, 27, 95-99.
- Okamoto, M., Nishimine, M., Kishi, M., Kirita, T., Sugimura, M., Nakamura, M., et al. (2002). Prediction of delayed neck metastasis in patients with stage I/II squamous cell carcinoma of the tongue. *J Oral Pathol Med.*, 31(4), 227-33.
- Oliver, A.J., & John, F. (1996). Primary oral squamous cell carcinoma: A review of 92 cases. *Journal of Oral and Maxillofacial surgery*, 54(8), 949-954.
- Ortiz, G.M., Pierce, Am., & Wilson, DF. (1996). Palatal changes associated with reverse smoking in Filipino women. *Oral Dis.*, 2(3), 232-237.
- Parkin, D.M., Pisani, P., & Ferlay, J. (1993). Estimate of the worldwide incidence of eighteen major cancers in 1985. *Int J Cancer*, 54(4), 594-606.

- Patrikidou, A., & Harris, M. (2001). Comment on: S.S. Prime et al. "A review of inherited cancer syndromes and their relevance to oral squamous cell carcinoma" *Oral Oncology*, 37(1), 1–16.
- Pickwell, S.M., & Schimelpfening, (1994). "Betel mania" Betel quid chewing by Cambodian women in the United States and its potential health effects. *West J Med*, 160, 326-330.
- Pindborg, J.J., & Reichart, P.A. (1997). *Histological typing of cancer and precancer of the oral mucosa*. 2nd ed. Berlin, New York, Tokyo. Springer Verlag.
- Platz, H., Fries, R., & Hudec, M. (1985). Retrospective DOSAK study on carcinomas of the oral cavity: results and consequences. *J Maxillofac Surg*, 13(4), 147-152.
- Platz, H., Fries, R., Hudec, M., Min Tjoa, A., & Wagner, R.R. (1983). The prognostic relevance of various factors at the time of first admission of the patient. *J Maxillofac Surg*, 11(1), 3-12.
- Popovtzer, A., & Shpitzer, K.T. (2004). Squamous cell carcinoma in oral tongue in younger patients. *Laryngoscope*, 114, 915-917.
- Ramanathan, K., & Lakshimi, S. (1976). Oral carcinoma in Peninsular Malaysia: Racial variation in Indians, Malays, Chinese and Caucasians. *Gann Monograph on Cancer Research*, 18, 27-36.
- Rankin, K.V., & Burznaski, N.J. (1999). Cancer curricula in U.S. dental schools. *J Cancer Educ*, 14, 8-12.
- Reichart, P.A. (1999). Clinical management of selected oral fungal and viral infections during HIV-disease. *Int Dental J*, 49, 251-259.
- RF de Araújo Júnior, CA., Galvão Barboza Naianne, K.C., Sergio Adrienne, B.M., & Antônio de Lisboa, L.C. (2008). Prognostic significance of the anatomical location and TNM clinical classification in oral squamous cell carcinoma. *Med Oral Patol Oral Cir Bucal*, 13(6), 344-347.
- Rodolico, V., Aragona, F., Cabibi, D., Di Bernardo, C., Di Lorenzo, R., Gebbia, N., et al. (2005). Overexpression of Cyclin D1 and interaction between p27 and tumor thickness predict lymph node metastasis occurrence in lower lip squamous cell carcinoma. *Oral Oncol.*, 40, 207-213.
- Rodu, & Jansson, C. (2004). Smokeless tobacco and oral cancer: a review of the risks and determinants. *Crit Rev Oral Biol Med*, 15(5), 252-263.
- Rumboldt, Z., & Day, T. (2006), Imaging of oral cavity cancer: *Oral Oncology*, 42 (9), 854–865.
- Ryan, B. (2010). Applications of fluorescence in situ hybridization (FISH) in detecting genetic aberrations of medical significance. *Bioscience Horizons*, 3(1), 85-95.

- Sancar, A. (1996). DNA excision repair. *Annu. Rev. Biochem*, 65, 43-81.
- Sand, L.P., Jalouli, J., Larsson, P.A., & Hirsch, (2002). Prevalence of Epstein-Barr virus in oral squamous cell carcinoma, oral lichen planus and normal oral mucosa. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.*, 93, 586-592.
- Sathyan, K.M., Sailasree, R., Jayasurya, R., Lakshminarayanan, K., Thomas, A., Nalinakumari, K.R., et al. (2006). Carcinoma of tongue and the buccal mucosa represent different biological subentities of the oral carcinoma. *J Cancer Res Clin Oncol*, 132, 601–609.
- Schildt, E.B., Eriksson, M., Hardell, L., & Magnuson, A. (1998). Oral snuff, smoking habits and alcohol consumption in relation to oral cancer in a Swedish case-control study. *Int J Cancer*, 77, 341-346.
- Schneeberger, C., Sabine, E., Herwig, S., Robert, U., & Robert, Z. (1998). A differential PCR system for the determination of CCND1 (Cyclin D1) gene amplification in head and neck squamous cell carcinomas. 34(4), 257-260.
- Scully, C., & Bedi, R. (2000). Ethnicity and oral cancer. *Lancet Oncol.*, 1(1), 37-42.
- Scully, C., Field, J.K., & Tanzawa, H. (2000a). Genetic aberrations in oral or head and neck squamous cell carcinoma (SCCHN): 1. Carcinogen metabolism, DNA repair and cell cycle control, *Oral Oncol*, 36, 256–263.
- Siar, C.H., Ng, K.H., Mah, C.F., & Ling, C.C. (1990). Oral squamous cell carcinoma in Peninsular Malaysia. *Asian Med. J.*, 33(12), 697-703.
- Silverman, S. (2001). Demographics and occurrence of oral and pharyngeal cancers. The outcome, the trends, the challenge. *JADA.*, 132, 7-11.
- Silververg, E., & Boring, C.C. (1995). Cancer Statistic 1995. *Cancer J Clin*, 40, 9:26.
- Silvio, K.H., Dante, A.M., & Norberto, N.S. (2006). Oral squamous cell carcinoma in a young patient. *Case report and literature review.*, 81(3), 251-254.
- Siriwardena, B.S., Tilakaratne, A., Amaratunga, E.A., & Tilakaratne, W.M. (2006). Demographic, etiological and survival differences of squamous cell carcinoma in the young and the old in Sri Lanka. *Oral Oncol.*, 42(8), 831-836.
- Smith, E.M., Hoffman, H.T., & Summersgill, K.S. (1998). Human papillomavirus and risk of oral cancer. *Laryngoscope.*, 108, 1098-1103.
- Snehal, G., & Jatin, P. (2005). TNM Staging of Cancers of the Head and Neck: Striving for Uniformity Among Diversity. *CA Cancer J Clin*, 55, 242-258.
- Speight, P. M., & Morgan, P.R. (1993). The natural history and pathology of oral cancer and precancer. *Community dental health*, 10, 1:71-8.
- Spiro, R.H., Guillaumondegui, O., Paulino, A.F., & Huvos, A.G. (1999). Pattern of invasion and margin assessment in patients with oral tongue cancer. *Head Neck*. 408-413.

- Stahl, W., & Sies, H. (2005). Bioactivity and protective effects of natural carotenoids. *Biochemical et Biophy Acta*, 1740, 101-107.
- Stanbridge, E.J., & Nowell, P.C. (1990). Origins of human cancer revisited. *Cell*, 63, 867-874.
- Stephen, M., David, R., Dawn E., Sherianne, R., Peggy, L., & Chu, C. (2001). Oral Squamous Cell Cancer Risk in relation to alcohol consumption and alcohol dehydrogenase-3 genotypes. *Cancer Epidemiology Biomarkers & Prevention*, 10, 1137-1144.
- Steward, B.W., & Kleihues, P. (2003). *Head and neck Cancer in World Cancer Report*. Bernard W Steward and Paul Kleihuse(eds). Lyon France. IRAC Press. 232-235.
- Streilein, J.W. (1991). Immunogenetic factors in skin cancer. *New Engl J Med*, 325, 844-847.
- Thomas, D.W., Seddon, S.V., & Shepherd, J.P. (1993). Systemic immunosuppression and oral malignancy: a report of a case and review of the literature. *Br J Oral Maxillofac Surg*, 31(6), 391-393.
- Todd, R., Donoff, R.B., & Wong, D.T. (1997). The molecular biology of oral carcinogenesis: towards a tumor progression model *J Oral Maxillofac Surg.*, 55, 613-623.
- Toshiyasu, H., & Koeffler, H.P. (1995). Role of the cyclin-dependent kinase inhibitors in the development of cancer. *Blood*, 86(3), 841-854.
- Vagero, D., & Olin, R. (1983). Incidence of cancer in the electronic industry: using the new Swedish cancer environment registry as a screening instrument. *Br J Industrial Med*, 40, 188-192.
- Van Dekken, H., Pizzolo, J.G., Reuter, V.E., & Melamed, M.R. (1990). Cytogenetic analysis of human solid tumors by in situ hybridization with a set of 12 chromosome-specific DNA probes. *Cytogenet Cell Genet*, 54, 103-107.
- Varga, E., & Tyldsley, W.R. (1991). Carcinoma arising in cyclosporine-induced gingival hyperplasia. *Br Dent J*, 171, 26-27.
- Vaughn, T.L., Strader, C., Davis, S., & Daling, J.R. (1986). Formaldehyde and cancers of the pharynx, sinus and nasal cavity: Occupational exposures. *Int J Cancer*, 38, 667-683.
- Vogelstein, B., & Kinzler, K.W. (1993). The multistep nature of cancer. *Trends Genet*, 9, 138-141.
- Wang, L., Liu, T., Nishioka, M., Aguirre, R.L., Win, S.S., & Okada, N. (2006). Activation of ERK1/2 and cyclin D1 expression in oral tongue squamous cell carcinoma: relationship between clinicopathological appearances and cell proliferation. *Oral Oncol.*, 42, 625-631.
- Warnakulasuriya, S., Sutherland, G., & Scully, C. (2005). Tobacco, oral cancer and treatment of dependence. *Oral Oncol*, 41(3), 244-260.

- Weinberg, R.A. (1991). Tumor suppressor genes. *Science*, 254, 1138-1146.
- Weinberg, R.A. (1989). Oncogenes, antioncogenes, and the molecular basis of multistep carcinogenesis. *Cancer Res*, 49, 3713-3721.
- Williams, H.K. (2000). Molecular pathogenesis of oral squamous carcinoma. *J. Clin. Pathol. Mol.Pathol.*, 53, 165-172.
- Winn, D.M., Blot, W.J., & Joseph, K. (1991). Donald F. Austin, Raymond S. Greenberg, Susan Preston-Martin, Janet B. Schoenberg, and Joseph F. Fraumeni Jr. Mouthwash use and oral conditions in the risk of oral and pharyngeal cancer. *Cancer Res.*, 51, 3044-3047.
- Woolgar, J.A. (2006). Histopathological prognosticators in oral and oropharyngeal squamous cell carcinoma. *Oral Oncol.*, 42, 229-239.
- World Health Organization (WHO) (2005). *The tobacco health toll*. Geneva.
- Wright, N.A., & Alison, M. (1984). The biology of epithelial cell populations carcinogenesis. *Br7 Surg*, 71, 197-202.
- Xiong, Y., Zhang, H., & Beach, D. (1992). D type cyclins associate with multiple protein kinases and the DNA replication and repair factor PCNA. *Cell*; 505-514.
- Yamamoto, T., Kamata, N., Hiroko, K., Shoichi, S., Toshio, K., Kumao, T., et al. (1986). High incidence of amplification of the epidermal growth factor receptor gene in human squamous carcinoma cell lines. *Cancer Res.*, 46, 414-416.
- Yoshida, K., Tanaka, T., Hirose, Y., Yamaguchi, F., Kohno, H., Toida, M., et al. (2005). Dietary garcinol inhibits 4-nitroquinoline 1-oxide-induced tongue carcinogenesis in rat. *Cancer Letters*, 221(1), 29-39.
- Zain, R.B. (2001). Cultural and dietary risk factors of oral cancer and precancer – a brief overview. *Oral Oncol*, 37(3), 205-210.
- Zanardi, A., Giorgetti, L., Oronza, A., Saverio, M., Paolo, M, Pier Giuseppe, P., et al. (2007). Immunocell-array for Molecular Dissection of Multiple Signaling Pathways in Mammalian Cells. *The American Society for Biochemistry and Molecular Biology*, 6(5), 939-947.