

References

REFERENCES

- Abdollahpour, N., Asoodeh, A., Saberi, M.R. and Chamani, J. (2011) Separate and simultaneous binding effects of aspirin and amlodipine to human serum albumin based on fluorescence spectroscopic and molecular modeling characterizations: A mechanistic insight for determining usage drugs doses. *J. Luminescence* **131**, 1885–1899.
- Ahmad, B., Ankita, and Khan, R.H. (2005) Urea induced unfolding of F isomer of human serum albumin: A case study using multiple probes. *Arch. Biochem. Biophys.* **437**, 159–167.
- Ahmad, B., Khan, M.K.A., Haq, S.K. and Khan, R.H. (2004) Intermediate formation at lower urea concentration in ‘B’ isomer of human serum albumin: A case study using domain specific ligands. *Biochem. Biophys. Res. Commun.* **314**, 166–173.
- Ahmad, N. and Qasim, M.A. (1995) Fatty acid binding to bovine serum albumin prevents formation of intermediate during denaturation. *Eur. J. Biochem.* **227**, 563–565.
- Anfinsen, C.B. (1973) Principles that govern the folding of protein chains. *Science* **181**, 223–230.
- Bala, S., Seth, S. and Seth, P.K. (1987) Albumin concentration in human amniotic fluid from normal pregnancies. *Acta Paediatr. Hung.* **28**, 187–192.
- Balbin, M., Vizoso, F., Sanchez, L.M., Venta, R., Ruibal, A., Fueyo, A. and Lopez-Otin, C. (1991) GCDFP-70 protein in cyst fluid identified as albumin and was used to classify cyst in women with breast gross cystic disease. *Clin. Chem.* **37**, 547–551.
- Bell, W.R. and Simon, T.L. (1982) Current status of pulmonary thromboembolic disease: Pathophysiology, diagnosis, prevention, and treatment. *Am. Heart J.* **103**, 239–259.

Bertucci, C., Canepa, A., Ascoli, G.A., Guimaraes, L.F.L. and Felix, G. (1999) Site I on human albumin: Differences in the binding of (R)- and (S)-warfarin. *Chirality* **11**, 675–679.

Bhattacharya, A.A., Curry, S. and Franks, N.P. (2000) Binding of the general anesthetics propofol and halothane to human serum albumin: High-resolution crystal structures. *J. Biol. Chem.* **275**, 38731–38738.

Birkett, D.J., Ray, S., Sudlow, G. and Hagedorn, J. (1980) Fluorescence probe studies of albumin binding sites. *Acta Pharm. Suec.* **17**, 78.

Blumsohn, A., Price, A., Morris, B.W., Griffiths, H. and Gray, T.A. (1991) The effect of semen contamination on the concentration of low molecular weight proteins, albumin and total protein in male urine. *Ann. Clin. Biochem.* **28**, 187–188.

Bojko, B., Sulkowska, A., Maciazek, M., Rownicka, J., Njau, F. and Sulkowski, W.W. (2008) Changes of serum albumin affinity for aspirin induced by fatty acid. *Int. J. Biol. Macromol.* **42**, 314–323.

Brown, J.R. (1976) Structural origins of mammalian albumin. *Fed. Proc.* **35**, 2141–2144.

Brown, J.R. (1977) *Albumin, Structure, Function and Uses* (Rosenoer, V.M., Oratz, M. and Rothschild, M.A., Eds.), pp. 27–51, Pergamon, Oxford.

Buchholz, L., Cai, C.H., Andress, L., Cleton, A., Brodfuehrer, J. and Cohen, L. (2002) Evaluation of the human serum albumin column as a discovery screening tool for plasma protein binding. *Eur. J. Pharm. Sci.* **15**, 209–215.

Carter, D.C., He, X.M., Monson, S.H., Twigg, P.D., Gernert, K.M., Broom, M.B. and Miller, T.Y. (1989) Three-dimensional structure of human serum albumin. *Science* **244**, 1195–1198.

Carter, D.C., and He, X.M. (1990) Structure of human serum albumin. *Science* **249**, 302-304.

- Carter, D.C. and Ho, J.X. (1994) Structure of serum albumin. *Adv. Protein Chem.* **45**, 153–203.
- Chavez, L.G., Jr. and Benjamin, D.C. (1978) Antibody as an immunological probe for studying the refolding of bovine serum albumin. An immunochemical approach to the identification of possible nucleation sites. *J. Biol. Chem.* **253**, 8081–8086.
- Cooke, N.E. and Haddad, J.G. (1989) Vitamin D binding protein (Gc-globulin). *Endocr. Rev.* **10**, 294–307.
- Corn, M. and Berberich, R. (1967) Rapid fluorometric assay for plasma warfarin. *Clin. Chem.* **13**, 126–131.
- Curry, S., Mandelkow, H., Brick, P. and Franks, N.P. (1998) Crystal structure of human serum albumin complex with fatty acid reveals an asymmetric distribution of binding sites. *Nature Struct. Biol.* **5**, 827–835.
- Deutsch, H.F. (1991) Chemistry and biology of alpha-fetoprotein. *Adv. Cancer Res.* **56**, 253–312.
- Dill, K.A. and Shortle, D. (1991) Denaturation states of proteins. *Rev. Biochem.* **60**, 795–825.
- Eftink, M.R. and Ghiron, C.A. (1982) Fluorescence quenching studies with proteins. *Anal. Biochem.* **114**, 199–227.
- Farruggia, B. and Pico, G.A. (1999) Thermodynamic features of the chemical and thermal denaturations of human serum albumin. *Int. J. Biol. Macromol.* **26**, 317–323.
- Farruggia, B., Garcia, G., D'Angelo, C. and Pico, G. (1997) Destabilization of human serum albumin by polyethylene glycols studied by thermodynamical equilibrium and kinetic approaches. *Int. J. Biol. Macromol.* **20**, 43–51.

Fehske, K.J., Muller, W.E. and Wollert, U. (1980) Direct demonstration of the highly reactive tyrosine residue of human serum albumin located in fragment 299-585. *Arch. Biochem. Biophys.* **205**, 346–359.

Fehske, K.J., Muller, W.E. and Wollert, U. (1981) The location of drug binding sites in human serum albumin. *Biochem. Pharmacol.* **30**, 687–692.

Fehske, K.J., Schlafer, U., Wollert, U. and Muller, W.E. (1982) Characterization of an important drug binding area on human serum albumin including the high-affinity binding sites of warfarin and azapropazone. *Mol. Pharmacol.* **21**, 387–393.

Fleury, F., Ianoul, A., Berjot, M., Feofanov, A., Alix, A.J.P. and Nabiev, I. (1997) Camptothecin-binding site in human serum albumin and protein transformations induced by drug binding. *FEBS Lett.* **411**, 215–220.

Flora, K., Brennan, J.D., Baker, G.A., Doddy, M.A. and Bright, F.V. (1998) Unfolding of acrylodan-labeled human serum albumin probed by steady state and time-resolved fluorescence method. *Biophys. J.* **75**, 1084–1096.

Foster, J.E. (1960) Plasma albumin. In *The Plasma Proteins* (Putnam, E.W., Ed.), Vol. I, pp. 179–239, Academic Press, New York.

Ghuman, J., Zunszain, P.A., Petitpas, I., Bhattacharya, A.A., Otagiri, M. and Curry, S. (2005) Structural basis of the drug-binding specificity of human serum albumin. *J. Mol. Biol.* **353**, 38–52.

Giannini, D.D., Chan, K.K. and Roberts, J.D. (1974) Carbon-13 nuclear magnetic resonance spectroscopy. Structure of the anticoagulant warfarin and related compounds in solution. *Proc. Natl. Acad. Sci., U.S.A.* **71**, 4221–4223.

Gonzalez-Simennez, J. and Cortijo, M. (2002) Urea-induced denaturation of human serum albumin labeled with Acrylodan. *J. Protein Chem.* **21**, 75–79.

Halliwell, B. (1988) Albumin—An important extracellular antioxidant? *Biochem. Pharmacol.* **37**, 569–571.

- Hayakawa, I., Linko, Y. and Linko, P. (1996) Mechanism of high pressure denaturation of proteins. *Lebensm.-Wiss. u.-Technol.* **29**, 756–762.
- He, X.M. and Carter, D.C. (1992) Atomic structure and chemistry of human serum albumin. *Nature* **358**, 209–215.
- Hodgson, J. (2001) Admet-turning chemicals into drugs. *Nature Biotechnol.* **19**, 722–726.
- Holford, N.H.G. and Benet, L.Z. (1998) in *Basic and Clinical Pharmacology* (Katzung, B.G., Ed.) 7th Ed., pp. 34–49, Appleton and Lange, Stamford, CT.
- Hughes, W.L. (1954) The proteins of blood plasma. In *The Proteins* (Neurath, H. and Bailey, K., Eds.), Vol. IIB, pp. 663–754, Academic Press, New York.
- Hultmark, D., Borg, K.O., Elofsson, R. and Palmer, L. (1975) Interaction between salicylic acid and indomethacin in binding to human serum albumin. *Acta Pharm. Suecica* **12**, 259–276.
- Hunter, M.J. (1966) A method for the determination of protein partial specific volume. *J. Phys. Chem.* **70**, 3285–3292.
- Hutson, S.M., Stinson-Fisher, C., Shiman, R. and Jefferson, L.S. (1987) Regulation of albumin synthesis by hormones and amino acids in primary cultures of rat hepatocytes. *Am. J. Physiol.* **252**, 291–298.
- Janatova, J., Fuller, J.K. and Hunter, M.J. (1968) The heterogeneity of bovine albumin with respect to sulfhydryl and dimer content. *J. Biol. Chem.* **243**, 3612–3622.
- Johanson, K.O., Wetlaufer, D.B., Reed, R.G. and Peters, T., Jr. (1977) Abstract. 17th American Chemical Society, National Meeting, Biological Chemistry Section. Chicago, No. 68.

- Kamal, J.K.A., Zhao, L. and Zewail, A.H. (2004) Ultrafast hydration dynamics in protein unfolding: Human serum albumin. *Proc. Natl. Acad. Sci., USA* **101**, 13411–13416.
- Khan, M.Y., Agarwal, S.K. and Hangloo, S. (1987) Urea-induced structural transformations in bovine serum albumin. *J. Biochem.* **102**, 313–317.
- Kim, H.S. and Wainer, I.W. (2008) Rapid analysis of the interactions between drugs and human serum albumin (HSA) using high-performance affinity chromatography (HPAC). *J. Chromatogr. B Analyt. Technol. Biomed. Life Sci.* **870**, 22–26.
- Kosa, T., Maruyama, T. and Otagiri, M. (1997) Species differences of serum albumins: Drug binding sites. *Pharm. Res.* **14**, 1607–1612.
- Kosa, T., Maruyama, T. and Otagiri, M. (1998) Species differences of serum albumin: II. Chemical and thermal stability. *Pharm. Res.* **15**, 449–454.
- Kragh-Hansen, U. (1983) Relations between high-affinity binding sites for L-tryptophan, diazepam, salicylate and phenol red on human serum albumin. *Biochem. J.* **209**, 135–142.
- Kragh-Hansen, U. (1985) Relations between high-affinity binding sites of markers for binding regions on human serum albumin. *Biochem. J.* **225**, 629–638.
- Kragh-Hansen, U. (1988) Evidence for a large and flexible region of human serum albumin possessing high affinity binding sites for salicylate, warfarin, and other ligands. *Mol. Pharmacol.* **34**, 160–171.
- Kragh-Hansen, U. (1990) Structure and ligand binding properties of human serum albumin. *Danish Med. Bull.* **37**, 57–84.
- Kratochwil, N.A., Huber, W., Muller, F., Kansy, M. and Gerber, P.R. (2002) Predicting plasma protein binding of drugs: A new approach. *Biochem. Pharmacol.* **64**, 1355–1374.

Kremer, J.M.H., Wilting, J. and Janssen, L.H.M. (1988) Drug binding to human alpha-1- acid glycoprotein in health and disease. *Pharmacol. Rev.* **40**, 1–47.

Krishnakumar, S.S. and Panda, D. (2002) Spatial relationship between the prodan site, Trp-214 and Cys-34 residues in human serum albumin and loss of structure through incremental unfolding. *Biochemistry* **41**, 7443–7452.

Kumar, Y., Muzammil, S. and Tayyab, S. (2005) Influence of fluoro, chloro and alkyl alcohols on the folding of human serum albumin. *J. Biochem.* **138**, 335–341.

Leslie, C., Scott, C.J.W. and Cair, F.I. (1992) Principal alterations to drug kinetics and dynamics in the elderly. *Med. Lab. Sci.* **49**, 319–325.

Longworth, L.G. and Jacobsen, C.E. (1949) An electrophoretic study of the binding of salt ions by FI-lactoglobulin and bovine serum albumin. *J. Phys. Coll. Chem.* **53**, 126–135.

Mao, H., Hajduk, P.J., Craig, R., Bell, R., Borre, T. and Fesik, S.W. (2001) Rational design of diflunisal analogues with reduced affinity for human serum albumin. *J. Am. Chem. Soc.* **123**, 10429–10435.

Means, G.E. and Wu, H.L. (1979) The reactive tyrosine residue of human serum albumin: Characterization of its reaction with diisopropylflourophosphate. *Arch. Biochem. Biophys.* **194**, 526–530.

Min, J., Meng-Xia, X., Dong, Z., Yuan, L., Xiao-Yu, L. and Xing, C. (2004) Spectroscopic studies on the interaction of cinnamic acid and its hydroxyl derivatives with human serum albumin. *J. Mol. Struct.* **692**, 71–80.

Minghetti, P.P., Ruffner, D.E., Kuang, W.J., Dennison, O.E., Hawkins, J.W., Beattie, W.G. and Dugaiczky, A. (1986) Molecular structure of the human albumin gene is revealed by nucleotide sequence within q 11–22 of chromosome 4. *J. Biol. Chem.* **261**, 6747–6757.

- Mok, C.K., Boey, J., Wang, R., Chan, T.K., Cheung, K.L., Lee, P.K., Chow, J., Ng, R.P. and Tse, T.F. (1985) Warfarin versus dipyridamole-aspirin and pentoxifylline-aspirin for the prevention of prosthetic heart valve thromboembolism: a prospective randomized clinical trial. *Circulation* **72**, 1059–1063.
- Moller, M. and Denicola, A. (2002) Protein tryptophan accessibility studied by fluorescence quenching. *Biochem. Mol. Biol. Educ.* **30**, 175–178.
- Muzammil, S., Kumar, Y. and Tayyab, S. (1999) Molten globule-like state of human serum albumin at low pH. *Eur. J. Biochem.* **266**, 26–32.
- Muzammil, S., Kumar, Y. and Tayyab, S. (2000) Anion-induced stabilization of human serum albumin prevents the formation of intermediate during urea denaturation. *Proteins: Struct. Funct. Genet.* **40**, 29–38.
- Nakamura, K., Era, S., Ozaki, Y., Sogami, M., Hayashi, T. and Murakami, M. (1997) Conformational changes in seventeen cystine disulfide bridges of bovine serum albumin proved by Raman spectroscopy. *FEBS Lett.* **417**, 375–378.
- O'Reilly, R.A. (1976) Vitamin K and the oral anticoagulant drugs. *Annu. Rev. Med.* **27**, 245–261.
- De Aspuru, E.O. and Zaton, A.M. (1993) Usefulness of difference spectroscopy in the study of the binding of uracil derivatives to human serum albumin. *J. Biochem. Biophys. Methods* **27**, 87–94.
- Oida, T. (1986) Proton nuclear magnetic resonance study on the multimode interactions of human serum albumin with drug molecules. *J. Biochem.* **100**, 99–113.
- Oncley, J.L., Scatchard, G. and Brown, A. (1947) Physical-chemical characteristics of certain of the proteins of normal human plasma. *J. Phys. Coll. Chem.* **51**, 184–198.

Pace, C.N., Shirley, B.A. and Thomson, J.A. (1989) Measuring the conformational stability of a protein. In *Protein Structure: A Practical Approach* (Creighton, T.E., Ed.), pp. 311–330, Oxford University Press, New York.

Pajot, P. (1976) Fluorescence of proteins in 6-M guanidine hydrochloride: A method for the quantitative determination of tryptophan. *Eur. J. Biochem.* **63**, 263–269.

Parikh, H.H., McElwain, K., Balasubramanian, V., Leung, W., Wong, D., Morris, M.E. and Ramanathan, M. (2000) A rapid spectrofluorimetric technique for determining drug-serum protein binding suitable for high-throughput screening. *Pharm. Res.* **17**, 632–637.

Peters, T., Jr. (1985) Serum albumin. *Adv. Protein Chem.* **37**, 161–245.

Peters, T., Jr. (1992) *Albumin-An Overview and Bibliography*. Miles Laboratories, Inc. III.

Peters, T., Jr. (1996) *All About Albumin. Biochemistry, Genetics and Medical Applications*. pp.9–75, Academic Press Inc., New York.

Petersen, C.E. and Kwaan, H.C. (1986) Current concepts of warfarin therapy. *Arch. Internal Med.* **146**, 581–584.

Petersen, P., Boysen, G., Godtfredsen, J. and Andersen, E.D. (1989) Placebo-controlled, randomised trial of warfarin and aspirin for prevention of thromboembolic complications in chronic atrial fibrillation: the Copenhagen AFASAK study. *Lancet.* **1**(8631), 175–178.

Petitpas, I., Bhattacharya, A.A., Twine, S., East, M. and Curry, S. (2001) Crystal structure analysis of warfarin binding to human serum albumin. *J. Biol. Chem.* **276**, 22804–22809.

Petitpas, I., Petersen, C.E., Ha, C.E., Bhattacharya, A.A., Zunszain, P.A. and Ghuman, J. (2003) Structural basis of albumin-thyroxine interactions and familial

dysalbuminemic hyperthyroxinemia. *Proc. Natl. Acad. Sci., USA.* **100**, 6440–6445.

Phillippy, B.O. and McCarthy, R.D. (1979) Multi-origins of milk serum albumin in the lactating goat. *Biochim. Biophys. Acta* **584**, 298–303.

Pico, G.A. (1995) Thermodynamic aspects of the thermal stability of human serum albumin. *Biochem. Mol. Biol. Int.* **36**, 1017–1023.

Pinkerton, TC. and Koeplinger, KA. (1990) Determination of warfarin-human serum albumin protein binding parameters by an improved Hummel-Dreyer high performance liquid chromatographic method using internal surface reversed-phase columns. *Anal. Chem.* **62**, 2114–2122.

Qu, P., Lu, H., Ding, X., Tao, Y. and Lu, Z. (2009) Influences of urea and guanidine hydrochloride on the interaction of 6-thioguanine with bovine serum albumin. *Spectrochim. Acta, Part A* **74**, 1224–1228.

Rabilloud, T., Asselineau, D. and Darmon, M. (1988) Presence of serum albumin in normal human epidermis: Possible implications for the nutrition and physiology of stratified epithelia. Presence of albumin in epidermis. *Mol. Biol. Rep.* **13**, 213–219.

Rich, R.L., Day, Y.S., Morton, T.A. and Myszka, D.G. (2001) High-resolution and high-throughput protocols for measuring drug/human serum albumin interactions using BIOCORE. *Anal. Biochem.* **296**, 197–207.

Rosenoer, V.M., Oratz, M. and Rothschild, M.A. (1977) *Albumin Structure, Function and Uses*. pp. 1–397, Pergamon, Elmsford, New York.

Rownicka, J., Sulkowska, A., Pozycka, J., Bojko, B. and Sulkowski, W.W. (2006) Stability of the complex BSA-6-propyl-2-thiouracil in the presence of Gu.HCl and urea. *J. Mol. Struct.* **792–793**, 243–248.

Rownicka-Zubik, J., Sulkowska, A., Pozycka, J., Gazdzicka, K., Bojko, B., Maciazek-Jurczyk, M. and Sulkowski, W.W. (2009) Fluorescence analysis of

sulfasalazine bound to defatted serum albumin in the presence of denaturing factors. *J. Mol. Struct.* **924–926**, 371–377.

Rukhadze, M.D., Bezarashvili, G.S., Sidamonidaze, N.S. and Tsagareli, S.K. (2001) Investigation of binding process of chlorpromazine to bovine serum albumin by means of passive and active experiments. *Biomed. Chromatogr.* **15**, 365–373.

Sadler, P.J., Tucker, A. and Viles, J.H. (1994) Involvement of lysine residue in the N-terminal Ni^{2+} and Cu^{2+} binding site of serum albumins. Comparison with Co^{2+} , Cd^{2+} and Al^{3+} . *Eur. J. Biochem.* **220**, 193–200.

Santra, M.K., Banerjee, A., Krishnakumar, S.S., Rahman, O. and Panda, D. (2004) Multiple probe analysis of folding and unfolding pathways of human serum albumin. *Eur. J. Biochem.* **271**, 1789–1797.

Scatchard, G. (1949) The attractions of proteins for small molecules and ions. *Ann. N. Y. Acad. Sci.* **244**, 533–552.

Sen, P., Ahmad, B. and Khan, R.H. (2008) Formation of a molten globule like state in bovine serum albumin at alkaline pH. *Eur. Biophys. J.* **37**, 1303–1308.

Sjoholm, I., Ekman, B., Kober, A., Ljunstedt-Pahlman, I., Seiving, B. and Sjodin, T. (1979) Binding of drugs to human serum albumins – IX. The specificity of three binding sites as studied with albumin immobilized in microparticles. *Mol. Pharmacol.* **16**, 767–777.

Sollene, N.P., Wu, H.L. and Means, G.E. (1981) Disruption of the tryptophan binding site in the human serum albumin dimer. *Arch. Biochem. Biophys.* **207**, 264–269.

Spector, A.A. (1986) Structure and lipid binding properties of serum albumin. *Methods Enzymol.* **128**, 320–338.

Sudlow, G., Birkett, D.J. and Wade, D.N. (1975) The characterization of two specific drug binding sites on human serum albumin. *Mol. Pharmacol.* **11**, 824–832.

Sugio, S., Kashima, A., Mochizuki, S., Noda, M. and Kobayashi, K. (1999) Crystal structure of human serum albumin at 2.5Å resolution. *Protein Eng.* **12**, 439–446.

Sulkowska, A. (2002) Interaction of drugs with bovine and human serum albumins. *J. Mol. Struct.* **614:1-3**, 227–232.

Sulkowska, A., Bojko, B., Rownicka, J., Pentak, D. and Sulkowska, W. (2003) Effect of urea on serum albumin complex with antithyroid drugs: fluorescence study. *J. Mol. Struct.* **651–653**, 237–243.

Takamura, N., Haruta, A., Kodama, H., Tsuruoka, M., Yamasaki, K., Suenaga, A. and Otagiri, M. (1996) Mode of interaction of loop diuretics with human serum albumin and characterization of binding site. *Pharm. Res.* **13**, 1015–1019.

Tanaka, N., Nishizawa, H. and Kunugi, S. (1997) Structure of pressure-induced denatured state of human serum albumin: a comparison with the intermediate in urea-induced denaturation. *Biochim. Biophys. Acta* **1338**, 13–20.

Tanford, C. (1968) Protein denaturation. *Adv. Protein Chem.* **23**, 121–282.

Tayyab, S., Ahmad, B., Kumar, Y. and Khan, M.M. (2002) Salt-induced refolding in different domains of partially folded bovine serum albumin. *Int. J. Biol. Macromol.* **30**, 17–22.

Tayyab, S., Sharma, N. and Khan, M.M. (2000) Use of domain specific ligands to study urea- induced unfolding of bovine serum albumin. *Biochem. Biophys. Res. Commun.* **277**, 83–88.

Tayyab, S., Siddiqui, M.U. and Ahmad, N. (1995) Experimental determination of the free energy of unfolding of protein. *Biochem. Educ.* **23**, 162–164.

Thoppil, A.A., Sharma, R. and Kishore, N. (2008) Complexation of beta-lactam antibiotic drug carbenicillin to bovine serum albumin: Energetics and conformational studies. *Biopolymers* **89**, 831–840.

Valente, E.J., Trager, W.F. and Jensen, L.H. (1975) The crystal and molecular structure and absolute configuration of (-)- and (S)- warfarin. *Acta Cryst. B* **31**, 954–960.

Valko, K., Nunhuck, S., Bevan, C., Abraham, M.H. and Reynolds, D.P. (2003) Fast gradient HPLC method to determine compounds binding to human serum albumin. Relationships with octanol/water and immobilized artificial membrane lipophilicity. *J. Pharm. Sci.* **92**, 2236–2248.

Wang, G., Li, X., Ding, X., Wang, D., Yan, Changling. and Lu, Y. (2011) Exploring the mechanism of interaction between 5-(ethoxycarbonyl)-6-methyl-4-(4-methoxyphenyl)-3,4-dihydropyrimidin-2(1H)-one and human serum albumin: Spectroscopic, calorimetric and molecular modeling studies. *J. Pharmaceut. Biomed. Anal.* **55**, 1223–1226.

Wardell, M., Wang, Z., Ho, J.X., Robert, J., Ruker, F., Ruble, J. and Carter, D.C. (2002) The atomic structure of human methemalbumin at 1.9Å. *Biochem. Biophys. Res. Commun.* **291**, 813–819.

Warren, J.R. and Gordon, J.A. (1966) On the refractive indices of aqueous solutions of urea. *J. Phys. Chem.* **70**, 297–300.

Watanabe, S., Tani, T. and Seno, M. (1991) Transport of steroid hormones facilitated by serum proteins. *Biochim. Biophys. Acta* **1073**, 275–284.

Weber, G. (1960) Fluorescence-polarization spectrum and electronic-energy transfer in proteins. *Biochem. J.* **75**, 345–352.

Wichman, A., Svenson, A. and Andersson, L.O. (1977) Kinetics of refolding of completely reduced human-serum albumin. Regain of immunochemical reactivity. *Eur J. Biochem.* **79**, 339–344.

Wilting, J., van der Giesen, W.F., Janssen, L.H.M., Weideman, M.M. and Otagiri, M. (1980) The effect of albumin conformation on the binding of warfarin to human serum albumin. *J. Biol. Chem.* **255**, 3032–3037.

Yamasaki, K., Maruyama, T., Kragh-Hansen, U. and Otagiri, M. (1996) Characterization of site I on human serum albumin: concept about the structure of a drug binding site. *Biochim. Biophys. Acta* **1295**, 147–157.

Zaton, A.M.L., Ferrer, J.M., Ruiz de Gordo, J.C. and Marquinez, M.A. (1995) Binding of coumarins to site I of human serum albumin. Effect of the fatty acids. *Chem–Biol. Interac.* **97**, 169–174.

Zunszain, P.A., Ghuman, J., Komatsu, T., Tsuchida, E. and Curry, S. (2003) Crystal structure analysis of human serum albumin complex with hemin and fatty acid. *BMC Struct. Biol.* **3**, 6–14.