

REFERENCES

- Atlas, A., Haddad, M. O. and Qudaisat, M. (2000). The effect of alcohol fumigation on diesel engine performance and emission. *Energy Conv. Manage.* 41(4): 389-99.
- Bin, Y. and Yanpin, L. (2007). Perspective the promise of cellulosic ethanol production. *China J. Chem. Technol. Biotechnol.* 82: 6-10.
- Bohórquez, C., and Herrera, S. (2005). Determinación de las mejores condiciones de hidrólisis del banano verde de rechazo, *Tesis (pregrado), Facultad de Minas, Universidad Nacional de Colombia, sede Medellín, Medellín.*
- Can, O., Celikten, I. and Usta, N. (2004). Effect of ethanol addition on performance and emissions of a turbocharged indirect injection diesel engine running at different injection pressures. *Energy Conv. Manage.* 45: 2429-2440.
- Gao C., and Fleet G. H. (1988). The effects of temperature and pH on the ethanol tolerance of the wine yeasts, *Saccharomyces cerevisiae*, *Candida stellata* and *Kloeckera apiculata*. *J. Appl. Microbiol.* 65(5): 405-409.
- Demirbas, A. (2003). Biodiesel fuels from vegetable oils via catalytic and non-catalytic supercritical alcohol transesterifications and other methods: *Energy Conv. Manage.* 44: 2093–2109.
- Demirbas, A. (2005). Bioethanol from Cellulosic Materials: A renewable motor fuel from biomass. *Energy Sources.* 27(4): 327-337.

- Demirbas, A. (2006). Biodiesel from vegetable oils via transesterification in supercritical methanol. *Energy Conv. Manage.* 43: 2349-56.
- Demirbas, A. (2009). Political, economic and environmental impacts of biofuels: a review. *Appl. Energ.* 86:108–117.
- Deasi, S. G., Cotta, M. A. and Jeffries, T. W. (2003) Bacteria engineered for fuel ethanol production: current status. *Appl. Microbiol. Biotechnol.* 63: 258-266.
- Dodic, S., Popov, S., Dodic, J., Rankovic, J., Zavargo, Z. and Mucibabic, R. (2009) Bioethanol production from thick juice as intermediate of sugar beet processing. *Biomass Bioenerg.* 33: 822-827.
- Ethanol Industry Outlook:(2010) Climate of opportunity" . Renewable Fuels Association. <http://www.ethanolrfa.org/> Retrieved 2010-04-17.
- Elzebroek, A.T.G. and Wind, K. (2008). Guide to cultivated plants. Wallingford: CAB International, 27.
- EIA.Energy Information Administration (2004). International energy outlook 2004. <http://www.hsdl.org/?view&did=15903> Official energy statistics from US government.
- EIA.Energy Information Administration (2007). International energy outlook 2007. [ftp://tonto.eia.doe.gov/forecasting/0484\(2007\).pdf](ftp://tonto.eia.doe.gov/forecasting/0484(2007).pdf) Official energy statistics from US government.
- Farrell, A. E., Plevin, R. J., Turner, B. T., Jones, A. D., O'Hare M. and Kammen D.M. (2006) Ethanol can contribute to energy and environmental goals. *Science* 311: 506–508.

- Glazer A.N. and Nikaido, H. (1995). Microbial biotechnology W.H. Free man and company. New York.
- Greene.S. (1998). Recycling in the wine industry. Wynboer, 56-57.
- Jeffrey, G. and Goettemoeller, A. (2007). Sustainable Ethanol: Biofuels, Biorefineries, Cellulosic Biomass, Flex-Fuel Vehicles, and Sustainable Farming for Energy Independence. Prairie Oak Publishing, Maryville, Missouri.
- Grohmann, K. and Baldwin, E.A. (1992) Hydrolysis of orange peel with pectinase and cellulase enzymes . Bioethanol. Lett. 14:1169-1174.
- Hang, Y.D. (1988) . Recovery of food ingredients from grape pomace . Process Biochem. 23,2-4.
- Hansen, A. C., Lyne P. W. L. and Zhang, Q. (2001). Ethanol-Diesel Blends: A Step Towards a Bio-based Fuel for Diesel Engines. ASAE Meeting Presentation UILU 2001-7011. ASAE Paper Number 01-6048.
- Hsieh W. D., Chen R. H., Wu T. L. and Lin T. H. (2002). Engine performance and pollutant emission of an SI engine using ethanol–gasoline blended fuels. Atmos. Environ. 36 : 403–10.
- Hossain, S., Salleh, A., Boyce, A. N., Chowdhury, P., and Naqiuddin, M. (2008). Biodiesel Fuel Production from Alage as Renewable Energy. Am. J. Biochem. Biotechnol. 4(3): 250-254.
- Hulme, A. C. (1970). The biochemistry of fruits and their product. New York Academic press.

- Jeffries, T. W. and Jin Y. S. (2000). Ethanol and thermotolerance in the bioconversion of xylose by yeasts. *Adv. Appl. Microbiol.* 47: 221–268.
- Obeta, J. U., Jason, A. N. O. (1999). Pectinolytic and cellulolytic activities of heat resistant fungi and their macerating effects on mango. *J. Sci. Food Agric.* 79(7):1054-1059.
- Jovana, R., Jelena, D. and Stevan, P. (2009). Bioethanol production from intermediate products of sugar beet processing with different types of *Saccharomyces cerevisia*. *Chem. Ind. Chem. Eng. Q.* 15(1):13- 16.
- Kim, S.; and Dale, B.E. (2002). Allocation procedure in ethanol production system from corn grain: I. system expansion. *Intl. J. Life Cyc. Assess.* 7: 237–243.
- Kim, S. and Dale, B.E. (2004). Global potential bioethanol production from wasted crops and crops residue. *Biomass Bioenerg.* 26(4): 361-375.
- Korkie, L., Janse, B. and Viljoen-Bloom, M. (2002). Utilising grape pomace for ethanol production. *South Afri. J. enol. viticult.* 23: 31-36.
- Levey, D.J., (2004). The evolutionary ecology of ethanol production and alcoholism. *Interro. Comp. Biol.* 44(4): 284-289.
- Liu, R., Lib, J. and Shen, F., (2008). Refining bioethanol from stalk juice of sweet sorghum by immobilized yeast fermentation. *Renew. Energ.* 33:1130- 1135.
- Ma, F. and Hanna, M.A. (1999). Biodiesel production: a review. *Bioresource Technol.* 70: 1–15.

Morgan, J. and Richards, A. (2002). The new book of apples. London: Ebury Press.

Mohanty, S.K., Behera, S., Swain, M.R., and Ray, R. C. (2009). Bioethanol production from mahula (*Madhuca latifolia* L.) flowers by solid-state fermentation. Appl. Energ. 86: 640-644.

Najafi, G., Ghobadian, B., Tavakoli, T. and Yusaf, T. (2008). Potential of bioethanol production from agricultural wastes in Iran. Renew. Sustain. Energ-R 13:1418-1427.

Najafi, G., Ghobadian, B., Tavakoli, T., Buttsworth, D. R., Yusaf, T. F., and Faizollahnejad, M. (2009). Performance and exhaust emissions of a gasoline engine with ethanol blended gasoline fuels using artificial neural network. Appl. Energ. 86(5): 630-639.

Narendranath, N.V. (2005). Power relationship between pH and medium dissolved solids in term of growth and metabolism of *Lactobacilli* and *Saccharomyces cerevisia* during ethanol production. Appl. Environ. Microbiol. 71: 2239-43.

National Biodiesel Board (2008). Biodiesel statistics

<http://www.biodiesel.org/resources/definitions/default.shtm>. Retrieved 2008-02.

Norma, R., José M., and Durán J. (1987). Ethanol production by fermentation of fruits and cladodes of prickly pear cactus (*Opuntia ficus indica*) (L.) Miller, J. Sci. Food Agric. 40(3):213-218.

Olsson, L. and Hahn-Hägerdal, B. (1996). Fermentation of lignocellulosic hydrolysates for ethanol production. Enzyme Microb. Technol. 18:312-331.

- Onsoy, T., Thanonkeo, P., Thanonkeo, S. and Yamada, M. (2007). Ethanol production from Jerusalem artichoke by *Zymomonas mobilis* in batch fermentation.. KMITL Sci. Tech. J. 7(S1): 55-60.
- Peterson, A. (1995). Production of fermentable extracts from cereals and fruits. Pages 1–31 *in* Fermented beverage production Eds: Lea, A.G.H, and Piggot, J.R. London, UK: Blackie Academic & Professional.
- Roland, M. and Bartha R (1998). Microbial ecology fundamental and applications. Addison Wesley Longman.
- Gerdes, K. R. and Suppes, G. J. (2001). Miscibility of ethanol in diesel fuels. *Ind Eng. Chem. Tes.*, 40(3): 949-56.
- Rosillo-Calle, F. and Walter, A. (2006). Global market for bioethanol: historical trends and future prospects. *Energy Sust. Dev.*, X (1): 18-30.
- Righelato, R., and Spracklen, D .V. (2007). Carbon mitigation by biofuel or by saving and restoring forests. *Science*, 317 (5840): 902.
- Sasaki, K; Watanabe , M and Tamaka T. (2002). Biosynthesis, biotechnological production and applications of 5-aminolevulinic acid. *Appl. Microbiol. Biotechnol.*, 58: 23-29.843.
- Sonali, P. and Banwari, L. (2007). Ethanol production from hydrolysed agricultural wastes using mixed culture of *Zymomonas mobilis* and *Candida tropicalis*. *Biotechnol. Lett.* 29:1839–1.
- Sharmam, N., Kalra, K. L. and Oberoi, H.S. (2007). Optimization of fermentation parameters for production of ethanol from Kinnow Waste and banana peels by

- simultaneous saccharification and fermentation . India J. Microbiol. 47: 310-316.
- Shay, E.G., (1993). Diesel fuel from vegetable oils: Status and opportunities. Biomass Bioenergy, 4: 227-242.
- Sheorain, V., Banka, R. and Chavan, M. (2000). Ethanol production from sorghum *in*: Technical and institutional options for sorghum grain mold management: proceedings of an international consultation, 18-19 May 2000, ICRISAT, Patancheru, India.
- Shinner, F.A., Passmore, S. M. and Davenport, R.R. (1980). Biology and activities of yeasts. New York: Academic press.
- Sree, N.K., Sridhara, M., Suresha, K., Banatb, I. M., and Rao, L. V. (2000). Isolation of thermotolerant, osmotolerant, flocculating *Saccharomyces cerevisia* for ethanol production. Bioresource Technol. 72(1): 43-46.
- Spencer P.M. (2004). Roots of the vine. *In*: Archeology. Archaeological Institute of America p57.
- Thomas, G. (2000). Overview of Storage Development DOE Hydrogen Program "Sandia National Laboratories. Retrieved 2009-08-01.
- Ghose, T. K. and Tyagi R. D. (1979). Ethanol fermentation of cellulose hydrolysate. I. Batch versus continuous systems. Biotech. Bioeng. 21(8):1387-1400.
- Westwood, MN. (1978). Temperate zone pomology. San Francisco: W.H. Freeman and Co.

- Wheeler, K., Janshekar ,H., and Sakuma, Y. (1991). Ethyl alcohol, In Chemical economics handbook, SRI International, USA.Press.
- Williams, M. B. and Reese, D. (1950). Colorimetric determination of ethyl alcohol. *Anal. Chem.* 22:1556.
- Wu, C. W., Chen, R. H., Pu, J. Y., Lin, T. H. (2004). The influence of air–fuel ratio on engine performance and pollutant emission of an SI engine using ethanol–gasoline-blended fuels. *Atmos. Environ.* 38: 7093–100.
- Wyman, C.E. (1996). Ethanol Production from lignocellulosic biomass: overview. In CE. Wyman, Editor, *Handbook on bioethanol: production and utilization*, Taylor & Francis, Washington, DC, PP.1-18.
- Yang, B. and Lu, Y. (2007). The promise of cellulosic ethanol production in China. *J. Chem. Technol. Biotechnol.* 82: 6-10.