

BILBIOGRAPHY

- Abbasi, P.A., & Graham, T.L. (2001). Age-related regulation of induced isoflavanoid responses in soybean lines differing in inherent elicitation competency. *Physiological and Molecular Plant Pathology*, 59, 143-152.
- Abdulla, M.A., Al-Bayaty, F.H., Younis, L.T., & Hassan, M.I.A. (2010). Anti-ulcer activity of *Centella asiatica* leaf extract against ethanol-induced gastric mucosal injury in rats. *Journal of Medicinal Plants Research*, 4(13), 1253-1259.
- Agrios, G.N. (2005). Plant pathology (5th ed). *Elsevier Academic Press*, Burlington, MA, USA.
- Ahmad, R., Sharma, V.K., Rai, A.K., R.D., & Shivananda, B.G. (2007). Production of lignans in callus culture of *Podophyllum hexandrum*. *Tropical Journal of Pharmaceutical Research*, 6(4): 803-808.
- Aina, V.O., Inuwa, H.M., & Ameh, D.A. (2010). Antidiabetic activity of dried leaves of *Aginanthus brunneus* on alloxan-induce diabetic rats. *Continental Journal of Biomedical Sciences*, 4, 37-42.
- Alberto, M.R., Canavosio, M.A.R., & de Nadra, M.C.M. (2006). Antimicrobial effect of polyphenols from apple skins on human bacterial pathogens. *Electronic Journal of Biotechnology*, 9(3).
- Ali, B., Sabri, A.N., Ljung, K., & Hasnain, S. (2009). Auxin production by plant associated bacteria: impact on endogenous IAA content and growth of *Triricum aestivum* L. *Letters in Applied Microbiology*, 48(5), 542-547.
- Amorati, R., Pedulli, G.F., Valgimigli, L., Johansson, H., & Engman, L. (2010). Organochalcogen Substituents in Phenolic Antioxidants. *Organic Letters*, 12(10), 2326-2329.
- Ames, B. N., Shigenaga, M. K., & Hagen, T. M. (1993). Oxidants, antioxidant and the degenerative diseases of aging. *Proceedings of the National Academy of Sciences*, 90, 7915-7922.
- Anand, T., Naika, M., Kumar, P.G., & Khanum, F. (2010). Antioxidant and DNA damage preventive properties of *Centella asiatica* (L) Urb. *Pharmacongnosy Journal*, 17(2), 53-58.
- Andrade, P.B., & Seabra, R.M. (2005). Phenolic compounds: Analysis by HPLC. In: Cazes, J. (Ed.), *Encyclopedia of Chromatography*: Second Edition, *Universidade do Porto*, Porto, Portugal.
- Araújo, W.L., Marcon, J., Maccheroni, W., van Elsas, J.D, van Vuurde, J.W.L., & Azevedo, J.L. (2002). Diversity of endophytic bacteria populations and their interaction

with *Xylella fastidiosa* in citrus plants. *Applied Environmental Microbiology*, 68(10), 4906-4914.

Arráez-Roman, D., Zurek, G., Bäßmann, C., Almaraz-Abarca, N., Quirantes, R., Segura-Carretero, A., et al. (2007). Identification of phenolic compounds from pollen extracts using capillary electrophoresis-electrospray time-of-flight mass spectrometry. *Analytical and Bioanalytical Chemistry*, 389(6), 1909-1917.

Artés, F., Gómez, P.A., & Artés-hernández, F. (2006) Modified atmosphere packaging of fruits and vegetables. *Stewart Postharvest Review*, 2(5), 1-13.

Arunachalam, C., & Gayathri, P. (2010). Studies on bioprospecting of endophytic bacteria from the medicinal plant of *Andrographis paniculata* for their antimicrobial activity and antibiotic susceptibility pattern. *International Journal of Current Pharmaceutical Research*, 2(4), 63-68.

Aseri, G.K., Jain, N., Panwar, J., Rao, A.V., & Meghwal, P.R. (2008). Biofertilizers improve plant growth, fruit yield, nutrition, metabolism and rhizosphere enzyme activities of pomegranate (*Punica granatum* L.) in Indian Thar Desert, *Scientia Horticulturae*, 117, 130-135.

Ashawat, M.S., Shailendra, S., & Swarnlata, S. (2007). *In vitro* antioxidant activity of ethanolic extracts of *Centella asiatica*, *Punica granatum*, *Glycyrrhiza glabra* and *Areca catechu*. *Research Journal of Medicinal Plant*, 1(1), 13-16.

Ashraf, M.A., Ashraf, M., & Ali, Q. (2010). Response of two genetically diverse wheat cultivars to salt stress at different growth stages: leaf lipid peroxidation and phenolic contents. *Pakistani Journal of Botany*, 559-565.

Ayadi, R., & Guiller, J.T. (2003). Root formation from transgenic calli of *Ginkgo biloba*. *Tree Physiology*, 23, 713-718.

Azevedo, J.L., Maccheroni, W., Pereira, J.O., & Araújo, W.L. (2000). Endophytic microorganisms: a review on insect control and recent advances on tropical plants. *Electronic Journal of Biotechnology*, 3, 40–65.

Aziz, Z.A., Davey, M.R., Power, J.B., Anthony, P., Smith, R.M., & Lowe, K.C. (2007). Production of asiaticoside and madecassoside in *Centella asiatica* *in vitro* and *in vivo*. *Biologia Plantarum*, 51, 34–42.

Babu, P.S., & Prince, P.S.M. (2004). Antihyperglycaemic and antioxidant effect of hyponidd, an ayurvedic herbomineral formulation in streptozotocin-induced diabetic rats. *Journal of Pharmacy and Pharmacology*, 56(11), 1435-1442.

Babu, T.D., Kuttan, G., & Padikkala, J. (1995). Cytotoxic and antitumor properties of certain taxa of umbelliferae with specific reference to *Centella asiatica* (L.) urban. *Journal of Ethnopharmacology*, 48, 53-57.

Badreddine, I., Lafitte, C., Heux, L., Skandalis, N., Spanou, Z., Martinez, Y., et al. (2008). Cell wall chitosaccharides are essential components and exposed patterns of the phytopathogenic oomycete *Aphanomyces euteiches*. *Eukaryotic Cell*, 7(11), 1980-1993.

Balandreau, J. (2002). The spermosphere model to select for plant growth promoting rhizobacteria. In: Kennedy, I.R., & Choudhury, A.T.M.A. (Eds), Biofertilisers in action. (pp. 55–63). *Rural Industries Research and Development Corporation*, Canberra.

Baron, C.P., Kjærsgård, I.V.H., Jessen, F., & Jacobsen, C. (2007). Protein and lipid oxidation during frozen storage of rainbow trout (*Oncorhynchus mykiss*). *Journal of Agriculture and Food Chemistry*, 55(2), 8118-8125.

Barz, W., & Ellis, B. (1981). Potential of plant cell cultures for pharmaceutical production. (pp. 471–507) In: Beal, J.L., & Reinhard, E. (eds.), *Natural Products as Medicinal Agents*. *Hippokrates-Verlag*, Stuttgart.

Basha, S.M., Musingo, M., & Colova, V.S. (2004). Compositional differences in the phenolics compounds of muscadine and bunch grape wines. *African Journal of Biotechnology*, 3(10), 523-528.

Bednarek, P., Schneider, B., Svatos, A., Oldham, N.J., & Hahlbrock, K. (2005). Structural complexity, differential response to infection, and tissue specificity of indolic and phenylpropanoid secondary metabolism in *Arabidopsis* roots. *Plant Physiology*, 138, 1058-1070.

Benson, D.A., Mizrahi, I.K., Lipman, D.J., Ostell, J., Rapp, B.A., & Wheeler, D.L. (2002). GenBank. *Nucleic Acids Research*, 30(1), 17-20.

Bisset, N.G. (2001). *Herbal drugs and phytopharmaceuticals. A handbook for practice on a scientific basis*, second edition. NY: CRC Press, New York.

Bloemberg, G.V., & Lugtenberg, B.J.J. (2001). Molecular basis of plant growth promotion and biocontrol by rhizobacteria. *Current Opinion in Biotechnology*, 4, 343-350.

Bodeker, G. (2009). *Health and Beauty from the Rainforest: Malaysian Traditions of Ramuan*. Editions Didier Millet, Kuala Lumpur, Malaysia.

Boman, H.G. (2003). Antibacterial peptides: basic facts and emerging concepts. *Journal of Internal Medicine*, 254(3), 197-215.

Bottini, R., Cassan, F., & Piccoli, P. (2004). Gibberellin production by bacteria and its involvement in plant growth promotion and yield increase. *Applied Microbiology and Biotechnology*. 65, 497-503.

Bozin, B., Mimica-Dukic, N., Simin, N., & Anackov, G. (2006). Characterization of the volatile composition of essential oils of some Lamiaceae spices and the antimicrobial and

antioxidant activities of the entire oils. *Journal of Agriculture and Food Chemistry*, 54, 1822–1828.

Bridge, P.D., Williams, M.A.J., Prior, C., & Paterson, R.R.M. (1993). Morphological, biochemical and molecular characteristics of *Metarhizium anisopliae* and *M. flavoviride*. *Journal of General Microbiology*, 139, 1163-1169.

Bunpo, P., Kataoka, K., Arimochi, H., Nakayama, H., Kuwahara, T., Bando, Y. et al. (2004). Inhibitory effects of Centel la asiatica on azoxymethane induced aberrant crypt focus formation and carcinogenesis in the intestines of F344 rats. *Food and Chemical Toxicology*, 42(12), 1987-1997.

Buta, J.G., & Spaulding, D.W. (1997). Endogenous levels of phenolics in tomato fruit growth and maturation. *Journal of Plant Growth Regulation*, 16, 43-46.

Calixto, J.B. (2000). Efficacy, safety, quality control, marketing and regulatory guidelines for herbal medicines (Phytotherapeutic agents). *Brazilian Journal of Medicinal and Biological Research*, 33(2), 179-190.

Calixto, J.B. (2005). Twenty-five years of research on medicinal plants in Latin America: A personal view. *Journal of Ethnopharmacology*, 100, 131-134.

Campbell, T.C., & Campbell, T.M. (2006). The China study: The most comprehensive study of nutrition ever conducted and the startling implications for diet, weight loss, and long-term health. *BenBella Books*, Dallas, TX, USA.

Castro, M.S., & Fontes, W. (2005). Plant defense and antimicrobial peptides. *Protein and Peptide Letters*, 12, 11-16.

Chachaty, E., & Saulnier, P. (2000). Bacterial DNA extraction for polymerase chain reaction and pulsed-field gel electrophoresis. (Pp. 33-36) In: Rapley (Ed.), The nucleic acid protocols handbook, *Humana Press Inc.*, Totowa, NJ, USA.

Chanwitheesuk, A., Teerawutgulrag, A., Kilburn, J.D., & Rakariyatham, N. (2007). Antimicrobial gallic acid from *Caesalpinia mimosoides* Lamk. *Food Chemistry*, 100(3), 1044-1048.

Chattopadhyay, S., Farkya, S., Srivastava, A.K., & Bisaria, V.S. (2002). Bioprocess considerations for production of secondary metabolites by plant cell suspension cultures. *Biotechnology and Bioprocess Engineering*, 7, 138-149.

Chaudhury, A., & Pal, M. (2010). Induction of shikonin production in hairy root cultures of *Arnebia hispidissima* via *Agrobacterium rhizogenes*-mediated genetic transformation. *Journal of Crop Science and Biotechnology*, 13(2), 99-106.

Chauhan, P.K., Pandey, I.P., Dhatwalia, V.K., Awasthi, G., Singh, V., & Abhishek, B. (2010). Determination of total phenolic content and *in vitro* antioxidant investigation of

ethanolic and methanolic leaf extracts of *Centella asiatica*. *International Journal of Phytopharmacy Research*, 1(1), 29-33.

Chen, X.Q., & Xiao, J.B. (2005). RP-HPLC-DAD determination of flavonoids: Separation of quercetin, luteolin and apigenin in *Marchantina convoluta*. *Iranian Journal of Pharmaceutical Research*, 3, 175-181.

Chen, Y.P., Rekha, P.D., Arun, A.B., Shen, F.T., Lai, W.A., & Young, C.C. (2006). Phosphate solubilizing bacteria from subtropical soil and their tricalcium phosphate solubilizing abilities. *Applied Soil Ecology*, 34(1), 33-41.

Cheng, C.L., & Koo, M.W. (2000). Effects of *Centella asiatica* on ethanol induced gastric mucosal lesions in rats. *Life Science* 67, 2647-2653.

Chester, B., & Cooper, L.H. (1979). Achromobacter species (CDC group Vd): morphological and biochemical characterization. *Journal of Clinical Microbiology*, 9(3), 425-436.

Chi, H.Y., Lee, C.H., Kim, K.H., Kim, S.L., & Chung, I.M. (2007). Analysis of phenolic compounds and antioxidant activity with H4IIE cells of three different rice grain varieties. *European Food Research and Technology*, 225, 887-893.

Chinnici, F., Gaiani, A., Natali, N., Riponi, C., & Galassi, S. (2004). Improved HPLC determination of phenolic compounds in cv. Golden delicious apples using a monolithic column. *Journal of Agricultural Food and Chemistry*, 52, 4684-4689.

Cho, K.M., Hong, S.Y., Lee, S.M., Kim, Y.H., Kahng, G.G., Lim, Y.P., Kim, H., & Yun, H.D. (2007). Endophytic bacteria communities in ginseng and their antifungal against pathogens. *Microbial Ecology*, 54(2), 341-351.

Chuanphongpanich, S. & Phanichphant, S. (2006). Method development and determination of phenolic compounds in broccoli seeds samples. *Chiang Mai Journal of Science*, 33(1), 103-107.

Chun, O.K., Kim, D.O., Smith, N., Schroeder, D., Han, J.T., & Lee, C.Y. (2005). Daily consumption of phenolics and total antioxidant capacity from fruit and vegetables in the American diet. *Journal of the Science of Food and Agriculture*, 85, 1715-1724.

Compart, S., Duffy, B., Nowak, J., Clément, C., & Barka, E.A. (2005). Use of plant growth-promoting bacteria for biocontrol of plant disease: Principles, mechanisms of action, and future prospects. *Applied and Environmental Microbiology*, 71(9), 4951-4959.

Conlon, J.M., & Sonnevend, A. (2010). Antimicrobial peptides in frog skin secretions. *Methods in molecular Biology*, 618, 3-14.

Cordenunsi, B.R., Genovese, M.I., do Nascimento, J.R.O., Hassimotto, N.M.A., de Santos, R.J., & Lajolo. Effects of temperature on the chemical composition and antioxidant activity of three strawberry cultivars. *Food Chemistry*, 91(1), 113-121.

Cross, C.E., Reznick, A.Z., Packer, L., Davis, P.A., Suzuki, Y.J., & Halliwell, B. (1992). Oxidative damage to human plasma proteins by ozone. *Free Radical Research Communications*, 15, 347-352.

Crozier, A., Kamiya, Y., Bishop, G., & Yokota, T. (2000). Biosynthesis of hormones and elicitor molecules. (pp. 850–929), In: Buchanan, B.B., Grussem, W., & Jones, R.L. (eds) Biochemistry and molecular biology of plants. *American Society of Plant Physiology*, Rockville.

Cseke, L.J., Kirakosyan, A., Kaufman, P.B., Warber, S., Duke, J.A., & Briemann, H.L. (2006). Natural products from plants (2nd Ed). *CRC Press LLC*, Boca Raton, Florida, USA.

Darvishi, E., Zarghami, R., Mishani, C.A., Omidi, M., & Sarkhosh, A. (2006). *In vitro* production of pathogen-free plantlets via meristem culture in saffron (*Crocus sativus* L.). *Biotechnology*, 5(3), 292-295.

de Souza, J. T., de Boer, M., de Waard, P., van Beek, T.A., & Raaijmakers, J.M. (2003). Biochemical, genetic, and zoosporicidal properties of cyclic lipopeptide surfactants produced by *Pseudomonas fluorescens*. *Applied Environmental Microbiology*, 69, 7161-7172.

Deladonde, M., Barret, Y., & Coumans, M.P. (1996). Development of phenolic compounds in maize anthers (*Zea mays*) during cold pre-treatment prior to endogenesis. *Journal of Plant Physiology*, 149, 612-616.

Derso, E., Sijam, K., Ahmad, Z.A.M., Omar, I., & Napis, S. (2007). Status of citrus Canker caused by *Xanthomonas axonopodis* PV. CITRI in Peninsular Malaysia. *International Journal of Agriculture and Biology*, 9(1), 54-58.

Deshpande, H.A., Chalse, M.N., & Bhalsing, S.R. (2010). *Centella asiatica* Linn: Plant regulation through leaf derived callus. *Journal of Herbal Medicine and Toxicology*, 4(2), 119-122.

Deus, B., & Zenk, M.H. (1982). Exploitation of plant cells for the production of natural compounds. *Biotechnology and Bioengineering*, 24, 1965-1974.

DiCosmo, F., & Misawa, M. (1985). Eliciting secondary metabolism in plant cell cultures. *Trends in biotechnology*, 3(12), 318-322.

Ding, C.K., Chachin, K., Ueda, Y., Imahori, Y., & Wang, C.Y. (2001). Metabolism of phenolic compounds during loquat fruit development. *Journal of Agriculture Food Chemistry*, 49(6), 2883-2888.

Ding, Z., & Friml, J. (2010). Auxin regulates distal stem cell differentiation in *Arabidopsis* roots. *Proceedings of the National Academy of Sciences of the United States of America*, 107(26), 12046-12051.

Dittmann, K., Riese, U., & Hamburger, M. (2004). HPLC-based bioactivity profiling of plant extracts: a kinetic assay for the identification of monoamine oxidase-A inhibitors using human recombinant monoamine oxidase-A. *Phytochemistry*, 65(21), 2885-2891.

Dobbelaere, S., Vanderleyden, J., & Okon, Y. (2003). Plant growth-promoting effects of diazotrophs in the rhizosphere. *Critical Reviews in Plant Sciences*, 22, 107-149.

Donoghue, A.M., & Donoghue, D.J. (1997). Effects of water- and lipid-soluble antioxidants on turkey sperm viability, membrane integrity, and motility during liquid storage. *Poultry Science*, 76, 1440-1445.

Du, H., Wang, Y., Hao, W., Li, C., Peng, Y., Wang, J., et al. (2009). Antimicrobial phenolic compounds from *Anabasis aphylla* L. *Natural Product Communications*, 4(3), 385-388.

Durairaj, B., & Dorai, A. (2010). Antiplatelet activity of white and pink *Nelumbo nucifera* Gaertn flowers. *Brazilian Journal of Pharmaceutical Sciences*, 46(3), 579-583.

Dzidic, S., & bedeković, V. (2003). Horizontal gene transfer-emerging multidrug resistance in hospital bacteria. *Acta Pharmacologia Sinica*, 24(6), 519-526.

El Far, M.M.M., & Ashoub, A. (2009). Utility of thermotherapy and meristem tip for freeing sweetpotato from viral infection. *Australian Journal of Basic and Applied Sciences*, 3(1): 153-159.

Elavazhagan, T., Jayakumar, S., Balakrishnan, V., & Chitravadivu, C. (2009). Isolation of Endophytic Bacteria from the invasive alien weed, Mikania micrantha and their molecular characterization. *American-Eurasian Journal of Scientific Research*, 4(3), 154-158.

Eleftherianos, I.G. (2009). Novel antibiotic compounds produced by the insect pathogenic bacterium *photorhabdus*. *Recent Patents on Anti-infective Drug Discovery*, 4(2), 81-89.

Eliašová, A., Repčák, M., & Pastírová, A. (2004). Quantitative changes of secondary metabolites of *Matricaria chamomilla* by abiotic stress. *Zeitschrift für Naturforschung Section C- A Journal of Biosciences*, 59(7-8), 543-548.

Elmerich, C., & Newton, W.E. (2007). Associative and Endophytic Nitrogen-Fixing Bacteria and Cyanobacterial Associations (Nitrogen fixation: Origin, applications, and research progress). *Springer*, Netherland.

European Committee on Antimicrobial Susceptibility Testing 2009. (January, 2009). www.eucast.org/...test.../EUCAST_breakpoints_v1.0_20091221.pdf

- Fenton, H.J.H. (1876). On a new reaction of tartaric acid. *Chemistry News*, 33, 190-190.
- Fernando, T.R.G.W., Ratnasooriya, W.D., & Deraniyagala, S.A. (2009). Antinociceptive activity of aqueous leaf extract of *Tetracera sarmentosa* L. in rats. *Pharmacognosy Research*, 1(6), 381-386.
- Ferrari, S., Galletti, R., Denoux, C., Lorenzo, G.D., Ausubel, F.M., & Dewdney, J. (2007). Resistance to *Botrytis cinerea* induced in Arabidopsis by elicitors is independent to salicylic acid, ethylene, or jasmonate signaling but requires Phytoalexin Deficient3. *Plant Physiology*, 144, 367-379.
- Feng, Y., Shen, D., & Song, W. (2006). Rice endophyte *Pantoea agglomerans* YS19 promotes host plant growth and affects allocations of host photosynthates. *Journal of Applied Microbiology*, 100, 938-945.
- Fessehaie, A., & Walcott, R.R. (2005). Biological control to protect watermelon blossoms and seed from infection by Acidovorax avenae subsp. citrulli. *Phytopathology*, 95, 413-419.
- Field, B., Jordan, F., & Osbourn, A. (2006). First encounters-deployment of defence-related natural products by plants. *The New Phytologist*, 172, 193-207.
- Figueiredo J.E.F., Gomes, E.A., Guimarães, C.T., Lana, U.G.D.P., Teixeira, M.A., Lima, G.V.C., et al. (2009). Molecular analysis of endophytic bacteria from the genus *Bacillus* isolated from tropical maize (*Zea mays* L.). *Brazilian Journal of Microbiology*, 40(3), 522-534. DOI: 10.1590/S1517-83822009000300014.
- Forchetti, G., Masciarelli, O., Izaguirre, M.J., Alemano, S., Alvarez, D., & Abdala, G. (2010). Endophytic bacteria improve seeding growth of sunflower under water stress, produce salicylic acid, and inhibit growth of pathogenic fungi. *Current Microbiology*, 61(6): 485-493.
- Frei, B. (1994). Natural Antioxidants in Human Health and Disease. *Academic Press*, San Diego.
- Friedman, M., Henika, P.R., Levin, C.E., Mandrell, R.E., & Kozukue, N. (2006). Antimicrobial activities of tea catechins and theaflavins and tea extracts against *Bacillus cereus*. *Journal of Food Protection*, 69(2), 354-361.
- Fuentes-Ramirez, L.E., & Caballero-Mellado, J. (2006). Bacterial biofertilizers. (Pp. 143-171). In: PGPR: Biocontrol and Biofertilization, Ed.: Siddiqui, Z.A., Springer, Dordrecht, The Netherlands.
- Gao, S.L., Zhu, D.N., Cai, Z.H., Jiang, Y., & Xu, D.R. (2004). Organ culture of a precious Chinese medicinal plant – *Fritillaria unibracteata*. *Plant Cell, Tissue and Organ Culture*, 59, 197-201.

- Gayoso, C., Pomar, F., Merino, F., & Bernal, M.A. (2004). Oxidative metabolism and phenolic compounds in *Capsicum annuum* L. var. *annuum* infected by *Phytophthora capsici* Leon. *Scientia Horticulturae*, 102(1), 1-13.
- Geider, K., Auling, G., Du, Z., Jakovljevic, V., Jock, S., & Völksch, B. (2006). *Erwinia tasmaniensis* sp. nov., a non-phytopathogenic bacterium from apple and pear trees. *International Journal of Systematic and Evolutionary Microbiology*, 56, 2937-2943.
- Germida, J.J., Siciliano, S.D., Freitas, J.R. & Seib, A.M. (1998). Diversity of root-associated bacteria associated with field-grown canola (*Brassica napus* L.) and wheat (*Triticum aestivum* L.). *FEMS Microbiolal Ecology*, 26, 43-50.
- Giasson, B. I., Ischiropoulos H., Lee, V. M., & Trojanowski, J. Q. (2002). The relationship between oxidative nitratative stress and pathological inclusions in Alzheimer's and Parkinson's diseases. *Free Radical Biology and Medicine*, 32, 1264-1275.
- Giri., C.C. & Giri., A. (2007). Plant biotechnology: Practical manual. I.K. *International Publishing House Pvt. Ltd.*, New Delhi, India.
- Gohil, K.J., Patel, J.A., and Gajjar, A.K. (2010). Pharmacological review on *Centella asiatica*: A potential herbal cure-all. *Indian Journal of Pharmaceutical Sciences*, 72(5), 546-556.
- Gomila, M., Moore, E.R.B., & Lalucat, J. (2009). Molecular techniques for the identification of clinical and environmental Achromobacter strains. FEMS 2009 – 3rd Congress of European Microbiologist, June 28 – July 2, Gothenburg, Sweden, s. 180.
- González, J., Reyes, F., Salas, C., Santiago, M., Cordriansky, Y., Coliheuque, N., et al. (2006). *Arabidopsis thaliana*: A model host plant study plant-pathogen interaction using Chilean field isolates of *Botrytis cinerea*. *Biological Research*, 39, 221-228.
- Grayer R.J., & Kokubun T., (2001). Plant-fungal interactions: the search for phytoalexins and other antifungal compounds from higher plants. *Phytochemistry*, 56, 253-263.
- Grout, B.W. (1999). Meristem tip culture for propagation and virus elimination. *Methods in Molecular Biology*, 111, 115-125.
- Guillon, S., Trémouillaux-Guiller, Pati, P.K., Rideau, M., & Gantet, P. (2006). Hairy root research: recent scenario and exciting prospects. *Current Opinion in Plant Biology*, 9(3), 341-346.
- Guo, J.S., Cheng, C.L., & Koo, M.W. (2004). Inhibitory effects of *C. asiatica* water extract and asiaticoside on inducible nitric oxide synthase during gastric ulcer healing in rats. *Planta Medica*, 70, 1150-1154.
- Guo, X., Chen, J., Brackett, R.E., & Beuchat, L.R. (2001). Survival of Salmonellae on and in tomato plants from the time of inoculation at flowering and early stages of fruit

development through fruit ripening. *Applied and Environmental Microbiology*, 67(10), 4760-4764.

Haas, D., & Keel, C. (2003). Regulation of antibiotic production in root-colonizing *Pseudomonas* spp. and relevance for biological control of plant disease. *Annual Review Phytopathology*, 41, 117-153.

Haas, D., Blumer, C., & Keel, C. (2000). Biocontrol ability of fluorescent pseudomonads genetically dissected: importance of positive feedback regulation. *Current Opinion in Biotechnology*, 11, 290-297.

Haas, D., Keel, C., & Reimann, C. (2002). Signal transduction in plant-beneficial rhizobacteria with biocontrol properties. *Antonie Leeuwenhoek*, 81, 385-395.

Habiba, U., Reza, S., Saha, M.L., Khan, M.R., & Hadiuzzaman, S. (2002). Endogenous bacteria contamination during *in vitro* culture of table banana: Identification and prevention. *Plant Tissue Culture*, 12(2), 117-124.

Halda-Alija, L. (2003). Identification of indole-3-acetic acid producing freshwater wetland rhizosphere bacteria associated with *Juncus effusus* L. *Canadian Journal of Microbiology*, 49, 781–787.

Halda-Alija, L. (2004). Incidence of antibiotic-resistant *Klebsiella pneumoniae* and Enterobacter species in freshwater wetlands. *Letters in Applied Microbiology*, 39, 445–450.

Halliwell, B., & Gutteridge, J.M.C. (1985). Free radicals in biology and medicine, *Clarendon Press*, Oxford.

Hallmann, J., QuadtHallmann, A., Mahaffee, W.F., & Kloepfer, J.W. (1997). Bacterial endophytic in agricultural crops. *Canadian Journal of Microbiology*, 43(10), 895-914.

Hammond-Kosack K.E., & Jones J.D.G. (1997). Plant disease resistance genes. *Annual Review of Plant Physiology and Plant Molecular Biology*, 48, 575–607.

Han, H.S., Supanjani, & Lee, K.D. (2006). Effect of co-inoculation with phosphate and potassium solubilizing bacteria on mineral uptake and growth of pepper and cucumber. *Plant, Soil and Environment*, 52(3), 130-136.

Harish, S., Kavino, M., Kumar, N. & Samiyappan, R. (2009). Bioprime banana with plant growth-promoting endophytic bacteria induces systemic resistance against banana bunchy top virus. *Acta Horticulturar*, 828, 295-302.

Harper, J.K., Arif, A.M., Ford, E.J., Strobel, G.A., Jr Porco, J.A., Tomer, D.P., et al. (2003). Pestacin: a 1,3-dihydro isobenzofuran from *Pestalotiopsis microspora* possessing antioxidant and antimycotic activities. *Tetrahedron*, 59(14), 2471-2476.

Hayat, R., Ali, S., Amara, U., Khalid, R., & Ahmed, I. (2010). Soil beneficial bacteria and their role in plant growth promotion: a review. *Annual Microbiology*, DOI: 10.1007/s13213-010-0117-1.

Hema, R., Kumaravel, S., & Sivasubramanian, C. (2010). Antimicrobial activity of some Indian herbs against plant pathogens. *Stem Cell*, 1(2), 34-37.

Henríquez, C., Almonacid, S., Escobar, B., Chiffelle, I., Gómez, M., & Speisky, H. (2009). Antioxidant content and activity in different structures of five apple cultivars grown in Chile. *Acta Horticulturae*, 841, 275-280.

Hoegen, E., Strömberg, A., Pihlgren, U., & Kombrink, E. (2002). Primary structure and tissue-specific expression of the pathogenesis-related protein PR-1b in potato. *Molecular Plant Pathology*, 3, 329-345.

Hokkanen, J., Mattilat, S., Jaakolat, L., Pirtila, A.M., & Tolonen, A. (2009). Identification of phenolic compounds from lingonberry (*Vaccinium vitisidaea* L.), bilberry (*Vaccinium myrtillus* L.) and hybrid bilberry (*Vaccinium × intermedium* Ruthe L.) leaves. *Journal of Agriculture and Food Chemistry*, 57(20), 9437-9447.

Hotta, Y., Teramoto, K., Sato, H., Yoshikawa, H., Hosoda, A., & Tamura, H. (2010). Classification of Genus *Pseudomonas* by MALDI-TOF MS based on Ribosomal protein coding in S10-sps-alpha operon at strain level. *Journal of Proteome Research*, 9(12), 6722-6728.

Hsieh, P.W., Hsu, L.C., Lai, C.H., Wu, C.C., Hwang, T.L., Lin, Y.K., et al. (2009). Evaluation of the bioactivities of extracts of endophytes isolated from Taiwanese herbal plants. *World Journal of Microbiology & Biotechnology*, 25(8), 1461-1469.

Hsu, Y.L., Kuo, P.L., lin, L.T., & Lin, C.C. (2005). Asiatic acid, a triterpene, induces apoptosis and cell cycle arrest through activation of extracellular signal-regulated kinase and p38 mitogen-activated protein kinase pathways in human breast cancer cells. *The Journal of Pharmacology and Experimental Therapeutics*, 313(1), 333-344.

Huda-Faujan, N., Noriham, A., Norrakiah, A.S., & Babji, A.S. (2009). Antioxidant activity of plants methanolic extracts containing phenolic compounds. *African Journal of Biotechnology*, 8(3), 484-489.

Huang, S.W., & Frankel, E.N. (1997). Antioxidant activity of tea catechins in different lipid systems. *Journal of Agriculture and Food Chemistry*, 45(8), 3033-3038.

Huang, S.Y., & Chou, C.J. (2000). Effect of gaseous composition on cell growth and secondary metabolite production in suspension culture of *Stizolobium hassjoo* cells. *Bioprocess and Biosystems Engineering*, 23(6), 585-593.

Huang, Y., Zhao, J., Zhou, L., Wang, J., Gong, Y., Chen, X., et al. (2010). Antifungal activity of the essential oil of *Illicium verum* fruit and its main component *trans*-anethole. *Molecules*, 15(11), 7558-7569.

Huang, Y.H., Zhang, S.H., Zhen, R.X., Xu, X.D., & Zhen, Y.S. (2004). Asiaticoside inducing apoptosis of tumor cells and enhancing antitumor activity of vincristine. *Ai Zheng*, 23(12), 1599-1604. (Article in Chinese with abstract in English)

Hung, P.Q., & Annapurna, K. (2004). Isolation and characterization of endophytic bacteria in soybean (*Glycine Sp.*). *Omonrice*, 12, 92-101.

Hung, P.Q., Kumar, S.M., Govindsamy, V., & Annapurna, K. (2007). Isolation and characterization of endophytic bacteria from wild and cultivated soybean varieties. *Biology & Fertility of Soils*, 44, 155-162.

Hussin, M., Hamid, A.A., Mohamad, S., Saari, N., Bakar, F., & Dek, S.P. (2009). Modulation of lipid metabolism by *Centella asiatica* in oxidative stress rats. *Journal of Food Science*, 74(2), 72-78.

Hussain, A., & Hasnain, S. (2009). Cytokinin production by some bacteria: Its impact on cell division in cucumber cotyledons. *African Journal of Microbiology Research*, 3(11), 704-712.

Ibrahim, A.K., Khalifa, S., Khafagi, I., Youssef, D., Khan, I., & Mesbah, M. (2007). Stimulation of oleandrin production by combined *Agrobacterium tumefaciens* medicated transformation and fungal elicitation in *Nerium oleander* cell cultures. *Enzyme and microbial Technology*, 41(1), 331-336.

Indumathy, A., Mahalakshmi, P., & Bojan, C.R. (2004). Callus induction and plantlet regeneration from *Centella asiatica* Linn. *Mapana Journal of Sciences*, 2(2), 81-85.

Jackson, R.W. (2009). Plant Pathogenic Bacteria: Genomics and Molecular Biology. *Caister Academic Press*, Portland, OR, USA.

Jagtap, N.S., Khadabadi, S.S., Ghorpade, D.S., Banarase, N.B., & Naphade, S.S. (2009). Antimicrobial and antifungal activity of *Centella asiatica* (L.) Urban, Umbeliferae. *Research Journal of Pharmacy and Technology*, 2(2), 328-330.

James, J.T., & Dubery, I.A. (2009). Pentacyclic triterpenoids from medicinal herb, *Centella asiatica* (L.) Urban. *Molecules*, 14, 3922-3941.

Jandera, P., Skerikova, V., Rehova, L., Hajek, T., Baldrianova, L., Skopova, G., et al. (2005). RP-HPLC analysis of phenolic compounds and flavonoids in beverages and plant extracts using a CoulArray detector. *Journal of Separation Science*, 28(9-10), 1005-1022.

- Jang, I.C., Jo, E.K., Bae, M.S., Lee, H.J., Jeon, G.I., Park, E., et al. (2010). Antioxidant and antigenotoxic activities of different parts of persimmon (*Diospyros kaki* cv. Fuyu) fruit. *Journal of Medicinal Plants Research*, 4(2), 155-160.
- Jayashree, G., Muraleedhara, G.K., Sudarslal, S., & Jacob, V.B. (2003). Anti-oxidant activity of *Centella asiatica* on lymphoma-bearing mice. *Fitoterapia*, 74(5), 431-434.
- Jeep, P., Ellington, S.P., & Couey, R. (2008). The Super Antioxidant Diet and Nutrition Guide: A Health Plan for the Body, Mind, and Spirit. *Hampton Roads Publishing Company*, Charlottesville, VA.
- Jeong, G.T., & Park, D.H. (2005). Enhancement of growth and secondary metabolite biosynthesis: Effect of elicitors derived from plants and insects. *Biotechnology and Bioprocess Engineering*, 10, 73-77.
- Jeong, S.I., Kim, S.Y., Kim, S.J., Hwang, B.S., Kwon, T.H., Yu, K.Y., et al. (2010). Antibacterial activity of phytochemicals isolated from *Atractylodes japonica* against methicillin-resistant *Staphylococcus aureus*. *Molecules*, 15(10), 7395-7402.
- Jia, J., Hu, G., & Wu, C. (2006). Enhanced production of total flavonoids in a 2.5L airlift photobioreactor cell culture of *Saussurea involucrata*. *Asian Journal of Traditional Medicines*, 1(2), 64-68.
- Joharapurkar, A.A., Zambad, S.P., Wanjari, M.M., & Umathe, S.N. (2003). *In vivo* evaluation of antioxidant activity of alcoholic extract of *Rubia cordifolia* Linn. And its influence on ethanol-induced immunosuppression. *Indian Journal of Pharmacology*, 35, 232-236.
- Jwa, N.S., Agrawal, G.K., Tamogami, S., Yonekura, M., Han, O., Iwahashi, H., et al. (2006). Role of defense/stress-related marker genes, proteins and secondary metabolites in defining rice self-defense mechanisms. *Plant Physiology and Biochemistry*, 44, 261-273.
- Kabir, A.H., Pal, S.P., Sarker, K.K., Sharmin, S.A., & Alam, M.F. (2010). Virus elimination and pathogen-free plantlets regeneration in *Cucurbita pepo* L. *Archives of Phytopathology and Plant Protection*, 43(6), 527-537.
- Kaga, H., Mano, H., Tanaka, F., Watanabe, A., Kaneko, S., & Morisaki, H. (2009). Rice seeds as source of endophytic bacteria. *Microbes and Environments*, 24(2), 154-162.
- Karamać, M. (2009). Chelation of Cu(II), Zn(II), and Fe(II) by tannin constituents of selected edible nuts. *International Journal of Molecular Sciences*, 10, 5485-5497.
- Kayser, O., & Quax, W. (2007). Medicinal Plant Biotechnology. 2 vols. From Basic Research to Industrial Applications. *Wiley-VCH*, Heidelberg.

- Karuppusamy, S. (2009). A review on trends in production of secondary metabolites from higher plants by *in vitro* tissue, organ and cell cultures. *Journal of Medicinal Plants Research*, 3(13), 1222-1239.
- Kedage, W., Tilak, J.C., Dixit, G.B., Devasagayam, T.P., & Mhatre, M. (2007). A study of antioxidant properties of some varieties of grapes (*Vitis vinifera* L.). *Critical Reviews in Food Science and Nutrition*, 47(2), 175-185.
- Kieber, J.J. (2002). Tribute to folke skoog: recent advances in our understanding of cytokinin biology. *Journal of Plant Growth Regulation*, 21, 1-2.
- Kil, H.Y., Seong, E.S., Ghimire, B.K., Chung, I.M., Kwon, S.S., Goh, E.J., et al. (2009). Antioxidant and antimicrobial activities of crude sorghum extract. *Food Chemistry*, 115, 1234-1239.
- Kim, O.T, Bang, K.H., Shin, Y.S., Lee, M.J., Jung, S.J., Hyun, D.Y., et al. (2007). Enhanced production of asiaticoside from hairy root cultures of *Centella asiatica* (L.) Urban elicited by methyl jasmonate. *Plant Cell Reports*, 26(11), 1941-1949.
- Kliebenstein, D.J. (2004). Secondary metabolites and plant/environment interactions: a view through *Arabidopsis thaliana* tinged glasses. *Plant, Cell and Environment*, 27(6), 675-684.
- Kliebenstein, D.J., Rowe, H.C., & Denby, K.J. (2005). Secondary metabolites influence *Arabidopsis/botrytis* interactions: variation in host production and pathogen sensitivity. *The Plant Journal*, 44(1), 25-36.
- Koffi, E., Sea, T., Dodehe, Y., and Soro, S. (2010). Effect of solvent type on extraction of polyphenols from twenty three Ivorian plants. *Journal of Animal & Plant Sciences*, 5(3): 550-558.
- Kombrink, E. (2000). Pathogenesis-related proteins in plants. *Plant Science*, 160, 177-178.
- Kong, L., Wang, F., Si, J., Feng, B., & Li, S. (2008). Water-soluble phenolic compounds in the coat control germination and peroxidase reactivation in *Triticum aestivum* seeds. *Plant Growth Regulation*, 56, 275-283.
- Koomnok, C., Teaumroong, N., Rerkasem, B., & Lumyong, S. (2007). Diazotroph endophytic bacteria in cultivated and wild rice in Thailand. *ScienceAsia*, 33, 429-435.
- Koppenol, W.H., Butler, J., & van Leeuwen, J.W. (1978). The Haber-Weiss cycle. *Photochemistry and Photobiology*, 28, 655-660.
- Koski, A., Pekkarinen, S., Hopia, A., Wähälä, K., & Heinonen, M. (2003). Processing of rapeseed oil: effects on sinapic acid derivative content and oxidative stability. *European Food Research Technology*, 217, 110-114.

Kovačević, N., & Grubišić, D. (2005). *In vitro* cultures of plants from the Phamnaceae: Shoot propagation and anthraquinones production. *Pharmaceutical biology*, 43(5), 420-424.

Kumar, B.S.A., Lakshman, K., Swamy, V.B.N., Khan, S., Tripathi, M.S. & Deepa, L. (2009). Free radical scavenging and antibacterial activities of Amrycard powder (A Ayurvedic Formulation). *The Internet Journal of Alternative Medicine*, 7(1).

Kumar, R., Shrivastava, S.K., & Chakraborti, A. (2010b). Comparison of broth dilution and disc diffusion method for antifungal susceptibility testing of *Aspergillus flavus*. *American Journal of Biomedical Sciences*. 2(3), 202-208.

Kumar, U., Singh, I., Priyanka, & Vimala, Y. (2010a). *In vitro* salt stress induced production of gymnemic acid in callus cultures of *Gymnema sylvestre* R.Br. *African Journal of Biotechnology*, 9(31), 4904-4909.

Kutner, S., Breuer, W.V., Ginsburg, H., & Cabantchik, Z.I. (1987). On the mode of action of phlorizin as an antimalarial agent in *in vitro* cultures of *Plasmodium falciparum*. *Biochemical Pharmacology*, 36(1), 123-129.

Kužniak, E. & Skłodowska, M. (2005). Fungal pathogen-induced changes in the antioxidant systems of leaf peroxisomes from infected tomato plants. *Planta*, 210, 964-969.

Lacava, P.T., Silva-Stenico, M.E., Araújo, W.L., Simionato, A.V.C., Carrilho, E., Tsai, S.M., et al. (2008). Detection of siderophores in endophytic bacteria *Methylobacterium* spp. Associated with *Xylella fastidiosa* subsp. *pauca*. *Pesquisa Agropecuária Brasileira*, 43(4), 521-528.

Laorpaksa, A., Jianmongkol, S., & pothiwong, W. (2008). Antimicrobial activity of endophytic bacteria isolated from Thai medicinal plant. *Thai Journal of Pharmaceutical Sciences*, 32, 21-32.

Lavanya, R., Maheshwari, S.U., Harish, G., Raj, J.B., Kamali, S., Hemamalani, D., et al. (2010). Investigation of *in-vitro* anti-inflammatory, anti-platelet and anti-arthritis activities in the leaves of *Anisomeles malabarica* Linn. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 1(4), 745-752.

Lawrence, R., Tripathi, P., and Jeyakumar, E. (2009). Isolation, purification and evaluation of antibacterial agents from *aloe vera*. *Brazilian Journal of Microbiology*, 40(4), 906-915.

Lee, S.H., Kim, S.R., Kim, J.S., Bae, H.R., Lee, C.H., & Kim, D.D. (2003). *In-vitro* and *in-vivo* antibacterial activity evaluation of a polyurethane matrix. *Journal of Pharmacy and Pharmacology*, 55(4), 559-566.

Levaj, B., Uzelac, V.D., Delonga, K., Ganić, K.K., Banović, M., & Kovačević, D.B. (2010). Polyphenols and volatiles in fruits of two sour cherry cultivars, some berry fruits and their jams. *Food Technology and Biotechnology*, 48(4), 538-547.

Li, J., & El Rassi, Z. (2002). High performance liquid chromatography of phenolic choline ester fragments derived by chemical and enzymatic fragmentation processes: analysis of sinapine in rape seed. *Journal of Agriculture and Food Chemistry*, 50, 1368-1373.

Li, L., Ng, T.B., Gao, W., Li, W., Fu, M., Niu, S.M., et al. (2005). Antioxidant activity of gallic acid from rose flowers in senescence accelerated mice. *Life Sciences*, 77(2), 230-240.

Li, Y., Peng, Q., Selimi, D., Wang, Q., Charkowski, A.O., Chen, X., et al. (2009). The plant phenolic compound p-coumaric acid represses gene expression in the *Dickeya dadantii* type III secretion system. *Applied and Environmental Microbiology*, 75(5), 1223-1228.

Li, Z., Bai, Z., Zhang, B., Xie, H., Hu, Q., Hao, C., et al. (2005). Newly isolated *Bacillus gibsonii* S-2 capable of using sugar beet pulp for alkaline pectinase production. *World Journal of Microbiology and Biotechnology*, 21(8-9), 1483-1486.

Lidstrom, M.E., & Chistoserdova, L. (2002). Plants in the pink: cytokinin production by *Methylobacterium*. *Journal of Bacteriology*, 184(7), 1818.

Lin, L., & Wu, J. (2002). Enhancement of shikonin production in single- and two-phase suspension cultures of *Lithospermum erythrorhizon* cells using low-energy ultrasound. *Biotechnology and Bioengineering*, 78(1), 81-88.

Linden, J.C., Haigh, J.R., Mirjalili, N., & Phisaphalong, M. (2001). Gas concentration effects on secondary metabolite production by plant cell cultures. *Advances in biochemical engineering/biotechnology*, 72, 27-62.

Loc, N.H., & An, N.T.T. (2010). Asiaticoside production from Centella (*Centella asiatica* L. Urban) cell culture. *Biotechnology and Bioprocess Engineering*, 15, 1065-1070.

Lodewyckx, C., Vangronsveld, J., Porteous, F., Moore, E.R.B., Taghavi, S., Mezgeay, et al. (2002). Endophytic bacteria and their potential applications. *Critical Review in Plant Sciences*, 21, 583-606.

Long, H.H., Furuya, N., Kurso, D., Takeshita, M., & Takanami, Y. (2003). Isolation of endophytic bacteria from *Solanum* sp. and their antibacterial activity against plant pathogenic bacteria. *Journal of the Faculty of Agriculture, Kyushu University*, 48(1-2), 21-28.

Long, H.H., Schmidt, D.D., & Baldwin, I.T. (2008). Native Bacterial Endophytes Promote Host Growth in a Species-Specific Manner; Phytohormone Manipulations Do Not Result

- Lorenc-Kukula, K., Jafra, S., Oszmiński, I., & Szopa, J. (2005). Ectopic Expression of Anthocyanin 5-O-Glucosyltransferase in Potato Tubers Causes Increased Resistance to Bacteria. *Journal of Agriculture and Food Chemistry*, 53, 272-281.
- Lugtenberg, B.J.J., Dekkers, L. & Bloemberg, G.V. (2001). Molecular determinants of rhizosphere colonization by *Pseudomonas*. *Annual Review of Phytopathology*, 39, 461-490.
- Lyon, G.D. (1972). Occurrence of risitin and phytuberin in potato tubers inoculated with *Erwinia carotovora* var. *atroseptica*. *Physiological Plant pathology*, 2(4), 411-416.
- MacMillan, J. (2002). Occurrence of gibberellins in vascular plants, fungi and bacteria. *Journal of Plant Growth Regular*, 20, 387-442.
- Maddox, C.E., & Laur, L.M. (2010). Antibacterial activity of phenolic compounds against the phytopathogen *Xylella fastidiosa*. *Current Microbiology*, 60, 53-58.
- Magnani, G.S., Didonet, C.M., Cruz, L.M., Picheth, C.F., Pedrosa, F.O., & Souza, E.M. (2010). Diversity of endophytic bacteria in Brazilian sugarcane. *Genetics and Molecular Research*, 9(1), 250-258.
- Makoi, J.H.J.R., & Ndakidemi, P.A. (2007). Biological, ecological and agronomic significance of plant phenolic compounds in rhizosphere of the symbiotic legumes. *African Journal of Biotechnology*, 6(12), 1358-1368.
- Mamtha, B., Kavitha, K., Srinivasan, K.K., & Shivananda, P.G. (2004). An in vitro study of the effect of *Centella asiatica* [Indian pennywort] on enteric pathogens. *Indian Journal of Pharmacology*, 36(1), 41.
- Mapunya, M.B. (2009). Mushroom tyrosinase activity of novel and known phenolic compounds isolated from *Greyia flanaganii* (Bolus). Master of Science Thesis, *University of Pretoria*.
- Maria, G.L., Sridhar, K.R., & Raviraja, N.S. (2005). Antimicrobial and enzyme activity of mangrove endophytic fungi of southwest cost of India. *Journal of Agricultural Technology*, 1, 67-80.
- Marquez-Santacruz, H.A., Hernandez-Leon, R., Orozco-Mosqueda, M.C., Velazquez-Sepulveda, I., & Santoyo, G. (2010). Diversity of bacteria endophytes in roots of Mexican husk tomato plants (*Physalis ixocarpa*) and their detection in the rhizosphere. *Genetics and Molecular Research*, 9(4), 2372-2380.

Mastretta, C., Taghavi, S., Leie, D.V.D., Mengoni, A., Galardi, F., Gonnelli, C., et al. (2009). Endophytic bacteria from seeds of *Nicotiana tabacum* can reduce cadmium phytotoxicity. *International Journal of Phytoremediation*, 11(3), 251-267.

Mauch-Mani, B., & Métraux, J.P. (1998). Salicylic acid and systemic acquired resistance to pathogen attack. *Annals of Botany*, 82, 535-540.

Mayak, S., Tirosh, T., & Glick, B. (2004). Plant growth-promoting bacteria that confer resistance to water stress in tomatoes and peppers. *Plant Science*, 166(2), 525-530.

McLean, J.A., Karadas, F., Surai, P.F., McDevitt, R.M., & Speake, B.K. (2005). Lipid-soluble and water-soluble antioxidant activities of the avian intestinal mucosa at different sites along the intestinal tract. *Comparative Biochemistry and Physiology. Part B, Biochemistry and Molecular Biology*, 141(3), 366-372.

Medeiros, F.H.V., moraes, I.S.F., Neto, E.B.D.S., Silveria, E.B., & Mariano, R.D.L.R. (2009). Management of melon bacterial blotch by plant beneficial bacteria. *Phytoparasitica*, 37, 453-460.

Mejía, L.C., Rojas, E.I., Maynard, Z., Bael, S.V., Arnold, A.E., Hebbar, P., et al. (2008). Endophytic fungi as biocontrol agents of *Theobroma cacao* pathogens. *Biological Control*, 46(1), 4-14.

Michalak, A. (2006). Phenolic compounds and their antioxidant activity in plant growing under heavy metal stress. *Polish Journal of Environmental Studies*, 15(4), 523-530.

Mignard, S., & Flandrois, J.P. (2006). 16S rRNA sequencing in routine bacterial identification: A 30-month experiment. *Journal of Microbiological Methods*, 67(3), 574-581.

Mineo, L. (1990). Plant tissue culture techniques, (pp. 151-174), In: Goldman, C.A. (Ed.), Tested studies for laboratory teaching, Volume 11, *Proceedings of the Eleventh Workshop/Conference of the Association for Biology Laboratory Education*.

Mitra, S., & Roy, P. (2010). Molecular identification by 16S rDNA sequence of a novel bacterium capable of degrading trichloroethylene. *Journal of Biological Sciences*, 10, 637-642.

Mohd Zainol, K. (2004). Determination of flavonoids in *Centella asiatica* (L.) Urban and there utilization in herbal noodle. Master of Science Thesis, *University of Putra Malaysia*.

Mohd Zainol, K., Abd-Hamid, A., Yusof, S., & Muse, R. (2003). Antioxidative activity and total phenolic compounds of leaf, root and petiole of four accessions of *Centella asiatica* (L.) Urban. *Food Chemistry*, 81(4), 575-581.

Montesions, E., Bonaterra, A., Badosa, E., Francés, J., Alemany, J., Llorente, I., et al. (2002). Plant-microbe interactions and the new biotechnological methods of plant disease control. *International Microbiology*, 5, 169-175.

Moretti, C., & Buonauro, R. (2010). Immature walnut fruit inoculation for evaluation of *Brenneria nigrifluens* pathogenicity. *Phytopathologia Mediterranea*, 49, 80-83.

Morimoto, M., & Komai, K. (2000). Plant secondary metabolites as plant defense systems. *Recent Research Developments in Phytochemistry*, 4, 99-114.

Morsch, M., Girardi, G.J., Cechinel-Filho, V., Meyre-Silva, C., & Rodrigues, C.A. (2002). Separation of C-glycoside flavonoids from *Aleurites moluccana* using chitin and full N-acetylate chitin. *Zeitschrift für Naturforschung*, 57c, 957-959.

Munif, A., Hallman, J., & Sikora, R.A. (2001). Induced systemic resistance of selected endophytic bacteria against *Meloidogyne incognita* on tomato. *Medical Faculty Landbouww University of Gent*, 66, 663-669.

Murugesan, T., Rao, B., Sinha, S., Biswas, S., Pal, M., & Saha, B.P. (2010). Anti-diabetic activity of *Jussiaea suffruticosa* extract in rats. *Pharmacy and Pharmacology Communications*, 6(10), 451-453.

Naama, J.H., Al-Temimi, A.A., & Al-Amiery, A.A.H. (2010). A study on the anticancer activities of ethanolic curcumin extract. *African Journal of Pure and Applied Chemistry*, 4(5), 68-73.

Naidu, T.B., Rao S.N., Mani1, N.S., Mohan, Y.S.Y.V.J., & Pola, S. (2010). Conservation of an endangered medicinal plant *Centella asiatica* through Plant Tissue culture. *Drug Invention Today*, 2(1), 17-21.

Naskar, S., Islam, A., Mazumdar, U.K., Saha, P., Haldar, P.K., & Gupta, M. (2010). *In Vitro* and *In Vivo* antioxidant potential of hydromethanolic extract of *Phoenix dactylifera* Fruits. *Journal of Scientific Research*, 2(1), 144-157.

Naz, I., Bano, A., & Hassan, T.U. (2009). Morphological, biochemical, and molecular characterization of Rhizobia from halophytes of Khewra salt range and attock. *Pakistani Journal of Botany*, 41(6), 3159-3168.

Naz, S., Jabeen, S., Ilyas, S., Manzoor, F., Aslam, F., & Ali, A. (2010). Antibacterial activity of *Curcuma longa* varieties against different strains of bacteria. *Pakistani Journal of Botany*, 42(1), 455-462.

Ndakidemi, P.A., & Dakora, F.D. (2003). Legume seed flavonoids and nitrogenous metabolites as signals and protectants in early seedling development. Review. *Functional Plant Biology*, 30, 729-745.

- Nedělník, J. (1989). Induction of antimicrobial compounds in alfalfa callus by cell wall components from *Fusarium oxysporum*. *Folia Microbiologica*, 34(1), 25-29.
- Nehra, S. (2005). Plant microbes and biotechnology. *Pointer Publishers*, Jaipur, India.
- Newman, D.J., Cragg, G.M., & Snader, K.M. (2000). The influence of natural products upon drug discovery. *Natural Product Reports*, 17(3), 215-234.
- Ng, S.Y., Kwang, L.L., & Tan, T.Y. (2007). Identification of gram-negative bacilli directly from positive blood culture vials. *Journal of Medical Microbiology*, 56, 475-479.
- Nicholson, R.L., & Hammerschmidt, T.R. (1992). Phenolic compounds and their role in disease resistance. *Annual Review of Phytopathology*, 30, 369-389.
- Nielsen, S.S. (2010). Food analysis, Food science texts series, Fourth Edition. *Springer*, NY, USA.
- Nielsen, T. H., & Sørensen, J. (2003). Production of cyclic lipopeptides by *Pseudomonas fluorescens* strains in bulk soil and in the sugar beet rhizosphere. *Applied Environmental Microbiology*, 69, 861-868.
- Nielsen, T. H., Sørensen, D., Tobiasen, C., Andersen, J.B., Christeophersen, C., Givskov, M. et al. (2002). Antibiotic and biosurfactant properties of cyclic lipopeptides produced by fluorescent *Pseudomonas* spp. from the sugar beet rhizosphere. *Applied Environmental Microbiology*, 68, 3416-3423.
- Nikitina, V.S., Kuz'mina, L.Y., Melent'ev, A.I., & Shendel', G.V. (2007). Antibacterial activity of polyphenolic compounds isolated from plants of Geraniaceae and Rosaceae families. *Applied Biochemistry and Microbiology*, 43(6), 629-634.
- Nuengchamnong, N., Lokkerbol, A.H., & Ingkaninan, K. (2004). Separation and detection of the antioxidant flavonoids, rutin and quercetin, using HPLC coupled on-line with colorimetric detection of antioxidant activity. *Naresuan University Journal*, 12(2), 25-37.
- Nurnberger, T., & Brunner, F. (2002). Innate immunity in plants and animals: emerging parallels between the recognition of general elicitors and pathogen-associated molecular patterns. *Current Opinion in Plant Biology*, 5, 318–324.
- Odutayo, O.I., Amusa, N.A., Okutade, O.O., & Ogunsanwo, Y.R. (2007). Sources of microbial contamination in tissue culture laboratories in southwestern Nigeria. *African Journal of Agricultural Research*, 2(3), 67-72.
- Okon, Y., & Kapulnik, Y. (2002). Plant growth promotion by Rhizosphere bacteria. Pp: 869-885. In: Kafkafi, U., Waisel, Y., & Eshel, A. (Eds.), Plant roots: The hidden half. *CRC Press*, NY, USA.

Oliveria, A.B.D., Dolabela, M.F., Póvoa, M.M., & Santos, C.A.M. (2010). Antimalarial activity of ulein and proof of its action on the *Plasmodium falciparum* digestive vacuole. *Malaria Journal*, 9(Suppl 2): 9, DOI: 10.1186/1475-2875-9-S2-O9.

Oliveira, A.B.D., Dolabela, M.F., Póvoa, M.M., Santos, C.A.M., & Varotti, F.D.P. (2010). Antimalarial activity of ulein and proof of its action on the *Plasmodium falciparum* digestive vacuole. *Malaria Journal*, 9(2), 9.

Oliveira, J.C.M.D., Gama, T.G.V., Siqueira, J.F., Rôças, I.N., Peixoto, R.S., & Rosado, A.S. (2007). One the use of denaturing gradient gel electrophoresis approach for bacterial identification in endodontic infections. *Clinical Oral Investigations*, 11, 127-132.

Ordoonkhani, K., Khavazi, K., Moezzi, A., & Rejali, F. (2010). Influence of PGPR and AMF on antioxidant activity, lycopene and potassium contents in tomato. *African Journal of Agricultural Research*, 5(10), 1108-1116.

Ortega, X., Velasquez, J.C., & Pérez, L.M. (2005). IP3 production in the hypersensitive response of lemon seedlings against *Alternaria alternata* involves active protein tyrosine kinases but not a G-protein. *Biological Research*, 38, 89-99.

Otvos, L. (2000). Antibacterial peptides isolated from insects. *Journal of Peptide Science*, 6(10), 497-511.

Owen, N.L., & Hundley, N. (2004). Endophytes – the chemical synthesizers inside plants. *Science Progress*, 87(2), 79-99.

Packer, L., Rimbach, G. & Virgili, F. (1999). Antioxidant activity and biologic properties of a procyanidin-rich extract from Pine (*Pinus maritime*) bark, Pycnogenol. *Free Radical Biology and Medicine*, 27 (5/6), 704-724.

Packer, L., & Cadenas, E. (2002). Oxidative stress and disease. (pp. 5–8), In: Cadenas E., & and Packer, L., (Eds), *Handbook of antioxidants*, Marcel Dekker Inc., New York, Basel, USA.

Palma, M., Piñerio, Z., and Barroso, C.G. (2001). Stability of phenolic compounds during extraction with superheated solvents. *Journal of Chromatography A*, 921(2), 169-174.

Palumbo, M.J., Putz, F.E., & Talcott, S.T. (2007). Nitrogen fertilizer and gender effects on the secondary metabolism of yaupon, a caffeine-containing North American holly. *Oecologia*, 151, 1-9.

Panthi, M.P., & Chaudhary, R.P. (2006). Antibacterial activity of some selected folklore medicinal plants from west Nepal. *Scientific World*, 4(4), 16-21.

Papalexandratou, Z., Camu, N., Falony, G., & De Vuyst, L. (2011). Comparison of the bacterial species diversity of spontaneous cocoa bean fermentations carried out at selected farms in Ivory Coast and Brazil. *Food Microbiology*, DOI: 10.1016/j.fm.2011.01.010.

- Patra, A., Rai, B., Rout, G.R., & Das, P. (1998). Successful regeneration from callus cultures of *Centella asiatica* (Linn.) Urban. *Plant Growth Regulation*, 24, 13-16.
- Park, B.C., Bosire, K.O., Lee, E.S., Lee, Y.S., & Kim, J.A. (2005). Asiatic acid induces apoptosis in SK-MEL-2 human melanoma cells. *Cancer Letters*, 218, 81-90.
- Patel, V.R., Patel, P.R., & Kajal, S.S. (2010). Antioxidant activity of some selected medicinal plants in western region of India. *Advances in Biological Research*, 4(1), 23-26.
- Patil, K.R., Patil, C.R., Jadhav, R.B., Mahajan, V.K., Patil, P.R., & Gaikwad, P.S. (2009). Anti-arthritis activity of bartogenic acid isolated from fruits of *Barringtonia racemosa* Roxb. (Lecythidaceae). *Evidence-based Complementary and Alternative Medicine*, DOI:10.1093/ecam/nep148.
- Paunovic, S., Ruzic, D., Vujoovic, T., Milenkovic, S., & Jevremovic, D. (2007). In vitro production of plum pox virus-free plums by chemotherapy with ribavirin. *Biotechnology & Biotechnology Equipment*, 21, 417-421.
- Petkovsek, M.M., Stampar, F., & Veberic, R. (2008). Increased phenolic content in apple leaves infected with the apple scab pathogen. *Journal of Plant pathology*, 90(1), 49-55.
- Petti, C.A., Polage, C.R., & Schreckenberger, P. (2005). The role of 16S rRNA gene sequencing in identification of microorganisms misidentified by conventional methods. *Journal of Clinical Microbiology*, 43(12), 6123-6125.
- Percival, G.C. (2001). Induction of system acquired disease resistance in plants: Potential implications for disease management in urban forestry. *Journal of Arboriculture*, 27(4), 181-192.
- Pérez-de-Luque, A., Jorrín, J., & Rubiales, D. (2004). Crenate broomrape control in pea by foliar application of benzothiadiazole (BTH). *Phytoparasitica*, 32(1), 21-29.
- Philip, K., Teoh, W.Y., Muniandy, S., & Yaakob, H. (2008). Identification of major cultivable aerobic bacteria in the oral cavity of Malaysian subjects. *American Journal of Biochemistry and Biotechnology*, 4(4), 367-370.
- Pierik, R.L.M. (1987). In vitro culture of higher plants. *Martinus Nijhoff Publishers*, Dordrecht.
- Pittella, F., Dutra, R.C., junior, D.D., Lopes, M.T.P., & Barbosa, N.R. (2009). Antioxidant and cytotoxic activities of *Centella asiatica* (L) Urb. *International Journal of Molecular Sciences*, 10: 3713-3721.
- Poiatti, V.A.D., Dalmas, F.R., & Astarita L.V. (2009). Defense mechanisms of *Solanum tuberosum* L. in response to attack by plant-pathogenic bacteria. *Biological Research*, 42(2), 205-215.

Pokoj ska-Burdziej, A., Strzelczyk, E., Dahm, H., & Li, C.Y. (2004). Effect of endophytic bacterium *Pseudomonas fulva* on growth of pine seedlings (*Pine sylvestris*), formation of mycorrhizae and protection against pathogens. *Phytopathology of Poland*, 32, 33-47.

Polya, G. (2003). Biochemical targets of plant bioactive compounds: A pharmacological reference guide to sites of action and biological effects. *Taylor & Francis Group*, NY, USA.

Prachayasittikul, S., Saraban, P., Cherdtrakulkiat, R., Ruchirawat, S., & Prachayasittikul, V. (2010). New bioactive triterpenoids and antimalarial activity of *Diospyros rubra* Lec. *Experimental and Clinical Sciences*, 9: 1-10.

Previati, A., Benelli, C., Re, F.D., & Giannini, M. (2008). In vitro production of virus-free chrysanthemum stock plants for cut flowers. *Propagation of Ornamental Plants*, 8(3), 167-169.

Pushkar, K. (2009). Agricultural applications of plant biotechnology. *Pratiyogita Darpan*, 42, 1056-1063.

Puupponen-Pimiä, R., nohynek, L., Hartmann-Schmidlin, S., Kähkönen, M., Heinonen, M., Määttä-Riihinens, et al. (2005). Berry phenolics selectively inhibit the growth of intestinal pathogens. *Journal of Applied Microbiology*, 98, 991-1000.

Qi, S.H., Xu, Y., Xiong, H.R., Qian, P.Y., & Zhang, S. (2009). Antifouling and antibacterial compounds from a marine fungus *Cladosporium* sp. F14. *World Journal of Microbiology and Biotechnology*, 25, 399-406.

Rafamantana, M.H., Rozet, E., Raoelison, G.E., Cheuk, K., Ratsimamanga, S.U., Hubert, P., et al. (2009). An improved HPLC-UV method for the simultaneous quantification of triterpenic glycosides and aglycones in leaves of *Centella asiatica* (L.) Urb (Apiaceae). *Journal of Chromatography*. DOI:10.1016/j.jchromb.2009.03.018.

Rafat, A. (2008). *Agrobacterium tumefaciens*-mediated transformation of cabbage (*Brassica oleracea* subsp. *Capitata*) cv. KY Cross with *AtHSP101* gene. Master Thesis, *University of Putra Malaysia*.

Rafat, A., Aziz, M.A., Rashid, A.A., Abdullah, S.N.A., Kamaladini, H., Torabi Sirchi, M.H., et al. (2010). Optimization of *agrobacterium tumefaciens*-mediated transformation and shoot regeneration after co-cultivation of cabbage (*Brassica oleracea* subsp. *Capitata*) cv. KY Cross with *AtHSP101* gene. *Scientia Horticulturae*, 124, 1-8.

Raftari, M. (2009). Antibacterial activity of organic acids on the growth of selected bacteria in meat samples. Master of Science Thesis, *University of Putra Malaysia*

Rahman, M.A.A., & Moon, S.S. (2007). Antimicrobial phenolic derivatives from *Dendranthema zawadskii* var. *latilobum* Kitamura (Asteraceae). *Archives of Pharmacal Research*, 30(11), 1374-1379.

Rajendran, R., & Krishnakumar, E. (2010). Anti-Arthritic Activity of *Premna serratifolia* Linn., Wood against Adjuvant Induced Arthritis. *Avicenna Journal of Medical Biotechnology*, 2(2), 101-106.

Ramamoorthy V., Viswanathan, R., Raguchander, T., Prakasam, V., & Samiyappan, R. (2001). Induction of systemic resistance by plant growth promoting rhizobacteria in crop plants against pests and diseases. *Crop Protection*, 20(1), 1-11.

Rao, K.P, Rao, S.S., & Sadanandam, M. (1999). Tissue Culture studies of *Centella asiatica*. *Indian Journal of Pharmaceutical Sciences*, 61(6), 392-394.

Rao, S.R., & Ravishankar, G.A. (2002). Plant cell cultures: Chemical factories of secondary metabolites. *Biotechnology Advances*, 20(2), 101-153.

Ramos, F.A., Takaishi, Y., Shirotori, M., Kawaguchi, Y., Tsuchiya, K., Shibata, H., et al. (2006). Antibacterial and antioxidant activities of quercetin oxidation products from yellow onion (*Allium cepa*) skin. *Journal of Agriculture and Food Chemistry*, 54(10), 3551-3557.

Ramos, H.P., Braun, G.H., Pupo, M.T., & Said, S. (2010). Antimicrobial activity from endophytic fungi *Arthrinium* state of *Apiospora montagnei* Sacc. and *Papulaspora immerse*. *Brazilian Archive of Biology and Technology*, 53(3), 629-632.

Rapley, R. (2000). The nucleic acid protocols handbook. *Humana Press Inc.*, Totowa, NJ, USA.

Rasche, F, Trondl, R., Nagreiter, C., reichenauer, T.G., & Sessitsch, A. (2006). Chilling and cultivar type affect the diversity of bacterial endophytes colonizing sweet pepper (*Capsicum annuum* L.). *Canadian Journal of Microbiology*, 52(11), 1036-1045.

Rates, S.M.K. (2001). Plants as source of drugs. *Toxicon*, 39(5), 603-613.

Reddy, C.S.S.S., Subramanyam, M.V.V., Vani, R., & Devi, S.A. (2007). In vitro models of oxidative stress in rat erythrocytes: Effect of antioxidant supplements. *Toxicology In Vitro*, 21(8), 1355-1364.

Reed, B.M., Buckley, P.M., & DeWilde, T.N. (1996). Detection and eradication of endophytic bacteria from micropropagated mint plants. *In Vitro Cellular & Developmental Biology – Plant*, 31(1), 58-57.

Reiter, B., Pfeifer, U., Schwab, H., & Sessitsch, A. (2002). Response of endophytic bacteria communities in potato plants to infection with *Erwinia carotovora* subsp. *atroseptica*. *Applied Environmental Microbiology*, 68(5), 2261-2268.

Relman, D.A. (2002). New technologies, human–microbe interactions, and the search for previously unrecognized pathogens. *Journal of Infectious Diseases*, 186(Suppl 2), S254–S258.

Robins, R.I. (1994). Secondary products from cultured cells and organs: Molecular and cellular approaches. In: Dixon, R.A., and Gonzales, R.A. (eds). *Plant Cell Culture*. IRL Press, Oxford.

Rojas, C.M., Ham, J.H., Deng, W.L., Doyle, J.J., & Collmer, A. (2002). HecA, a member of a class of adhesions produced by diverse pathogenic bacteria, contributes to the attachment, aggregation, epidermal cell killing, and virulence phenotypes of *Erwinia chrysanthemi* EC16 on *Nicotiana clevelandii* seedlings. *Proceedings of the National Academy of Sciences of the United States of America*, 99(20): 13142-13147.

Roy, S., & Banerjee, D. (2010). Isolation of antimicrobial compound by endophytic bacteria from *Vinca rosea*. *International Journal of Current Research*, 5, 47-51.

Ruz, L., Moragrega, C., & Montesinos, E. (2008). Evaluation of four whole-plant inoculation methods to analyze the pathogenicity of *Erwinia amylovora* under quarantine conditions. *International Microbiology*, 11(2), 111-119.

Ryu, C. M., Murphy, J.F., Mysore, K.S., & Kloepper, J.W. (2004). Plant growth-promoting rhizobacterial systemically protect *Arabidopsis thaliana* against *Cucumber mosaic virus* by a salicylic acid and NPR1-independent and jasmonic acid-dependent signaling pathway. *The Plant Journal*, 39, 381-392.

Sairam, K., Rao, C.V., & Goel, R.K. (2001). Effect of *Centella asiatica* Linn on physical and chemical factors induced gastric ulceration and secretion in rats. *Indian Journal of Experimental Biology*, 39, 137-142.

Salma, U., Rahman, M.S.M., Islam, S., Haque, N., Jubair, T.A., Haque, A.K.M.F, et al. (2008). The influence of different hormone concentration and combination on callus induction and regeneration of *Rauvolfia serpentina* (L.) Benth. *Pakistani Journal of Biological Sciences*, 11, 1638-1641.

Samy, J., Sugumaran, M., Lee, K.L.W., & Wong, K.M. (2005). Herbs of Malaysia: an introduction to the medicinal, culinary, aromatic and cosmetic use of herbs. *Marshall Cavendish Editions*, Malaysia.

Saravanakumar, D., Lavanya, N., Muthumeena, B., Raguchander, T., & Suresh, S. (2008). *Pseudomonas fluorescens* enhances resistance and natural enemy population in rice plants against leaffolder pest. *Journal of Applied Entomology*, 132(6), 469-479.

Saubidet, M.I., Fatta, N., & Barneix, A.J. (2000). The effects of inoculation with *Azospirillum brasilense* on growth and nitrogen utilization by wheat plants. *Plant Soil*, 245(2), 15-222.

Sauer, P., Gallo, J., Kesselová, M., Kolář, M., & Koukalová, D. (2005). Universal primers for detection of common bacterial pathogens causing prosthetic joint infection. *Biomedical Papers, Medicine Faculty, Palacký University, Olomouc, Czech*, 149(2), 285-288.

- Scaringelli, F.P., Schultz, T.P., & Goldstein, I.S. (1980). Gas chromatographic analysis of phenolic compounds from lignin. *Analytical Letters*, 13(4), 261-269.
- Schauer, N., Willmitzer, L., & Fernie, A.R. (2006). Metabolic Profiling of Plant Cells. Essay 11.2 In: Taiz, L., and Zeiger, E. (Eds.), *Plant Physiology*, Fourth Edition. *Sinauer Associates Inc. Publishers*, Sunderland, MA, USA.
- Segare, A.P., Lee, Y.L., Lin, T.C., Chen, C.C., & Tsay, H.S. (2000). Cytokinin-induced somatic embryogenesis and plant regeneration in *Corydalis yanhusuo* (Fumariaceae) – a medicinal plant. *Plant Science*, 160(1), 139-147.
- Seigler, D.S. (2002). Plant secondary metabolites. *Kluwer Academic Publishers*, Massachusetts, USA.
- Seran, T.H., Hirimburegama, K., & Gunasekare, M.T.K. (2007). Production of embryogenic callus from leaf explants of *Camellia sinensis* (L.). *Journal of the National Science Foundation of Sri Lanka*, 35(3), 191-196.
- Serrano, M.C., Ramírez, M., Morilla, D., Valverde, A., Chávez, M., Espinel-Ingroff, A. & et al. (2004). A comparative study of the disc diffusion method with the broth microdilution and Etest methods for voriconazole susceptibility testing of *Aspergillus* spp. *Journal of Antimicrobial Chemotherapy*, 53, 739-742.
- Sette, L.D., Passarini, M.R.Z., Delarmelina, C., Salati, F., & Duarte, M.C.T. (2006). Molecular characterization and antimicrobial activity of endophytic fungi from coffee plants. *World Journal of Microbiology and Biotechnology*, 22, 1185-1195.
- Shankariah, C., & Hunsigi, G. (2001). Field responses of sugarcane to associative N₂ fixers and P solubilizers. In: Hogarth, D.M. (ed.), Proceedings of the 24th international society of sugarcane Technologists Congress, 17-21 September 2001. (Pp. 40–45) *The Australian Society of Sugarcane Technologists*, Brisbane.
- Sheng, X.F., He, L.Y., & Huang, W.Y. (2002). The conditions of releasing potassium by a silicate-dissolving bacterial strain NBT. *Agricultural Sciences in China*, 1, 662–666.
- Shetty, B.S., Udupa, S.L., Udupa, A.L., & Somayaji, S.N. (2006). Effect of *Centella asiatica* L (Umbelliferae) on normal and dexamethasone-suppressed wound healing in Wistar Albino rats. *The International Journal of Lower Extremity Wounds*, 5, 137-143.
- Shin, D.S., Park, M.S., jung, S., Lee, M.S., Lee, K.H., Bae, K.S., et al. (2007). Plant growth-promoting potential of endophytic bacteria isolated from roots of costal sand dune plants. *Journal of Microbiology and Biotechnology*, 17(8), 1361-1368.
- Shivankar, V.J., & Singh, S. (2007). Pest-free planting stock: Selection. (Pp. 490-494). In: Pimentel, D. (Ed.), *Encyclopedia of pest management*, Volume II. *CRC Press*, NY, USA.

Shukla, P.R., Wang, S., Ang, H.M., & Tadé, M.O. (2010). Photocatalytic oxidation of phenolic compounds using zinc oxide and sulphate radicals under artificial solar light. *Separation and Purification Technology*, 70(13), 338-344.

Shukla, Y.N. , Srivastava, R., Tripathi, A.K. & Prajapati, V. (2000). Characterization of an ursane triterpenoid from *Centella asiatica* with growth inhibitory activity against *Spilarctia oblique*. *Pharmaceutical Biology*, 38(4), 262-267.

Singh, S., Srivastava, R., & Choudhary, S. (2010). Antifungal and HPLC analysis of the crude extracts of *Acorus calamus*, *Tinospora cordifolia* and *Celestrus paniculatus*. *Journal of Agricultural Technology*, 6(1), 149-158.

Singleton, P. (2004). Bacteria in biology, biotechnology, and medicine – 6th Ed. *John Wiley & Sons Ltd.*, West Sussex, England.

Siqueira, J.F. & Rôças, I.N. (2005). Exploiting molecular methods to explore endodontic infections: part 1- current molecular technologies for microbiological diagnosis. *Journal of Endodontics*, 31, 411–423.

Sivasithamparam, K., Dixon, K.W., & Barrett, R.L. (2002). Microorganisms and plant conservation and biodiversity. *Kluwer Academic Publishers*, Dordrecht, Netherlands.

Slater, A., Scott, N., & Fowler, M. (2003). Plant Biotechnology, The genetic Manipulation of Plants, *Oxford University Press Inc.*, New York.

Slinkard, K., & Singleton, V.L. (1977). Total phenol analysis: automation and comparison with manual methods. *American Journal Enology Viticulture*, 28, 49-55.

Soeksmanto, A., Subroto, M.A., Wijaya, H., & Simanjuntak, P. (2010). Anticancer activity test for extracts of sarang semut plant (*Myrmecodia pendens*) to HeLa and MCM-B2 cells. *Pakistan Journal of Biological Sciences*, 13(3), 148-151.

Somchit, M.N., Sulaiman, M.R., Zuraini, A., Samsuddin, L., Somchit, N., Israf, D.A., et al. (2004). Antinociceptive and antiinflammatory effects of *Centella asiatica*. *Indian Journal of Pharmacology*, 36(6), 377-380.

Son, T.T.N., Diep, C.N., & Giang, T.T.M. (2006). Effect of bradyrhizobia and phosphate solubilizing bacteria application on soybean in rotational system in the Mekong Delita. *Omonrice*, 14, 48-57.

Song, F.L., Gan, R.Y., Zhang, Y., Xiao, Q., Kuang, L., & Li, H.B. (2010). Total phenolic contents and antioxidant capacities of selected Chinese medicinal plants. *International Journal of Molecular Sciences*, 11(6), 2362-2372.

Soto, M.J., Sanjuán, J., & Olivares, J. (2006). Rhizobia and plant-pathogenic bacteria: common infection weapons. *Microbiology*, 152, 3167-3174.

- Soumyanath ,A., Zhong, Y.P., Gold, S.A., Yu, X., Koop, D.R. Bourdette, D. et al. (2005). *Centella asiatica* accelerates nerve regeneration upon oral administration and contains multiple active fractions increasing neurite elongation *in vitro*. *Journal of Pharmacy and Pharmacology*, 57, 1221-1229.
- Spencer, A., Hamill, J.D., & Rhodes, M.J.C. (1993). *In vitro* biosynthesis of monoterpenes by *Agrobacterium* transformed shoot cultures of two *Mentha* species. *Phytochemistry*, 32(4), 911-919.
- Sponsel, V.M. (2003) Gibberellins. (pp. 29–40)In: Henry, H.L., and Norman, A.W. (eds) Encyclopedia of hormones, Vol 2., Academic Press.
- Spratt, D.A. (2004). Significance of bacterial identification by molecular biology methods. *Endodontic Topics*, 9, 5-14.
- Srivastava, S., & Srivastava, A.K. (2007). Hairy root culture for mass-production of high-value secondary metabolites. *Critical Reviews in Biotechnology*, 27, 29-43.
- Stadtman, E. R. & Levine, R. L. (2003). Free radical-mediated oxidation of free amino acids and amino acid residues in proteins. *Amino Acids*, 25, 207-218.
- Steven, N.M., Leese, A.M., Annels, N.E., Lee, S.P., & Rickinson, A.B. (1996). Epitope focusing in the primary cytotoxic T cell response to Epstein-Barr virus and its relationship to T cell memory. *Journal of Experimental Medicine*, 184(5), 1801-1813.
- Stewart, C.N. (2008). Plant biotechnology and genetics: Principles, techniques and applications. John Wiley & Sons Inc., New Jersey, USA.
- Stockwell, V. O., Johnson, K. B., Sugar, D., & Loper, J. E. (2002). Antibiosis contributes to biological control of fire blight by *Pantoea agglomerans* strain Eh252 in orchards. *Phytopathology*, 92, 1202–1209.
- Strobel, G. (2007). Plant-associated microorganisms (Endophytes) as a new source of bioactive natural products. (Pp. 49-72). In: Medicinal Plant Biotechnology, From Basic Research to Industrial Applications, Kayser, O., & Quax, W.J. (ed), WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim
- Strobel, G., Ford, E., Worapong, J., Harper, J.K., Arif, A.M., Grant, D.M., et al. (2002). Isopestacin, an isobenzofuranone from *Pestalotiopsis microspora*, possessing antifungal and antioxidant activities. *Phytochemistry*, 60(2), 179-183.
- Sturz, A.V., Christie, B.R., & Nowak, J. (2000). Bacterial endophytes: potential role in developing sustainable systems of crop production. *Critical Reviews in Plant Sciences*, 19, 1-30.

- Sturz, A.V., Matheson, B.G., Arsenault, W., Kimpinski, J., & Christie, B.R. (2001). Weeds as a source of plant growth promoting rhizobacteria in agricultural soils. *Canadian Journal of Microbiology*, 47, 1013-1024.
- Subban, R., Veerakumar, A., Manimaran, R., Hashim, K.M., & Balachandran, I. (2008). Two new flavonoids from *Centella asiatica* (Linn.). *Journal of Natural Medicines*, 62, 369-373.
- Subotić, A., Jevremović, S., Dragoljub, Grubišić, D., & Janković, T. (2009). Spontaneous Plant Regeneration and Production of Secondary Metabolites from Hairy Root Cultures of *Centaureum erythraea* Rafn. In: Saxena, P.K., and Jain, S.M. (Eds.), Methods in molecular biology 547: Protocols for *in vitro* cultures and secondary metabolite analysis of aromatic and medicinal plants. (pp. 205-215) *Humana Press*, NY, US.
- Subroto, M.A., Hamill, J.D., & Doran, P.M. (1996). Development of shooty teratomas from several solanaceous plants: growth kinetics, stoichiometry and alkaloid production. *Journal of Biotechnology*, 45(1), 45-57.
- Suguna, L., Sivakumar, P., & Chandrakasan, G. (1996). Effects of *Centella asiatica* extract on dermal wound healing in rats. *Indian Journal of Experimental Biology*, 34, 1208-1211.
- Sule, W.F., Okonko, I.O., Joseph, T.A., Ojezele, M.O., Nwanze, J.C., Alli, J.A., et al. (2010). *In vitro* antifungal activity of *Senna alata* Linn. Crude leaf extract. *Research Journal of Biological Sciences*, 5(3), 275-284.
- Sultana, B., Anwar, F., & Ashraf, M. (2009). Effect of extraction solvent/Technique on the antioxidant activity of selected medicinal plant extracts. *Molecules*, 14, 2167-2180.
- Sun, L., Qiu, F., Zhang, X., & Dai, X. (2008). Endophytic bacterial diversity in rice (*Oryza sativa* L.) roots estimated by 16S rDNA sequence analysis. *Microbial Ecology*, 55, 415-424.
- Taemchuay, D., Rukkwamsuk, T., Sakpuaram, T., & Ruangwises, N. (2009). Antibacterial activity of crude extracts of *Centella asiatica* against *Staphylococcus aureus* in Bovine Mastitis. *Kasetsart Veterinarians*, 19(3), 119-128.
- Taghavi, S., Garafola, C., Monchy, S., Newman, L., Hoffman, Wevens, N., et al. (2009). Genome survey and characterization of endophytic bacteria exhibiting a beneficial effect on growth and development of poplar trees. *Applied and Environmental Microbiology*, 75(3), 748-757.
- Taji, A., Kumar, P., & Lakshmanan, P. (2002). *In vitro* plant breeding. *Food Products Press*, Binghamton, NY, USA.
- Tan, H.M., Cao, L.X., He, Z.F., Su, G.J., Lin, B., & Zhou, S.N. (2006). Isolation of endophytic actinomycetes from different cultivars of tomato and their activities against

Ralstonia solanacearum in vitro. *World Journal of Microbiology and Biotechnology*, 22, 1275-1280.

Taniguchi, S., Yazaki, K., Yabuuchi, R., Kawakami, K., Ito, H., Hatano, T., et al. (2000). Galloylglucoses and reccionidin A in *Rhus javanica* adventitious root cultures. *Phytochemistry*, 53, 357-363.

Taylor , C.B. (1996). Proline and water deficit: ups and downs. *Plant Cell*, 8, 1221-1224.

Teska, J.D., Allan, C.M., Redus, S.L., Coyne, & Ezzell, J.W. (2001). Identification of *Bacillus anthracis* using MIDI whole cell fatty acid analysis. (pp. 15-16), *4th International Conference on Anthrax*, June 10-13, Annapolis, USA.

Thiyam, U., Kuhlmann, A., Stöckmann, H., & Schwarz, K. (2004). Prospects of rapeseed oil byproducts with respect to antioxidative potential. *CR Chimie*, 7, 611-616.

Thomas, P. (2004). A three-step screening procedure for detection of covert and endophytic bacteria in plant tissue cultures. *Current Science*, 87(1), 67-72.

Thomas, P., Kumari, S., Swarna, G.K., Prakash, D.P., & Dinesh, M.R. (2007). Ubiquitous presence of fastidious endophytic bacteria in field shoots and index-negative apparently clean shoot-tip cultures of papaya. *Plant Cell Reports*, 26, 1491-1499.

Thomas, P., Swarna, G.K., Roy, P.K., & Patil., P. (2008). Identification of culturable and originally non-culturable endophytic bacteria isolated from shoot tip cultures of banana cv. Grand Naine. *Plant, Cell, Tissue and Organ Culture*, 93, 55-63.

Thomas, S.R., Witting, P.K., & Stocker, R. (1996). Hydroxyanthranilic acid is an efficient, cell-derived co-antioxidant for alpha-tocopherol, inhibiting human low density lipoprotein and plasma lipid peroxidation. *The Journal of Biological Chemistry*, 271(51), 32714-32721.

Thomma, B.P.H.J., & Broekaert, W.F. (1998). Tissue-specific expression of plant defensin genes PDF2.1 and PDF2.2 in *Arabidopsis thaliana*. *Plant Physiology and Biochemistry*, 36(7), 533-537.

Thrane, C., Nielsen, T.H., Nielsen, M.N., Sørensen, J., & Olsson, S. (2000). Viscosinamide-producing *Pseudomonas fluorescens* DR54 exerts a biocontrol effect on *Pythium ultimum* in sugar beet rhizosphere. *FEMS Microbiology Ecology*, 33, 139-146.

Tiwari, R., Kalra, A., Darokar, M.P., Chandra, M., Aggarwal, N., Singh, A.K., et al. (2010). Endophytic bacteria from *Ocimum sanctum* and their yield enhancing capabilities. *Current Microbiology*, 60, 167-171.

Tosun, M., Ercisili, S., Sengul, M., Ozer, H., Polat, T., & Ozturk, E. (2009). Antioxidant and total phenolic content of eight *Salvia* species from Turkey. *Biological Research*, 42, 175-181.

- Trachootham, D., Alexandre, J., & Huang, P. (2009). Targeting cancer cells by ROS-mediated mechanisms: radical therapeutic approach? *Nature Reviews Drug Discovery*, 8, 579-591.
- Tripathi, L., & Tripathi, J.N. (2003). Role of biotechnology in medicinal plants. *Tropical Journal of Pharmaceutical Research*, 2(2), 243-253.
- Tsavkelova, E.A., Cherdynseva, T.A., & Netrusov, A.I. (2005). Auxin production by bacteria associated with orchid roots. *Microbiology*, 74(1), 46-53.
- Tůmová, L., & Tůma, J. (2010). The effect of UV light on isoflavonoid production in Genista tinctoria culture in vitro. *Acta Physiologiae Plantarum*, DOI 10.1007/s11738-010-0566-y.
- Türkben, C., Sariburunm E., Demir, C., & Uylâşer, V. (2010). Effect of freezing and frozen storage on phenolic compounds of raspberry and blackberry cultivars. *Food Analytical Methods*, 3(3), 144-153.
- Uchanski, M., Skirvin, R.M. & Norton, M.A. (2004). The use of *in vitro* thermotherapy to obtain turnip mosaic virus-free horseradish plants. *Acta Horticulturae*, 631, 175-179.
- Uddin, M.N., Begum, J., Rahman, M.A., Ahmed, N.U., Akter, R., & Abdullah, A.M. (2010). Antinociceptive and Anti-Inflammatory Properties of the Methanol Leaf Extract of *Argyreia argentea*. *Journal of Pharmaceutical Sciences and Research*, 2(8), 465-471.
- Ullah, M.O., Sultana, S., Haque, A., & Tasmin, S. (2009). Antimicrobial, cytotoxic and antioxidant activity of *Centella asiatica*. *European Journal of Scientific Research*, 30(2), 206-254.
- Ulrich, K., Ulrich, A., & Ewald, D. (2008). Diversity of endophytic bacterial communities in poplar grown under field conditions. *FEMS Microbiology Ecology*, 63, 169–180.
- van Wyk, B.E., & Wink, M. (2004). Medicinal plants of the world: An illustrated scientific guide to important medicinal plants and their uses. *Timber Press*, Portland, Oregon, USA
- Vanisree, M., Lee, C.Y., Lo, S.F., Nalawade, S.M., Lin, C.Y., & Tsay, H.S. (2004). Studies on the production of some important secondary metabolites from medicinal plants by plant tissue cultures. *Botanical Bulletin of Academia Sinica*, 45, 1-22.
- Vasconsuelo, A., & Boland, R. (2007). Molecular aspects of the early stages of elicitation of secondary metabolites in plants. *Plant Science*, 172(5), 861-875.
- Vega, F.E., Pava-Ripoll, M., Posada, F., & Buyer, J.S. (2005). Endophytic bacteria in *Coffea arabica* L. *Journal of Basic Microbiology*, 45(5), 371-380.

Vendan, R.T., Yu, Y.J., Lee, S.H., & Rhee, Y.H. (2010). Diversity of endophytic bacteria in ginseng and their potential for plant growth promotion. *The Journal of Microbiology*, 48(5), 559-565.

Verma, J.P., Yadav, J., & Tiwari, K.N. (2010). Application of *Rhizobium sp.* BHURC01 and plant growth promoting Rhizobacteria on nodulation, plant biomass and yields of chickpea (*Cicer arietinum L.*). *International Journal of Agriculture Research*, 5(3), 148-156.

Vermerris, W., & Nicholson, R. (2007). Phenolic Compound Biochemistry. *Springer*, Netherland, pp. 3-31.

Vessey, J.K. (2003). Plant growth promoting rhizobacteria as biofertilizers. *Plant and Soil*, 255(2), 571-586.

Vetrivelkalai, P., Sivakumar, M., & Jonathan, E. I. (2010). Biocontrol potential of endophytic bacteria on *Meloidogyne incognita* and its effect on plant growth in bhendi. *Journal of Biopesticides*, 3(2), 452-457.

Visser, E.J.W., Heijink, C.J., van Hout, K.J.G.M., Voesenek, L.A.C.J., Barendse, G.W.M., & Blom, C.W.P.M. (1995). Regulatory role of auxin in adventitious root formation in two species of *Rumex*, differing in their sensitivity to waterlogging. *Physiologia Plantarum*, 93, 116-122.

Waterhouse, A.L. (2002). Determination of Total Phenolics. *Current Protocols in Food Analytical Chemistry*, I1.1.1-I1.1.8.

Wang, E.T., Tan, Z.Y., Guo, X.W., Rodríguez-Duran, R., Boll, G., & Martínez-Romero, E. (2006). Diverse endophytic bacteria isolated from a leguminous tree *Conzattia multiflora* grown in Mexico. *Archives of Microbiology*, 186, 251-259.

Wei, L.S., Musa, N., Sengm, C.T., Wee, W., & Shazili, A.M. (2008). Antimicrobial properties of tropical plants against 12 pathogenic bacteria isolated from aquatic organisms. *African Journal of Biotechnology*, 7(13), 2275-2278.

Wei, S.D., Zhou, H.C., & Lin, Y.M. (2010). Antioxidant activities of extract and fractions from the hypocotyls of the mangrove plant *Kandelia candel*. *International Journal of Molecular Sciences*, 11(10), 4080-4093.

Weiland, C.M., Cantos, M., Troncoso, A. & Perez-Camacho, F. (2004). Regeneration of virus-free plants by *in vitro* chemotherapy of GFLV (*grapevine fanleaf virus*) infected explants of *Vitis vinifera L.* CV Zalema. *Acta Horticulturae*, 652, 463-466.

Welbaum, G., Sturz, A.V., Dong, Z., & Nowak, J. (2004). Fertilizing soil microorganisms to improve productivity of agroecosystems. *Critical Reviews in Plant Sciences*, 23, 175-193.

- Weyens, N., van der Lelie, D., Taghavi, S., & Vangronsveld, J. (2009). Phytoremediation: plant-endophyte partnerships take the challenge. *Current Opinion in Biotechnology*, 20, 248–254.
- Wichtl, M. (2001). *Herbal Drugs and Phytopharmaceuticals*. CRC Press, Boca Raton, New York.
- Winkel-Shirley, B. (2002). Biosynthesis of flavonoids and effects of stress. *Current Opinion in Plant Biology*, 5(3), 218-223.
- Wojtaszek, P. (1997). Oxidative burst: an early plant response to pathogen infection. *Biochemical Journal*, 322, 681-692.
- Wood, M. (2008). *The earthwise herbal: A complete guide to old world medicinal plants*. North Atlantic Books, Berkeley, California, USA
- Wu, J.Y., Wong, K., Ho, K.P., & Zhou, L.G. (2005). Enhancement of saponin production in Panax ginseng cell culture by osmotic stress and nutrient feeding. *Enzyme and Microbial Technology*, 36(1), 133-138.
- Xu, C., Zhao, B., Ou, Wang, X., Yuan, & Wang, Y. (2007a). Elicitor-enhanced syringing production in suspension cultures of *Saussurea medusa*. *World Journal of Microbiology and biotechnology*, 23, 965-970.
- Xu, D., Xia, X., Xu, N., & An, L. (2007). Isolation and identification of a novel endophytic bacterial strain with antifungal activity from the wild blueberry *Vaccinium uliginosum*. *Annals of Microbiology*, 57(4), 673-676.
- Xu, H.D., Wang, L.B., & Zhang, L.J. (2010). Purification and antioxidant activity of polyphenols from apple tree leaves. *China National Knowledge Infrastructure*, DOI: CNKI:SUN:SPKX.0.2010-20-016.
- Yi, C., Jiang, Y., Shi, J., Qu, H., Xue, S., Duan, X., et al. (2010). ATP-regulation of antioxidant properties and phenolics in litchi fruit during browning and pathogen infection process. *Food Chemistry*, 118(1), 42-47.
- Yuan, Z.L., Dai, C.C., & Chen, L.Q. (2007). Regulation and accumulation of secondary metabolites in plant-fungus symbiotic system. *African Journal of Biotechnology*, 6(11), 1266-1271.
- Zainol N.A., Voo, S.C., Sarmidi, M.R., & Aziz, R.A. (2008). Profiling of *Centella asiatica* (L.) Urban Extract. *Malaysian Journal of Analytical Sciences*, 12(2), 322-327.
- Zhang, T., Chen, X., Liang, P., & Liu, C. (2006). Determination of phenolic compounds in wastewater by liquid-phase microextraction coupled with gas chromatography. *Journal of Chromatography Science*, 44(10), 619-624.

Zhang, Y., Tie, X., Bao, B., Wu., X., & Zhang, Y. (2007). Metabolism of flavone C-glucosides and *p*-comaric acid from antioxidant of bamboo leaves (AOB) in rats. *British Journal of Nutrition*, 97(23), 484-494.

Zheng, C., & Qin, L. (2007). Chemical components of *Centella asiatica* and their bioactivities. *Journal of Chinese Integrative Medicine*, 5(3), 348-351.

Zinniel, D.K, Lambrecht, P., Harris, N.B., Feng, Z., KuczmarSKI, D., Higley, P, et al. (2002). Isolation and characterization of endophytic colonizing bacteria from agronomic crops and prairie plants. *Applied Environmental Microbiology*, 68(5), 2198-2208.

Zoetendal, E.G., Vaughan, E.E., & de Vos, W.M. (2006). A microbial world within us. *Molecular Microbiology*, 59, 1639–1650.