REFERENCES

Addicott, F. T., Lyon, J. L., Ohkuma, K., Thiessen, W. E., Carns, H. R., Smith, O. E., Cornforth, J. W., Milborrow, B. V., Ryback, G., and Wareing, P. F. 1968. "Abscisic acid: A new name for abscisin II (dormin)". Science, 159:1493.

Agusti, M., El-Otmani, M., Juan, M. and Almela, V. 1995. Effect of 3, 5, 6-trichloro-2-pyridyloxyacetic acid on clementine early fruitlet development and on fruit size at maturity. J. Hort. Sci., 70: 955–962.

Agusti, M., Zaragoza, S., Iglesias, D.J., Almela, V., Primo-Millo, E. and Talon, M. 2002. The synthetic auxin 3,5,6-TPA stimulates carbohydrate accumulation and growth in citrus fruit. Plant Growth Regul, 36: 141–147.

Akamine, E. K. and Goo, T. 1979. Respiration and ethylene production in fruits of species and cultivars of *Psidium* and species of *Eugenia*. J. Am. Soc. Hortic. Sci., 98: 381–383.

Ali-Rachedi, S., Bouinot, D., Wagner, M., Bonnet, M., Sotta, D., Grappin, P. and Jullien, M. 2004. Changes in endogenous abscici acid levels during during dormancy release and maintenance of mature seeds: studies with the Cape Verde Islands ecotype, the dormant model of *Arabidopsis thaliana*. Planta, 219: 479-488.

Alliotte, T., Engler, T.G., Peleman, J., Caplan, A., van Montagu, M. and Inze, D. 1988. An auxin regulated gene of *Arabidopsis thaliana* encodes a DNA-binding protein. Plant Physiol, 89: 743-753.

Aloni, R., Langhans, M., Aloni, E., and Ullrigh, C.I. 2004. Role of cytokinin in the regulation of root gravitropism. Planta, 220: 177-182.

Amiot, M.J., Fleuriet, A., Cheynier, V. and Nicolas, J. 1997. Phenolic compounds and oxidative mechanism in fruits and vegetables. In Thomas-Barberan F (ed) Phytochemistry of Fruits and Vegetables. Oxford University Press, New York, p 51-85.

Amorós, A., Zapata, P., Pretel, M.T., Botella, M.A. and Serrano, M. 2003. Physico-chemical quality and physiological changes during fruit development and ripening of five loquat (*Eriobotrya japonica* Lindl.) cultivars. Food Sci. Technol. Int., 9: 43.

Amorós, A., Zapata, P., Pretel, M.T., Botella, M.A., Almansa, M.S. and Serrano, M. 2004. Role of naphthalene acetic acid and phenothiol treatments on increasing fruit size and advancing fruit maturity in loquat. Scientia Horticulturae, 101:387–398.

Andersson, D.C., Noreen, Y., Serrano, G., Cox, P. A., Perera, P. and Bohlin, L. 1997. Evaluation of some Samoan and Peruvian medicinal plants by prostaglandin biosynthesis and rat ear oedema assays. Journal of Ethnopharmacology, 57(1):35–56.

Andrea, M., Maurizo, V., Hiroshi, G. and Silviero, S. 2004. Effect of some plant growth regulator treatments on apple fruit ripening. Plant Growth Regulation, 25: 127-134 .

Andrew, J., Macnish, D.E., Irving, D.C., Joyce, V.V., Alan, H.W., Allan, T.L. 2004. Variation in ethylene-induced postharvest flower abscission responses among *Chamelaucium* Desf. (Myrtaceae) genotypes. Scientia Horticulturae, 102(4): 415-432.

Angeles, C., Dolors, R., Elisa, G. and Pedro, F.M. 2008. Light acclimation in rose (*Rosa hybrida* cv. *Grand Gala*) leaves after pruning: Effects on chlorophyll a fluorescence, nitrate reductase, ammonium and carbohydrates. Scientia Horticulturae, 111: 152–159.

Antognozzi, E., Battistelli, A., Famiani, F., Moscatello, S., Stanica, F. and Tombesi, A. 1996. Influence of CPPU on carbohydrate accumulation and metabolism in fruits of *Actinidia deliciosa* (A. Chec.). Sci Hort, 65:37–47.

Arakawa, O., Kanno, K., Kanetsuka, A. and Shiozaki, Y. 1997. Effect of girdling and bark inversion on tree growth and fruit quality of apple. Proc.6. Int. Symp. on Integrating Canopy. In Acta Hort, 451: 579-586.

Arteca, R. 1996. Plant Growth Substances: Principles and Applications. New York: Chapman & Hall.

Asano, Y., Koji, T., Yoko, K., Kana, K., Masanobu, N., Seji ,M., Makoto, Y. and Mizutani F. 2001. Effects of gibberellin supplemented with cytokinin on seedlessness and berry quality of 'Pione' grape. Bulletin of the Experimental Farm , Faculty of Agriculture, Ehime University, 23: 13-18.

Ashraf, M.Y., Baig, N.A. and Alam, S.M. 1987. The influence of chlormequat on growth of raya (*Brassica juncea*). Pak. J. Bot., 19(2): 259-262.

Ashraf, M.Y., Baig, N.A. and Baig, F. 1989. Response of wheat (*Triticum aestivum* L.). Treated with cycocel under water stress conditions. Acta Agron. Hung., 38(3-4): 265-269.

Auchter, E.C. and Roberts, J.W. 1933. Experiments in spraying apples for the prevention of fruit set. Proc. Amer. Soc. Hort. Sci. 30:22-25.

Awan, I.U., Baloch, M.S., Sadozai, N.S. and Sulemani, M.Z. 1999. Stimulatory effect of GA_3 and IAA on ripening process, kernel development and quality of rice. Pak. J. Biol. Sci., 2(2): 410-412.

Bagatharia, S.B and Chanda, S.V. 1998. Modification of cell wall polysaccharides during cell elongation in *Phasealus vulgaris* hypocotyls. Acta Physiol. Plant., 20(1):15-18.

Bangerth F. 1994. Response of cytokinin concentration in the xylem exudate of bean (*Paseolus vulgaris* L.) plants to decapitation and auxin treatment, and realationship to apical dominance. Planta, 194; 439-442.

Bangerth, F. 1978. The effect of a substituted amino acid on ethylene biosynthesis, respiration, ripening, and preharvest drop of apple fruits. J. Amer. Soc. Hort. Sci., 103:401-404.

Bangerth, F. and Schriider, M. 1994. Strong synergistic effects of gibberellins with the synthetic cytokinin N-(2-chloro-40pyridyl)-N-phenylurea on parthenocarpic fruit set and some other fruit characteristics of apple. Plant Growth Regulation, 15: 293-302.

Bangerth, F.K. 2004. Internal regulation of fruit growth and abscission. Acta Hort., 636:235-248.

Bartel, B., LeClere, S., Magidin, M., and Zolman, B.K. 2001. Inputs to the active indol-3-acetic acid pool: de novo synthesis, conjugate hydrolysis, and indole-3-butyric acid B-oxidation. J Plant Growth regul, 20:198-216.

Basak, A., Rozpara, E. and Grzyb, Z. 1998. Use of bioregulators to reduce sweet cherry tree growth and to improve fruit quality. Acta Horticulturae, 468 : 719–723.

Batjer, L.P. and Westwood, M.N. 1960. l-napthal N-methylcarbonate, a new chemical for thinning apples. Proc. Amer. Soc. Hort. Sci., 75:1-4.

Batjer, L.P., Williams, M.W. and Martin, G.C. 1964. Effects of Ndimethylamino-succinamic acid (B9) on vegetative and fruit characteristics of apples, pears and sweet cherries. Proc. Amer. Soc. Hort. Sci., 85: 11-19.

Bianchi, M.W., Damerval, C. and Vartanian, N. 2002. Identification of proteins regulated by cross-talk between drought and hormone pathways in *Arabidopsis* wild-type and auxin-insensitive mutants axr1 and axr2. Funct Plant Biol, 29:55-61.

Blagoeva, E., Dobrev, P.I., Malbeck, J., Motyka, V., Gaudinova, A. and Vankova, R. 2004. Effect of exogenous cytokinins, auxins and adenine on cytokinin N-glucosylation and cytokinin oxidase/dehydrogenase activity in de-rooted radish seedlings. Plant Growth Regul, 44:15-23.

Boysen-Jensen, P. 1913. "Uber die Leitung des phototropischen Reizes in der Avenakoleoptile". Ber. Deut. Bot. Ges., 31:559-566.

Brent, L. B., Martin, J.B. and Jerome, Hull, Jr.1995. Effect of spray volume and time of NAA application on fruit size and cropping of Redchief ' Delicious' apple. Scientia Horticulturae, 64 : 253-264

Brian, P. W., Elson, G. W., Hemming, H.G. and Radley, M. 1954. "The plant-growth promoting properties of gibberellic acid, a metabolic product of the fungus *Gibberella fujikuroi*". J. Sci. Food. Agr., 5:602-612.

Brouillard, R. and Dangles, O. 1994. Flavonoids and flower colour. In: Harborne JB (eds) The Flavonoids: Advances in Research since 1986. Chapman and Hall, London, p 565-588.

Burkholder, C.L. and McCown, M. 1941. Effect of scoring and of u-napthyl acetic acid and amide sprays upon fruit set and of the spray on pre-harvest fruit drop. Proc Amer. Soc. Hort. Sci., 38:117-120.

Bussakorn, S.M., Daniel, P.S., Michael, T.T. and Mark, R.T. 2003. A review of potassium in grapevines with special emphasis on berry accumulation. Aust. J. Grape Wine Res., 9: 154–168.

Byers, R.E. 2003. Flower and Fruit thinning and vegetative: fruit balance. pA09-436. In: D.C. Ferree and 1.J. Warrington (eds.), Apples botany production and uses. CABI Publishing, Wallingford, UK.

Byers, R.E. and Barden, J.A. 1976. Chemical control of vegetative growth and flowering of non-bearing 'Delicious' apple trees. Hort. Science, 11:506-507.

Byers, R.E., Carbaugh, D.H. , Presley, C.N. and Wolf, T.K. 1991. The influence of low light on apple fruit abscission. J. Hort. Sci., 66:7-17.

Caixi, Z., Ugyong, L. and Kenji, T. 2007. Hormonal regulation of fruit set, parthenogenesis induction and fruit expansion in Japanese pear. Plant Growth Regulation, 55: 231-240

Chang, C., Kwok, S.F., Bleecker, A.B. and Meyerowitz, E.M. 1993. Arabidopsis ethylene-response gene ETR1: similarity of product to two-component regulators. Science, 262: 539-544

Chang, H., Jones, M.L., Banowetz, G.M. and Clark, D.G. 2003. Overproduction of cytokinins in *Petunia* flowers transformed with PSAG12-IPT delays corolla senescence and decreases sensitivity to ethylene. Plant Physiol., 132: 2174–2183

Chang, Y. J., Chung, M. Y., Tseng, M. N., Chu, C. C. and Shü, Z.H. 2003. Developmental stages affect characteristics of wax apple fruit skin discs cultured with sucrose—with special reference to color. Scientia Horticulturae, 98, (4): 397-407.

Chang, Y.S. and Chen, H.C. 2001. Variability between silver thiosulfate and 1-naphthaleneacetic acid applications in prolonging bract longevity of potted bougainvillea. Scientia Horticulturae, 87: 217-224.

Chapagain, B. P. and Wiesman, Z. 2004. Effect of Nutri-Vant-PeaK foliar spray on plant development, yield, and fruit quality in greenhouse tomatoes. Scientia Horticulturae, 102(2): 177-188.

Chaudhry, N.Y. 1997. Effects of growth regulators i.e., IAA and GA_3 on petiole and leaves of *Abelmoschus esculentus* L. Acta Sci., 7(1):91-102.

Chaudhry, N.Y. and Zahur, M.S. 1992. Effect of growth regulators i.e., IAA and GA_3 on *Abelmoschus esculentus* L. internal structure of hypocotyls and stem internodes. Biol. Sci., 37(2): 217-244.

Chen, S.Y., Peng, Y.J. and Yang, Z.Y. 2000. Study of balanced applying fertilizer of nitrogen, phosphorus and potassium on improving fruit quality at the rapidswelling stage of citrus fruit. Guangxi Hortic., 4: 3–4.

Choi, C., Wiersma, P.A., Toivonen, P. and Kappel, F., 2002. Fruit growth, firmness and cell wall hydrolytic enzyme activity during development of sweet cherry fruit treated with gibberellic acid (GA_3). J. Hort. Sci. Biotech. 77, 615–621.

Choi, T., Aoki, F., Makoto, M., Yamashita, M., Nagahama, Y. and Kohmoto, K. 1991. Activation of p34cdc2 protein kinase activity in meiotic and mitotic cell cycles in mouse oocytes and embryos. Development, 113: 789-795.

Christou, P. and Barton, K.A. 1989. Cytokinin antagonist activity of substituted phenethylamines in plant cell cultures. Plant Physiol, 89:564-568.

Chudhary, N.Y. and Khan, A. 2000. Effect of growth hormones i.e., A3, IAA and kinetin on shoot of *Cicer arietinum* L. Pak J. Biol. Sci., 3(8): 1263-1266.

Claus, S. (2008). Understanding gibberellic acid signaling- are we there yet. Current Opinion in Plant Biology, 11: 9-15.

Cline, J. 2008. The return bloom of apples as affected by ethephon and naphthalene acetic acid. Compact Fruit Tree, 38(3):40-45 .

Cline, M.G. 1996. Exogenous auxin effects on lateral bud outgrowth in decapitated shoots. Ann Bot, 78:255-266.

Costa, G., Dal Cin, V. and Ramina, A. 2006. Physiological, molecul ar and practical aspects of fruit abscission. Acta Hort., 727 :301-309.

Creasy, L.L. 1968. The role of low temperature in anthocyanin synthesis in ‘McIntosh’ apple, Proc. Am. Soc. Hort. Sci., 93 : 716–724.

Crocker, W., Hitchcock, A. E. and Zimmerman, P. W. 1935. "Similarities in the effects of ethylene and the plant auxins". Contrib. Boyce Thompson Inst. 7:231-248.

Crosier, A., Kamiya, Y., Bishop, G. and Yokota, Y. 2000. Biosynthesis of hormones andSelicitor molecules. In BB Buchanan, W Gruissem, and RL Jones (Eds.), Biochemistry and molecular biology of plants (pp. 850-901), Rockville, USA: American Society of Plant Physioloits.

Cruz-Castillo, J.G., Woolley, D.J. and Lawes, G.S. 1999. Effect of CPPU and other plant growth regulators on fruit development in kiwi fruit. Acta Horticulturae (ISHS), 498:173-178.

Darwin, C. R. 1880. The Power of Movement in Plants. London: Murray.

Das, B., Pandey, S., Jindal, N.P.C. and Sureja, A. K. 2001. Effect of Dormex, CPPU and GA_3 on berry growth and ripening of *Pusa* Seedless cultivar of grape. *Jour. Appl. Hort., 3(2): 105-107.*

Davies, P. J. 1995. Plant Hormones: Physiology, Biochemistry and Molecular Biology. Dordrecht: Kluwer.

Davis, P.J. 2004. The plant hormones: their nature, occurrence and functions. In: Davis, P.J. (Ed.), Plant Hormones. Kluwer Academic Publishers, Dordrecht, The Netherlands, pp. 1–15.

Doubt, S. L. 1917. "The response of plants to illuminating gas". Bot. Gaz. 63:209-224.

Du Monceau, D. 1758. La Physique des arbres. Volume I.

Dutta, P. and Banik, A. K. 2007. Effect of foliar feeding of nutrients and plant growth regulators on physico-chemical quality of *Sardar guava* grown in West Bengal. Acta Hort., 335 (6):407-411.

Eagles, C.F. and Wareing, P.F. 1964. The role of growth substances in the regulation of bud dormancy. Physiol Plant, 34:201–203.

Edgerton, L.J. and Greenhalgh, W.J. 1969. Regulation of growth, flowering and fruit abscis sion with 2-chloroethylphosphonic acid. J. Amer. Soc. Hort. Sci., 94: 11-13.

Edgerton, LJ. and Hoffinan, M.B. 1966. Inhibition of fruit drop and color stimulation with N-dimethylaminosuccinamic acid. Nature, 299:314-315.

Eklof, S., Astot, C., Blackwell, J., Moritz, T., Olsson, O. and Sandberg, G. 1997. Auxin-cytokinin interactions in wild-type and transgenic tobacco. Plant Cell Physiol, 38:225-235.

Elfving, D.C. and Forshey, C.G. 1976. Growand fruiting responses of vigorous apple branches to pruning and branch orientation treatments, J. Am. Soc. Hortic. Sci., 101 : 290–293.

Elgar, H.J., Fulton, T.A. and Walton, E.F. 2003. Effect of harvest stage, storage and ethylene on the vase life of Leucocoryne. Postharvest Biology and Technology, 27: 213-217.

Elisa, C., Lucia, L., Oriana, S., Tiziana, P., Angelo, S. and Mezzetti, B. 2007. Auxin Synthesis-Encoding Transgene Enhances Grape Fecundity. Plant Physiology, 143: 1689–1694.

El-Sese, A.M.A. 2005. Effect of gibberellic acid 3 (GAs) on yield and fruit characteristics of *Balady mandarin*. Assiut. J. Agri. Sci., 36:23-35.

Erdal, I., Erteke, A., Senyigit, U. and Koyuncu, M.A. 2007. Combined effects of irrigation and nitrogen on some quality parameters of processing tomato. World J. Agric. Sci., 3: 57-62.

Faissal, F.A. and Ahmed, A.A. 2007. Effect of concentrations and date of spraying Sitofex (CPPU) on yield and quality of Le-Conte pear fruits. African Crop Science Conference Proceedings, 8: 523-527

Fallahi, E. and Greene, D.W. 2010. The impact of blossom and post-bl oom thinners on fruit set and fruit quality in apples and stone fruit. Acta Hort., 884: 179-187.

Faragher, J.D. 1983. Temperature regulation of anthocyanin accumulation in apple skin, J. Exp. Bot., 34:1291–1298.

Fatima, Z. and Bano, A. 1998. Effect of seed treatment with growth hormones and Rhizobium on the oil contents, nitrogen fixation and yield of soybean. Pak. J. Bot., 30(1): 83-86.

Fitting, H. 1907. "Die Leitung Tropistischer Reize in parallelotropen Pflanzenteilen", Jahrb. Wiss. Bot. 44:177-253.

Fontes, P.C.R., Sampalo, R.A. and Finger, F.L. 2000. Fruit size, mineral composition and quality of trickle-irrigated tomatoes as affected by potassium rates. Pesq. Agropec. Bras. Brasilia, 35:21-25.

Forshey, C.G. and Elfving, D.C. 1989. The relationship between vegetative growth and fruiting in apple trees, Hortic. Rev., 11:229–271.

Friml, J., Wisnlewska, J., Benkova, E., Mendgen, K. and Palme, K. 2002. Lateral relocation of auxin efflux regulator PIN3 mediates tropism in *Arabidopsis*. Nature, 415:806-809.

Galston, A., Davies, P. and Lisatter, R. 1980. The life of a green plant. 2nd ed. Prentice

Galvis, J.A. and Hernandez, M.S. 1993. Comportamiento fisiolo´gico del araza´ bajo diferentes temperaturas de almacenamiento (Araza´ physiological behavior under different storage temperatures). Colombia Amazo´nica, 6: 123–134.

Gan, S. and Amasino, R.M. 1995. Inhibition of leaf senescence by autoregulated production of cytokinin. Science, 270:1986-1987.

Gane, R. 1934. "Production of ethylene by some ripening fruits". Nature, 134:1008.

Gao, J.F., Sun, H.B., Zhao, Z.K. and Chen, X.B. 2001. Effects of gibberellin, borax and diahydro potassium phosphate (KH_2PO_4) on fruit developing and quality of grape. Northern Hortic., 1:22–23.

Garcia-Luisa, A., Agustia, M., Almelaa, V., Romeroa, E. and Guardiolaa, J.L. 1985. Effect of gibberellic acid on ripening and peel puffing in ‘Satsuma’ mandarin. Scientia Horticulturae, 27(1-2):75-86

García-Luísa, A., Herrero-Villéna, A. and Guardiolaa, J.L. 1992. Effects of applications of gibberellic acid on late growth, maturation and pigmentation of the Clementine mandarin. Scientia Horticulturae, 49:71-82 .

Gardner, F.E., Marth, P.e. and Batjer, L.P. 1939. Spraying with plant growth substances to control pre-harvest drop of apples. Proc. Amer. Soc. Hort. Sci., 37: 415-428.

Gaspar, T.H., Kevers, C., Faivre-Rampant, O., Crevecoeur, M., Penel, C.L., Greppin, H., and Dommes, J. 2003. Changing concepts in plant hormone action. In vitro Cell Dev Biol-Plant, 39:85-106.

Gelmesa, D., Abebie, B. and Desalegn, L. 2010. Effects of Gibberellic acid and 2,4-dichlorophenoxyacetic acid spray on fruit yield and quality of tomato (*Lycopersicon esculentum* Mill.) Journal of Plant Breeding and Crop Science, 2(10): 316-324.

Glozer, K. 2006. CPPU for harvest delay, improved fruit firmness and size and reduction of preharvest drop in *Prunus domestica* L. (>French= prune). Kitren Glozer, Plant Sciences Department, U. C. Davis . California Dried Plum Board - Research Reports 2006.

Goh, M. L., Wu, X., & Liu, X. L. 2005. Chalcones: An update on cytotoxic and chemoprotective properties. Current Medicinal Chemistry, 12(4), 483–499.

Goro, T., Kotarou, Y., Ritsuko, K., Nobuaki, H. and Mitsuo, O. 2001. Plant hormone regulation on scopoletin metabolism from culture medium into tobacco cells. Plant Science, 160: 905-911.

Gould, W.A. 1992. Tomato Production, Processing and Technology, 3rd edition. CTI Publishers, Baltimore, MD.

Graham, H.D. and Ballesteros, M. 2006. Effect of plant growth regulators on plant nutrients, J. Food Sci. Article first published online: 25 AUG 2006. DOI: 10.1111/j.1365-2621.1980.tb04086.x.

Greene, D.W. 2003. Endogenous hormones and bioregulator use on apples. pA37-457. In: D.e. Ferree and I.J. Warrington (eds.), Apples botany production and uses. CABI Publishing, Wall ingford, UK.

Greene, D.W. 2007. Effect of abscisic acid (ABA) and benzyladenine (BA) on fruit set and fruit quality of 'McIntosh' apples. HortScience, 42(4):908.

Greene, D.W. 2009. Effect of abscisic acid on thinning and return bloom of 'Bart lett' pears. HortScience, 44(4):1128.

Greene, D.W. 2010. The development and use of plant bioregulators in tree fruit production. ISHS Acta Horticulturae 884: XI International Symposium on Plant Bioregulators in Fruit Production, December, 2010.

Greene, D.W. and Autio, W.R. 1994. Combination sprays with benzyladenine to chemically thin spur-type Delicious apples. HortScience, 29:887-890.

Greene, D.W., Lakso, A.N. and Robinson, T.L. 2005. Predicting chemical thinner response on apples. Compact Fruit Tree, 38(3): 17-20.

Greene, L. 1943. Growth regulators and fruit set with Starking apples. Proc. Am. Sot. HortScience, 42: 149-150.

Guardiola, J.L. 1992. Fruit set and growth. In: Donadio LC (ed) Second International Seminar on Citrus. Univ of Bebedouro, pp 1–30

Haberlandt, G. 1913. "Zur Physiologie der Zellteilung". Sitzber. K. Preuss. Akad. Wiss. 318.

Hamauzu, Y., Chachin, K., Ding, C.K. and Kurooka, H. 1997. Differences in surface color, flesh firmness, physiological activity, and some components of loquat fruits picked at various stages of maturity. J. Jpn. Soc. Hort. Sci., 65: 859–865.

Hampson, C.R., Quamme, H.A., Kappel, F. and Brownlee, R.T. 2004a. Varying density with constant rectangularity. I. Effects on apple tree growth and light interception in three training systems over ten years, Hortic. Sci., 39 : 501–506.

Hampson, C.R., Quamme, H.A., Kappel, F. and Brownlee, R.T. 2004b. Varying density with constant rectangularity. II. Effects on apple tree yield, fruit size, and fruit color development in three training systems over ten years, Hortic. Sci. 39 : 507–511.

Han, A. R., Kang, Y. J., Windono, T., Lee, S. K., and Seo, E. K. 2006. Prenylated flavonoids from the heartwood of *Artocarpus communis* with inhibitory activity on lip polysaccharide-induced nitric oxide production. Journal of Natural Products, 69(4): 719–721.

Han, Z.H., Liu, S., Zhang, X.A. and Wang, Q. 1995. Micro-girdling—a new method on studying the entering path of fruit nutrition. China Association for Science and

Technology. In: Second Session of Youth Academic Annual Meeting Horticultural Collection, Beijing Agricultural University Press, Beijing, pp. 45–48.

Harhash, M.M. and Al-Obeed, R.S. 2007. Effect of Naphthalene acetic acid on yield and fruit quality of Barhee and Shahl date palm cultivars. Assiut J. of Agric. Sci., 38 (2): (63-73).

Harley, C.P. , Moon, H.H. and Regeimbal, L.O. 1958. Evidence that post-bloom apple thinning sprays of naphthaleneacetic acid increase blossom-bud formation. Proc. Amer. Soc. Hort . Sci., 72:52-56.

Harmanto, H.J.T. and Salkhe, V.M. 2006. Microclimate and air exchange rates in greenhouses covered with different nets in the humid tropics. Biosyst. Eng., 94 :239–253.

Haver, D.L., Schuch, U.K. and Lovatt, C.J. 2003. Exposure of petunia seedlings to ethylene decreased apical dominance by reducing the ratio of auxin to cytokinin. J Plant Growth Regul, 21: 459-468.

Hay, A., Barkoulas, M. and Tsiantis, M. 2004. PINning down the connections: transcription factors and hormones in leaf morphogenesis. Curr Opin Plant Biol, 7:575-581.

Hernández, M.S., Barrera, J., Martínez, O. and Fernández-Trujillo, J.P. 2009. Postharvest quality of arazá fruit during low temperature storage. LWT - Food Science and Technology, 42 (4): 879-884.

Hernández, M.S., Martínez, O. and Fernández-Trujillo, J.P.2007. Behavior of arazá (*Eugenia stipitata* Mc Vaugh) fruit quality traits during growth, development and ripening. Scientia Horticulturae, 111 (3, 5): 220-227.

Hernandez, P.1997. Morphogenesis in sunflower as affected by exogenous application of plant growth regulators. Agriscientia,13:3-11.

Hethherington, A.M. 2001. Guard cell signaling. Cell 107:711-714.

Hewitt, A.J., Solomon, K.R. and Marshall, E.J. 2009. Spray droplet size, drift potential, and risks to nontarget organisms from aerially applied glyphosate for coca control in Colombia. J Toxicol Environ Health A., 72(15-16):921-9.

Ho, L.C. 1998. Improving Tomato Fruit Quality by Cultivation. In KE Cockshull, D, Gray, GB Seymour and B. Thomas (eds.). Genetic and Environmental Manipulation of Horticultural Crops. CABI Publishing, pp. 17-29.

Hori, S. 1898. "Some observations on 'bakanae' disease of the rice plant". Mem. Agric. Res. Sta. (Tokyo), 12:110-119.

Hossain, A. B. M. S., Mizutani, F. and Onguso, J. M. 2004. Effect of summer pruning on the slender spindle bush type of peach trees grafted from vigorous rootstocks. Journal of the Japanese Society of Agricultural Technology Management, 11 (2): 55-59.

Hossain, A. B. M. S., Mizutani, F. and Onguso, J. M. 2004. Effect of partial and complete ringing on carbohydrates, mineral content and distribution pattern of 13C of young peach trees. Asian Journal of Plant Science, 3 (4): 498-507.

Hossain, A.B.M.S, Mizutani, F., Onguso, J. M., El-Sherif, A.R. and Yamada, H. 2007. Inhibiting peach-tree growth with abscisic acid, hinokitiol and tropolone applied to partially ringed bark strips. Journal of Horticultural Science & Biotechnology, 82 (2): 175-178.

Hossain, A.B.M.S. and Boyce, A.N. 2009. Fig Fruit growth and quality development as affected by phloem stress. Bulgarian Journal of Agricultural Science, 15 (3) :189-195.

Hossain, A.B.M.S. and Fusao, M. 2008. Determination of abscisic acid hormone (ABA), mineral content, and distribution pattern of 13C photoassimilates in bark-ringed young peach trees. Mj. Int. J. Sci. Tech., 2: 274-284.

Hossain, A.B.M.S., Mizutani F., Onguso J.M. and El-Shereif A.R., 2006. Dwarfing peach trees and development of fruit quality by maintaining partially ringed bark strips as an innovative process in dwarfing technology. Botanical Studies, 47: 251- 57.

Hsiao-hua, Pan and Zen-hong, Shü 2007. Temperature affects color and quality characteristics of ‘Pink’ wax apple fruit discs. Scientia Horticulturae, 112 : 290–296.

Huang, W.D., Yuan, Y.B. and Peng, Y.B. 1994. Setting physiology of temperate zone fruit trees. Beijing: Beijing Agriculture University, 125-129.

Huang, W.D., Zhang, P. and Li, W.Q. 2002. The effect of 6-BA on the fruit development and transportation of carbon and nitrogen assimilates in grape. Acta Hortic. Sin., 29 (4): 303–306.

Huang, X.G., Wang, Q. and Zhao, T.C. 2000. Effect of potassium fertilizersfor improving quality and production of fruit crops. J. Fruit Sci., 17 (4): 309–313.

Hyland, B.P.M. 1983. A revision of *Syzygium* and allied genera (Myrtaceae) in Australia. Australian Journal of Botany, Supplementary series, 9: 1–164.

Iknur, K., Elman, B. and Öznur, G. 2008. The Characteristics of Substances Regulating Growth and Development of Plants and the Utilization of Gibberellic Acid (Ga) in Viticulture 3. World Journal of Agricultural Sciences, 4 (3): 321-325.

Iqbal, M., Khan, M.Q., Jalal-ud-Din, Rehman, K. and Munir, M. 2009. Effect of foliar application of NAA on fruit drop, yield and physico-chemical characteristics of guava (*Psidium guajava* L.) Red flesh cultivar. J. Agric. Res., 47(3):259-269.

Ismail, B. S., Kader, A.F. and Omar, O. 1995. Effects of Glyphosphate on cellulose Decomposition in two soils. Folia microbial, 40(5):499-502

Issam, M. Q. 2010. Delaying bud break in 'edelweiss' grapevines to avoid spring frost injury by NAA and vegetable oil applications. Ph.D. Thesis. University of Nebraska, 2010

Jablonski, J.R. and Skoog, F. 1954. Cell enlargement and cell division in excised tobacco pith tissue. Physiol. Plant, 7: 16-24.

Ji, Z.L., Liang, L.F., Liu, J.L. and Wang, G.T. 1992. Studies on the changes of endogenous hormone contents in litchi (*Litchi chinensis* Sonn.) fruits during development, J. South. China Agric. Univer. 13: 93–98.

Johannes, F.J. Max, Walter, J. Horst, Urbanus, N. Mutwiwa and Hans-Jürgen, Tantau. 2009. Effects of greenhouse cooling method on growth, fruit yield and quality of tomato (*Solanum lycopersicum* L.) in a tropical climate. Scientia Horticulturae, 122 (2): 179-186.

John, P.C.L., Zhang, K., Dong, C., Diederich, L. and Wightman, F. 1993. P34 cdc2 related proteins in control of cell cycle progression, the switch between division and

differentiation in tissue development, and stimulation of division by auxin and cytokinin. Aust. J. Plant Physiol., 20:503–526.

Johnson, R.W., Dixon, M.A. and Lee, D.R. 1992.Water relations of the tomato during fruit growth Plant. Cell and Environment, 15: 947-953.

Johnston, G.F.S. and Jeffcoat, B. 1977. Effects of some growth regulators on tiller bub elongation in cereals. New Phytol, 79:239-245.

Jose, A.1997. Effect of girdling treatments on flowering and production of mango. Acta Hort., 455:132-134.

Jung, S.K. and Choi, H.S. 2010. Light penetration, growth, and fruit productivity in 'Fuji' apple trees trained to four growing systems. Scientia Horticulturae, 125(4): 672-678.

Kader, A.A. 2000. Postharvest Technology of Horticultural Crops, 3rd ed. Publ. 3311. Division of Agriculture and Natural Resources, University of California, CA.

Kataoka, K., Yashiro, Y., Habu, T., Sunamoto, K. and Kitajima, A. 2009. The addition of gibberellic acid to auxin solutions increases sugar accumulation and sink strength in developing auxin-induced parthenocarpic tomato fruits. Scientia Horticulturae, 123(2): 228-233.

Kato, C., Kato, H., Asami, T., Yoshida, S., Noda, H., Kamada, H. and Satoh, S. 2002. Involvement of xylem sap zeatin-O-glucoside in cucmber shoot greening. PPhysiol Biochem, 40:949-954

Khan, A.S. and Chaudhry, N.Y. 2006. GA_3 improves flower yield in some cucurbits treated with lead and mercury. African Journal of Biotechnology, 5: 149-153.

Kim, J.G., Takami, Y., Mizugami, T., Beppu, K., Fukuda, T. and Kataoka, I. 2006. CPPU application on size and quality of hardy kiwifruit. Scientia Horticulturae, 110 (2): 219-222.

Klee, H.J. and Lanahan, M.B. 1995. Transgenic plants in hormone biology. In: P.J. Davies, Editor, Plant Hormones: Physiology, Biochemistry and Molecular Biology, Kluwer, Dordrecht (1995), pp. 340–353.

Kogl, F. and Haagen-Smit, A. J. 1931. "Uber die Chemie des Wuchsstoffs K. Akad. Wetenschap. Amsterdam". Proc. Sect. Sci., 34:1411-1416.

Komaratchi, R., Narayanan, Kenneth, Mudge, W. and Poovaiah, B. W. 1981. Demonstration of Auxin Binding to Strawberry Fruit Membranes. Plant Physiology, 68:1289-1293.

Koornneef, M., Leon-Kloosterziel, K.M., Schwartz, S.H. and Zeevaart, J.A.D. 1998. Genetic and molecular dissection of abscisic acid biosynthesis and signal transduction in Arabidopsis. Plant Physiol Biochem, 36: 83-89.

Kuklin, A.I. and Conger, B.V. 1995. Catecholamines in plants. J Plant Growth Regul, 14:91-97.

Kuo, Y.-C., Yang, L.-M. and Lin, L.-C. 2004. Isolation and inmunomodulatory effects of flavonoids from *Syzygium samarangense*. Planta Medica, 70(1): 1237–1239.

Kurosawa, E. 1926. "Experimental studies on the nature of the substance secreted by the 'bakanae' fungus". Nat. Hist. Soc. Formosa, 16:213-227.

Lakso, A.N., Robinson, T.L. and Greene, D.W. 2008. Using and appel tree carbohydrate model to understand thinning responses to weather and chemical thinners. Compact Fruit Tree, 41: 17-20.

Lakso, A.N.1984. Leaf area development pattern in young pruned and unpruned apple trees, J. Am. Soc. Hortic. Sci., 109 : 861–865.

Lang, A. 1970. "Gibberellins: Structure and Metabolism". Annu. Rev. Plant. Physiol., 21:537-570.

Langridge, J. 1957. Effect of day-length and gibberellic acid on the flowering of *Arabidopsis*. Nature, 180:36-37.

Lee, J., Joung, K. T., Hayain, K. H. and Hee, L. S. 1999. Effect of chilling and growth regulators in seedling stage on flowering of *Lilium formolongi*. Hangut Wanye Hakcheochi., 40 (2): 248-252.

Lee, S., Woffenden, B.J., Beers, E., Roberts, P. and Alison, W. 2000. Expansion of cultured *Zinnia* mesophyll cells in response to hormones and light. Physiol. Plant., 108: (2): 216-222.

Letham, D. S. 1963. "Zeatin, a factor inducing cell division isolated from *Zea mays*". Life Sci., 2:569-573.

Lewis, D.H., Burge, G.K., Hopping, M.E., Jameson, P.E. 1996. Cytokinins and fruit development in the kiwifruit (*Actinidia deliciosa*): effects of reduced pollination and CPPU application. Physiol Plant, 98:187–195

Leyser, O. 2002. Molecular genetics of auxin signaling. Annu Rev Plant Biol, 53:377398.

Liaw, S.C., Shu¨, Z.H., Lin, H.L. and Lee, K.C. 1999. Effects of sugars on anthocyanin biosynthesis in wax apple fruit skin (in Chinese). J. Agr. Assn. China New Series, 185: 72–80.

Lin, J.Y. and Tang, C.Y. 2007. Determination of total phenolic and flavonoid contents in selected fruits and vegetables, as well as their stimulatory effects on mouse splenocyte proliferation. Food Chemistry, 101: 140–147

Little, J.R., Elbert, L., Roger, G. and kolmen, S. 1989. “Syzygium” Germplasm resource Information centre. USDA.M.

Ma, H.P. and Liu, Z.M. 1998. Gibberellins and fruit tree development. Chin. Bull. Bot., 15 (1): 27–36.

Macmillan, J. and Suter, P.J. 1958. The occurrence of gibberellin A1 in higher plants: isolation from the seed of runner bean (*Phaseolus multiflorus*). Naturwissenschaften, 45:46

MacMillan, J. and Takahashi, N. 1968. "Proposed procedure for the allocation of trivial names to the gibberellins". Nature, 217:170-171.

Manabu, W., Hideyuki, S., Masanobu, M., Satoru, S. and Sadao, K. 2008. Effects of Plant Growth Regulators on Fruit Set and Fruit Shape of Parthenocarpic Apple Fruits. J. Japan. Soc. Hort. Sci, 77 (4): 350–357 .

Mantyla, E., Lamg, V. and Palva, E.T. 1995. Role of abscisic acid in drought-induced freezing tolerance, cold acclimation, and accumulation of LT178 and RAB18 proteins in *Arabidopsis thaliana*. Plant Physiol, 107:141-148.

Marcelo, S.M. and Schaffer, B. 2010. Photosynthetic and growth responses of Eugenia uniflora L. seedlings to soil flooding and light intensity. Environmental and Experimental Botany, 68 (2): 113-121.

Mauseth, J. D. 1991. Botany: An Introduction to Plant Biology. Philadelphia: Saunders. pp. 348-415.

McGaw, B. A. 1995. "Cytokinin biosynthesis and metabolism". Plant Hormones: Physiology, Biochemistry and Molecular Biology. Dordrecht: Kluwer. pp.98-117.

McKeon, T. A., Fernandez-Maculet, J. C. and Yang, S. F. 1995. "Biosynthesis and metabolism of ethylene". Plant Hormones: Physiology, Biochemistry and Molecular Biology. Dordrecht: Kluwer. pp. 118-139.

Mercado-Silva, E., Benito-Bautista, P., Garcia-Velasco, M.A., 1998. Fruit development, harvest index and ripening changes of guavas produced in central Mexico. Postharvest Biol. Technol., 13: 143–150.

Miami, FL.1987."Fruits of warm climates" (1987). Java Apple: 381–382 .

Miller, C. O. 1961. "A kinetin-like compound in maize". Proc. Natl. Acad. Sci. USA. 47:170-174.

Miller, C. O., Skoog, F., Von Saltza, M. H. and Strong, F. M. 1955. "Kinetin, a cell division factor from deoxyribonucleic acid". J. Am. Chem. Soc., 77:1392.

Miller, E.O., Skoog, F., Okumura, F.S., Von Saltza, M.H. and Strong, F.M . 1955. Structure and synthesis of kinetin. J. Am. Chern. Soc., 77:2662.

Miller, G.T. 2004. *Sustaining the Earth*, 6th edition. Thompson Learning, Inc. Pacific Grove, California. Chapter 9, Pages 211-216.

Miller, S.S. 1989. Plant Bioregulators in apple and pear culture. Horticultural Reviews, 10:380-402.

Mohsen, TA. 2010. Thinning Time and Fruit Spacing Influence on Maturity, Yield and fruit quality of peaches. Journal of Horticultural Science and Ornamental Plants, 3:79-87.

Möller, J., Tanny, Y. Li. and Cohen, S. 2004. Measuring and predicting evapotranspiration in an insect-proof screenhouse, Agric. Forest Meteorol., 127 :35–51.

Moneruzzaman, K. M., Al-Saif, A. M., Alebidi, A. I., Hossain, A. B. M. S., Normaniza, O. and Nasrulhaq, A. B. 2011. An evaluation of the nutritional quality evaluation of three cultivars of *Syzygium samarangense* under Malaysian conditions. African Journal of Agricultural Research, 6(3):545-552.

Moneruzzaman, K.M., Hossain, A.B.M.S., Sani, W. and Saifuddin, M. 2008. Effect of stages of maturity and ripening conditions on the physical characteristics of Tomato. American Journal of Biochemistry and Biotechnology, 4(4): 329-335.

Morton, J.F., 1987. Fruits of Warm Climates. Morton Collectanea, Miami, FL.

Myers, S.C. and Savelle, A.T. 1996. Coordination of vegetative and reproductive growth root restriction, branch manipulation, and pruning. In: K.M. Maib, P.K. Andrews, G.A. Lang and K. Mullinix, Editors, Tree Fruit Physiology: Growth and Development, Good Fruit Grower, Yakima, USA (1996), pp. 69–80.

Naderi, M., Caplan, A. and Berger, P.H. 1997. Phenotypic characterization of a tobacco mutant impaired in auxin polar transport. Plant Cell Rep, 17:32-28

Naeem, I.B., Raza, H.A. and Ashraf, M.Y. 2004. Effect of some growth hormones (GA_3, IAA and Kinetin) on the morphology and early or delayed initiation of baud of lentil (*Lens culinaris* MEDIK) . Pak. J. Bot., 36(4): 801-809.

Nair, A. G. R., Krishnan, S., Ravikrishna, C. and Madhusudanan, K. P. 1999. New and rare flavonol gycosides from leaves of *Syzygium samarangense*. Fitoterapia, 70(2): 148–151.

Nakasone, H. and Paull, R.E. 1999. Guava. In: Tropical Fruits, CABI Publ. (chapter 7, pp. 149–172).

Neljubow, D. N. 1901. "Uber die horizontale nutation der stengel von *Pisum sativum* und einiger anderen". Pflanzen Beitrage und Botanik Zentralblatt, 10:128-139.

Niu, Z., Xu, X., Wang, Y., Li, T., Kong, J. and Han, Z. 2008. Effects of leaf-applied potassium, gibberellin and source–sink ratio on potassium absorption and distribution in grape fruits. Scientia Horticulturae, 115: 164–167.

Nonaka, G.-i., Aiko, Y., Aritake, K. and Nishioka, I. 1992. Tanins and related compounds. CXIX. Samarangenins A and B, novel proanthocyanidins with doubly bonded structures, from *Syzygium samarangense* and *S. aqueum*. Chemical and Pharmaceutical Bulletin, 40(10): 2671–2673.

Nordstrom, A., Tarkowski, P., Tarkowska, D., Norbaek, R., Astot, C., Dolezal, K. and Sandberg, G. 2004. Auxin regulation of cytokinin biosynthesis in *Arabidopsis thaliana* a factor of potential importance for auxin—cytokinin-regulated development. Proc Natl Acad Sci USA, 101:8039-8044.

Oded, A. and Uzi, K. 2003. Enhanced performance of processing tomatoes by potassium nitrate-based nutrition. Acta Hortic, 613: 81-87.

Ohkuma, K., Lyon, J.L., Addicott, F.T. and Smith, O. E. 1963. Abscisin II, an abscission acceleration substance from young cotton fruit. Science, 142: 1592-1593.

Ohmiya, A., 2000. Effects of auxin on growth and ripening of mesocarp discs of peach fruit. Sci. Hort, 84: 309–319.

Okuda, T., Yoshida, T., Hatano, T., Yazaki, K. and Ashida, M. (1982). Ellagitannins of the Casuarinaceae, Stachyuraceae, and Myrtaceae. Phytochemistry, 21(12): 2871 -2874.

Onguso, J.M., Mizutani, F. and Hossain, A.B.M.S. 2004. Effects of partial ringing and heating of trunk on shoot growth and fruit quality of peach trees. Bot. Bull. Acad. Sin., 45: 301-306.

Ori, N., Juarez, M.T., Jackson, D., Yamaguchi, J., Banowetz, G.M. and Hake, S. 1999. Leaf senescence is delayed in tobacco plants expressing the maize homeobox gene knotted1 under the control of a senescence-activated promoter. Plant Cell, 11:1073-1080.

Ortola, A.G., Monerri, C. and Guardiola, J.L. 1991. The use of naphthalene acetic-acid as a fruit-growth enhancer in *Satsuma mandarin*—a comparison with the fruit thinning effect. Sci. Hort., 47: 15–25.

Paal, A. 1918. "Uber phototropische Reizleitung". Jahrb. Wiss. Bot., 58:406-458.

Palni, I.M.S., Burch, L. and Horgan, R. 1988. The effect of auxin concentration on cytokinin stability and metabolism. Planta, 174:231-234.

Panggabean, G. 1992. *Syzygium aqueum* (Burm.f.) Alst., *Syzygium malaccense* (L.) M. & P, and *Syzygium samarangense* (Blume) M. & P. In Coronel, R.E., et al. (Eds.): PROSEA. No. 2: Edible fruits and nuts. Prosea Foundation, Bogor, Indonesia. pp. 292-294.

Pasternak, T., Miskolczi, O., Ayaydin, F., Meszaros, I., Dudits, D. and Feher, A. 2000. Exogenous auxin and cytokinin dependent activation of CDKs and cell division in leaf protoplast-derived cells of alfalfa. Plant Growth Regul, 32:129-141.

Phinney, B.A. 1983. The history of gibberellins. p.19-52. In: A. Crozier (ed.), The biochemistry and physiology of gibberellins. Vol. 1. Praeger Publ., New York.

Pilot, P.E. and Saugy, M. 1985. Effect of applied and endogenous IAA and maize root growth. Planta, 164: 254-258.

Probert, R.H. 2009. Technical Service, 409 Brims Way, Garner, NC 27529-4772, USA

Proctor, J.T.A. 1974. Color stimulation in attached apples with supplementary light, Can. J. Plant Sci., 54 : 499–503.

Protacio, C.M., Aai, Y., Lewis, E.F. and Flores, H.E. 1992. Growth stimulation by catecholamines in plant tissue/organ cultures. Plant Physiol, 98:89-96.

Quan, J.Y. 1999. Parthenocarpy induced by CPPU prevents flower abortion in Chinese white-flowered gourd (*Lagenaria leucantha*). Environmental and Experimental Botany, 42(2):121-128.

Rademacher, W., Van Saarloos, K., Garuz Porte, J.A. , Riera Forcades, F., Senechai, Y., Andreotti, C., Spinelli, F., Sabatini, E. and Costa, G. 2004. Impact of prohexadioneCa on the vegetative and reproductive performance of apple and pear trees. Eur. J. Hort. Sci. 69:221-228.

Radley, M. 1956. "Occurrence of substances similar to gibberellic acid in higher plants". Nature, 178:1070-1071.

Raghvendra, A., Vipin, S., Ambika, S, Hedaytullah, M.D., Ganesh, S.A., Amlan, M., Anshu, D.G., Amol, P.P and Dharmendra, P. 2011. Chemical and potential aspects of anthocyanins a water-soluble vacuolar flavonoid pigments: a review. International Journal of Pharmaceutical Sciences Review and Research, 6: 28-33.

Ram, H.H. 2005. Vegetable Breeding Principles and Practices, 2nd edition. Kalyani Publishers, Ludhiana-New Delhi. p. 653.

Raven, P. H., Evert, R. F. and Eichhorn, S. E. 1992. Biology of Plants. New York: Worth. pp. 545-572.

Reeves, D.W., Couvillon, G.A. and Horton, B.D. 1985. Effect of gibberellic acid (GA_3) on elongation and rooting of 'St. Julien A' rootstock in vitro. Scientia Horticulturae, 26 (3): 253-259

Resurreccion-Magno, M. H. C., Villasenor, I. M., Harada, N. and Monde, K. 2005. Antihyperglycaemic flavonoids from *Syzygium samarangense* (Blume) merr. and perry. Phytotherapy Research, 19(3), 246–253.

Reza, Mohammad Imam Hasan and Arif, Abdullah Saiful. 2006. Ecological connectivity framework in the state of Selangor, Peninsular Malaysia: A potential conservation strategy in the rapid changing tropics. Journal of Ecology and the Natural Environment, 2(5) : 73-83.

Ribnicly, D.M., Cohen, J.D., Hu, W.S. and Cooke, T.I. 2002. An auxin surge following fertilization in carrots: a mechanism for regulating plant totipotency. Planta, 214:505-509.

Richards, D.E., King, K.E., Ait-ali, T. and Harberd, N.P. 2001. How gibberellin regulates plant growth and development: a molecular genetic analysis of gibberellins signaling. Annu Rev Plant Physiol Plant Mol Biol, 52:67-88.

Richmond, A.E. 1957. Effect of kinetin on protein content and survival of detache Xanthium leaves. Science, 125:650-651.

Ritenour, M.A., Sutter, E.G., William, D.M. and Saltveit, M.E. 1996. IAA content and auxiliary bud development in relation to russet spotting in harvested Iceberg lettuce. J. A. Soci. Hort. Sci., 121(3): 543-547.

Robinson, T.L. 2003. Achieving a balance between vegetative growth and cropping, Compact Fruit Tree, 36 :33–36.

Rodrigues-Pousada, R., Caeneghem, W.V., Chauvaux, N., Van Onckelen, H., Van Montaguand, Van Der Straeten, D. 1999. Hormonal cross-talk regulates the *Arabidopsis thaliana* 1-aminocyclopropane-1-carboxylate synthase gene 1 in a developmand tissue-dependent manner. Physiol Plant, 105:312-320.

Rodriguez-Saona, L.E., Giusti, M.M., Robert, W.D. and Ronald, W.E. 2001. Development and process optimization of red radish concentration extract as potential natural red colorant, Journal of Food Processing Preservation, **25** : 165–182.

Rodriguez-Sauna, L.E., Giusti, M.M. and Wrolstad, R.E. 2001. Color and pigment stability of red radish and red-fleshed potato anthocyanins in juice model systems, Journal of Food Science, **64**: 451–456

Romanov, G.A. 2002. The phytohormone receptors. Russ J Plant Physiol, 49:552-560.

Ronald, W.E., Jaffrey, D.C., Christopher, J.C. and Leonard, R.M. 1982. Fruit and fruit products, Journal of Association Official Analytical Chemistry, **65** (6): 1417–1423.

Saifuddin, M., Hossain, A.B.M.S., Normaniza, O. and Moneruzzaman, K.M. 2009. Bract size enlargement and longevity of *Bougainvillea spectabilis* as affected by GA_3 and phloemic stress. Asian Journal of Plant Sciences, 8(3): 212-217 .

Saifuddin, M., Hossain, A.B.M.S., Normaniza, O., Nasrulhaq, Boyce A. and Moneruzzaman, K.M. 2009. The effects of naphthaleneacetic acid and gibberellic acid in prolonging bract longevity and delaying discoloration of Bougainvillea spectabilis. Biotechnology, 8(3): 343-350.

Salisbury, F. B. and Ross, C. W. 1992. Plant Physiology. Belmont, CA: Wadsworth. pp. 357-407, 531-548.

Salisbury, F.B. and Ross, C.W. 1992. Plant development, p.357-408. In: Plant.

Salkowski, E. 1985. "Uber das verhalten der skatolcarbonsaure im organismus". Zeitschr. Physiol. Chem., 9:23-33.

Sasaki, H., Yano, T. and Yamasaki, A. 2005. Reduction of high temperature inhibition in tomato fruit set by plant growth regulators. JARQ., 39: 135-138.

Sato, S.M., Peet, M. and Thomas, J.F. 2000. Physiological factors limit fruit set of tomato (*Lycopersicon esculentum* Mill.) under chronic, mild heat stress. Plant Cell Env., 23 719-726 .

Sato, S.M., Peet, M. and Thomas, J.F. 2002. Determining critical pre-and post-anthesis periods and physiological processes in *Lycopersicon esculentum* Mill. exposed to moderately elevated temperatures. J. Exp. Mot., 53: 1187-1195.

Saure, M.C. 1990. External control of anthocyanin formation in apple, Sci. Hort., 42 : 181–218.

Savage, E.F. and Cowart, F.F. 1942. The effect of pruning upon the root distribution of peach trees, Proc. Am. Soc. Hortic. Sci., 41 : 67–70.

Scanlon, M.J. 2003. The polar auxin transport inhibitor N-1-napthylphthalamic acid disrupts leaf initiation, KNOX protein regulation, and formation of leaf margins in maize. Plant Physiol, 133:597-605.

Schroeder, I.I., Allen, G.I. Hougovieux, V., Kwak, J.M. and Waner, D. 2001. Guard cell signal transduction. Annu Rev Plant Physiol Plant Mol Biol, 52:627-658.

Schurr, U., Gollan, T. and Schulze, E.D. 1992. Stomatal response to soil drying in relation to changes in the xylem sap composition of *Helianthus annuus*. II. Stomatal sensitivity to abscisic acid imported from the xylem sap. Plant Cell Environ, 15:561–567.

Sharaf-Eldin, M.A., Schnitzler, W.H., Nitz, G., Razin, A.M. and El-Oksh, I.I. 2007. The effect of gibberellic acid (GA_3) on some phenolic substances in globe artichoke (*Cynara cardunculus* var. scolymus (L.) Fiori) . Scientia Horticulturae, 111:326–329.

Sharma, R.R. and Singh, R. 2009. Gibberellic acid influences the production of malformed and button berries, and fruit yield and quality in strawberry (*Fragaria ananassa* Duch.). Scientia Horticulturae, 119 : 430–433

Shinichi, A., Koya, M., Zenichi M. and Keiji, M. 2004. The use of CPPU for efficient propagation of pineapple. Scientia Horticulturae, 100:7–14.

Shü, Z.H., Chu, C.C., Hwang, L.J. and Shieh, C.S. 2001. Light, temperature and sucrose affect color, diameter and soluble solids of disks of wax apple fruit skin. HortScience, 36 : 279–281.

Shu, Z.H., Meon, R., Tirtawinata, A., Thanarut, C. 2006. Wax apple production in selected tropical Asian countries. ISHS. Acta Hort. (ISHS), 773: 161-164.

Shu¨, Z.H. 1999a. Position on the tree affects fruit quality of Bald-cut wax apples. J. Appl. Hort., 1: 15–18.

Shu¨, Z.H. 1999b. Total soluble solids, protein, phenylalanine ammonia-lyase activity and total phenol as related to anthocyanin biosynthesis in cultured wax apple fruit skin. J. Agr. Assn. China, New Series, 185, 102–110.

Shu¨, Z.H., Wang, D.N. and Sheen, T.F. 1996. Wax apple as a potential economic crop for the world. In: Vijaysegaran, S., Pauziah, M., Mohamed, M.S., Ahmad Tarmizi, S. (Eds.), Proc. Intl. Conf. Trop. Fruits, Vol. I. Malaysian Agr. Res. Dev. Inst., Serdang, Selangor, Malaysia, pp. 69–73.

Sieberer, T., Hauser, M., Seifert, G.J. and Luschnig, C. 2003. PROPORZ1, a putative Arabidopsis transcriptional adaptor protein, mediates auxin and cytokinin signin the control of cell proliferation. Curr Biol 13:837-842.

Singh, U. S. and Lal, R.K. 1980. Influence of growth regulators on setting, retention, and weight of fruits in two cultivars of litchi, Sci. Hort. 12: 321–326.

Singleton, V.L. and Rossi, J.A. 1965. Colorimetry of total phenolics with phosphomolybdic-Phopho tungstic acid reagent. Amer. J. Enol. Viticult., 16: 144-158.

Skoog, F. and Miller, C.O. 1957. Chemical regulation of growth and organ formation inplant tissues cultured in vitro. Symp Soc Exp Biol, 11:118-130.

Smock, R.M., Edgerton, L.J. and Hoffman, M.B. 1954. Some effects of stop drop auxins and respiratory inhibitors on maturity of apples. Proc. Amer. Soc. Hort. Sci., 63:211219.

Soding, H. 1925. "Zur kenntnis der wuchshormone in der haferkoleoptile". Jahrb. Wiss. Bot., 64:587-603.

Soltani, M., Alimardani, R., Omid, M. 2010. Prediction of banana quality during ripening stage using capacitance sensing system. Australian Journal of Crop Science, 4: 443-447.

Southwick, F.W. , Demoranville, I.D. and Anderson, J.F. 1953. The influence of some growth regulating substances on preharvest drop, color, and maturity of apples. Proc. Amer. Soc. Hort. Sci., 61:155-162.

Sponsel, V. M. 1995. "Gibberellin biosynthesis and metabolism". Plant Hormones: Physiology, Biochemistry and Molecular Biology. Dordrecht: Kluwer. pp. 66-97.

Srivastava, R., Shaw, A. K. and Kulshreshtha, D. K. 1995. Triterpenoids and chalcone from *Sysygium samarangense*. Phytochemistry, 38(3): 687–689.

Stetler, D.A. and Laetsch, W.M. 1965. Kinetin induced chloroplast maturation in cultures of tobacco tissues. Sciences., 149: 1387-1388.

Stodola, F. H., Raper, K. B., Fennell, D. I., Conway, H. F., Sohns, V. E., Langford, C. T. and Jackson, R. W. 1955. "The microbiological production of gibberellins A and X". Arch. Biochem. Biophys, 54:240-245.

Sugiyama, N. and Yamaki, Y. T. 1995. Effects of CPPU on fruit set and fruit growth in *Japanese persimmon*. Scientia Horticulturae, 60: (3-4) : 337-343.

Sweidrych, A., Lorenc-Kukula, K., Skirycz, A. and Szopa, J. 2004. The catecholamine biosynthesis route in potato is affected by stress. Plant Physiol Biochem, 42:593-600.

Taiz, L. and Zeiger, E. 1998. Plant Physiology, second ed. Sinauer Associates Inc. Publishers, Massachusettes, p. 792.

Takahashi, N., Kitamura, H., Kawarada, A., Stea Y., Takai, M., Tamura, S. and Sumiki, Y. 1955. "Isolation of gibberellins and their properties". Bull. Agric. Chem. Soc. Japan, 19:267-277.

Takahashi, N., Phinney. B.O. and MacMillan, J. 1991. Gibberellins. New York: Springer-Verlag.

Takahashi, N., Seta, Y., Kitamura, H. and Sumiki, Y. 1957. "A new gibberellin, gibberellin A4". Bull. Agric. Chem. Soc. Japan, 21:396-398.

Tamura, K., Liu, H. and Takahash, H. 1999. Auxin induction of cell cycle regulated activity of tobacco telomerase. J Bipo Chem, 274: 20997-21002.

Tartarini, S., Sansavini, S. and Ventura, M. 1993. CPPU control of fruit morphogenesis in apple. Scientia Horticulturae, 53 (4): 273-279.

Tashkent, I. 1998. Part 1. Conditions and provisions for developing a national strategy for biodiversity conservation. Biodiversity Conservation National Strategy and Action Plan of Republic of Uzbekistan. Retrieved on September 17, 2007.

Tehrani, M., Chandran, S., Hossain, A.B.M.S and Nasrulhaq-Boyce, A. 2011. Postharvest physico-chemical and mechanical changes in jambu air (*Syzygium aqueum* Alston) Fruits. AJCS, 5(1):32-38.

Thakur, B.R., Singh, R.K. and Nelson, P. 1996. Quality attributes of processed tomato products: A review. Food Res. Int., 12: 375-401.

Tukey, H. B. 1978. Tree structure, physiology and dwarfing. Dwarf FruitTrees, Cornell University. Press, UK. Pp.562.

Tuominen, H., Puech, L., Fink S. and Sundberg. B. 1997. A radial concentration gradient of indole-3-acetic acid is related to secondary xylem development in Hybrid Aspen. Plant Physiol., 115(2):557-585.

Tustin, D.S., Hirst, P.M. and Warrington, I.J. 1988. Influence of orientation and position of fruiting laterals on canopy light penetration, yield, and fruit quality of 'Granny Smith' apples, J. Am. Soc. Hortic. Sci., 113 : 693–699.

Unrath, CR., 1981. An overview of environmental factors affecting orchard growth regulator response with special reference to apples. Acta Hortic., 120: 43-52.

Van Overbeek, J., Conklin, M. E. and Blakeslee, A. F. 1941. "Factors in coconut milk essential for growth and development of Datura embryos". Science, 94:350.

Van Rensburg, P., Shung-Shi, A. F., García-Luis Fornés and. Guardiola J.L. 1996. Improving crop value in Fino Clementine mandarin with plant growth regulators. Proc. Int. Soc. Citriculture, 2: 970–974.

Vartanian, N. 1981. Some aspects of structural and functional modifications induced by drought in root systems. Plant and Soil, 63:83-92.

Vartanian, N., Marcotte, L. and Giraudat, J. 1994. Drought Rhizogenesis in Arabidopsis thaliana. Differential responses of hormonal mutants. Plant Physiol, 104:761-767.

Vogel, J.P., Schuerman, P., Wneste, K., Brandstatter, I. and Kieber, I.I. 1998. Isolation and characterization of Arabidopsis mutants defective in the induction of ethylenebiosynthesis by cytokinin. Genetics, 149:417-427.

Von Sachs, J. 1880. "Stoff und Form der Pflanzenorgane I". Arb. Bot. Inst. Wurzburg, 2:452-488.

Walton, D. C. and Li, Y. 1995. "Abscisic acid biosynthesis and metabolism". Plant Hormones: Physiology, Biochemistry and Molecular Biology. Dordrecht: Kluwer. pp. 140-157.

Wang, D. N. 1991. Past, present and future of wax-apple production in Taiwan. (in Chinese) p.339-355. In: Proceedings of the Symposium on Fruit Production, Research and Development in Taiwan. CR Yang (ed.) Chia-Yi Agric. Exp. Sta., Taiwan Agricultural Research Institute, Taichung Hsien, Taiwan.

Wang, H., Fowke, L.C. and Crosby, W.L. 1997. A plant cyclin-dependent kinase inhibitor gene. Nature, 386: 451-452.

Wang, H., Qi, Q., Schorr, P., Cutler, A.J., Crosby, W.L. and Fowke, L.C. 1998. ICK1, a cyclin-dependent protein kinase inhibitor from *Arabidopsis thaliana* interacts with both Cdc2a and CycD3, and its expression is induced by abscicic acid. Plant J., 15:501-510.

Wang, X. and Below, F.E. 1996. Cytokinins in enhanced growth and tillering of wheat induced by mixed nitrogen source. Crop Sci, 36:121-126.

Watkins, C.B. 2006. The use of l-methylcyclopropene (I-MCP) on fruits and vegetables. Biotechnol. Adv. 24:389-409.

Weaver, R.J. 1972. Plant growth substances in agriculture. Freeman & Comp, San Francisco.

Wei-Hai Yang, Xiao-Chuan Zhu, Jian-Hua Bu, Gui-Bing Hu, Hui-Cong Wang, Xu-Ming Huang. 2009. Effects of bagging on fruit development and quality in cross-winter off-season longan. Scientia Horticulturae, 120 (2-2): 194-200.

Weisshaar, B. and Jenkins, G.I. 1998. Phenylpropanoid biosynthesis and its regulation. Curr. Opin. Plant Biol., 1: 251 – 257.

Went, F. W. (1926). "On growth-accelerating substances in the coleoptile of Avena sativa". Proc. Kon. Ned. Akad. Wet. 30:10-19.

Went, F. W. 1928. "Wuchsstoff und Wachstum". Rec. Trav. Bot. Neerland., 24:1-116.

Werner ,T., Motyka, V., Stmad, M. and Schmuling, T. 2001. Regulation of plant growth by cytokinin . Proc Natl Acad Sci USA, 98:10487-10492.

Werner, T., Motyka, V., Laucou, V., Smets, R., Van Onckelen, H. and Schmulling, T. 2003.Cytokinin-deficient transgenic Arabidopsis plants show multiple developmental alterations indicating opposite functions of cytokinins in the regulation of shoot and root meristem activity. Plant Cell, 15:2532-2556.

Westwood, M.N. 1993. Temperate-zone Pomology: Physiology and Culture, 3rd ed. Timber Press Inc., Portland, Oregan, USA.

Wilson, R.N., Heckman, J.W. and Somerville, C.R. 1990. Gibberellin is required for flowering in *Arabidopsis thaliana* under short days. Plant Physiol, 100: 403-408.

Winkel-Shirley, B. 2001. It takes a garden. How works on divers plant species has contributed to an understanding of flavonoid metabolism. Plant Physiol, 127: 1399-1404.

Wolfe, S. L. 1993. Molecular and Cellular Biology. Belmont, CA: Wadsworth. pp. 702-704.

Wollenweber, H.W. 1931. *Fusarium monograph*. Parasitic and saprophytic fungi. Zeitschrift fur Parasitenkunde, 3(3) : 269-516.

Wong, K. C. and Lai, F. Y. 1996. Volatile constituents from the fruits of four *Syzygium* species grown in Malaysia. Flavour and Fragrance Journal, 11(1): 61–66.

Woolley, D.J., Lawes, G.S. and Cruz-Castillo, J.G. 1992. The growth and competitive ability of *Actinidia deliciosa* 'Hayward' fruit: carbohydrate availability and response to the cytokinin-active compound CPPU. Acta Hort, 297: 467–475.

Wünsche, A. and Lakso, A.N. 2000. Apple tree physiology—implications for orchard and tree management. Compact Fruit Tree, 33:82–88.

Yabuta, T. 1935. "Biochemistry of the 'bakanae' fungus of rice". Agr. Hort. (Tokyo), 10:17-22.

Yamada, H., Hanaki, N., Imamura, A., Ueguchi, C. and Mizuno, T. 1998. An Arabidopsis protein that interacts with the cytokinin-inducible response regulator, ARR4, implicated in the His-Asp phosphorelay signal transduction. FEBS Lett 436:76-80.

Yang, S.W., Jin, E., Chung, I.K. and Kim, W.T. 2002. Cell cycle-dependent regulation of telomerase activity by auxin, abscisic acid and protein phosphorylation in tobacco BY-2 suspension culture cells, Plant J. 29 (2002), pp. 617–626.

Yang-Gyu, K. and Woolley, D.J. 2006. Effect of plant growth regulators and spear bud scales on growth of *Asparagus officinalis* spears. Scientia Horticulturae, 108: 238–242.

Yoko, T., Toshio, S., Masanori, T., Nobuyoshi, N., Noriaki, K. and Seiichiro, H. 2006. Cytokinin and auxin inhibit abscisic acid-induced stomatal closure by enhancing ethylene production in Arabidopsis. Journal of Experimental Botany, 57: 2259-2266.

Yuan, R. and Carbaugh, D.H. 2007. Effects of NAA, AVG, and I-MCP on ethylene biosynthesis, preharvest drop, fruit maturity, and quality of 'Golden Supreme' and 'Golden Delicious' apples. HortScience, 42: 101-105.

Zadoo, K. 1986. Effect of some plant growth regulators on the growth and metabolism of isolated cotyledons and hypocotyl segments. Ph.D. Thesis, Kashmir University, Srinagar, Kaskmir.

Zhang, S.M., Yan, H., Liu, S.H. and Yan, X.S. 1998. Effect of compound fertilizer of potash and magnesium on winegrape yield and quality. Viticult. Enol, 2:7–9.

Zhang, W., Li, X., Zheng, J., Wang, G., Sun, C., Ferguson, I., Chen, K. 2008. Bioactive components and antioxidant capacity of Chinese bayberry (*Myrica rubra* Sieb. and

Zucc.) fruit in relation to fruit maturity and postharvest storage. European Food Research and Technology, 227:1091-1097.

Zhishen, J., Mengchen, T. and Jiaming, W. 1999. Food chemistry, 64: 555-559.

Zhu, H., Beers, E.P . and Yuan, R. 2008. Aminoethoxyglycine inhibits fruit abscission induced by naphthaleneacetic acid and associated relationships with expression of genes for ethylene biosynthesis, perception, and cell wall degradation in 'Delicious' apples. J. Amer. Soc. Hort. Sci., 133(6):727-734.

APPENDIX

1- Adel M. Al-Saif, A.B.M. Shariff Hossain and Rosna Mat. Taha (2011). Photosynthetic yield, fruit ripening and quality characteristics of cultivars of *Syzygium samarangense*. African Journal of Agricultural Research. Vol.6 (15): pp 3623-3630 (*ISI-Cited Publication*).

2- Adel M. Al-Saif, A.B.M. Shariff Hossain and Rosna Mat. Taha (2011). Effect of Gibberellic acid on the growth and development of water apple fruit. African Journal of Biotechnology. (submitted). *(ISI-Cited Publication).*