

## BIBLIOGRAPHY

- Abe, C., Taima, Y., Nakamura, Y., & Doi, Y. (1990). New bacterial copolyester of 3-hydroxyalkanoates and 3-hydroxy- $\omega$ -fluoroalkanoates produced by *Pseudomonas oleovorans*. *Polymer communications Guildford*, 31(11), 404-406.
- Ahmad, Z., Al-Awadi, N. A., & Al-Sagheer, F. (2007). Morphology, thermal stability and visco-elastic properties of polystyrene–poly(vinyl chloride) blends. *Polymer Degradation and Stability*, 92(6), 1025-1033.
- Aiken, W., Alfrey, T., Janssen, A., & Mark, H. (1947). Creep behavior of plasticized vinylite VYNW. *Journal of Polymer Science*, 2(2), 178-198.
- Allsopp, M. W. (1981). The development and importance of suspension PVC morphology. *Pure & Applied Chemistry*, 53(2), 449-465.
- An, L., He, D., Jing, J., Wang, Z., Yu, D., & Jiang, B. (1997). Effects of molecular weight and interaction parameter on the glass transition temperature of polystyrene mixtures and its blends with polystyrene/poly (2,6-dimethyl-p-phenylene oxide). *European Polymer Journal*, 33(9), 1523-1528.
- Annuar, M. S. M., Tan, I. K. P., Ibrahim, S., & Ramachandran, K. B. (2007). Production of Medium-Chain-Length Poly(3-hydroxyalkanoates) from Crude Fatty Acids Mixture by *Pseudomonas putida*. *Food & Bioproducts Processing*, 85(2), 104-119.
- Annuar, M. S. M., Tan, I. K. P., & Ramachandran, K. B. (2008). Evaluation of nitrogen sources for growth and production of medium-chain-length poly-(3-hydroxyalkanoates) from palm kernel oil by *Pseudomonas putida* PGA1. *Asia-Pacific Journal of Molecular Biology & Biotechnology*, 16(1), 11-15.
- Ariffin, H., Nishida, H., Shirai, Y., & Hassan, M. A. (2008). Determination of multiple thermal degradation mechanisms of poly(3-hydroxybutyrate). *Polymer Degradation & Stability*, 93(8), 1433-1439.
- Audic, J. L., Poncin-Epaillard, F., Reyx, D., & Brosse, J. C. (2001). Cold plasma surface modification of conventionally and nonconventionally plasticized poly(vinyl chloride)-based flexible films: Global and specific migration of additives into isoctane. *Journal of Applied Polymer Science*, 79(8), 1384-1393.
- Bair, H. E., & Warren, P. C. (1981). Morphology of lightly plasticized PVC. *Journal of Macromolecular Science, Part B*, 20(3), 381-402.

- Ballistreri, A., Giuffrida, M., Guglielmino, S. P. P., Carnazza, S., Ferreri, A., & Impallomeni, G. (2001). Biosynthesis and structural characterization of medium-chain-length poly(3-hydroxyalkanoates) produced by *Pseudomonas aeruginosa* from fatty acids. *International Journal of Biological Macromolecules*, 29(2), 107-114.
- Barnard, G., & Sanders, J. (1989). The poly-beta-hydroxybutyrate granule in vivo. A new insight based on NMR spectroscopy of whole cells. *Journal of Biological Chemistry*, 264(6), 3286-3291.
- Beltran, M., & Marcilla, A. (1997). Fourier transform infrared spectroscopy applied to the study of PVC decomposition. *European Polymer Journal*, 33(7), 1135-1142.
- Biju, P. K., Radhakrishnan Nair, M.N., Thomas, G.V. & Gopinathan Nair, M.R. (2007). Plasticizing effect of epoxidized natural rubber on PVC/ELNR blends prepared by solution blending. *Materials Science-Poland*, 25(4), 919-932.
- Bizzari, S., Blagoev, M., & Kishi, A. (2009). *Chemical Economics Handbook*. Menlo Park (CA): SRI consulting.
- Boopathy, R. (2000). Factors limiting bioremediation technologies. *Bioresource Technology*, 74(1), 63-67.
- Borek, J., & Osoba, W. (1996). Free volume in plasticized polyvinyl chloride. *Journal of Polymer Science Part B: Polymer Physics*, 34(11), 1903-1906.
- Bornehag, C. G., Lundgren, B., Weschler, C.J., Sigsgaard, T., Linda, H.E., Sundell, J. (2005). Phthalates in indoor dust and their association with building characteristics. *Environmental Health Perspectives*, 113(10), 1399-1404.
- Brandl, H., Gross, R. A., Lenz, R. W., & Fuller, R. C. (1988). *Pseudomonas oleovorans* as a Source of Poly(Lageveen et al.)-Hydroxyalkanoates) for Potential Applications as Biodegradable Polyesters. *Applied & Environmental Microbiology*, 54(8), 1977-1982.
- Braunegg, G., Lefebvre, G., & Genser, K. F. (1998). Polyhydroxyalkanoates, biopolymers from renewable resources: Physiological and engineering aspects. *Journal of Biotechnology*, 65(2-3), 127-161.
- Burrell, H. (1955). Solubility parameters. Part 1: theory and calculations. *Interchemical Review*, 14(1), 3-16.

Carrasco, F., Dionisi, D., Martinelli, A., & Majone, M. (2006). Thermal stability of polyhydroxyalkanoates. *Journal of Applied Polymer Science*, 100(3), 2111-2121.

Chen, G.-Q., & Wu, Q. (2005). The application of polyhydroxyalkanoates as tissue engineering materials. *Biomaterials*, 26(33), 6565-6578.

Chen, S., Liu, Q., Wang, H., Zhu, B., Yu, F., & Chen, G. Q. (2009). Polymorphic crystallization of fractionated microbial medium-chain-length polyhydroxyalkanoates. *Polymer*, 50(18), 4378-4388.

Choe, S., Cha, Y. J., Lee, H. S., Yoon, J. S., & Choi, H. J. (1995). Miscibility of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) and poly(vinyl chloride) blends. *Polymer*, 36(26), 4977-4982.

Dawes, E. A., & Senior, P. J. (1973). The Role and Regulation of Energy Reserve Polymers in Micro-organisms, 10, 135-266.

de Koning, G. J. M., van Bilsen, H. M. M., Lemstra, P. J., Hazenberg, W., Witholt, B., & Preusting, H. (1994). A biodegradable rubber by crosslinking poly(hydroxyalkanoate) from *Pseudomonas oleovorans*. *Polymer*, 35(10), 2090-2097.

Diego, B., David, L., Girard-Reydet, E., Lucas, J. M., & Denizart, O. (2004). Multiscale morphology and thermo-mechanical history of polyvinyl chloride PVC. *Polymer International*, 53(5), 515-522.

Doi, Y. (1995). Microbial synthesis, physical properties, and biodegradability of polyhydroxyalkanoates. *Macromolecular Symposia*, 98, 585-599.

Doolittle, A. K. (1954). The technology of solvents and plasticizers. In. New York: John Wiley & Sons.

Doolittle, A. K. (1965). Mechanism of plasticization. In P. F. Bruins (Ed.), *Plasticizer Technology*. New York: Reinhold.

Doyle, C. D. (1961). Kinetic analysis of thermogravimetric data. *Journal of Applied Polymer Science*, 5(15), 285-292.

Du, G., & Yu, J. (2002). Green technology for conversion of food scraps to biodegradable thermoplastic polyhydroxyalkanoates. *Environmental Science & Technology*, 36(24), 5511-5516.

Dyer, J. R. (1965). Applications of absorption spectroscopy of organic compounds. In. Englewood Cliffs, New Jersey: Prentice-Hall.

Dynisco Corporate (Ed.) (2011) Glossary, K-value of PVC.

Eapen, T. (1994). US Patent: 5, 281, 647.

Ebner, M. (November 18, 2008). Ceresana research releases new comprehensive PVC market study [Electronic Version]. Retrieved from <http://www.newswiretoday.com/news/42864/>

Eggink, G., van der Wal, H., Huijborts, G. N. M., & de Waard, P. (1992). Oleic acid as a substrate for poly-3-hydroxyalkanoate formation in Alcaligenes eutrophus and Pseudomonas putida. *Industrial Crops & Products*, 1(2-4), 157-163.

Elicegui, A., del Val, J. J., Bellenger, V., & Verdu, J. (1997). A study of plasticization effects in poly(vinyl chloride). *Polymer*, 38(7), 1647-1657.

Elson, C. E. (1992). Tropical oils: nutritional and scientific issues. *Critical reviews in food science & nutrition*, 31(1-2), 79-102.

Erceg, M., Kovačić, T., & Klarić, I. (2005). Dynamic thermogravimetric degradation of poly(3-hydroxybutyrate)/aliphatic-aromatic copolyester blends. *Polymer Degradation & Stability*, 90(1), 86-94.

Fang, Z. P., Wang, G. L., Cai, G. P., & Xu, C. W. (2000). Study on the morphology of polyvinyl chloride/polystyrene blends by electron microprobe analysis. *Chinese Journal of Polymer Science*, 18(5), 437-441.

Fenollar, O., Garcia, D., Sanchez, L., Lopez, J., & Balart, R. (2009). Optimization of the curing conditions of PVC plastisols based on the use of an epoxidized fatty acid ester plasticizer. *European Polymer Journal*, 45(9), 2674-2684.

Ferm, D. J., & Shen, K. K. (1997). The effect of zinc borate in combination with ammonium octamolybdate or zinc stannate on smoke suppression in flexible PVC. *Journal of Vinyl & Additive Technology*, 3(1), 33-41.

Fox, T. G. (1956). Influence of diluent and of copolymer composition on the glass temperature of a polymer system. *Bulletin of the American Physics Society*, 1, 123-125.

Fritzsche, K., Lenz, R. W., & Fuller, R. C. (1990a). Bacterial polyesters containing branched poly( $\beta$ -hydroxyalkanoate) units. *International Journal of Biological Macromolecules*, 12(2), 92-101.

Fritzsche, K., Lenz, R. W., & Fuller, R. C. (1990b). An unusual bacterial polyester with a phenyl pendant group. *Die Makromolekulare Chemie*, 191(8), 1957-1965.

Gagnon, K. D., Lenz, R. W., Farris, R. J., & Fuller, R. C. (1992). Crystallization behavior and its influence on the mechanical properties of a thermoplastic elastomer produced by *Pseudomonas oleovorans*. *Macromolecules*, 25(14), 3723-3728.

Geil, P. H. (1977). Morphology-characterization terminology. *Journal of Macromolecular Science, Part B*, 14(1), 171-171.

George, S., Neelakantan, N. R., Varughese, K. T., & Thomas, S. (1997). Dynamic mechanical properties of isotactic polypropylene/nitrile rubber blends: Effects of blend ratio, reactive compatibilization, and dynamic vulcanization. *Journal of Polymer Science Part B: Polymer Physics*, 35(14), 2309-2327.

Gonzalez, A., Irusta, L., Fernández-Berridi, M. J., Iriarte, M., & Iruin, J. J. (2005). Application of pyrolysis/gas chromatography/Fourier transform infrared spectroscopy and TGA techniques in the study of thermal degradation of poly (3-hydroxybutyrate). *Polymer Degradation & Stability*, 87(2), 347-354.

Gordon, M., & Taylor, J. S. (1952). Ideal copolymers and the second-order transitions of synthetic rubbers. i. non-crystalline copolymers. *Journal of Applied Chemistry*, 2(9), 493-500.

Graham, P. R. (1973). Phthalate Ester Plasticizers. Why and How They Are Used [Electronic Version]. Retrieved from <http://www.mindfully.org/Plastic/Phthalate-Ester-Plasticizers.htm>

Grassie, N., Murray, E. J., & Holmes, P. A. (1984). The thermal degradation of poly(-d)-β-hydroxybutyric acid): Part 3-The reaction mechanism. *Polymer Degradation & Stability*, 6(3), 127-134.

Griffiths, P. R., & de Haseth, J. A. (2007). *Fourier Transform Infrared Spectrometry* (2nd ed.). New York: Wiley Interscience.

Havens, J. R., & Koenig, J. L. (1983). Applications of High-resolution Carbon-13 Nuclear Magnetic Resonance Spectroscopy to Solid Polymers. *Applied Spectroscopy*, 37(3), 226-249.

Hernández, R., Del Agua, J. A., Peña, J. J., & Santamaría, A. (1996). Viscoelastic features of molten blends of poly(vinyl chloride)/poly(ethylene-vinyl acetate). *Polymer Engineering & Science*, 36(20), 2570-2578.

Hernandez, R., Pena, J.J., Irusta, L., Santamaria, A. (2000). The effect of a miscible and an immiscible polymeric modifier on the mechanical and rheological properties of PVC. *European Polymer Journal* 36, 1011-1025.

Hickman, J. J., & Ikeda, R. M. (1973). Studies of polymer blends. I. Compatibility of poly(vinyl chloride) and poly(ethylene-co-vinyl acetate-co-sulfur dioxide). *Journal of Polymer Science: Polymer Physics Edition*, 11(9), 1713-1721.

Hiki, S., Miyamoto, M., & Kimura, Y. (2000). Synthesis and characterization of hydroxy-terminated [RS]-poly(3-hydroxybutyrate) and its utilization to block copolymerization with L-lactide to obtain a biodegradable thermoplastic elastomer. *Polymer*, 41(20), 7369-7379.

Hinshelwood, C. H. (1951). *The structure of physical chemistry*. Oxford: University Press.

Ho, Y. H., Gan, S. N., & Tan, I. K. P. (2002). Biodegradation of a Medium-Chain-Length Polyhydroxyalkanoate in Tropical River Water. *Applied Biochemistry & Biotechnology*, 103(1-3), 337-348.

Hobbs, S. Y., & Watkins, V. H. (2000). Morphology characterization by microscopy techniques. In D. R. Paul, & Bucknall, C. B (Ed.), *Polymer blends*. New York: John Wiley & Sons.

Huijberts, G. N. M., & Eggink, G. (1996). Production of poly(3-hydroxyalkanoates) by *Pseudomonas putida* KT2442 in continuous cultures. *Applied Microbiology & Biotechnology*, 46(3), 233-239.

Huijberts, G. N. M., Eggink, G., de Waard, P., Huisman, G. W., & Witholt, B. (1992). *Pseudomonas putida* KT2442 cultivated on glucose accumulates poly(3-hydroxyalkanoates) consisting of saturated and unsaturated monomers. *Applied & Environmental Microbiology*, 58(2), 536-544.

Huisman, G. W., de Leeuw, O., Eggink, G., & Witholt, B. (1989). Synthesis of poly-3-hydroxyalkanoates is a common feature of fluorescent pseudomonads. *Applied & Environmental Microbiology*, 55(8), 1949-1954.

Khanna, S., & Srivastava, A. K. (2005). Recent advances in microbial polyhydroxyalkanoates. *Process Biochemistry*, 40(2), 607-619.

Kim, Y. B., Lenz, R. W., & Clinton Fuller, R. (1992). Poly( $\beta$ -hydroxyalkanoate) copolymers containing brominated repeating units produced by *Pseudomonas oleovorans*. *Macromolecules*, 25(7), 1852-1857.

Kiska, D. L., & Gilligan, P. H. (1999). *Pseudomonas*. In P. R. Murray, E. J. Baron, M. A. Pfaller, F. C. Tenover, & R. H. Yolken (Ed.), *Manual of Clinical Microbiology* (7th ed.). Washington: American Society for Microbiology.

Koleske, J. V. (1969). *Polyvinyl chloride*. London: MacDonald Technical & Scientific Ltd.

Kopinke, F. D., Remmler, M., & Mackenzie, K. (1996). Thermal decomposition of biodegradable polyesters-I: Poly( $\beta$ -hydroxybutyric acid). *Polymer Degradation & Stability*, 52(1), 25-38.

Krauskopf, K. G., & Godwin, A (2005). Plasticizers. In C. E. Wilkes, C. A. Daniels, & J. W. Summers (Ed.), *PVC Handbook*. Munich: Hanser Publisher.

Kunioka, M., & Doi, Y. (1990). Thermal degradation of microbial copolymers: Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) and poly(3-hydroxybutyrate-co-4-hydroxybutyrate). *Macromolecules*, 23(7), 1933-1936.

Kwak, S. Y. (1995). Structural-Changes of PVC Plastisols in Progress of Gelation and Fusion as Investigated with Temperature-Dependent Viscoelasticity, Morphology, and Light-Scattering. *Journal of Applied Polymer Science*, 55(12), 1683-1690.

Lageveen, R. G., Huisman, G. W., Preusting, H., Ketelaar, P., Eggink, G., & Witholt, B. (1988). Formation of Polyesters by *Pseudomonas oleovorans*: Effect of Substrates on Formation and Composition of Poly-(R)-3-Hydroxyalkanoates and Poly-(R)-3-Hydroxyalkenoates. *Applied & Environmental Microbiology*, 54(12), 2924-2932.

Lauzier, C., Revol, J. F., Debzi, E. M., & Marchessault, R. H. (1994). Hydrolytic degradation of isolated poly(B-hydroxybutyrate) granules. *Polymer*, 35(19), 4156-4162.

Lawrence, S. S., Walia, P. S., Felker, F., & Willett, J. L. (2004). Starch-filled ternary polymer composites. II: Room temperature tensile properties. *Polymer Engineering & Science*, 44(10), 1839-1847.

Lee, J. Y., Choi, H. K., Shim, M. J., & Kim, S. W (1997). Estimation of cure rate for DGEBA/MDA/PGE-AcAm system by Kissinger expression. *Applied Chemistry*, 1, 714-717.

Lee, S. Y. (1996). Bacterial polyhydroxyalkanoates. *Biotechnology & Bioengineering*, 49(1), 1-14.

Lee, S. Y., Lee, Y., & Wang, F. (1999). Chiral compounds from bacterial polyesters: Sugars to plastics to fine chemicals. *Biotechnology & Bioengineering*, 65(3), 363-368.

Lehrle, R. S., & Williams, R. J. (1994). Thermal degradation of bacterial poly(hydroxybutyric acid): Mechanisms from the dependence of pyrolysis yields on sample thickness. *Macromolecules*, 27(14), 3782-3789.

Lieberman, E. P. (1962). Quantification of the hydrogen bonding parameter. *Official digest (Federation of Paint & Varnish Production Clubs)* 30-50.

Ligget, J. J., & O'Brien, G. (1999). US Patent: 5, 874,040.

Lim, S. P., Gan, S. N. & Tan, I. K. P. (2005). Degradation of medium-chain-length polyhydroxyalkanoates in tropical forest and mangrove soils. *Applied Biochemistry & Biotechnology*, 126(1), 23-33.

Lorenz, D. H. (Ed.) (1971) Encyclopedia of Polymer Science and Technology (Vols. 14). New York: Interscience.

Madison, L. L., & Huisman, G. W. (1999). Metabolic Engineering of Poly(3-Hydroxyalkanoates): From DNA to Plastic. *Microbiology & Molecular Biology Reviews*, 63(1), 21-53.

Maniatis, T., Fritsch, E. F., & Sambrook, J. (1982). *Molecular cloning: A laboratory manual*. Cold Spring Harbour Lab. 2nd ed. New York: Cold Spring Harbour.

Marchessault, R. H. (1996). Tender morsels for bacteria: recent developments in microbial polyesters. *Trends in Polymer Science*, 4, 163-168.

Marcilla, A., & Beltran, M. (1996a). Kinetic models for the thermal decomposition of commercial PVC resins and plasticizers studied by thermogravimetric analysis. *Polymer Degradation & Stability*, 53(2), 251-260.

Marcilla, A., & Beltran, M. (1996b). PVC-plasticizer interactions during the thermal decomposition of PVC plastisols. Influence of the type of plasticizer and resin. *Polymer Degradation & Stability*, 53(2), 261-268.

Marcilla, A., & Beltran, M. (2004). Mechanism of plasticizer action. In G. Wypych (Ed.), *Handbook of plasticizers*. Toronto: ChemTec Publishing.

Marcilla, A. Garcia, S., & Garcia-Quesada, J. C. (2004). Study of the migration of PVC plasticizers. *Journal of Analytical & Applied Pyrolysis*, 71(2), 457-463.

Mark, H. F., & Gaylord, N. G (Ed.) (1971) Encyclopedia of polymer science and technology, plastics, resins, rubbers, fibers. New York: Wiley-Interscience.

Marsudi, S., Tan, I. K. P., Gan, S. N., & Ramachandran, K. B. (2007). Production of medium chain length polyhydroxyalkanoates from oleic acid using *Pseudomonas putida* PGA1 by fed batch culture. *Makara Technology*, 11, 1-4.

Mazurin, O. V., & Gankin, Y. V (2007, July 1-6). *Glass transition temperature: problems of measurements and analysis of the existing data*. Paper presented at the International Congress on Glass, Strasbourg, France.

Menard, K. P. (1999). *Dynamic mechanical analysis: A practical introduction*. New York: CRC Press.

Menard, K. P. (2008). *Dynamic mechanical analysis: A practical introduction* (2nd ed.). New York: CRC Press.

Minsker, K. S. (1996). Principles of Poly(vinyl)chloride Stabilization. *International Journal of Polymeric Materials*, 33(3-4), 189-197.

Minsker, K. S., Kolesov, S. V., & Zaikov, G. E (1988). *Degradation and stabilization of vinyl chloride based polymers*. Oxford: Pergamon Press

Moorshead, T. C. (1962). Advances in PVC Compounding and Processing,. In M. Kaufman (Ed.). London: Maclarens & Sons.

Morikawa, H., & Marchessault, R. H. (1981). Pyrolysis of bacterial polyalkanoates. *Canadian Journal of Chemistry*, 59(15), 2306-2313.

Nakajima, N., & Ward, D. W. (1983). Gelation and fusion profiles of PVC dispersion resins in plastisols. *Journal of Applied Polymer Science*, 28(2), 807-822.

National Toxicology Program. (1982). *Carcinogenesis bioassay of di-(2-ethylhexyl) phthalate (CAS no. 117-81-7) in F344 rats and B6C3F mice (feed study)* (No. NTP Tech. Rep. Ser. TR no. 217)

Nguyen, S., Yu, G. E., & Marchessault, R. H. (2002). Thermal degradation of poly(3-hydroxyalkanoates): Preparation of well-defined oligomers. *Biomacromolecules*, 3(1), 219-224.

Nielsen, L. E., & Landel, R. F. (1994). *Mechanical properties of polymers and composites* (2nd ed.). New York: Marcel Dekker.

Oeding, V., & Schlegel, H. G. (1973). Beta-ketothiolase from Hydrogenomonas eutropha H16 and its signification in the regulation of poly-beta-hydroxybutyrate metabolism. *Biochemical Journal*, 134, 239-248.

Official Journal of the European Communities L 315/46 C.F.R. (9 December 1999).

Ojumu, T. V., Yu, J., & Solomon, B. O. (2004). Production of polyhydroxyalkanoates, a bacterial biodegradable polymer. *African Journal of Biotechnology*, 3(1), 18-24.

Olabisi, O., Robeson, L. M., & Shaw, M. T. (1979). *Polymer-polymer miscibility*. New York: Academic.

Pavia, D. L., Lampman, G. M., Kriz, G. S., & Vyvyan, J. R. (2009). *Introduction to spectroscopy* (4th ed.). Washington: Brooks/Cole.

Penzel, E., Rieger, J., & Schneider, H. A. (1997). The glass transition temperature of random copolymers: 1. Experimental data and the Gordon-Taylor equation. *Polymer*, 38(2), 325-337.

Perkin Elmer. *Introduction to Dynamic Mechanical Analysis (DMA). A beginner's guide*. Retrieved from [http://www.perkinelmer.com/CMSResources/Images/44-74546GDE\\_IntroductionToDMA.pdf](http://www.perkinelmer.com/CMSResources/Images/44-74546GDE_IntroductionToDMA.pdf)

Perkin Elmer. *Introduction to Dynamic Mechanical Analysis (3), ANASYS thermal methods consultancy*. Retrieved from <http://www.anasys.co.uk/library/dma3.htm>

Plastermart. (April 14, 2008). An overview of plasticizers and their effects on human health and environment [Electronic Version]. *Technical articles and reports on plastic industry*. Retrieved from <http://www.plastemart.com/upload/Literature/Plasticizers-and-concerns-of-their-effects-on-human-health-and-environment.asp>

Plastermart. (October 29, 2010). Capacity utilization of PVC will improve after global economic growth in 2011 [Electronic Version]. *Technical articles and reports on plastic industry*. Retrieved from <http://www.plastemart.com/Plastic-Technical-Article.asp?LiteratureID=1519>

Preusting, H., Nijenhuis, A., & Witholt, B. (1990). Physical characteristics of poly(3-hydroxyalkanoates) and poly(3-hydroxyalkenoates) produced by Pseudomonas oleovorans grown on aliphatic hydrocarbons. *Macromolecules*, 23(19), 4220-4224.

PVC Fact Book. (2008). (2nd ed.). Tokyo: Vinyl Environmental Council (VEC).

PVC Information Council. (March, 1995). *PVC Factsheet No. 2.* (European Council of Vinyl Manufacturers)

PVC SPEC. *Quality Standard: GB/T 5761-93.*

Radhakrishnan Nair, M. N., Thomas, G. V., & Gopinathan Nair, M. R. (2007). Thermogravimetric analysis of PVC/ELNR blends. *Polymer Degradation & Stability*, 92(2), 189-196.

Rajendran, S., Ramesh Prabhu, M., & Usha Rani, M (2008). Characterization of PVC/PEMA based polymer blend electrolytes. *International Journal of Electrochemical Science*, 3, 282-290.

Reddy, C. S. K., Ghai, R., Rashmi, & Kalia, V. C. (2003). Polyhydroxyalkanoates: an overview. *Bioresource Technology*, 87(2), 137-146.

Reeve, M. S., McCarthy, S. P., & Gross, R. A. (1993). Preparation and characterization of (R)-poly(.beta.-hydroxybutyrate)-poly(.epsilon.-caprolactone) and (R)-poly(.beta.-hydroxybutyrate)-poly(lactide) degradable diblock copolymers. *Macromolecules*, 26(5), 888-894.

Rehm, B. H. A. (2003). Polyester synthases: natural catalyst for plastics. *Biochemical Journal* 376, 15-33.

Rugen, D. F., & Dickason, A.F. (1981). US Patent: 4,294,742.

Saeki, K. (2000). Development of PVC production technology. *Kagaku Keizai* 47(13), 78-86.

Salehizadeh, H., & Van Loosdrecht, M. C. M. (2004). Production of polyhydroxyalkanoates by mixed culture: recent trends and biotechnological importance. *Biotechnology Advances*, 22(3), 261-279.

Scott, R. L. (1949). The Thermodynamics of High Polymer Solutions. V. Phase Equilibria in the Ternary System: Polymer 1---Polymer 2---Solvent. *The Journal of Chemical Physics*, 17(3), 279-284.

Sears, J. K., & Darby, J. R (1982). *The technology of plasticizers.* New York: John Wiley & Sons.

Senichev, V. Y., & Tereshatov, V. V. (2004). Theories of compatibility. In G. Wypych (Ed.), *Handbook of plasticizers.* Toronto: ChemTec Publishing.

Shea, K. M. (2003). Pediatric Exposure and Potential Toxicity of Phthalate Plasticizers. *Pediatrics*, 111(6), 1467-1474.

Sin, L. F. (1998). Characterization of materials using thermal analysis techniques. In S. Radhakrishna, & A. K. Arof (Ed.), *Polymeric materials*. New Delhi: Narosa Publishing House.

Slark, A. T. (1997). The effect of intermolecular forces on the glass transition of solute-polymer blends: 2. Extension to different solutes. *Polymer*, 38(17), 4477-4483.

Steinbüchel, A., & Valentin, H. E. (1995). Diversity of bacterial polyhydroxyalkanoic acids. *FEMS Microbiology Letters*, 128(3), 219-228.

Stephan, A. M., Kumar, T. P., Renganathan, N. G., Pitchumani, S., Thirunakaran, R., & Muniyandi, N. (2000). Ionic conductivity and FT-IR studies on plasticized PVC/PMMA blend polymer electrolytes. *Journal of Power Sources*, 89(1), 80-87.

Sudesh, K., Abe, H., & Doi, Y. (2000). Synthesis, structure and properties of polyhydroxyalkanoates: biological polyesters. *Progress in Polymer Science*, 25(10), 1503-1555.

Suzuki, T., Yamane, T., & Shimizu, S. (1986). Kinetics and effect of nitrogen source feeding on production of poly-B-hydroxybutyric acid by fed-batch culture. *Applied Microbiology & Biotechnology*, 24(5), 366-369.

Tabb, D. L., Koenig, J. L., & Coleman, M. M. (1975). Infrared spectroscopic evidence of structural defects in the crystalline regions of trans-1,4-polychloroprene. *Journal of Polymer Science: Polymer Physics Edition*, 13(6), 1145-1158.

Tai, H. J. (1999). Processing and properties of high-temperature creep-resistant PVC plastisols. *Polymer Engineering & Science*, 39(7), 1320-1327.

Tan, I. K. P., Sudesh Kumar, K., Theanmalar, M., Gan, S. N., & Gordon III, B. (1997). Saponified palm kernel oil and its major free fatty acids as carbon substrates for the production of polyhydroxyalkanoates in *Pseudomonas putida* PGA1. *Applied Microbiology & Biotechnology*, 47(3), 207-211.

Tawfik, S. Y., Asaad, J. N., & Sabaa, M. W. (2006). Thermal and mechanical behaviour of flexible poly(vinyl chloride) mixed with some saturated polyesters. *Polymer Degradation and Stability*, 91(2), 385-392.

Teoh, W. B. (1998). Infrared studies of polymers. In S. Radhakrishna, & Arof, A. K. (Ed.), *Polymeric materials*. New Delhi: Narosa Publishing House.

Third National Report on Human Exposure to Environmental Chemicals. (July, 2005). Atlanta: Department of Health & Human Services (CDC, U. S.)

Thomas, S., & George, A. (1992). Dynamic mechanical properties of thermoplastic elastomers from blends of polypropylene with copolymers of ethylene with vinyl acetate. *European Polymer Journal*, 28(11), 1451-1458.

Timm, A., & Steinbuchel, A. (1990). Formation of polyesters consisting of medium-chain-length 3-hydroxyalkanoic acids from gluconate by *Pseudomonas aeruginosa* and other fluorescent pseudomonads. *Applied & Environmental Microbiology*, 56(11), 3360-3367.

Tobolsky, A. V. (1960). *Properties and structure of polymers*. New York: Wiley.

Turi, E. A. (1997). *Thermal characterization of polymeric materials* (2nd ed.). San Diego: Academic Press.

van der Walle, G. A., de Koning, G. J., Weusthuis, R. A., & Eggink, G. (2001). Properties, modifications and applications of biopolymers. *Advances in Biochemical Engineering/Biotechnology*, 71, 263-291.

Varughese, K. T., Nando, G. B., De, P. P., & De, S. K. (1988). Miscible blends from rigid poly(vinyl chloride) and epoxidized natural rubber. *Journal of Materials Science*, 23(11), 3894-3902.

Verlinden, R. A. J., Hill, D. J., Kenward, M. A., Williams, C. D., & Radecka, I. (2007). Bacterial synthesis of biodegradable polyhydroxyalkanoates. *Journal of Applied Microbiology*, 102(6), 1437-1449.

Vilics, T., Schneider, H. A., Manoviciu, V., & Manoviciu, I. (1997). A new approach to PVC-plasticizer interaction by using a  $T_g$  concentration power equation. *Polymer*, 38(8), 1865-1870.

Walsh, D. J., Higgins, J. S., & Zhikuan, C. (1982). The compatibility of poly(methyl methacrylate) and chlorinated polyethylene. *Polymer*, 23(3), 336-339.

Wang, J. G., & Bakken, L. R. (1998). Screening of soil bacteria for poly- $\beta$ -hydroxybutyric acid production and its role in the survival of starvation. *Microbial Ecology*, 35(1), 94-101.

Williams, S. F., & Peoples, O.P (1996). Biodegradable plastics from plants. *Chemtechnology*, 26, 38-44.

Wypych, G. (2004). *Handbook of plasticizers*. Toronto: ChemTech Publishing

Wypych, G. (2008). *PVC degradation and stabilization* (2nd ed.). Toronto: ChemTec Publishing.

Wypych, J. (1985). *Polyvinyl chloride degradation*. Amsterdam: Elseveir.

Zakrzewski, G. A. (1973). Investigation of the compatibility of butadiene-acrylonitrile copolymers with poly(vinyl chloride). *Polymer*, 14(8), 347-351.

Zhang, L., Deng, X., & Huang, Z. (1997). Miscibility, thermal behaviour and morphological structure of poly(3-hydroxybutyrate) and ethyl cellulose binary blends. *Polymer*, 38(21), 5379-5387.

Zlatkevich, L. (1973). Dependence of the Glass Transition Temperature on the Composition of Elastomer Mixtures. *Rubber Chemistry & Technology*, 46(5), 1210.