

LITERATURE CITED

- Aastrup S, Outrup H and Erdal K (1984). Location of the proanthocyanidins in the barley grain. Carlsberg Research Communications (49): 105 – 109
- Abul-Fadl MAM (1948). Colorimetric determination of potassium by Folin-Ciocalteu phenol reagent. Biochemical Journal 44: 282 – 285
- Ackerly DD, Dudley SA, Sultan SE, Schmitt J, Coleman JS, Linder CR, Sandquist DR, Geber MA, Evans AS, Dawson TE and Lechowicz MJ (2000). The evolution of plant ecophysiological traits: Recent advances and future directions. BioScience 50 (11): 979 - 995
- Ainasoja M (2008). Secondary metabolites in *Gerbera hybrida*. *Dissertation*. Helsinki University Printing House
- Alam SQ (1971). Inositol. V. Occurrence. *In*: The Vitamins: Chemistry, physiology, pathology, methods. New York: Academic Press, vol. III, pp. 363 – 367
- Albero B, Sanchez-Brunete C and Tadeo JL (2003). Determination of organophosphorus pesticides in fruit juices by matrix solid-phase dispersion and gas chromatography. Journal of Agricultural and Food Chemistry 51: 6915 – 6921
- Ansari MT, Iqbal Z and Ahmad B (1997). Organochlorine pesticide residues in human blood in the population of Multan (Pakistan). Pakistan Journal Pharmaceutical Sciences 10 (1): 19 – 28
- Arunachalam M, Raj MM, Mohan N and Mahadevan A (2003). Biodegradation of catechin. Proceedings of the Indian National Science Academy 69 (4): 353 – 370
- Aruoma OI (1998). Free radicals, oxidative stress and antioxidants in human health and disease. Journals of American Oil Chemists' Society 75 : 199 – 212
- Asplund K (2002). Antioxidant vitamins in the prevention of cardiovascular disease: A systematic review. Journal of Internal Medicine 251: 372 – 392
- Astbury WT (1961). Molecular biology or ultrastructural biology? Nature 190 (4781): 1124
- Bae SH and Suh HJ (2007). Antioxidant activities of five different mulberry cultivars in Korea. Swiss Society of Food Science and Technology 40: 955 – 962
- Baeyens F, Vansteenkiste D, De Houwer J and Crombez G (1996). Observational conditioning of food valence in humans. Appetite 27: 235 – 250
- Baldauf SL (2003). The Deep Roots of Eukaryotes. Science 300 (5626): 1703 – 1706
- Barcenas RT, Yesson CJ and Hawkins JA (2010). Molecular systematics of the Cactaceae. Unpublished. Submitted to GenBank on 30 June 2010. Accession Number FN997254
- Barros L, Ferreira MJ, Queiro B, Ferreira ICFR and Baptista P (2007). Total phenols, ascorbic acid, β-carotene and lycopene in Portuguese wild edible mushrooms and their antioxidant activities. Food Chemistry 103: 413 – 419

Bartos D and Görög S (2008). Recent advances in the impurity profiling of drugs. Current Pharmaceutical Analysis 4: 215 – 230

Becker K, Seiwert M, Angerer J, Kolossa-Gehring M, Hoppe HW, Ball M, Schulz C, Thumulla J and Seifert B (2006). GerES IV pilot study: Assessment of the exposure of German children to organophosphorus and pyrethroid pesticides. International Journal of Hygiene and Environmental Health 209: 221 – 233

Becker-Andre M (1991). Quantitative evaluation of mRNA levels. Methods in Molecular and Cellular Biology 2: 189 – 201

Benbrook CM (2005). Elevating antioxidant levels in food through organic farming and food processing. An Organic Center State of Science Review. The Organic Center for Education and Promotion

Benzie IFF and Szeto YT (1999). Total antioxidant capacity of teas by the ferric reducing/Antioxidant power assay. Journal of Agricultural and Food Chemistry 47: 633 – 636

Bettinelli M, Beone GM, Spezia S and Baffi C (2000). Determination of heavy metals in soils and sediments by microwave-assisted digestion and inductively coupled plasma optical emission spectrometry analysis. Analytica Chimica Acta 424: 289 – 296

Bingöl M, Yentür G, Er B and Öktem AB (2010). Determination of some heavy metal levels in soft drinks from Turkey using ICP/OES method. Czech Journal of Food Science 28: 213 – 216

Blench R (2007). History of fruits in the East Asia/ Pacific region. Proceeding in the 11th International Conference of the European Association of Southeast Asian Archaeologists, Bougon, France, 25–30 September 2006

Bode HB and Muller R (2003). Possibility of bacterial recruitment of plant genes associated with the biosynthesis of secondary metabolites. Plant Physiology 132: 1153 – 1161

Boening DW (2000). Ecological effects, transport, and fate of mercury: A general review. Chemosphere 40: 1335 – 1351

Bourne Y, Astoul CH, Zamboni V, Peumans WJ, Menu-Bouaouiche L, Van Damme EJM, Barre A and Rouge P (2002). Structural basis for the unusual carbohydrate-binding specificity of jacalin towards galactose and mannose. Biochemical Journal 364: 173 – 180

Bozack A (2006). Effect of organic and conventional farming practices on quercetin content in spinach, *Spinacia oleracea*.

<http://socrates.berkeley.edu/~es196/projects/2006final/bozack.pdf>

Bragg WH (1921). The structure of organic crystals. Proceedings of the Royal Society London 34: 33.

Bragg WH and Bragg WL (1913). The structure of the diamond. Nature 91 (2283): 557

Bremer B and Manen JF (2000). Phylogeny and classification of the subfamily Rubioideae (Rubiaceae). *Plant Systematics and Evolution* 225: 43 – 72

Brex PA, Gomez-Anson B, Parker GJ, Molyneux PD, Miszkiel KA, Barker GJ, MacManus DG, Davie CA, Plant GT and Mille DH (1999). Proton MR spectroscopy in clinically isolated syndromes suggestive of multiple sclerosis. *Journal of Neurological Sciences* 166: 16 – 22

Bridle P and Timberlake CF (1997). Anthocyanins as natural food colours-selected aspects. *Food Chemistry* 58: 103 – 109

Britton NL and Rose JN (1963). *The Cactaceas: Description and illustration of plants of the cactus family*, Volumes 1 and 2. Dover, New York

Brizuela M, Montenegro T, Carjuzaa P and Maldonado S (2007). Insolubilization of potassium chloride crystals in *Tradescantia pallida*. *Protoplasma* 231: 145 – 149

Building Antibodies and Neutralizing Toxins (BANT) Practitioners. Artificial (chemical) food dyes in your food and cosmetics. <http://www.bantpractitioners.com/PDFs/Food%20Dyes.pdf> Retrieved on 27 June 2009

Cai YZ, Luo Q, Sun M and Corke H (2004). Antioxidant activity and phenolic compounds of 112 traditional Chinese medicinal plants associated with anticancer. *Life Science* 74: 2157 – 2184

Cai YZ, Sun M and Corke H (2003). Antioxidant activity of betalains from plants of the Amaranthaceae. *Journal of Agricultural and Food Chemistry* 51: 2288 – 2294

Cai YZ, Xing J, Sun M and Corke H (2006). Rapid identification of betacyanins from *Amaranthus tricolor*, *Gomphrena globosa*, and *Hylocereus polyrhizus* by matrix-assisted laser desorption/ionization quadrupole ion trap time-of-flight mass spectrometry (MALDI-QIT-TOF MS). *Journal of Agricultural and Food Chemistry* 54 (18): 6520 – 6526

Castellar MR, Obón J, Alacid M, and Fernández-López JA (2003). Color properties and stability of betacyanins from *Opuntia* fruits. *Journal of Agricultural and Food Chemistry* 51: 2772 – 2776

Cerutti S, Silva MF, Ga'squez JA, Olsina RA and Martinez LD (2003). On-line preconcentration/determination of cadmium in drinking water on activated carbon using 8-hydroxyquinoline in a flow injection system coupled to an inductively coupled plasma optical emission spectrometer. *Spectrochimica Acta Part B* 58: 43 – 50

Chavan UD, Shahidi F and Naczk M (2001). Extraction of condensed tannins from beach pea (*Lathyrus maritimus* L.) as affected by different solvents. *Food Chemistry* 75: 509 – 512

Chelly J, Kaplan JC, Maire P, Gautron S and Kahn A (1988). Transcription of the dystrophin gene in human muscle and non-muscle tissue. *Nature* 333: 858 – 860

Cheng HY and Chou CC (2001). Acid adaptation and temperature effect on the survival of *E. coli* O157:H7 in acidic fruit juice and lactic fermented milk product. International Journal of Food Microbiology 70: 189 – 195

Cheryan M and Alvarez JR (1995). Food and beverage industry application. In RD Noble and SA Stern, Membrane separation technology principles and applications (pp. 443 - 465). London: Elsevier

Chobot V, Huber C, Trettenhahn G and Hadacek F (2009). (\pm)-Catechin: Chemical Weapon, Antioxidant, or Stress Regulator? Journal of Chemical Ecology 35: 980 – 996

Christinet L, Burdet FX, Zaiko M, Hinz U and Zryd JP (2004). Characterization and functional identification of a novel plant 4,5-extradiol dioxygenase involved in betalain pigment biosynthesis in *Portulaca grandiflora*. Plant Physiology 134: 265 – 274

Chu HM, Ko TP and Wang AHJ (2010). Crystal structure and substrate specificity of plant adenylate isopentenyltransferase from *Humulus lupulus*: distinctive binding affinity for purine and pyrimidine nucleotides. Nucleic Acids Research 38 (5): 1738 – 1748

Cinquanta L, Di Matteo M and Esti M (2002). Physical pre-treatment of plums (*Prunus domestica*). Part 2. Effect on the quality characteristics of different prune cultivars. Food Chemistry 79: 233 – 238

Clements RSJ and Darnell B (1980). *Myo*-inositol content of common foods: Development of a high-*myo*-inositol diet. The American Journal of Clinical Nutrition 33: 1954 – 1967

Clements RSJ and Reynertson R (1977). *Myo*-inositol metabolism in diabetes mellitus. Effect of insulin treatment. Diabetes March 26 (3): 215 – 221

Cohen SS (1942). The isolation and crystallization of plant viruses and other protein macro molecules by means of hydrophilic colloids. The Journal of Biological Chemistry 144: 353 – 363

Connor AM, Luby JJ, Hancock JF, Berkheimer S and Hanson EJ (2002). Changes in fruit antioxidant activity among blueberry cultivars during cold-temperature storage. Journal of Agricultural and Food Chemistry 50: 893 – 898

Cordell GA and Colvard MD (2012). Natural products and traditional medicine: Turning on a paradigm. Journal of Natural Products (in press, published on 10 January 2012). doi: 10.1021/np200803m

Cotelle N (2001). Role of flavonoids in oxidative stress. Current Topics in Medicinal Chemistry 1: 569 – 590

Crane JH and Balerdi CF (2005). Pitaya growing in the Florida home landscape. The Horticultural Sciences Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. HS1068

Cue'Noud P, Savolainen V, Chatrou LW, Powell M, Grayer REJ and Chase MW (2002). Molecular phylogenetics of caryophyllales based on nuclear 18s rDNA and plastid *rbcl*, *atpb*, and *matk* DNA sequences. American Journal of Botany 89 (1): 132 –144

Dai J and Mumper RJ (2010). Plant phenolics: extraction, analysis and their antioxidant and anticancer properties. Molecules 15: 7313 – 7352

Dams R and Huestis MA (2003). Matrix effect in bio-analysis of illicit drugs with LC-MS/MS: Influence of ionization type, sample preparation, and biofluid. Journal of the American Society for Mass Spectrometry 14: 1290 – 1294

Das A and Mukherjee A (2004). Genotoxicity testing of the food colours amaranth and tartrazine. International Journal of Human Genetics 4 (4): 277 – 280

de Jong WHA, de Vries EGE and Kema IP (2011). Current status and future developments of LC-MS/MS in clinical chemistry for quantification of biogenic amines. Clinical Biochemistry 44: 95 – 103

Delgado-Vargas F and Paredes-Lopez O (2003). Natural colorants for food and nutraceutical uses. CRC Press LLC. ISBN 1-58716-076-5

Delgado-Vargas F, Jimenez AR and Paredes-Lopez O (2000). Natural pigments: Carotenoids, anthocyanins and betalains – Characteristics, biosynthesis, processing and stability. Critical Reviews in Food Science and Nutrition 40 (3): 173 – 289

Demain A (1999). Pharmaceutically active secondary metabolites of microorganisms. Applied Microbiology Biotechnology 52: 455 – 463

Demirbas A (2000). Accumulation of heavy metals in some edible mushrooms from Turkey. Food Chemistry 68: 415 – 419

Demmig-Adams B and Adams WW (2002). Antioxidants in photosynthesis and human nutrition. Science 298: 2149 – 2153

Department of Agriculture, Malaysia (2008). <http://www.doa.gov.my/statistik/buah03-08.htm>

Deranieh RM and Greenberg ML (2009). Cellular consequences of inositol depletion. Biochemical Society Transactions 37: 1099 – 1103

Downham A and Collins P (2000). Colouring our foods in the last and next millennium. International Journal of Food Science and Technology 35: 5 – 22

Downie SR, Katz-Downie DS and Cho KJ (1996). Phylogenetic analysis of Apiaceae subfamily Apioideae using nucleotide sequences from the chloroplast *rpoC1* intron. Molecular Phylogenetics and Evolution 6: 1 – 18

Downie SR, Olmstead RG, Zurawski G, Soltis DE, Soltis PS, Watson JC and Palmer JD (1991). 6 independent losses of the chloroplast DNA *rpl2* intron in dicotyledons—molecular and phylogenetic implications. Evolution 45: 1245 – 1259

Dyes and Pigments. <http://www.dyespigments.com/global-dyestuff-industry.html>

Egan H and Roburn J (1965). Organo-chlorine pesticide residues in human fat and human milk. British Medical Journal 2: 66 – 69

Ehrendorfer F (1976). Closing remarks: systematics and evolution of centrospermous families. Plant Systematics and Evolution 126: 99 – 106

Elobeidy AA (2004). Introducing and growing some fruiting columnar cacti in a new arid environment. Journal of Fruit and Ornamental Plant Research 12: 127-136

Eloff JN and Rosemann M (2009). LC-MS-MS can distinguish between toxic and non-toxic pyrrolizidine alkaloids in plants. Scientia Pharmaceutica 77: 173

Elvira GM, Chandra S, MarcoVinicio RM and Wenyi W (2006). Catalytic inhibition of human DNA topoisomerase by phenolic compounds in *Ardisia compressa* extracts and their effect on human colon cancer cells. Food and Chemical Toxicology 44: 1191 – 1203

Eskenazi B, Bradman A and Castorina R (1999). Exposures of children to organophosphate pesticides and their potential adverse health effects. Environmental Health Perspectives 107 (3): 409 – 419

Esquivel P, Stintzing FC and Carle R (2007). Pigment pattern and expression of colour in fruits from different *Hylocereus* sp. genotypes. Innovative Food Science and Emerging Technologies 8: 451 – 457

Eulogio PB, Noble PS, Celia RM, Lucila MM, Enrique PB and Enrico YG (1997). Ethnobotany, productivity, and ecophysiology of pitaya (*Stenocereus queretaroensis*). Journal of the Professional Association for Cactus Development 2: 29 - 47

Ewald PP (1960). Max von Laue, 1879 – 1960. Acta Crystallographica 13 (7): 513 – 515

Faried A, Kurnia D, Faried LS, Usman N, Miyazaki T, Kato H and Kuwano H (2007). Anticancer effects of gallic acid isolated from Indonesian herbal medicine, *Phaleria macrocarpa* (Scheff.) Boerl, on human cancer cell lines. International Journal Of Oncology 30: 605 – 613

Farooq U, Kozinski JA, Khan MA and Athar M (2010). Biosorption of heavy metal ions using wheat based biosorbents – A review of the recent literature. Bioresource Technology 101: 5043 – 5053

FDA (US Food and Drug Administration). Accessed on 18 November 2012
<http://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/FoodAdvisoryCommittee/UCM248549.pdf>

Ferrati AR, Tavolaro P, Destro MT, Landgraf M and Franco BDGM (2005). A comparison of ready-to-use systems for evaluating the microbiological quality of acidic fruit juices using non-pasteurized orange juice as an experimental model. International Microbiology 8: 49 – 53

Ferreira ESB, Hulme AN, McNab H and Quye A (2004). The natural constituents of historical textile dyes. *Chemical Society Reviews* 33: 329 – 336

Folin O and Ciocalteu V (1927). On tyrosine and tryptophane determinations in proteins. *The Journal of Biological Chemistry* 73: 627 – 650

Foo LY, Lu Y, McNabb WC, Waghorn GC and Ulyatt MJ (1997). Proanthocyanidins from *Lotus pedunculatus*. *Phytochemistry* 45: 1689 – 1696

Ford CM, Boss PK and Hoj PB (1998). Cloning and characterization of *Vitis vinifera* UDP-glucose: flavonoid 3-Oglucosyltransferase, a homologue of the enzyme encoded by the maize Bronze-1 locus that may primarily serve to glycosylate anthocyanidins in vivo. *Journal of Biological Chemistry* 273: 9224 – 9233

Ford CM and Hoj PB (1998). Multiple glucosyltransferase activities in the grapevine *Vitis vinifera* L. *Australian Journal of Grape and Wine Research*. 4: 48 – 58

Franklin R and Gosling RG (1953). Evidence for 2-Chain helix in crystalline structure of sodium deoxyribonucleate. *Nature* 172: 156 – 157

Fux M, Levine J, Aviv A and Belmaker RH (1996). Inositol treatment of obsessive-compulsive disorder. *The American Journal of Psychiatry* 153: 1219 – 1221

Gandia-Herrero F, Escribano J and Garcia-Carmona (2005). Betaxanthins as substrates for tyrosinase. An approach to the role of tyrosinase in the biosynthetic pathway of betalains. *Plant Physiology* 138: 421 – 432

Gao T, Sun Z, Yao H, Song J, Zhu Y, Ma X and Chen S (2011). Identification of Fabaceae plants using the DNA barcode matK. *Planta Med* 77: 92 – 94

Garcia-Falcon MS and Simal-Gandara J (2005). Determination of food dyes in soft drinks containing natural pigments by liquid chromatography with minimal clean-up. *Food Control* 16: 293 – 297

Ge'san G, Daufin G and Merin U (1995). Performance of whey crossflow microfiltration during transient and stationary operating conditions. *Journal of Membrane Science* 104: 271 – 281

Giordano D, Corrado F, Santamaria A, Quattrone S, Pintaudi B, di Benedetto A and D'Anna R (2011). Effects of myo-inositol supplementation in postmenopausal women with metabolic syndrome: A perspective, randomized, placebo-controlled study. *Menopause* 18 (1): 102 – 104

Giusti MM and Wrolstad RE (2001). Characaterization and measurement of anthocyanins by UV-visible spectroscopy. *Current protocols in food analytical chemistry*. New York : Wiley.

Godt J, Scheidig F, Grosse-Siestrup C, Esche V, Brandenburg P, Reich A and Groneberg DA (2006). The toxicity of cadmium and resulting hazards for human health. *Journal of Occupational Medicine and Toxicology* 1: 1 – 6

Gökmen V, Artık N, Acar J, Kahraman N and Poyrazoglu E (2001). Effects of various clarification treatments on patulin, phenolic compound and organic acid compositions of apple juice. *European Food Research Technology* 213: 194 – 199

Gong Z, Yamazaki M, Sugiyama M, Tanaka Y and Saito K (1997). Cloning and molecular analysis of the structural genes involved in anthocyanin biosynthesis and expressed in a formaspecific manner in *Perilla frutescens*. *Plant Molecular Biology* 35: 915 – 927

Goossens A, Häkkinen ST, Laakso I, Oksman-Caldentey KM and Inzé D (2003). Secretion of secondary metabolites by ATP-binding cassette transporters in plant cell suspension cultures. *Plant Physiology* 131: 1161 – 1164

Grotewold E (2006). The genetics and biochemistry of floral pigments. *Annual Review of Plant Biology* 57: 761 – 780

Gunasena HOM, Pushpakumara DKNG and Kariyawasam M (2007). Dragon fruit (*Hylocereus undatus* (Haw.) Britton and Rose. Chapter 4, Page 110 - 141 IN Pushpakumara DKNG, Gunasena HPM and Singh VP (2007) (eds). Underutilized fruit trees in Sri Lanka. Volume 1. World Agroforestry Centre, South Asia Office, New Delhi, India

Hagerman AE, Rice ME and Richard NT (1998). Mechanisms of protein precipitation for two tannins, pentagolloyl glucose and epicatechin₁₆ (4->8) catechin (procyanidin). *Journal of Agricultural and Food Chemistry* 46: 2590 – 2595

Harborne JB, ed (1988) The Flavonoids, Advances in Research Since 1980, Academic Press, New York

Harivaindaran KV, Rebecca OPS, Chandran S (2008). Study of optimal temperature, pH and stability of dragon fruit (*Hylocereus polyrhizus*) peel for use as potential natural colorant. *Pakistan Journal of Biological Sciences* 11(18): 2259 – 2263

Harwood AJ (2005). Lithium and bipolar mood disorder: The inositol-depletion hypothesis revisited. *Molecular Psychiatry* 10: 117 – 126

He Y, Zhijuan Ji Z and Li S (2007). Effective clarification of apple juice using membrane filtration without enzyme and pasteurization pretreatment. *Separation and Purification Technology* 57: 366 – 373

Hendry GAF (1996). Natural pigments in biology. In. GAF Hendry and JD Houghton (Eds.), Natural food colorants. 1 – 39. Chapman & Hall, New York.

Herbach KM, Maier C, Stintzing FC and Carle R (2007). Effects of processing and storage on juice colour and betacyanin stability of purple pitaya (*Hylocereus polyrhizus*) juice. *European Food Research Technology* 224: 649 – 658

Herbach KM, Rohe M, Stintzing FC and Carle R (2006a). Structural and chromatic stability of purple pitaya (*Hylocereus polyrhizus* [Weber] Britton & Rose) betacyanins as affected by the juice matrix and selected additives. *Food Research International* 39: 667 – 677

Herbach KM, Stintzing FC and Carle R (2006b). Betalain stability and degradation – Structural and chromatic aspects. *Journal of Food Science* 71: 41 – 50

Herbach KM, Stintzing FC and Carle R (2006c). Stability and color changes of thermally treated betanin, phyllocaclin and hylocerenin solutions. *Journal of Agricultural and Food Chemistry* 54: 390 – 398

Herbach KM, Stintzing FC and Carle R (2004). Thermal degradation of betacyanins in juices from purple pitaya [*Hylocereus polyrhizus* (Weber) Britton & Rose] monitored by high-performance liquid chromatography-tandem mass spectrometric analyses. *European Food Research Technology* 219: 377 – 385

Herrmann KM (1995). The shikimate pathway: Early steps in the biosynthesis of aromatic compounds. *The Plant Cell* 7: 907 – 919

Heuer S and Strack D (1992). Synthesis of betanin from betanidin by a protein press from cell cultures of *Dorotheanthus bellidiformis* (Burm.f.) N.E.Br. *Planta* 186: 626 – 628

Heuer S, Vogt T, Bohm H and Strack D (1996). Partial purification and characterization of UDP-glucose: betanidin-5-O- and 6-O-glucosyltransferases from cell cultures of *Dorotheanthus bellidiformis* (Burm.f.) N.E.Br. *Planta* 199: 244 – 250

Higuchi R, Dollinger G, Walsh PS and Griffith R (1992). Simultaneous amplification and detection of specific DNA sequences. *Biotechnology* 10: 413 – 417

Hilu KW and Liang H (1997). The *matK* gene: sequence variation and application in plant systematic. *America Journal of Botany* 84 (6): 830 – 839

Hofmann E, Zerbe P and Schaller F (2006). The crystal structure of *Arabidopsis thaliana* allene oxide cyclase: Insights into the oxylipin cyclization reaction. *The Plant Cell* 18: 3201 – 3217

Huang AS and von Elbe JH (1985). Kinetics of the degradation and regeneration of betanine. *Journal of Food Science* 50: 1115 – 1120

Hughes J and Hughes MA (1994). Multiple secondary plant product UDP-glucose glucosyltransferase genes expressed in cassava. *DNA Sequence* 5: 41 – 49

Hunkapiller T, Kaiser RJ, Koop BF and Hood L (1991). Large-scale and automated DNA sequence determination. *Science* 254 (5028): 59 – 67

Jackman RL and Smith JL (1996). Anthocyanins and betalains. *In* Natural Food Colorants, 2nd ed. (GAF Hendry and JD Houghton, eds.) pp. 244 - 309. Blackie and Son, Ltd., London

Jacquier A (1996). Group II introns: elaborate ribozymes. *Biochimie* 78: 474 – 487

Jaga K and Dharmani C (2003). Sources of exposure to and public health implications of organophosphate pesticides. *Revista Panamericana De Salud Pública/Pan American Journal of Public Health* 14 (3): 171 – 185

Jain CK and Ali I (2000). Arsenic: Occurrence, toxicity and speciation techniques. *Water Research* 34 (17): 4304 – 4312

Jensen RA (1986) Tyrosine and phenylalanine biosynthesis; relationship between alternative pathways, regulation and subcellular location. In Conn ED (Ed) *Recent Advances in Phytochemistry*, Vol 20, The Shikimic Acid Pathway, Plenum Press

Johansson K, El-Ahmad M, Friemann R, Jornvall H, Markovic O and Eklund H (2002). Crystal structure of plant pectin methylesterase. *FEBS Letters* 514: 243 – 249

Johnson LA and Soltis DE (1994). *matK* DNA sequences and phylogenetic reconstruction in *Saxifragaceae* s. str. *Systematic Botany* 19: 143 – 156

Kaminaga Y, Sahin FP and Mizukami H (2004). Molecular cloning and characterization of a glucosyltransferase catalyzing glucosylation of curcumin in cultured *Catharanthus roseus* cells. *FEBS Letters* 567 (2-3): 197 – 202

Karawita R, Siriwardhana N, Lee KW, Heo MS, Yeo IK, Lee YD and Jeon YJ (2005). Reactive oxygen species scavenging, metal chelation, reducing power and lipid peroxidation inhibition properties of different solvent fractions from *Hizikia fusiformis*. *European Food Research and Technology* 220: 363 – 371

Kelchner SA (2002). Group II introns as phylogenetic tools: structure, function, and evolutionary constraints. *American Journal of Botany* 89 (10): 1651 – 1669

Kenkt P, Kumpulainen J, Järvinen R, Rissanen H, Heliövaara M, Reunanen A, Hakulinen T and Aromaa A (2002). Flavonoid intake and risk of chronic diseases. *American Journal of Clinical Nutrition* 76: 560 – 568

Kim DK and Kim JH (2011). Molecular phylogeny of tribe Forsythieae (Oleaceae) based on nuclear ribosomal DNA internal transcribed spacers and plastid DNA *trnL-F* and *matK* gene sequences. *Journal of Plant Research* 124 (3): 339 – 347

Koc AN, Silici S, Mutlu-Sariguzel F and Sagdic O (2007). Antifungal activity of propolis in four different fruit juices. *Food Technology and Biotechnology* 45 (1): 57 – 61

Korotkova N, Zabel L, Quandt D and Barthlott W (2010). A phylogenetic analysis of *Pfeiffera* and the reinstatement of *Lymanbensonia* as an independently evolved lineage of epiphytic Cactaceae within a new tribe *Lymanbensonieae*. *Willdenowia* 40 (2): 151 – 172

Kossel A (1891). Archives of Analytical Physiology, Physiol Abteilung, 181 – 186

Krejpcio Z, Sionkowski S and Bartela J (2005). Safety of fresh fruits and juices available on the Polish market as determined by heavy metal residues. *Polish Journal of Environmental Studies* 14 (6): 877 – 881

Krengel-Rothensee K, Richter U and Heitland P (1999). Low-level determination of non-metals (Cl, Br, I, S, P) in waste oils by inductively coupled plasma optical emission spectrometry using prominent spectral lines in the 130–190 nm range. *Journal of Analytical Atomic Spectrometry* 14: 699 – 702

Kumaran A and Karunakaran RJ (2006). Antioxidant activities of the methanol extract of *Cardiospermum halicacabum*. *Pharmaceutical Biology* 44 (2): 146 – 151

Kun Y, Lule US and Ding XL (2006). Lycopene: its properties and relationship to human health. *Food Reviews International* 22 (4): 309 – 333

Kusumi J, Tsumura Y, Yoshimaru H and Tachida H (2000). Phylogenetic relationships in Taxodiaceae and Cupressaceae Sensu Stricto based on *matK* gene, *chll* gene, *trnl-trnf* igs region, and *trnl* intron sequences. *American Journal of Botany* 87 (10): 1480 – 1488

Kutchan TM (2001). Ecological arsenal and developmental dispatcher: The paradigm of secondary metabolism. *Plant Physiology* 125: 305 – 314

Lako J, Trenerry VC and Rochfort S (2008). Routine analytical methods for use in South Pacific regional laboratories for determining naturally occurring antioxidants in food. *International Food Research Journal* 15 (3): 313 – 323

Lako J, Trenerry VC, Wahlqvist M, Wattanapenpaiboon N, Sotheeswaran S and Premier R (2007). Phytochemical flavnols, carotenoids and the antioxidant properties of a wide selection of Fijian fruit, vegetable and other readily available foods. *Food Chemistry* 101 : 1727 – 1741

Lambropoulou DA and Albanis TA (2002). Headspace Solid Phase Microextraction Applied to the Analysis of Organophosphorus Insecticides in Strawberry and Cherry Juices. *Journal of Agricultural and Food Chemistry* 50: 3359 – 3365

Larkin EP, Litsky W and Fuller JE (1955). Fecal *Streptococci* in frozen foods. I. A bacteriological survey of some commercially frozen foods'. *Applied Microbiology* 3: 98 – 101

Larner J (2002). D-chiro-inositol – Its functional role in insulin action and its deficit in insulin resistance. *International Journal of Experimental Diabetes Research* 3 (1): 47 –60

Lateef A, Oloke JK and Gueguim-Kana EB (2004). Antimicrobial resistance of bacterial strains isolated from orange juice products. *African Journal of Biotechnology* 3(6): 334 – 338

Le Bellec F, Vaillant F and Imbert E (2006). Pitahaya (*Hylocereus* spp.): A new fruit crop, a market with a future. *Fruits* 61: 237 – 250

Learn GHJ, Shore JS, Furnier GR, Zurawski G and Clegg MT (1992). Constraints on the evolution of plastid introns: the group II intron in the gene encoding tRNA-Val(UAC). *Molecular Biology and Evolution* 9: 856 – 871

Lee DW and Collins TM (2001). Phylogenetic and ontogenetic influences on the distribution of anthocyanins and betacyanins in leaves of tropical plants. International Journal of Plant Science 162: 1141 – 1153

Lee DW and Gould KS (2002). Why leaves turn red: Pigments called anthocyanin probably protect leaves from light damage by direct shielding and by scavenging free radicals. American Scientist 90 : 524-531.

Lee SP, Lee SK and Ha YD (2000). Alcohol fermentation of *Opuntia ficus* fruit juice. Journal of Food Science and Nutrition 5: 32 – 36

Lester IH (1994). Australia's food & nutrition. Canberra: AGPS, 1994

Lewis CE, Walker JRL, Lancaster JE and Conner AJ (1998). Light regulation of anthocyanin, flavonoid and phenolic acid biosynthesis in potato minitubers in vitro. Australian Journal of Plant Physiology 25 : 915 – 922

Loewus FA and Murthy PPPN (2000). *myo*-Inositol metabolism in plants. Plant Science 150 (1): 1 – 19

Lorence A, Chevone BI, Mendes P and Nessler CL (2004). *myo*-Inositol oxygenase offers a possible entry point into plant ascorbate biosynthesis. Plant Physiology 134: 1200 – 1205

Low KS, Lee CK and Liew SC (2000). Soprtion of cadmium and lead from aqueous solutions by spent grain. Process Biochemistry 36: 59 – 64

Loza-Cornejo S and Terrazas T (2003). Epidermal and hypodermal characteristics in North American cactoideae (Cactaceae). Journal of Plant Research 116: 27 – 35

Tormen L, Torres DP, Dittert IM, Araujo RGO, Frescura VLA and Curtius AJ (2011). Rapid assessment of metal contamination in commercial fruit juices by inductively coupled mass spectrometry after a simple dilution. Journal of Food Composition and Analysis 24: 95 – 102

Luders L and McMahon G (2006). The pitaya or dragon fruit (*Hylocereus undatus*). Department of Primary Industry, Fisheries and Mines. Northern Territory Government, ISSN 0157-8243, Agdex No. 238/10, Serial No. 778: 1 – 4

Ma H (2005). Development application of Polymerase Chain Reaction (PCR). The Journal of American Science 1 (3): 1 – 47

Mabry TJ and Dreiding AS (1968). The betalains. In TJ Mabry, RE Alston and VC Runeckles (Eds.), Recent advances in phytochemistry, Vol 1, 145 - 160. New York: Appleton-Century-Crofts.

Macioszek VK and Kononowicz AK (2004). The evaluation of the genotoxicity of two commonly used food colors: Quinoline yellow (E 104) and Brilliant black BN (E 151). Cellular & Molecular Biology Letters 9: 107 – 122

Magkos F, Arvaniti F and Zampelas A (2006). Organic food: Buying more safety or just peace of mind? A critical review of the literature. Critical Reviews in Food Science and Nutrition 46: 23 – 56

Mahmoud AS, Ghaly AE and Brooks SL (2007). Influence of temperature and pH on the stability and colorimetric measurement of textile dyes. American Journal of Biotechnology and Biochemistry 3 (1): 33 – 41

Makris DP, Psarra E, Kallithraka S and Kefalas P (2003). The effect of polyphenolic composition as related to antioxidant capacity in white wines. Food Research International 36: 805 – 814

Manning L, Baines RN and Chadd SA (2005). Deliberate contamination of the food supply chain. British Food Journal 107 (4): 225 – 245

Markham KR (1990). Bryophyte flavonoids, their structures, distribution, and evolutionary significance. Proceedings of the Phytochemical Society of Europe 29: 143 - 159

Masada S, Terasaka K and Mizukami H (2007). A single amino acid in the PSPG-box plays an important role in the catalytic function of CaUGT2 (Curcumin glucosyltransferase), a Group D Family 1 glucosyltransferase from *Catharanthus roseus*. FEBS Letters 581: 2605 – 2610

Mazza G (2000). Health aspects of natural colours. In. GJ Lauro and FJ Francis (Eds), Natural food colorants. Science and Technology, 289 – 314. Basel/New York: Marcel Dekker

McConn MM and Nakata PA (2004). Oxatale reduces calcium availability in the pads of the prickly pear cactus through formation of calcium oxalate crystals. Journal of Agricultural and Food Chemistry 52: 1371 – 1374

McKinstry PJ, Indyk HE and Kim ND (1999). The determination of major and minor elements in milk and infant formula by slurry nebulisation and inductively coupled plasma - optical emission spectrometry (ICP-OES). Food Chemistry 65: 245 – 252

McLaurin J, Franklin T, Chakrabarty A and Fraser PE (1998). Phosphatidylinositol and inositol involvement in Alzheimer amyloid- β fibril growth and arrest. Journal of Molecular Biology 278: 183 – 194

McPherson A (1990). Current approaches to macromolecular crystallization. European Journal of Biochemistry 189: 1 – 23

Merin U and Shomer I (1999). Ultrafiltration performance of heat-treated Shamouti Orange [*Citrus sinensis* (L.) Osbeck] juice. Journal of Agricultural and Food Chemistry 47: 2617 – 2622

Merten S (2004). A review of *Hylocereus* production in the United States. IN WANATCA Yearbook 27: 21-29. West Australian Nut and Tree Crop Association (Inc). ISSN 0312-8997

Meschter EE (1953). Fruit Color Loss. Effects of Carbohydrates and other factors on strawberry products. Agricultural and Food Chemistry 1 (8): 574 – 579

Meyer AS (2005). Enzymatic upgrading of antioxidant phenolics in berry juices and press residues. *Fruit Processing* 15: 382 – 387

Michaels D (1988). Waiting for the body count: Corporate decision making and bladder cancer in the U. S. dye industry. *Medical Anthropology Quarterly, New Series*, 2 (3) Health and Industry: 215 – 232

Michel F, Umesono K and Ozeki H (1989). Comparative and functional anatomy of group II catalytic introns—a review. *Gene* 82: 5 – 30

Mindak WR and Dolan SP (1999). Determination of arsenic and selenium in food using a microwave digestion - dry ash preparation and flow injection hydride generation atomic absorption spectrometry. *Journal of Food Composition and Analysis* 12: 111 – 122

Mizrahi Y and Nerd A (1999). Climbing and columnar cacti: New arid land fruit crops. In: Janick J (ed) Perspective on new crops and new uses. ASHS Press, American Society of Horticulture Science, Alexandria, Virginia: 358 – 366

Mizrahi Y, Mouyal J, Nerd A and Sitrit Y (2004). Metaxenia in the vine cacti *Hylocereus polyrhizus* and *Selenicereus* spp. *Annals of Botany* 93: 469 – 472

Mizrahi Y, Nerd A and Nobel PS (1997). Cacti as crops. *Horticulture Review* 18: 291 – 319

Mohr G, Perlman PS and Lambowitz AM (1993). Evolutionary relationships among group II intron-encoded proteins and identification of a conserved domain that may be related to maturase function. *Nucleic Acids Research* 21 (22): 4991 – 4997

Montealegre RR, Peces RR, Vozmediano JLC, Gascuena JM and Romero EG (2006). Phenolic compounds in skins and seeds of ten grape *Vitis vinifera* varieties grown in a warm climate. *Journal of Food Composition and Analysis* 19: 687 – 693

Montoro P, Tuberoso CIG, Piacente S, Perrone A, De Feo V, Cabras P and Pizza C (2006). Stability and antioxidant activity of polyphenols in extracts of *Myrtus communis* L. berries used for the preparation of myrtle liqueur. *Journal of Pharmaceutical and Biomedical Analysis* 41: 1614 – 1619

Moran JV, Mecklenburg KL, Sass P, Belcher SM, Mahnke D, Lewin A and Perlman P (1994). Splicing defective mutants of the COXI gene of yeast mitochondrial DNA: initial definition of the maturase domain of the group II intron aI2. *Nucleic Acids Research* 22 (11): 2057 – 2064

Moreno DA, Garcia-Viguera C, Gil JI and Gil-Izquierdo A (2008). Betalains in the era of global agri-food science, technology and nutritional health. *Phytochemistry Reviews* 7 (2): 261 – 280

Morgan JN (1999). Effects of processing on heavy metal content of foods. *Advances in Experimental Medicine and Biology* 459: 195 – 211

Moßhammer MR, Stintzing FC and Carle R (2005). Colour studies on fruit juice blends from *Opuntia* and *Hylocereus* cacti and betalain-containing model solutions derived therefrom. Food Research International 38: 975 – 981

Moßhammer MR, Stintzing FC and Carle R (2006a). Cactus pear fruits (*Opuntia* spp.): A review of processing technologies and current uses. Journal of the Professional Association for Cactus Development (Volume 8) 28 July 2006: 1-25

Moßhammer MR, Stintzing FC, and Carle R (2006b). Evaluation of different methods for the production of juice concentrates and fruit powders from cactus pear. Innovative Food Science and Emerging Technologies 7: 275 – 287

Mueller LA, Hinz U, Uze M, Sautter C and Zryd JP (1997). Biochemical complementation of the betalain biosynthetic pathway in *Portulaca grandiflora* by a fungal 3,4-dihydroxyphenylalanine dioxygenase. Planta 203: 260 – 263

Mueller LA, Hinz U, Uze M, Sautter C and Zryd JP (1996). Complementation of betalain biosynthesis in *Portulaca grandiflora* by a fungal DOPA-dioxygenase. Experientia 522: A20

Mueller-Harvey I and McAllan AB (1992). Tannins: their biochemistry and nutritional properties. Advance Plant Cell Biochemistry and Biotechnology 1: 151 – 217

Mullis K, Falloona F, Scharf S, Saiki R, Horn G and Erlich H (1986). Specific enzymatic amplification of DNA *in vitro*: the polymerase chain reaction. Cold Spring Harbor Symposia on Quantitative Biology 51: 263 – 273

Murmann JP and Homburg E (2001). Comparing evolutionary dynamics across different national settings: The case of the synthetic dye industry, 1857 – 1914. Journal of Evolutionary Economics 11: 177 – 205

Nakamura Y, Tsuji S and Tonogai Y (2003). Analysis of proanthocyanidins in grape seed extracts, health foods and grape seed oils. Journal of Health Science 49: 45 – 54

Namdeo AG (2007). Plant cell elicitation for production of secondary metabolites: A review. Pharmacognosy Reviews 1 (1): 69 – 79

Nasreddine L and Parent-Massin D (2002). Food contamination by metals and pesticides in the European Union. Should we worry? Toxicology Letters 127: 29 – 41

National Institutes of Health (NIH).
http://nihlibrary.nih.gov/ResearchTools/Documents/Lipsett100928talk_web.pdf

Nelson DE, Koukoumanos M and Bohnert HJ (1999). Myo-inositol-dependent sodium uptake in Ice Plant. Plant Physiology 119: 165 – 172

Nguyen VH, Nguyen HH, Campbell JM and Nguyen MC (2008). Developing GAP systems for dragon fruit producers and exporters in Binh Thuan and Tien Giang provinces. A report published in the GAP Workshop in Binh Thuan (21-22/7/2008).

Nicoli MC, Anese M and Parpinel M (1999). Influence of processing on the antioxidant properties of fruit and vegetables. Trends in Food Science & Technology 10: 94 - 100

Nordin MFM, Daud WRW, Talib MZM and Hassan O (2008). Effect of process parameters on quality properties of microwave dried red pitaya (*Hylocereus costaricensis*). International Journal of Food Engineering 4 (6): 1 – 17

Nyffeler R (2002). Phylogenetic relationships in the cactus family (Cactaceae) based on evidence from trnK/ matK and trnL-trnF sequences. American Journal of Botany 89 (2): 312 – 326

Ochman H, Gerber AS and Hart DL (1988). Genetic applications of an Inverse Polymerase Chain Reaction. Genetics 120: 621 – 623

Onley T, Noller J and Daly J (2006). Opportunities for minimally processed exotic and native fruits. Department of Primary Industries and Fisheries

Ono E, Hyun-Jung K, Morimoto K, Murata J and Satake H (2009). Glycosyltransferases from *Forsythia*. Unpublished. Submitted (04-OCT-2009)

Ootani S and Hagiwara T (1969). Inheritance of flower colors and related chymochromic pigments in F₁ hybrid of common *Portulaca*, *Portulaca grandiflora*. Japan Journal of Genetics 44 (2): 65 – 79

Oser BL (1966). Problems related to the use of food additives in the United States. Canada Medical Association Journal 94: 604 – 608

Oxelman B, Liden M and Berglund D (1997). Chloroplast *rps16* intron phylogeny of the tribe Sileneae (Caryophyllaceae). Plant Systematics and Evolution 206: 393 – 410

Ozdilek A, Cengel B, Kandemir G, Tayanc Y, Velioglu E and Kaya Z (2012). Molecular phylogeny of relict-endemic *Liquidambar orientalis* Mill based on sequence diversity of the chloroplast-encoded *matK* gene. Plant Systematics and Evolution 298 (2): 337 – 349

Ozturk S, Karaayvaz M, Caliskaner Z and Gulec M (2005). Not all food additive related reactions originate from commercial foods: Chronic urticaria due to homemade canned tomato. Journal of Investigational Allergology and Clinical Immunology 15(2): 153 – 155

Pardo AG and Forchiassin F (1999). Influence of temperature and pH on cellulose activity and stability in *Nectria catalinensis*. Revista Argentina de Microbiologia 31 (1): 31 – 35

Patrick R (1951). Sources of coliform bacteria in citrus juice for concentrates. Florida State Horticultural Society 64: 178 – 181

Paul DK and Shaha RK (2004). Nutrients, vitamins and minerals content in common citrus fruits in the northern region of Bangladesh. Pakistan Journal of Biological Sciences 7 (2): 238 – 242

Perez-Urquiza M and Beltran JL (2000). Determination of dyes in foodstuffs by capillary zone electrophoresis. Journal of Chromatography A 898: 271 – 275

Perkins-Veazie P and Collins JK (2004). Flesh quality and lycopene stability of fresh-cut watermelon. Postharvest Biology and Technology 31: 159 – 166

Petersen IL, Andersen KE, Sorensen JC and Sorensen H (2006). Determination of shikimate in crude plant extract by micellar electrokinetic capillary chromatography. Journal of Chromatography 1130: 253 – 258

Pfeil BE, Brubaker CL, Craven LA and Crisp MD (2002). Phylogeny of *Hibiscus* and the tribe Hibisceae (Malvaceae) using chloroplast DNA sequences of *ndhF* and the *rpl16* intron. Systematic Botany 27: 333 – 350

Piatelli M (1976). Betalains. In. Chemistry and biochemistry of plant pigments. In. TW Goodwin (Ed). Volume I, 1 – 39. Academic Press, New York.

Piattelli M, Minale L and Prota G (1964). Isolation, structure and absolute configuration of indicaxanthin. Tetrahedron 20: 2325 – 2329.

Piga A (2004). Cactus pear: A fruit of nutraceutical and functional importance. Journal of the Professional Association for Cactus Development (Volume 8) 24 February 2004: 1 - 22

Pinedo AT, Peñalver P and Morales JC (2007). Synthesis and evaluation of new phenolic-based antioxidants: Structure–activity relationship. Food Chemistry 103 (1): 55 – 61

Plessi M, Bertelli D and Monzani A (2001). Mercury and selenium content in selected seafood. Journal of Food Composition and Analysis 14: 461 – 467

Plunkett GM, Soltis DE and Soltis PS (1997). Clarification of the relationship between Apiaceae and Araliaceae based on *matK* and *rbcL* sequence data. American Journal of Botany 84 (4): 565 – 580

Popp M and Oxelman B (2001). Inferring the history of the polyploid *Sileneaegaea* (Caryophyllaceae) using plastid and homoeologous nuclear DNA sequences. Molecular Phylogenetics and Evolution 20: 474 – 481

Pozo-Insfran DD, Brenes CH, Saldivar SOS and Talcott ST (2006). Polyphenolic and antioxidant content of white and blue corn (*Zea mays* L.) products. Food Researh International 39: 696 – 703

Prenesti E, Berto S, Daniele PG and Toso S (2007). Antioxidant power quantification of decoction and cold infusions of *Hibiscus sabdariffa* flowers. Food Chemistry 100: 433 – 438

Prochnik SE, Umen J, Nedelcu AM, Hallmann A, Miller SM, Nishii I, Ferris P, Kuo A, Mitros T, Fritz-Laylin LK, Hellsten U, Chapman J, Simakov O, Rensing SA, Terry A, Pangilinan J, Kapitonov V, Jurka J, Salamov A, Shapiro H, Schmutz J, Grimwood J, Lindquist E, Lucas S, Grigoriev IV, Schmitt R, Kirk D and Rokhsar DS (2010). Genomic analysis of organismal complexity in the multicellular green alga *Volvox carteri*. Science 329 (5988): 223 – 226

Public Health Laboratory Service (PHLS) and Communicable Disease Surveillance Centre (CDSC) 2002. LACOTS/PHLS study on ready-to-eat organic vegetables. *Commun. Dis. Rep. CDR Wkly.*, 11:2. Available online: <http://www.hpa.org.uk/cdr/PDFfiles/2001/cdr2401.pdf>

Pucher GW, Curtis LC and Vickery HB (1937). The red pigment of the root of the beet (*Beta vulgaris*). I. The preparation of the betanin. *The Journal of Biological Chemistry* 123 (1): 61 – 70

Rabinowitz IN and Kraut J (1964). The crystal structure of myo-inositol. *Acta Crystallographica* 17: 159 – 168

Ramírez-Truquea C, Patricia Esquivel P and Carle R (2011). Neutral sugar profile of cell wall polysaccharides of pitaya (*Hylocereus* sp.) fruits. *Carbohydrate Polymers* 83: 1134 – 1138

Raveh E, Nerd A and Mizrahi Y (1998). Responses of two hemiepiphytic fruit crop cacti to different degrees of shade. *Scientia Horticulturae* 73: 151 – 164

Ravelo-Pérez LM, Hernández-Borges J and Rodríguez-Delgado MA (2008). Multi-walled carbon nanotubes as efficient solid-phase extraction materials of organophosphorus pesticides from apple, grape, orange and pineapple fruit juices. *Journal of Chromatography A*, 1211: 33 – 42

Rebecca OPS, Zuliana R, Boyce AN and Chandran S (2008a). Determining pigment extraction efficiency and pigment stability of dragon fruit (*Hylocereus polyrhizus*). *Journal of Biological Sciences* 8 (7): 1174 – 1180

Rebecca OPS, Zuliana R, Wijenthiran K, Boyce AN and Chandran S (2008b). A comparative study on selected antioxidants during pollination induced senescence on *Dendrobium* Sonia and *Dendrobium* Savin White. *Asian Journal of Plant Sciences* 7 (8): 724 – 729

Rehm BHA (2001). Bioinformatic tools for DNA/protein sequence analysis, functional assignment of genes and protein classification. *Applied Microbiology and Biotechnology* 57: 579 – 592

Reti L and Castrillón JA (1951). Cactus alkaloids. I. *Trichocereus terscheckii* (Parmentier) Britton and Rose. *Journal of the American Chemical Society* 73 (4): 1767 – 1769

Reynoso R, Garcia FA, Morales D and de Mejia EG (1997). Stability of betalain pigments from a Cactaceae fruit. *Journal of Agricultural and Food Chemistry* 45: 2884 – 2889

Ricarda Da Silva JM, Darmon N and Fernandez Y (1991). Oxygen free radical scavenger capacity in aqueous models of different procyanidins from grape seeds. *Journal of Agricultural and Food Chemistry* 39 (9): 1549 – 1552

Richter P, Sepulveda B, Oliva R, Calderon K and Rodrigo Seguel R (2003). Screening and determination of pesticides in soil using continuous subcritical water extraction and gas chromatography–mass spectrometry. *Journal of Chromatography A* 994: 169 – 177

Rigden JS (1986). Quantum states and precession: The two discoveries of NMR. *Reviews of Modern Physics* 58 (2): 433 – 448

Rosati C, Cadic A, Duron M, Amiot MJ, Tacchini M, Martens S and Forkmann G (1998). Flavonoid metabolism in *Forsythia* flowers. Plant Science 139: 133 – 140

Saenz C, Estevez AM, Sepulveda E and Mecklenburg P (1998). Cactus pear fruit: A new source for a natural sweetener. Plant Foods for Human Nutrition 52: 141 – 149

Saito N, Hirata K, Hotta R and Hayashi K (1964). Studies on anthocyanins XLIV. Isolation and crystallization of genuine red anthocyanins. Proceedings of the Japan Academy 40: 516 – 521

Sannino A, Bolzoni L and Bandini M (2004). Application of liquid chromatography with electrospray tandem mass spectrometry to the determination of a new generation of pesticides in processed fruits and vegetables. Journal of Chromatography A 1036: 161 – 169

Santos-Buelga C and Scalbert A (2000). Proanthocyanidins and tannin-like compounds: nature, occurrence dietary intake and effects on nutrition and health. Journal of the Science of Food and Agriculture 80 (7): 1094 – 1117

Saslis-Lagoudakis CH, Klitgaard BB, Forest F, Francis L, Savolainen V, Williamson EM and Hawkins JA (2011). The Use of phylogeny to interpret cross-cultural patterns in plant use and guide medicinal plant discovery: An example from *Pterocarpus* (Leguminosae). PLoS ONE 6 (7): e22275

Sasaki YF, Kawaguchi S, Kamaya A, Ohshita M, Kabasawa K, Iwama K, Taniguchi K and Tsuda S (2002). The comet assay with 8 mouse organs: Results with 39 currently used food additives. Mutation Research 519: 103 – 119

Savolainen K and Kuusi T (1978). The stability properties of golden beet and red beet pigments: Influence of pH, temperature and some stabilizers. Zeitschrift fur Lebensmitteluntersuchung und-Forschung 166 (1): 19 – 22

Scalbert A, Johnson IT and Saltmarsh M (2005). Polyphenols: antioxidants and beyond. The American Journal of Clinical Nutrition 81: 215S – 217S

Schrader N, Fischer K, Theis K, Mendel RR, Schwarz G and Kisker C (2003). The crystal structure of plant sulfite oxidase provides insights into sulfite oxidation in plants and animals. Structure 11: 1251 – 1263

Schluter L, Mohlenberg F, Havskum H and Larsen S (2000). The use of phytoplankton pigments for identifying and quantifying phytoplankton groups in coastal areas: testing the influence of light and nutrients on pigment/chlorophyll *a* ratios. Marine Ecology Progress Series 192: 49 - 63

Scotter MJ (2011). Emerging and persistent issues with artificial food colours: Natural colour additives as alternatives to synthetic colours in food and drink. Quality Assurance and Safety of Crops & Foods 3: 28 – 39

Scott-Moncrieff R and Sturgess VC (1940). Natural anthocyanin pigments: Flower pigments of *Verbena hybrid*. Biochemical Journal 24: 268 – 271

Sheldrick GM. 1990. Phase Annealing in SHELX-90: direct methods for larger structures. *Acta Crystallography A* 46: 467 – 473

Sheldrick GM. 1997. SHELX97 – Programs for Crystal Structure Solution and Refinement. University of Göttingen, Germany.

Sheridan RS and Meola JR (1999). Analysis of pesticide residues in fruits, vegetables, and milk by gas chromatography/tandem mass spectrometry. *Journal of AOAC International* 82 (4): 982 – 990

Shimon H, Agam G, Belmaker RH, Hyde TM and Kleinman JE (1997). Reduced frontal cortex inositol levels in postmortem brain of suicide victims and patients with bipolar disorder. *American Journal of Psychiatry* 154: 1148 – 1150

Shubik P (1975). Potential carcinogenicity of food additives and contaminants. *Cancer Research* 35: 3475 – 3480

Sikder MAA, Rahman MA, Islam MR, Kaisar MA, Rahman MS and Rashid MA (2010). *In vitro* antioxidant, reducing power, free radical scavenging and membrane stabilizing activities of *Spilanthes calva*. *Bangladesh Pharmaceutical Journal* 13 (1): 63 – 67

Silbergeld EK and Anderson SM (1982). Artificial food colors and childhood behavior disorders. *Bulletin of the New York Academy of Medicine* 58 (3): 275 – 295

Silverstone PH, McGrath BM and Kim H (2005). Bipolar disorder and *myo*-inositol: A review of the magnetic resonance spectroscopy findings. *Bipolar Disorders* 7: 1 – 10

Sims CA and Morris JR (1984). Effects of pH, sulfur dioxide, storage time and temperature on the color and stability of red muscadine grape wine. *American Journal of Enology and Viticulture* 35 (1): 35 - 39

Siva R (2007). Status of natural dyes and dye-yielding plants in India. *Current Science* 92 (7): 916 – 925

Solomonia R, Mikautadze E, Nozadze M, Kuchiashvili N, Lepsveridze E and Kiguradze T (2010). *Myo*-inositol treatment prevents biochemical changes triggered by kainate-induced status epilepticus. *Neuroscience Letters* 468 (3): 277 – 281

Somers TC and Evans ME (1977). Spectral evaluation of young red wines: Anthocyanin equilibria, total phenolics, free and molecular SO₂, chemical age. *Journal of the Science and Food Agriculture* 28: 279 – 287

Song HP, Byun MW, Jo C, Lee CH, Kim KS and Kim DH (2007). Effects of gamma irradiation on the microbiological, nutritional and sensory properties of fresh vegetable juice. *Food Control* 18: 5 – 10

Sreekanth D, Arunasree MK, Roy KR, Reddy TC, Reddy GV and Reddanna P (2007). Betanin a betacyanin pigment purified from fruits of *Opuntia ficus-indica* induces apoptosis in human chronic myeloid leukemia Cell line-K562. *Phytomedicine* 14: 739 – 746

Steiner U, Schliemann W, Bohm H and Strack D (1999). Tyrosinase involved in betalain biosynthesis of higher plants. *Planta* 208: 114 – 124

Stintzing FC and Carle R (2007). Betalain – emerging prospect for food scientist. *Trends in Food Science & Technology* 18: 514 – 525

Stintzing FC, Trichterborn J and Carle R (2006). Characterisation of anthocyanin–betalain mixtures for food colouring by chromatic and HPLC-DAD-MS analyses. *Food Chemistry* 94: 296 – 309

Stintzing FC, Herbach KM, Moßhammer MR, Carle R, Yi W, Sellappan S, Akoh CC, Bunch R and Felker P (2005). Color, betalain pattern, and antioxidant properties of cactus pear (*Opuntia* spp.) clones. *Journal of Agricultural and Food Chemistry* 53 (2): 442 – 451

Stintzing FC and Carle R (2004). Functional properties of anthocyanins and betalains in plants, food and in human nutrition. *Trends in Food Science & Technology* 15: 19 – 38

Stintzing FC, Conrad J, Klaiber I, Beifuss U and Carle R (2004). Structural investigations on betacyanin pigments by LC NMR and 2D NMR sspectroscopy. *Phytochemistry* 65: 415 – 422

Stintzing FC, Schieber A, and Carle R (2003). Evaluation of colour properties and chemical quality parameters of cactus juices. *European Food Research and Technology* 216: 303-311

Stintzing FC, Schieber A and Carle R (2002a). Identification of betalains from yellow beet (*Beta vulgaris* L.) and cactus pear [*Opuntia ficus-indica* (L.) Mill.] by High-Performance Liquid Chromatography-Electrospray Ionization Mass Spectrometry. *Journal of Agricultural and Food Chemistry* 50: 2302 – 2307

Stintzing FC, Schieber A and Carle R (2002b). Betacyanins in fruits from red-purple pitaya, *Hylocereus polyrhizus* (Weber) Britton & Rose. *Food Chemistry* 77: 101 – 106

Stintzing FC, Schieber A and Carle R (2001). Phytochemical and nutritional significance of cactus pear. *European Food Research and Technology* 212: 396 – 407

Strack D, Vogt T and Schliemann W (2003). Recent advances in betalain research. *Phytochemistry* 62: 247 – 269

Stutz C (1993). The use of enzymes in ultrafiltration. *Flüssiges Obst* 60: 366 – 369

Taguchi G, Nakamura M, Hayashida N and Okazaki M (2003). Exogenously added naphthols induce three glucosyltransferases, and are accumulated as glucosides in tobacco cells. *Plant Science* 164: 231 – 240

Takatsuki S, Nemoto S, Sasaki K and Maitani T (2003). Determination of acrylamide in processed foods by LC/MS using column switching. *Journal of the Food Hygienic Society of Japan* 44 (2): 89 – 95

Tambekar DH, Jaiswal VJ, Dhanorkar DV, Gulhane PB and Dudhane MN (2009). Microbial quality and safety of street vended fruit juices: A case study of Amravati city. Internet Journal of Food Safety 10: 72 – 76

Tanaka Y, Sasaki N and Ohmiya A (2008). Biosynthesis of plant pigments: Anthocyanins, betalains and carotenoids. The Plant Journal 54: 733 – 749

Tasnim F, Anwar HM, Nusrath S, Kamal HM, Lopa D and Formuzul HKM (2010). Quality assessment of industrially processed fruit juices available in Dhaka City, Bangladesh. Malaysian Journal of Nutrition 16 (3): 431 – 438

Tel-Zur N, Abbo S and Mizrahi Y (2005). Cytogenetics of semi-fertile triploid and aneuploid intergeneric vine cacti hybrids. Journal of Heredity 96 (2): 1 – 8

Thiel G and Danzer K (1997). Direct analysis of mineral components in wine by inductively coupled plasma optical emission spectrometry (ICP-OES). Fresenius' Journal of Analytical Chemistry 357: 553 – 557

Thomas R (2001). Recent developments in LC-MS-MS for the identification and measurement of nanoscale amounts of proteins and peptides. Spectroscopy 16 (1): 28 – 37

Thomas TP, Porcellati F, Kato K, Stevens MJ, Sherman WR and Greene DA (1994). Effects of glucose on sorbitol pathway activation, cellular redox, and metabolism of *myo*-Inositol, phosphoinositide, and diacylglycerol in cultured human retinal pigment epithelial cells. Journal of Clinical Investigation 93: 2718 – 2724

Thurman EM (1992). A reconnaissance study of herbicides and their metabolites in surface water of the Midwestern United States using immunoassay and gas chromatography/mass spectrometry. Environmental Science and Technology 26: 2440 – 2447

Togami J, Okuhara H, Nakamura N, Ishiguro K, Hirose C, Ochiai M, Fukui Y, Yamaguchi M and Tanaka Y (2011). Isolation of cDNAs encoding tetrahydroxychalcone 2'-glucosyltransferase activity from carnation, cyclamen and catharanthus. Plant Biotechnology 28: 231 – 238

Toor N, Hausner G and Zimmerly S (2001). Coevolution of group II intron RNA structures with their intron-encoded reverse transcriptases. RNA 7: 1142 – 1152

Tournas VH, Heeres J and Burgess L (2006). Moulds and yeasts in fruit salads and fruit juices. Food Microbiology 23: 684 – 688

Trezzini CF and Zryd JP (1990). *Portulaca grandiflora*: A model system for the study of the biochemistry and genetics of betalain synthesis. Acta Horticulturae 280: 581 – 585

Tufuor JK, Bentum JK, Esumang DK and Koranteng–Addo JE (2011). Analysis of heavy metals in citrus juice from the Abura-Asebu-Kwamankese District, Ghana. Journal of Chemical and Pharmaceutical Research 3(2): 397 – 402

Tuormaa TE (1994). The adverse effects of food additives on health: A review of the literature with special emphasis on childhood hyperactivity. *Journal of Orthomolecular Medicine* 9 (4): 225 – 243

Turkdogan MK, Kilicel F, Kara K, Ilyas Tuncer I and Uyan I (2002). Heavy metals in soil, vegetables and fruits in the endemic upper gastrointestinal cancer region of Turkey. *Environmental Toxicology and Pharmacology* 13: 175 – 179

U.S. Department of Health and Human Services (2002). Toxicological Profile For Wood Creosote, Coal Tar Creosote, Coal Tar, Coal Tar Pitch, and Coal Tar Pitch Volatiles. Public Health Service. Agency For Toxic Substances and Disease Registry

U. S. Food and Drug Administration. Food Color Facts. Published on January 1993 <http://www.foodsafety.gov/~lrd/colorfac.html> Retrieved on the 23 June 2009

Ubillus F, Alegria A, Barbera R, Farre R and Lagarda MJ (2000). Methylmercury and inorganic mercury determination in ash by cold vapour generation atomic absorption spectrometry. *Food Chemistry* 71: 529 – 533

USEPA (United States Environmental Protection Agency). Membrane filtration guidance manual. Reference number: EPA 815-R-06-009, November 2005

Vaillant F, Millan P, O'Brien G, Dornier M, Decloux M and Reynes M (1999). Crossflow microfiltration of passion fruit juice after partial enzymatic liquefaction. *Journal of Food Engineering* 42: 215 – 224

Vaillant F, Perez A, Davila I, Dornier M and Reynes M (2005). Colorant and antioxidant properties of red pitahaya (*Hylocereus* sp.). *Fruits* 60: 1 – 7

Valentao P, Seabra RM, Lopes G, Silva LR, Martins V, Trujillo ME, Velaquez E and Andrade PB (2007). Influence of *Dekkera bruxellensis* on the contents of anthocyanins, organic acids and volatile phenols of Dao red wine. *Food Chemistry* 100: 63 – 70

van der Werf HMG (1996). Assessing the impact of pesticides on the environment. *Agriculture, Ecosystems and Environment* 60: 81 – 96

Vanisree M, Lee CY, Lo SF Nalawade SM, Lin CY and Tsay HS (2004). Studies on the production of some important secondary metabolites from medicinal plants by plant tissue cultures. *Botanical Bulletin of Academia Sinica* 45: 1 – 22

Velisek J, Davidek J and Cejpek (2007). Biosynthesis of food constituents: Natural pigments. Part 1 – A review. *Czech Journal of Food Science* 25: 291 – 315

Verpoorte R, van der Heijden R, Hoge JHC and ten Hoopen HJG (1994). Plant cell biotechnology for the production of secondary metabolites. *Pure & Applied Chemistry* 66: 2307 – 2310

Vogt T, Grimm R and Strack D (1999). Cloning and expression of a cDNA encoding beranidin 5-O-glucosyltransferase, a betanidin- and flavonoid-specific enzyme with a high homology to inducible glucosyltransferase from the Solanaceae. *The Plant Journal* 19 (5): 509 – 519

von Roepenack-Lahaye E, Degenkolb T, Zerjeski M, Franz M, Roth U, Wessjohann L, Schmidt J, Scheel D and Clemens S (2004). Profiling of *Arabidopsis* secondary metabolites by capillary liquid chromatography coupled to electrospray ionization quadrupole time-of-flight mass spectrometry. *Plant Physiology* 134: 548 – 559

Wal JM and Pascal G (2000). *In:* Aggett PJ, Kuipper HA (Eds.), Novel food and novel hazards in the food chain. Risk Assessment in the Food Chain of Children, Nestle' Nutrition workshop Series, Paediatric Programme, Nestec Ltd, Vevey/Lippincott Williams and Wilkins, Philadelphia, vol. 44, pp. 235 – 259

Wang C and Liu T (2006). Cryptochrome 2 is involved in the betacyanin decomposition induced by blue light in *Suaede salsa*. *Functional Plant Biology* 33: 697 – 702

Wang H, Nair MG, Strasburg GM, Chang YC, Booren AM, Gray JI and DeWitt DL (1999). Antioxidant and antiinflammatory activities of anthocyanins and their aglycon, cyanidin, from tart cherries. *Journal of Natural Products* 62 : 294 – 296

Watson J and Crick F (1953). A structure for deoxyribose nucleic acid. *Nature* 171: 737 – 738

Welz B and Melcher M (1985). Decomposition of marine biological tissues for determination of arsenic, selenium, and mercury using hydride-generation and cold-vapor atomic absorption spectrometries. *Analytical Chemistry* 57: 427 – 431

Westerhoff HV and Palsson BO (2004). The evolution of molecular biology into systems biology. *Nature Biotechnology* 22 (10): 1249 – 1252

Whiteaker JR and Prather KA (2003). Detection of pesticide residues on individual particles. *Analytical Chemistry* 75: 49 – 56

Whiting PH, Palmano KP and Hawthorne JN (1979). Enzymes of *myo*-inositol and inositol lipid metabolism in rats with streptozotocin-induced diabetes. *Biochemical Journal* 179: 549 – 553

Wissgott U and Bortlik K (1996). Prospects for new natural food colourants. *Trends in Food Science and Technology* 7: 298 – 302

Wojciechowski MF, Lavin M and Sanderson MJ (2004). A phylogeny of Legumes (Leguminosae) based on analysis of the plastid *matK* gene resolves many well-supported subclades within the family. *American Journal of Botany* 91 (11): 1846 – 1862

Wolfe KH, Morden CW and Palmer JD (1992). Function and evolution of a minimal plastid genome from a nonphotosynthetic parasitic plant. *Proceedings of the National Academy of Sciences of the United States of America* 89 (22): 10648 – 10652

Wu L, Hsu HW, Chen YC, Chiu CC, Lin YI and Ho JA (2006). Antioxidant and antiproliferative activities of red pitaya. *Food Chemistry* 95: 319 – 327

Wu MC and Chen SC (1997). Variation of sugar content in various parts of pitaya fruit. *Proceedings of the Florida State Horticultural Society* 110: 225 – 227

Wybraniec S and Mizrahi Y (2005). Generation of decarboxylated and dehydrogenated betacyanins in thermally treated purified fruit extract from purple pitaya (*Hylocereus polyrhizus*) monitored by LC-MS/MS. *Journal of Agriculture and Food Chemistry* 53: 6704 – 6712

Wybraniec S and Mizrahi Y (2002). Fruit flesh betacyanin pigments in *Hylocereus* cacti. *Journal of Agricultural and Food Chemistry* 50: 6086 – 6089

Wybraniec S, Nowak-Wydra B, Mitka K, Kowalski P and Mizrahi Y (2007). Minor betalains in fruits of *Hylocereus* species. *Phytochemistry* 68: 251 – 259

Wybraniec S, Platzner I, Geresh S, Gottlieb HE, Haimberg M, Mogilnitzki M and Mizrahi Y (2001). Betacyanins from vine cactus *Hylocereus polyrhizus*. *Phytochemistry* 58: 1209 – 1212

Wyckoff RWG and Posnjak E (1921). The crystal structure of ammonium chloroplatinate. *Journal of the American Chemical Society* 43 (11): 2292

Wyler H and Dreiding AS (1957). Kristallisiertes Betanin. *Helvetica Chimica Acta* 40: 191 – 192

Wyler H, Mabry TJ and Dreiding AS (1963). U"ber die Konstitution des Randenfarbstoffes Betanin: Zur Struktur des Betanidins. *Helvetica Chimica Acta* 46: 1745 – 1748

Xiao Q, Hu B, Yu C, Xia L and Jiang Z (2006). Optimization of a single-drop microextraction procedure for the determination of organophosphorus pesticides in water and fruit juice with gas chromatography-flame photometric detection. *Talanta* 69: 848 – 855

Yamamoto K, Koyabashi N, Yoshitama K, Teramoto S and Komamine A (2001). Isolation and purification of tyrosine hydroxylase from callus cultures of Portulaca grandiflora. *Plant Cell Physiology* 42 (9): 969 – 975

Yang L, Wang Z and Xu L (2006). Simultaneous determination of phenols (bibenzyl, phenanthrene, and fluorenone) in *Dendrobium* species by high-performance liquid chromatography with diode array detection. *Journal of Chromatography* 1104 : 230 – 237

Youno J (1992). A method for nested PCR with single closed reaction tubes. *Genome Research* 2: 60 – 65

Yu ZR, Chiang BH and Hwang LS (1986). Retention of passion fruit juice compounds by ultrafiltration. *Journal of Food Science* 51 (3): 841 – 844

Yuk HG and Schneider KR (2006). Adaptation of *Salmonella* spp. in juice stored under refrigerated and room temperature enhances acid resistance to simulated gastric fluid. Food Microbiology 23: 694 – 700

Yuting C, Rongliang Z, Zhongjian J and Young J (1990). Flavonoids as superoxide scavengers and antioxidants. Free Radical Biology and Medicine 9 : 19 – 21

Zechmeister L and Schroeder WA (1942). The fruit of pyracantha angustifolia: A practical source of pro- γ -carotene and prolycopen. The Journal of Biological Chemistry 144: 315 – 320

Zee F, Yen CR and Nishina M (2004). Pitaya (Dragon fruit, strawberry pear). IN Fruits and Nuts, June 2004 (F&N-9): 1-3. Published by: Cooperative Extension Service, College of Tropical Agriculture and Human Resources, University of Hawaii at Manoa, Honolulu, Hawaii

Zhang W (2000). Phylogeny of the grass family (Poaceae) from *rpl16* intron sequence data. Molecular Phylogenetics and Evolution 15: 135 – 146

Zhang W, Franco C, Curtin C and Conn S (2004). To stretch the boundary of secondary metabolite production in plant cell-based bioprocessing: Anthocyanin as a case study. Journal of Biomedicine and Biotechnology 5: 264 – 271

Zhao E, Han L, Jiang S, Wang Q and Zhou Z (2006). Application of a single-drop microextraction for the analysis of organophosphorus pesticides in juice. Journal of Chromatography A 1114: 269 – 273