

REFERENCES

1. Monks, P.S., Granier, C., Fuzzi, S., Stohl, A., Williams, M.L., Akimoto, H., Amann, M., Baklanov, A., Baltensperger, U., Bey, I., Blake, N., Blake, R.S., Carslaw, K., Cooper, O.R., Dentener, F., Fowler, D., Frakou, E., Frost, G.J., Generoso, S. and Ginoux, P., Atmospheric composition change – global and regional air quality, *Atm. Env.*, 43 (2009) 5268 - 5350
2. Hansson, A. and Bryngelsson, M., Expert opinions on carbon dioxide capture and storage – A framing of uncertainties and possibilities, *Energy Policy*, 37 (2009) 2273-2282
3. Gaffney, J.S. and Marley, N.A., The impacts of combustion emissions on air quality and climate – from coal to biofuels and beyond, *Atm. Env.*, 43 (2009) 23-36
4. Zhou, P., Ang, B.W. and Han, J.Y., Total factor carbon emission performance: A malmquist index analysis, *Energy Eco.*, 32 (2010) 194-201
5. Mofarahi, M., Khojasteh, Y., Khaledi, H., Farahnak, A., Design of CO₂ absorption plant for recovery of CO₂ from flue gases of gas turbine, *Energy*, 33 (2008) 1311–1319
6. Keeling, D., Current data for atmospheric CO₂, *Pro Oxygen*, British Columbia, Canada (2010) 2-3
7. Minkel, D., Global Warming: Introduction issues with opposing viewpoints, *Greenhaven*, MI 48331-3535 (2007) 15-22
8. Sovacool, B.K. and Brown, M.A., Twelve metropolitan carbon footprints: A preliminary comparative global assessment, *Energy Policy*, 16 (2009) 23-37
9. Yang, H., Xu, Z., Fan, M., Gupta, R., Slimane, R.B., Bland, A.E. and Wright, I., Progress in carbon dioxide separation and capture: A review, *J. Env. Sc.*, 20 (2008) 14-27
10. Timilsina, G.R. and Shrestha, A., Transport sector CO₂ emissions growth in Asia: Underlying factors and policy options, *Energy Policy*, 37 (2009) 4523-4539
11. Miller, D.A., Global warming: Current controversies, *Greenhaven*, MI 48331-3535 (2007) 40-42
12. Kirstin, T.E., The atlas of climate change. Mapping the world's greatest challenge, *Earthscan*, UK (2006) 31-40
13. Desonie, D., Climate. Causes and effects of climate change, *Chelsea House*, NY (2008) 19-23
14. Watts, R.G., Engineering Response to Global Climate. Planning, Research and Development Agenda, *CRC Lewis*, FL (1997) 67-69

15. Gary, J.H., Handwerk, G.E. and Kaiser, M.J., Petroleum refining: Technology and economics, *CRC Press Taylor & Francis Group*, FL 33487-2742 (2007) 280-286
16. Ren, T. and Patel, M.K., Basic petrochemicals from natural gases, coal and biomass: Energy use and CO₂ emissions, *Resources, Conversation and Recycling*, 53 (2009) 513-528
17. Onishi, A., The impact of CO₂ emissions on the world economy Policy simulations of FUGI global model, *J. Policy Modeling*, 29 (2007) 797-819
18. Blomen, E., Hendriks, C. and Neele, F., Capture technologies: Improvements and promising developments, *Energy Procedia*, 1 (2009) 1505-1512
19. Thitakamol, B., Veawab, A. and Aroonwilas, A., Environmental impacts of absorption-based CO₂ capture unit for post-combustion treatment of flue gas from coal-fired power plant, *Int. J. Greenhouse Gas Control*, 1 (2007) 318-342
20. Stangeland, A., A model for the CO₂ capture potential, *Intern. J. Greenhouse Gas Control*, 1 (2007) 418–429
21. Kanniche, M., Gros-Bonnivard, R., Jaud, P., Valle-Marcos, J., Amann, J-M. and Bouallou, C., Pre-combustion, post-combustion and oxy-combustion in thermal power plant for CO₂ capture, *Appl. Thermal Eng.*, 30 (2010) 53–62
22. Moomaw, W.R., Industrial emissions of greenhouse gases, *Energy Policy*, 24 (1996) 951-968
23. Mayor, K. and Tol, R.S.J., Scenarios of carbon dioxide emissions from aviation, *Global Env. Change*, 20 (2010) 65-73
24. Feng, Z., Cheng-Gang, F., You-Ting, W., Yuan-Tou, W., Ai-Min, L. and Zhi-Bing, Z., Absorption of CO₂ in the aqueous solutions of functionalized ionic liquids and MDEA, *Chem. Eng. J.*, 160 (2010) 691-697
25. Liu, W., Cheng, L., Zhang, Y., Wang, H. and Yu, M., The physical properties of aqueous solution of room-temperature ionic liquids based on imidazolium: Database and evaluation, *J. Mol. Liq.*, 140 (2008) 68-72
26. Figueora, J.D., Fout, T., Plasynski, S., McIlvried, H. and Srivastava, R.D., Review, Advances in CO₂ capture technology - The U.S. Department of Energy's Carbon Sequestration Program, *Int. J. Greenhouse Gas Control*, 2 (2008) 9-20
27. Oexmann, J. and Kather, A., Minimising the regeneration heat duty of post-combustion CO₂ capture by wet chemical absorption: The misguided focus on low heat of absorption solvents, *Int. J. Greenhouse Gas Control*, 14 (2009) 41-57
28. Zhou, Q., Chan, C.W. and Tontiwachiwuthikul, P., A monitoring and diagnostic expert system for carbon dioxide capture, *Expert systems App.*, 36 (2009) 1621-1631

29. Feron, P.H.M., Exploring the potential for improvement of the energy performance of coal fired power plants with post-combustion capture carbon dioxide, *Int. J. Greenhouse Gas Control*, 233 (2009) 641-654
30. Tamiotti, L., Kulacoglu, R., Olhoff, V., Simmons,A. and Abaza, H., Trade and climate change, *United Nations Env. Prog. World Trade Org. Report*, 1 (2009) 1-167
31. Eckaus, R.S., Jacoby, H.D., Ellerman, A.D., Leung, W.-C. and Yang, Z., Economic assessment of CO₂ capture and disposal, *Energy Convers. Mgmt*, 38 (1997) 621-627
32. Jacobson, M.Z., On the causal link between carbon dioxide and air pollution mortality, *Geophy. Research Lett.*, 35, doi:10.1029/2007GL031101 (2008) 1-5
33. Puxty, G., Allport, A. and Atalla, M., Vapour liquid equilibria data for a range of new carbon dioxide absorbents, *Energy Procediaa*, 1 (2009) 941-947
34. Plasynski, S.I., Litynski, J. T., McIlvried, H. G. and Srivastava, H. G., Progress and New Developments in Carbon Capture and Storage, *Critical Reviews in Plant Science*, 28 (2009) 123–138
35. Ermatchkov, V., Kamps, A.P.S. and Maurer G., Solubility of carbon dioxide in aqueous solutions of *N*-Methyldiethanolamine in the low gas loading region, *Ind. Eng. Chem. Res.*, 45 (2006) 6081-6091
36. Plaza, M.G., Pevida, C., Arenillas, A., Rubiera, F and Pis, J.J., CO₂ capture by adsorption with nitrogen enriched carbons, *Fuel*, 86 (2007) 2204-2212
37. Huttenhuis, P.J.G., Agrawal, N.J., Solbraa, E. and Versteeg, G.F., The solubility of carbon dioxide in aqueous *N*-methyldiethanolamine solutions, *Fluid Phase Eq.*, 264 (2008) 99-112
38. Dawodu, O.F. and Meisen, A., Solubility of carbon dioxide in aqueous mixtures of alkanolamine, *J. Chem. Eng. Data*, 39 (1994) 548-552
39. Bullin, J.A., Polasek, J.C. and Donnelly, S.T., The use of MDEA and mixtures of amines for bulk CO₂ removal, *Bryan Research and Engineering Inc.*, 1 (1990) 135-139
40. Abry, R.G.F. and DuPart, R.S., Amine plant troubleshooting and optimization, *Hydrocarbon Processing*, 2 (1995) 41-50
41. Keskin, S., Kayrak-Talay, U. and Hortacsu, O., A review of ionic liquids towards supercritical fluid applications, *J. Supercrit. Fluids*, 43 (2007) 150-180
42. Kohl, A.L. and Nielsen, R.B., Gas Purification, 5th ed. Gulf, TX (1997) 23-58
43. Bishnoi, S. and Rochelle, G.T., Physical and chemical solubility of carbon dioxide in aqueous methyldiethanolamine, *Fluid Phase Eq.*, 168 (2000) 241-258

44. Aronu, U.E., Svendsen, H.F., Hoff, K.A. and Juliussen, Solvent selection for carbon dioxide absorption, *Energy Procedia*, 1 (2009) 1051-1-57
45. Samanta, A., and Bandyopadhyay, S.S., Absorption of carbon dioxide into aqueous solutions of piperazine activated 2-amino-2-methyl-1-propanol, *Chem. Eng. Sc.*, 64 (2009) 1185-1194
46. Kuranov, G., Rumpf, B., Smirnova, N.A. and Maurer, G., Solubility of single gases carbon dioxide and hydrogen sulfide in aqueous solutions of *N*-methyldiethanolamine in the temperature range 313-413 K at pressures up to 5 MPa, *Ind. Eng. Chem. Res.*, 35 (1996) 1959-1966
47. Sánchez, L.M.G., Meindersma, G. W. and Haan, A.B., Solvent properties of functionalized ionic liquids for CO₂ absorption, *Trans IChemE, Part A, Chem. Eng. Research Design*, 85 (2007) 31-39
48. Heldebrant, D.J., Yonker, C.R., Jessop, P.G. and Phan, L., CO₂ - binding organic liquids (CO₂BOLs) for pos combustion CO₂ capture, *Energy Procedia*, 1 (2009) 1187-1195
49. Chowdhury, F.A., Okabe, H., Shimizu, S., Onoda, M. and Fujioka, Y., Development of novel tertiary amine absorbents for CO₂ capture, *Energy Procedia*, 1 (2009) 1241-124
50. Ko, J.-J. and Li, M.-H., Kinetics of absorption of carbon dioxide into solutions of *N*-methyldiethanolamine + water, *Chem. Eng. Sc.*, 55 (2000) 4139-4147
51. Jou, F.Y., Mather, A.E. and Otto, F.D., Solubility of H₂S and CO₂ in aqueous methyldiethanolamine solutions, *Ind. Eng. Chem. Process Des. Dev.*, 21 (1982) 539-544
52. Li, Y.-G. and Mather, A.E., Correlation and prediction of the solubility of CO₂ and H₂S in aqueous solutions of methyldiethanolamine, *Ind. Eng. Chem. Res.*, 36 (1997) 2760-2765
53. Rao, A. B. and Rubin, E., A technical, economic, and environmental assessment of amine-based CO₂ capture technology for power plant greenhouse gas control, *Environ. Sci Tech.*, 36 (2002) 4467-4475
54. Baltus, R. E., Counce, R. M., Culbertson, B. H., Luo, H., DePaoli, D. W. Dai, S. and Duckworth, D. C., Examination of the potential of ionic liquids for gas separations, *Sep. Sci. Tech.*, 40 (2005) 525-541
55. Kundu, M. and Bandyopadhyay, S.S., Solubility of CO₂ in water + diethanolamine + *N*-methyldiethanolamine, *Fluid Phase Eq.*, 248 (2006) 158-167
56. Rebolledo_Libreros, M.E., and Trejo, A., Gas solubility of CO₂ in aqueous solutions of *N*-methyldiethanolamine and diethanolamine with 2-amino-2-methyl-1-propanol, *Fluid Phase Eq.*, 218 (2004) 261-267

57. Jou, F.Y. and Mather, A.E., Solubility of carbon dioxide in an aqueous mixture of methyldiethanolamine and *N*-methylpyrrolidone at elevated pressures, *Fluid Phase Eq.*, 228-229 (2005) 465-469
58. Loo, S.V., Elk, E.P. and Versteeg, G.F., The removal of carbon dioxide with activated solutions of methyl-diethanol-amine, *J. Petroleum Sci. Eng.*, 55 (2007) 135–145
59. Rho, S.-W., Nam, S.C., Yoo, K.-P., Lee, J.S., Son, J.E., and Min, B.-M., Solubility of CO₂ in aqueous methyldiethanolamine solutions, *J. Chem. Eng. Data*, 42 (1997) 1161-1164
60. Kim, I. and Svendsen, H.F., Enthalpy of absorption of CO₂ in the aqueous solutions of amines, *10th Int. network for CO₂ capture*, IFP Lyon, France (2007) 23-31
61. Kamps, A.P-S., Xia, J. and Maurer, G., Solubility of CO₂ in H₂O + Piperazine and in (H₂O + MDEA + Piperazine), *AIChE*, 49 (2004) 2262-2670
62. Aliabadi, Z., Mirzaei, H. and Somaye, R., Using mixed amine solution for gas sweetening, *World Academy Sci., Eng. Tech.*, 58 (2009) 992-997
63. Ai, N., Chen, J. and Fei, W., Solubility of carbon dioxide in four mixed solvents, *J. Chem. Eng. Data*, 50 (2005) 492-496
64. Silkenbäumer, D., Rumpf, B. and Lichtenthaler, R.N., Solubility of carbon dioxide in aqueous solutions of 2-amino-2-methyl-1-propanol and *N*-methyldiethanolamine and their mixtures in the temperature range from 313 to 353 K and pressure up to 2.7 MPa, *Ind. Eng. Chem. Res.*, 37 (1998) 3133-3141
65. Hagewiesche, D.P., Ashour, S.S., Al-Ghawas, H.A. and Sandall, O.C., Absorption of carbon dioxide into aqueous blends of monoethanolamine and *N*-methyldiethanolamine, *Chem. Eng. Sc.*, 50 (1995) 1071-1079
66. Lin, C.-Y., Soriano, A.N. and Li, M.-H., Kinetics study of carbon dioxide absorption into aqueous solutions containing *N*-methyldiethanolamine, *J. Taiwan Institute of Chem. Eng.*, 34 (2009) 21-33
67. Ali, B.S. and Aroua, M.K., Effect of piperazine on CO₂ loading in aqueous solutions of MDEA at low pressure, *Int. J. of Thermophysics*, 25 (2004) 1863-1870
68. Jou, F.Y., Otto, F.D. and Mather, A.E., Vapor-liquid equilibrium of carbon dioxide in aqueous mixtures of monoethanolamine and methyldiethanolamine, *Ind. Eng. Chem. Res.*, 33 (1994) 2002-2005
69. Bötter, A., Ermatchkov, V. and Maurer, G., Solubility of carbon dioxide in aqueous solutions of *N*-methyldiethanolamine and piperazine in the high gas loading region, *J. Chem. Eng. Data*, 54 (2009) 1905-1909

70. Mandal, B. and Bandyopadhyay, S., Simultaneous absorption of CO and HS into aqueous blends of *N*-methyldiethanolamine and diethanolamine, *Env.Sci.Tech.*, 40 (2006) 6076-6084
71. Chakravarty, T., Phukan, U. K. and Weiland, R. H., Reaction of Acid Gases with Mixtures of Amines, *Chem. Eng. Prog.*, 81 (1985) 32-40
72. Rolker, J., Seiler, M., Mokrushina, L. and Arlt, W., Potential of branched polymers in the field of gas absorption: Experimental gas solubilities and modeling, *Ind. Eng. Chem. Res.*, 46 (2007) 6572-6583
73. Kovvali, A.S. and Sirkar, K.K., Carbon dioxide separation with novel solvents as liquid membranes, *Ind. Eng. Chem. Research*, 41 (2002) 2287-2295
74. Davison, J., Freund, P. and Smith, A., Putting carbon back into the ground, *IEA Greenhouse Gas R&D Programme*, 2 (2001) 11-21
75. Hampe, E.M. and Rudkevich, D.M., Exploring reversible reactions between CO₂ and amines, *Tetrahedron*, 59 (2003) 9619-9625
76. Benamor, A. and Aroua, M.K., Modelling of CO₂ solubility and caramate concentration in DEA, MDEA and their mixtures using the Deshmukh-Mather model, *Fluid Phase Eq.*, 231 (2005) 150-162
77. Mackenzie, D.H., Prambil, F.C., Daniels, C.A. and Bullin, J.A., Design and operation of a selective sweetening plant using MDEA, *Energy Process*, 23 (1987) 31-36
78. Deshmukh, R.D. and Mather, A.E., A mathematical model for equilibrium solubility of hydrogen sulfide and carbon dioxide in aqueous alkanolamine solutions, *Chem. Eng. Sc.*, 36 (1981) 355-362
79. Gabrielsen, J., Michelsen, M.L., Stenby, E.H. and Kontogeorgis G.M., A model for estimating CO₂ solubility in aqueous alkanolamines, *Ind. Eng. Chem. Res.*, 44 (2005) 3348-3354
80. Yang, Q., Bown, M., Ali, A., Winkler, D., Puxty G. and Attalla, M., A carbon-13 NMR study of carbo dioxide absorption and desorption with aqueous amine solutions, *Energy Procedia*, 1 (2009) 955-962
81. Aroua, M.K., Haji-Sulaiman, M.K. and Ramasamy, K., Modelling of carbon dioxide absorption in aqueous solutions of AMP and MDEA and their blends using Aspenplus, *Sep. Purif. Tech.*, 29 (2002) 153-162
82. Haji-Sulaiman, M.Z., Aroua, M.K. and Perves, M.I., Equilibrium concentration profiles of species in CO₂-alkanolamine-water systems, *Gas Sep. Purif.*, 10 (1996) 13-18
83. Benamor, A. and Aroua, M.K., An experimental investigation on the rate of CO₂ absorption into aqueous *N*-methyldiethanolamine solutions, *Korean J. Chem. Eng.*, 24 (2007) 16-23

84. Lévêque, J.-M., Estager, J., Draye, M., Cravotto, G., Boffa, L. and Bonrath, W., Synthesis of ionic liquids using non conventional activation methods: An overview, *Monatshefte für Chemie*, 138 (2007) 21103-1113
85. Welton, T., Room-temperature ionic liquids. Solvents for synthesis and catalysis, *Chem. Rev.*, 99 (1999) 2071-2083
86. Welton, T., Review. Ionic liquids in catalysis, *Coord. Chem. Rev.*, 248 (2004) 2459-2477
87. Fuller, J., Carlin, R.T., De Long, H.C. and Haworth, D.J., Structure of 1-ethyl-3-methylimidazolium hexafluorophosphate: Model for room temperature molten salts, *Chem. Soc. Chem. Comm.*, 1 (1994) 299-300
88. Santos, L.M.N.B.F., Lopes, J.N.C., Coutinho, J.A.P., Esperanca, J.M.S.S., Gomes, L.R., Marrucho, I.M. and Rebelo, L.P.N., Ionic liquids: First direct determination of their cohesive energy, *J. Am. Chem. Soc.*, 129 (2007) 284-285
89. Huddleston, J.G., Willauer, H.D., Swatloski, R.P., Visser, A.E. and Rogers, R.D., Room temperature ionic liquids as novel media for 'clean' liquid-liquid extraction, *J. Chem. Soc., Chem. Comm.*, 2 (1998) 1765-1772
90. Dohrn, R. and Brunner, G., High-pressure fluid phase equilibria: Experimental methods and systems investigated (1988-1993), *Fluid Phase Eq.*, 106 (1995) 213-282
91. Shariati, A. and Peters, C.J., High-pressure phase equilibria of systems with ionic liquids, *J. Supercrit. Fluids*, 34 (2005) 171-176.
92. Hong, G., Jacquemin, J., Hardacre, C., Husson, P. and Gomes M.F.C., Solubility of carbon dioxide and ethane in three ionic liquids based on the bis(trifluoromethylsulfonyl)imide, *Fluid Phase Eq.*, 257 (2007) 27-34
93. Christov, M. and Dohrn, R., High-pressure fluid phase equilibria: Experimental methods and systems investigated (1994-1999), *Fluid Phase Eq.*, 202 (2002) 153-218
94. Bara, J.E., Carlisle, T.K., Gabriel, C.J., Camper, D., Finotello, A., Gin, D.L. and Noble, R.D. Guide to CO₂ separations in imidazolium-based room-temperature ionic liquids, *Ind. Eng. Chem. Res.*, 48 (2009) 2739-2751
95. Blasucci, V., Hart, R., Mestre, V.L., Hahne, D.J., Burlager, M., Huttenhower, H., Thio, B.J.R., Pollet, P., Liotta, C.L. and Eckert, C.A., Single component, reversible ionic liquids for energy applications, *Fuel*, 89 (2010) 1315-1319
96. Kubota, K., Nohira, T., Goto, T. and Hagiwara, R., Novel inorganic ionic liquids possessing low melting temperature and wide electrochemical windows: Binary mixtures of alkali bis(fluorosulfonyl)amides, *Electrochim. Comm.*, 10 (2008) 1886-1888

97. Oliver-Bourbigou, H. and Magna, L., Ionic liquid: Perspectives for organic and catalytic reactions, *J. Mol. Catal. A: Chem.*, 182 (2002) 419-437
98. Jianbin, T., Sun, W., Tang, H., Radosz, M. and Shen, Y., Poly(ionic liquid)s: A new material with enhanced and fast CO₂ absorption, *Chem. Comm.*, 1 (2005) 3325-3327
99. Lopes, J.N.C. and Padua, A.A.H., Molecular force field for ionic liquids composed of triflate or bistriflamide anions, *J. Phys. Chem. B*, 108 (2004) 16893 – 16898.
100. Rogers, R.K. and Seddon, K.R., Ionic Liquids: Industrial applications to green chemistry, *Oxford University Press*, Washington, DC (2002) 35-76
101. Scovazzo, P., Kieft, J., Finan, D.A., Koval, C., DuBois, D. and Noble, R., Gas separations using non-hexafluorophosphate [PF₆] – anion supported ionic liquid membranes, *J. Membrane Sci.*, 238 (2004) 57-63
102. Jain, N., Kumar, A., and Chauhan, S.M.S., Chemical and biochemical transformataion in ionic liquids, *Tetrahedron*, 61 (2005) 1015-1060
103. Forbes, D.C., Law, A.M. and Morrison, D.W., The Knoevenagel reaction: analysis and recycling of the ionic liquid medium, *Tetrahedron. Lett.*, 47 (2006) 1699 – 1703
104. Tiwari, S. and Kumar, A., Diels-Alder reactions are faster in water than in ionic liquids at room temperature, *Angew. Chem. Int. Ed.*, 118 (2006) 4942 – 4943.
105. Davis, J.H., Task-specific ionic liquids for separations of petrochemical relevance: Reactive capture of CO₂ using amine-incorporating ions, *ILs IIIB: Fundamentals, Progress, Challenge and Opportunities*, 1 (2008) 49 – 56
106. Anderson, J.L., Dixon, J.K. and Brennecke, J.F., Solubility of CO₂, CH₄, C₂H₆, C₂H₄, O₂, and N₂ in 1-hexyl-3-methylpyridinium bis(trifluoromethylsulfonyl)imide: Comparison to other ionic liquids, *Acc. Chem. Res.*, 40 (2007) 1208-1216
107. Wappel, D., Gronald, G., Kalb, R. and Draxler, J., Ionic liquids for post-combustion CO₂ absorption, *Int. J. Greenhouse Gas Control*, 4 (2010) 489-494
108. Lee, B.-C. and Outcalt, S. L., Solubilities of gases in ionic liquid 1-*n*-butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide, *J. Chem. Eng. Data*, 51 (2006) 892–897
109. Rogers, R.K. and Seddon, K.R., Ionic liquids as green solvents: Progress and prospects, *Oxford University Press*, Washington, DC 5 (2003) 11-55
110. Aki, S.N.V.K., Mellein, B.R., Saurer, E.M. and Brennecke, J.F., High-pressure phase behaviour of carbon dioxide with imidazolium-based ionic liquids, *J. Phys. Chem. B.*, 108 (2004) 20355-20365

111. Anthony, J.L., Aki, N.V.K., Maginn, E.J. and Brennecke, J.F., Feasibility of using ionic liquids for carbon dioxide capture, *Int. J. Env. Tech. Management*, 4 (2004) 105-115
112. Soriano, A.N., Doma Jr., B.T. and Li M.-H., Solubility of carbon dioxide in 1-ethyl-3-methylimidazolium 2-(2-methoxyethoxy) ethylsulfate, *J. Chem Thermodynamics*, 40 (2008) 1654-1660
113. Wang, T., Peng, C., Liu, H., Hu, Y., Description of the pVT behaviour of ionic liquids and the solubility of gases in ionic liquids using an equation of state, *Fluid Phase Eq.*, 250 (2006) 150-157
114. Yunus, N.M., Abdul Mutalib, M.I., Man, Zakaria, Bustam, M.A. and Murugesan, T., Thermophysical properties of 1-alkylpyridinium bis(trifluoromethylsulfonyl)imide ionic liquids, *J. Chem. Thermodynamics*, 45 (2009) 112-121
115. Anthony, J.L., Maginn, E.J. and Brennecke, J.F., Solubilities and thermodynamic properties of gases in the ionic liquid 1-*n*-butyl-3-methylimidazolium hexafluorophosphate, *J.Phys.Chem. B*, 106 (2002) 7315-7333
116. Zhang, S., Chen, Y., Li, F., Lu, X., Dai, W. and Mori, R., Fixation and conversion of CO₂ using ionic liquids, *Catal. Today*, 115 (2006) 61-69
117. Anthony, J.L., Anderson, J.L., Maginn, E.J. and Brennecke, J.F., Anion effects on gas solubility in ionic liquids, *J. Phys. Chem. B*, 109 (2005) 6366–6374
118. Kanakubo, M., Umecky, T., Hiejima, Y., Aizawa, T., Nanjo, H. and Kmeda, Y., Solution structures of 1-butyl-3-methylimidazolium hexafluorophosphate ionic liquid saturated with CO₂: Experimental evidence of specific anion – CO₂ interaction, *J. Phys. Chem. B*, 109 (2005) 13847-13850
119. Brennecke, J.F. and Maginn, E.J., Ionic liquids: Innovative fluids for chemical processing, 47 (2001) 2384-2389
120. Jianbing, T., Huandong, T., Weilin, S., Maciej, R. and Youqing, S., Poly (ionic liquid)s as new materials for CO₂ absorption, *J. Poly. Sc.: Part A: Polym. Chem.*, 43 (2005) 5477-5489
121. Jianbing, T., Weilin, S., Huandong, T., Maciej, R., Youqing, S., Enhanced CO absorption of poly(ionic liquid)s, *Macromolecules*, 6 (2005) 38-49
122. Wu, W., Li, W., Han, B., Jiang, T., Shen, D., Zhang, Z., Sun, D. and Wang, B., Effect of organic co-solvents on the solubility of ionic liquids in supercritical CO₂, *J. Chem. Eng. Data*, 49 (2004) 1597
123. Kim, Y.S., Choi, W.Y., Jang, J.H., Yoo, K.P., Lee, C.S., Solubility measurement and prediction of carbon dioxide in ionic liquids, *Fluid Phase Eq.* 439 (2005) 228–229

124. Kühne, E., Santarossa, S., Perez, E., Witkamp, G.J. and Peters, C.J., New approach in the design of reactions and separations using an ionic liquid and carbon dioxide as solvents: Phase equilibria in two selected ternary systems, *J. Supercrit. Fluids*, 46 (2008) 93-98
125. Cadena, C., Anthony, J., Shah, J., Morrow, T., Brennecke, J. and Maginn, E., Why is CO₂ so soluble in imidazolium-based ionic liquids? *J. Am. Chem. Soc.*, 126 (2004) 5300– 5308
126. Camper, D., Scovazzo, P., Koval, C. and Noble, R., Gas solubilities in room-temperature ionic liquids, *Ind. Eng. Chem. Res.*, 43 (2004) 3049–3054
127. Constantini, M., Toussaint, V.A., Shariati, A., Peters, C.J. and Kikic, I., High-pressure phase behavior of systems with ionic liquids. Part IV. Binary system carbon dioxide + 1-hexyl-3-methylimidazolium tetrafluoroborate, *J. Chem. Eng. Data*, 50 (2005) 52-55
128. Gutkowski, K.I., Shariati, A. and Peters, C.J., High-pressure phase behaviour of the binary ionic liquid system 1-octyl-3-methylimidazolium tetrafluoroborate + carbon dioxide, *J. Supercritical Fluids*, 39 (2006) 187-191
129. Kamps, A.Ä.P.S., Tuma, D., Xia, J. and Maurer, G., Solubility of CO₂ in the ionic liquid [bmim][PF₆], *Chem. Eng. Data*, 48 (2003) 746-749
130. Kumelan, J., Kamps A.P.S., Tuma, D., Maurer, G., Solubility of CO₂ in the ionic liquid [hmim][Tf₂N], *J. Chem. Thermodynamic*, 38(2006) 1396-1401
131. Kumelan, J., Kamps, P.S., Tuma, D. and Maurer, G., Solubility of CO₂ in the ionic liquids [bmim][CH₃SO₄] and [bmim][PF₆], *J. Chem. Eng. Data*, 51 (2006) 1802–1807
132. Shah, J.K. and Maginn, E.J., A Monte Carlo simulation study of the ionic liquid 1-*n*-butyl-3-methylimidazolium hexafluorophosphate: Liquid structure, volumetric properties and infinite dilution solution thermodynamics of CO₂, *Fluid Phase Eq.*, 222 (2004) 195-203
133. Shariati, A. and Peters, C.J., High-pressure phase behavior of systems with ionic liquids. II. The binary system carbon dioxide + 1-ethyl-3-methylimidazolium hexafluorophosphate, *J. Supercrit. Fluids*, 29 (2004) 43–48
134. Shariati, A. and Peters, C.J., High-pressure phase behaviour of systems with ionic liquids, Part III. The binary system carbon dioxide + 1-hexyl-3-methylimidazolium hexafluorophosphate, *J. Supercritical Fluids*, 30 (2004) 139-144
135. Shiflett, M. B. and Yokozeki, A., Solubilities and diffusivities of carbon dioxide in ionic liquids: [bmim][PF₆] and [bmim][BF₄], *Ind. Eng. Chem. Res.*, 44 (2005) 4453–4464

136. Yuan, X., Zhang, S., Liu, J. and Lu, X., Solubilities of CO₂ in Hydroxyl ammonium ionic liquids at elevated pressures, *Fluid Phase Eq.*, 257 (2007) 195–200
137. Anthony, J.L., Maginn, E.J. and Brennecke, J.F., Solubilities and thermodynamic properties of gases in the ionic liquid 1-n-butyl-3-methylimidazolium hexafluorophosphate, *J. Phys. Chem. B*, 106 (2002) 7315–7320
138. Blanchard, L., Gu, Z. and Brennecke, J., High-pressure phase behavior of ionic liquid/CO₂ systems, *J. Phys. Chem. B*, 105 (2001) 2437–2444
139. Zhang, S., Yuan, X., Chen, Y. and Zhang, X., Solubilities of CO₂ in 1-butyl-3-methylimidazolium hexafluorophosphate and 1,1,3,3-tetramethylguanidium lactate at elevated pressures, *J. Chem. Eng. Data*, 50 (2005) 1582–1586
140. Schilderman, A.M., Raeissi and Peters, C.J., Solubility of carbon dioxide in the ionic liquid 1-ethyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide, *Fluid Phase Eq.*, 260 (2007) 19–22
141. Shiflett, M. B. and Yokozeki, A., Solubility of CO₂ in room-temperature ionic liquid [hmim][Tf₂N], *J. Phys. Chem. B*, 111 (2007) 2070–2074
142. Huang, J., Riisager, A., Berg, R. and Fehrmann, W., Tuning ionic liquids for high solubility and reversible gas sorption, *J. Mol. Catal. A: Chem.*, 279 (2008) 170–176
143. Hasib-ur-Rahmana, M., Siaj, M. and Larachia, F., Review ionic liquids for CO₂ capture - Development and progress, *Chem. Eng. Processing*, 49 (2010) 313–322
144. Meindersma, G.W., Sánchez, L.M.G., Hansmeirer, Haan, A.B., Application of task specific ionic liquids for intensified separations, *Monatshefte für Chemie*, 138 (2007) 1125–1136
145. Ahrens, S., Peritz, A. and Strassner, T., Tunable aryl alkyl ionic liquids (TAAILs): The next generation of ionic liquids, *Angew. Chem. Int. Ed.*, 48 (2009) 7908 – 7910
146. Holbrey, J.D. and Rogers, R., Green chemistry and ionic liquids: Synergies, *J. Am. Chem. Soc.*, 2 (2002) 2–14
147. Seddon, K.R., Stark, A. and Torres, M.J., Influence of chloride, water, and organic solvents on the physical properties of ionic liquids, *Pure Appl. Chem.*, 72 (2000) 2275–2287
148. Heintz, A., Recent developments in thermodynamics and thermophysics of non-aqueous mixtures containing ionic liquids. A review, *J. Chem. Thermo.*, 37 (2005) 525–535

149. Suthanthiraraj, S.A. and Mala, A., Preparation and characterization of fast ionic solids in new ternary system CuI-Ag₂O-PbO₂, *Solid State Ionics*, 144 (2001) 143-149
150. Sesto, R.E.D., Corley, C., Robertson, A. and Wilkes, J.S., Tetraalkylphosphonium-based ionic liquids, *J. Organometallic Chem.*, 690 (2005) 2536-2542
151. Earle, M. J., Esperanca, J.M.M.S., Gilea, M.A., Lopes, J.N.C., Rebelo, L.P.N., Magee, J.W., Seddon, K.R. and Widegren, J.A., Distillation and volatility of aprotic ionic liquids, *Nature*, 439 (2006) 831 – 834
152. Yokozeki, A. and Shiflett, M.B., Hydrogen purification using room-temperature ionic liquids, *Appl. Energy*, 84 (2007) 351–361
153. Wasserscheid, P. and Welton, T., Ionic Liquids in Synthesis, *Wiley-VCH*, Weinheim, (2008) 23-35
154. Brennecke, J.F., Anderson, J.L. and Maginn, E.J., Gas solubilities in ionic liquids. Ionic liquids in synthesis, *Wiley-VCH*, Weinheim (2003) 81-92
155. Costa Gomes, M.F., Low-pressure solubility and thermodynamics of solvation of carbon dioxide, ethane, and hydrogen in 1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)amide between temperatures of 283 and 343 K, *J. Chem. Eng. Data*, 52 (2007) 472– 475
156. Kim, Y.S., Jang, J.H., Lim, B.D., Kang, J.W. and Lee, C.S., Solubility of mixed gases containing carbon dioxide in ionic liquids: Measurements and predictions, *Fluid Phase Eq.*, 256 (2007) 70–74
157. Baltus, R.E., Culbertson, B.H., Dai, S., Luo, H. and DePaoli, D.W., Low-pressure solubility of carbon dioxide in room-temperature ionic liquids measured with a quartz crystal microbalance, *J. Phys. Chem. B*, 108 (2004) 721–727
158. Muldoon, M.J., Aki, S.N.V.K., Anderson, J.L., Brennecke, J.F., Improving carbon dioxide solubility in ionic liquids, *J. Phys. Chem. B*, 111 (2007) 9001–9009
159. Ren, W., Sensenich, B. and Scurto, A.M., High-pressure phase-equilibria of (carbon dioxide (CO₂) + *n*-alkyl-imidazolium bis(trifluoromethylsulfonyl)amide) ionic liquids, *J. Chem. Thermodynamics*, 42 (2010) 305-311
160. Jelliarko, P., Kang, J.E., Cheong, M., Kim, H., Lee, H. and Kim, H.S., Fluorine-free imidazolium-based ionic liquids containing anion as potential CO₂ absorbents, *Korean Chem. Soc.*, 30 (2008) 1749-1762
161. Luo, S.-P., Xu, D.Q., Yue, H.-D., Wang, L.-P., Yang W.-L. and Xu, Z.-Y., Synthesis and properties of novel chiral-amine-functionalized ionic liquids, *Tetrahedron: Asymmetry*, 17 (2006) 2028-2033

162. Bates, E., Mayton, R., Ntai, I. and Davis, J., CO₂ capture by a task-specific ionic liquid, *J. Am. Chem. Soc.*, 124 (2002) 926–927
163. Anthony, J., Anderson, J., Maginn, E. and Brennecke, J., Anion effects on gas solubility in ionic liquids, *J. Phys. Chem. B*, 109 (2005) 6366–6374
164. Gutowski, K.E. and Maginn, E.J., Amine-functionalized task-specific ionic-liquids: A mechanistic Explanation for the dramatic increase in viscosity upon complexion with CO from molecular simulation, *J. Am. Soc.*, 44, (2008) 14690–14704
165. Russel, V.A. and Ward, M.D., Solid-state structure of a layered hydrogen-bonded salt: Guanidinium 5-benzoyl-4-hydroxy-2-methoxybenzenesulfonate methanol solvate, *Acta Cryst.*, 52 (1996) 209–214
166. Aakeröy, C.B., Crystal Engineering: Strategies and architectures, *Acta Cryst.*, 53 (1997) 569–586
167. Sairi, N.A., Yusoff, R., Alias, Y. and Aroua, M.K., Solubilities of CO₂ in aqueous *N*-methyldiethanolamine and guanidinium trifluoromethanesulfonate ionic liquid systems at elevated pressures, *Fluid Phase Eq.*, 300 (2011) 89–94
168. Bahadori, A., Vuthaluru, H.B. and Mokhatab, S., Rapid prediction of CO₂ solubility in aqueous solutions of diethanolamine and methyldiethanolamine, *Chem. Eng. Tech.*, 31 (2008) 245–248
169. Dicko, M., Coquelet, C., Jarne, C., Northrop, S., Richon, D., Acid gases partial pressure above a 50% wt% aqueous *N*-methyldiethanolamine solution: Experimental work and modeling, *Fluid Phase Eq.*, 289 (2009) 87–97
170. Haji-Sulaiman, M.Z., Aroua, M.K. and Benamor, A., Analysis of equilibrium data of CO₂ in aqueous solutions of diethanolamine (DEA), methyldiethanolamine (MDEA) and their mixtures using the modified Kent Eisenberg Model, *Trans IChemE*, 76 (1998) 961–968
171. Eucker, W., Reicherts, W.M., Trulove, P.C., Urban, P.C. and De Long, H.C., The mechanism of absorption of CO₂ in ionic liquids: A computational and raman spectroscopy study, *Int J. Thermophys.*, 16 (2008) 49
172. Navaza, J.M., Gómez-Díaz, L. and Rubia, M.D.L., Removal process of CO₂ using MDEA aqueous solutions in a bubble column reactor, *Chem. Eng. J.*, 146 (2009) 184–188
173. Soriano, A.N., Doma Jr., B.T. and Li M.-H., Carbon dioxide solubility in some ionic liquids at moderate pressures, *J. Taiwan Inst. Chem. Eng.*, 40 (2009) 387–393
174. Soriano, A.N., Doma Jr., B.T. and Li M.-H., Carbon dioxide solubility in 1-ethyl-3-methylimidazolium trifluoromethanesulfonate, *J. Chem Thermodynamics*, 41 (2009) 525–529

175. Kent, R.L. and Eisenberg, B., Better data for amine treating, *Hydrocarbon Processing*, 55 (1976) 153-161
176. Pitzer, K.S. and Mayorga, G., Thermodynamics of electrolytes, II. Activity and osmotic coefficients with one or both ions univalent, *J. Phys. Chem.*, 77 (1973) 2300–2308
177. Mock, B., Evans, L.B. and Chen, C.-C., Thermodynamic representation of phase equilibria of mixed-solvent electrolyte systems, *Am. Int. Chem. Eng. J.*, 32 (1986) 1655-1664
178. Mores, P., Scenna, N. and Mussati, S., Mathematical model of carbon dioxide absorption into mixed aqueous solutions, *Comp. Aided Chem. Eng.*, 27 (2009) 1113-1118
179. Meissner, R.A., Kusik, C.L. and Tester, J.W., Activity coefficients of strong electrolytes in aqueous solution-effect of temperatures, *Am. Int. Chem. Eng. J.*, 18 (1972) 661-672
180. Bromley, L.A., Thermodynamic properties of strong electrolytes in aqueous solutions, *Am. Int. Chem. Eng. J.*, 19 (1973) 313-320
181. Cruz, J.-L. and Renon, H., A new thermodynamic representation of binary electrolyte, *Am. Int. Chem. Eng. J.*, 24 (1978) 817-830
182. Ball, F.-X., Planche, H., Furst, W. and Renon, H., Representation of deviation from ideality in concentrated aqueous solutions of electrolytes using a mean spherical approximation molecular model, *Am. Int. Chem. Eng. J.*, 31 (1985) 1233-1240
183. Chen, J.-H. and Fisher, M.-E., Unbiased estimation of corrections to scaling by partial differential approximants, *Phys. Rev. Lett.*, 48 (1982) 630–634
184. Christensen, C., Sander, B., Fredenslund, A. and Rasmussen, P., Towards the extension of UNIFAC to mixtures with electrolytes, *Fluid Phase Eq.*, 13 (1983) 297-309
185. Austgen, D. M., Rochelle, G. T., Peng, X. and Chen, C.-C., Model of vapor-liquid equilibria for aqueous acid gas - alkanolamine systems using the electrolyte - NRTL equation, *Ind. Eng. Chem. Res.*, 28 (1989) 1060
186. Sander, B., Fredenslund, A. and Rasmussen, P., Calculation of vapour-liquid equilibria in mixed solvent/salt systems using an extended UNIQUAC equation, *Chem. Eng. Sc.*, 41 (1986) 1171-1183
187. Mock, B., Evans, L.B. and Chen, C.-C., Thermodynamic representation of phase equilibria of mixed-solvent electrolyte systems, *Am. Int. Chem. Eng. J.*, 32 (1986) 1655-1661

188. Aroua, M.K. and Mohd-Salleh, R., Solubility of CO₂ in aqueous piperazine and its modeling using the Kent-Eisenberg approach, *Chem. Eng. Tech.*, 27 (2004) 65-70
189. Chakma, A. and Meisen, A., Activated carbon adsorption of diethanolamine and methyl-diethanolamine degradation products, *Carbon*, 27 (1989) 573-584
190. Aboudheir, A., Tontiwachwuthikul, P., Chakma, A. and Idem, R., Kinetics of the reactive absorption of carbon dioxide in high CO₂-loaded, concentrated aqueous monoethanolamine solutions, *Chem. Eng. Sc.*, 58 (2003) 5195-5210
191. Liu, H.J., Xu G.-H. and Wang, T., Non-thermal plasma approaches in CO₂ utilization, *Fuel Processing Tech.*, 58 (1999) 119-134
192. Kritpihat, W., Tontiwachwuthikul, P., An, A., Chan, C.W. and Cercone, N., Supervisory and decision-support system for intelligent monitoring and control of a pipeline network, *Am. Int. Chem. Eng. J.*, 3 (1995) 355
193. Aroua, M.K., Benamor, A., and Sulaiman, M.Z., Analysis of equilibrium data of CO₂ in aqueous solutions of diethanolamine (DEA), methyldiethanolamine (MDEA) and their mixtures using the modified Kent-Eisenbergh model, *Chem. Eng. Research and Design*, 76 (1998) 961- 968
194. Shiflett, M.B., Kasprzak, D.J., Junk, C.P. and Yokozeki, A., Phase behavior of {carbon dioxide + [bmim][Ac]} mixtures, *J. Chem. Thermodynamics*, 40 (2008) 25-31
195. Weiland, R.H., Dingman, J.C., Cronin, D.B. and Browning, G.J., Density and viscosity of some partially carbonated aqueous solutions and their blends, *J. Chem. Eng. Data*, 43 (1998) 378-382
196. Gardas, R.L., Freire, M.G., Carvalho, P.J., Marrucho, Fonseca, I.M.A., Ferreira, A.G.M. and Coutinho, J.A.P., $P\rho T$ measurements of imidazolium-based ionic liquids, *J. Chem. Eng. Data*, 52 (2007) 1881-1888
197. Henni, A., Maham, Y., Tontiwachwuthikul, P., Chakma, A., and Mather, A.E., Densities and viscosities for binary mixtures of *N*-methyldiethanolamine + triethylene glycol monomethyl ether from 25 °C to 70 °C and *N*-methyldiethanolamine + ethanol mixtures at 40 °C, *J. Chem. Eng. Data*, 45 (2000) 247-253
198. Shekari, H. and Zafarani-Moattar, M.T., Volumetric properties of the ionic liquid, 1-butyl-3-methylimidazolium tetrafluoroborate in organic solvents at T = 298.15 K, *Int. J. Thermophys.*, 32 (2009) 112-123
199. Jacquemin, J., Husson, P., Padua, A.A.H. and Majer, V., Density and viscosity of several pure and water-saturated ionic liquids, *Green Chem.*, 8 (2005) 172-180

200. Liu, W., Cheng, L., Zhang, Y., Wang, H., Yu, M., The physical properties of aqueous solution of room-temperature ionic liquids based on imidazolium: Database and evaluation, *J. Mol. Liq.*, 140 (2008) 68-72
201. Tokuda, H., Hayamizu, K., Ishii, K., Susan, Md. A.B.H. and Watanabe, M., Physicochemical properties and structures of room-temperature ionic liquids, *J. Phys. Chem. B*, 109 (2005) 6103-6113
202. Tariq, M., Serro, A.P., Mata, J.L., Saramago, B., Esperanca, J.M.M.S., Lopes, J.N.C. and Rebelo, L.P.N., High-temperature surface tension and density measurements of 1-alkyl-3-methylimidazolium bistriflamide ionic liquids, *Fluid Phase Eq.*, 294 (2010) 131 – 138
203. Widegren, J.A. and Magee, J.W., Density, viscosity, speed of sound, and electrolytic conductivity for the ionic liquid 1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide and its mixtures with water, *J. Chem. Eng. Data*, 52 (2007) 2331–2338
204. Harris, K.R., Kanakubo, M. and Woolf, L.A., Temperature and pressure dependence of the viscosity of the ionic liquids 1-hexyl-3-methylimidazolium hexafluorophosphate and 1-butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide, *J. Chem. Eng. Data*, 52 (2007) 1080–1085
205. Ahosseini, A. and Scurto, A.M., Viscosity of imidazolium based ionic liquids at elevated pressures, cation and anion effects, *Int. J. Thermophys.*, 29 (2008) 1222–1243
206. Battino, R., Volumes change on mixing for binary mixtures of liquids, *Chem. Rev.*, 71 (1971) 5-45
207. Clará, R.A., Marigliano, A.C.G. and Slimo, H., Density, viscosity, vapor-liquid equilibrium, excess molar volume, viscosity deviation, and their correlations for the chloroform + 2-butanone binary system, *J. Chem. Eng. Data*, 51 (2006) 1473-1478
208. Redlich, O. and Kister, A.T., Algebraic representation of thermodynamic properties and the classification of solution, *Ind. Eng. Chem.*, 40 (1948) 345-348
209. Paul, S. and Mandal, B., Density and viscosity of aqueous solutions of 2-piperidineethanol, (2-piperidineethanol + monoethanolamine), and (2-piperidineethanol + diethanolamine) from (288 to 333) K, *J. Chem. Eng. Data*, 51 (2006) 1406-1410
210. Paul, S. and Mandal, B., Density and viscosity of aqueous solutions of (2-piperidineethanol + piperazine) from (288 to 333) K and surface tension of aqueous solutions of (*N*-methyldiethanolamine + piperazine), (2-amino-2-methyl-1-propanol + piperazine), and (2-piperidineethanol + piperazine) from (293 to 323) K, *J. Chem. Eng. Data*, 51 (2006) 2242-2245

211. Wang, Y.W., Xu, S., Otto, F.D., Mather, A.E. Solubility of N₂O in alkanolamines and in mixed solvents, *Chem. Eng. J.*, 48 (1992) 31-40
212. Li, M.-H. and Shen, K.-P., Densities and solubilities of solutions of carbon dioxide in water + monoethanolamine + *N*-methyldiethanolamine, *J. Chem. Eng. Data*, 37 (1992) 288-29
213. Li, M.-H., and Lie, Y.-C., Densities and viscosities of solutions of monoethanolamine + *N*-methyldiethanolamine + water and monoethanolamine + 2-amino-2-methyl-1-propanol + water, *Chem. Eng. Data*, 39 (1994) 444-447
214. Bernal-García, J.M., Hall, K.R., Estrada-Baltazar, A. and Iglesias-Silva, G.A., Density and viscosity of aqueous solutions of *N,N*-dimethylethanolamine at $p = 0.1$ MPa from $T = (293.15$ to $363.15)$ K, *J. Chem. Thermodynamics*, 37 (2005) 762-767
215. Hartono, A., Silva, E.F. and Svendsen, H.F., Kinetics of carbon dioxide absorption in aqueous solution of diethylenetriamine (DETA), *Chem. Eng. Sci.*, 64 (2009) 3205-3212
216. Mantz, R.A. and Trulove, P.C., Ionic Liquids in Synthesis, *Wiley-VCH*, (2003) 56-68
217. Matsumoto, H., Yanagida, M., Tanimoto, K., Nomura, M., Kitagawa, Y. and Miyazaki, Y., Physical and electrochemical properties of low-viscosity phosphonium ionic liquids as potential electrolytes, *Chem. Lett.*, 3 (2000) 922
218. Sun, J., Forsyth, M. and MacFarlane, D.R., Room - temperature molten salts based on the quaternary ammonium ion, *J. Phys. Chem. B*, 102 (1998) 8858-8870
219. Marsh, K.N., Boxall, J.A. and Lichtenthaler, R., Room temperature ionic liquids and their mixtures — A review, *Fluid Phase Eq.*, 219 (2004) 93-105
220. Ziyada, A.K., Wilfred, C.D. and Bustam, M.A., Synthesis and physicochemical properties of supramolecular phosphonium-based symmetrical dicationic ionic liquids, *J. Appl. Sc.*, 11 (2011) 1356-1360
221. Tokuda, H., Hayamizu, K., Ishii, K., Susan, M.A.B.H. and Watanabe, M., Physicochemical properties and structures of room temperature ionic liquids. Variation of anionic species, *J. Phys. Chem. B*, 108 (2004) 16593-16600
222. Tokuda, H., Tsuzuki, S., Susan, M.A.B.H., Hayamizu, K. and Watanabe, M., How ionic are room temperature ionic liquids? An indicator of the physico-chemical properties, *J. Phys. Chem. B*, 110 (2006) 19593-19600
223. Seddon, K.R., Stark, A.S. and Torres, M.-J., Viscosity and density of 1-alkyl-3-methylimidazolium ionic liquids, *Ionic Liquids III: Fundamentals, Progress, Challenges, and Opportunities, ACS Symposium Series*, Washington DC, (2004) 37-52

224. Gu, Z. and Brennecke, J.F., Volume expansivities and isothermal compressibilities of imidazolium and pyridinium - based ionic liquids, *J. Chem. Eng. Data*, 47 (2002) 339-351
225. Fredlake, C.P., Crosthwaite, J.M., Hert, D.G., Aki, S.N.V. K. and Brennecke, J.F., Solvent strength of ionic liquid/ CO₂ mixtures, *J. Chem. Eng. Data*, 49 (2004) 954-965
226. Kabo, G.J., Blokhin, A.V., Paulechka, Y.U., Kabo, A.G., Shymanovich, M.P. and Magee, J.W., Thermodynamic properties of 1-butyl-3-methylimidazolium hexafluorophosphate in the condensed state, *J. Chem. Eng. Data*, 49 (2004) 453-468
227. Wang, J., Li, C., Shen, C. and Wang, Z., Towards understanding the effect of electrostatic interactions on the density of ionic liquids, *Fluid Phase Eq.*, 279 (2009) 87-91
228. Wang, J., Wang, H., Zhang, S., Zhang, H. and Zhao, Y., Conductivities, volumes, fluorescence, and aggregation behavior of ionic liquids [C₄mim][BF₄] and [C_nmim]Br ($n = 4, 6, 8, 10, 12$) in aqueous solution, *Phys. Chem. B*, 111 (2007) 6181–6188
229. Garcia-Miaja, G., Troncoso, J. and Romani, L., Excess molar properties for binary systems of alkylimidazolium - based ionic liquids + nitromethane. Experimental results and ERAS - model calculations, *J. Chem. Thermodynamics*, 41 (2009) 334-341
230. Dzyuba, S.V. and Bartsch, R.A., Influence of structural variations in 1-alkyl (alkyl)-3-methylimidazolium hexafluorophosphates and bis(trifluoromethylsulfonyl)imides on physical properties of the ionic liquids, *Chem. Phys. Chem.*, 3 (2002) 161 – 166
231. Huo, Y., Xia, S. and Ma, P., Densities of ionic liquids, 1-butyl-3-methylimidazolium hexafluorophosphate and 1-butyl-3-methylimidazolium tetrafluoroborate, with benzene, acetonitrile, and 1-propanol at T = (293.15 to 343.15) K, *J. Chem. Eng. Data*, 52 (2007) 2077–2082
232. Zhang, L., Li, H., Wang, Y., and Hu, X., Characterizing the structural properties of *N,N*-dimethylformamide-based ionic liquid: Density-functional study, *J. Phys. Chem.*, 111 (2007) 11016-11020
233. Iglesias-Otero, M.A., Troncoso. J. and Carballo, E., Density and refractive index for binary systems of the ionic liquid [Bmim][BF₄] with methanol, 1,3-dicholoropropane, and dimethyl carbonate, *J. Sol. Chem.*, 36 (2007) 1219-1230
234. Iglesias-Otero, M.A., Troncoso. J. and Carballo, E., Density and refractive index in the mixtures of ionic liquids and organic solvents: Correlation and predictions, *J. Chem. Thermodynamic*, 45 (2008) 1132-1140

235. Tong, J., Liu, Q.-S., Zhang, P., and Yang, Jia-Zhen, Surface tension and density of 1-methyl-3-hexylimidazolium chloroindium, *J. Chem. Eng. Data*, 52 (2007) 1497-1500
236. Prausnitz, J.M. and Tavares, F.W., Thermodynamics of fluid-phase equilibria for standard chemical engineering operations, *Am. Int. Chem. Eng. J.*, 50 (2004) 739-761
237. Muhammad, A., Abdul Mutualib, M.I., Murugesan, T., and Shafeeq, A., Density and excess properties of aqueous *N*-methyldiethanolamine solutions from (298.15 to 338.15) K, *J. Chem. Eng. Data*, 53 (2008) 2217-2221
238. Kim, H.-D., Hwang, I.-C., Park, S.-J., Isothermal vapour-liquid equilibrium at 323.15 K and excess molar volumes and refractive indices at 298.15 K for the ternary system propyl vinyl ether + 1-propanol + benzene and its binary subsystems, *Fluid Phase Eq.*, 274 (2008) 73-79
239. Sen, D. and Kim, M.G., Excess molar volumes and excess molar enthalpies of binary mixtures for 1,2-dichloropropane + 2-alkoxyethanol acetates at 298.15 K, *Thermochimica Acta*, 471 (2008) 20-25
240. Ciocorlan, O. and Iulian, O. Vapour pressure, density, viscosity and refractive index of dimethyl sulfoxide + 1,4-dimethylbenzene system, *J. Serb. Chem. Soc.*, 73 (2008) 73-85
241. Hofman, T., Goldon, A., Nevines, A., Letcher, T.M., Densities, excess volumes, isobaric expansivity, and isothermal compressibility of the (1-ethyl-3-methylimidazolium ethylsulfate + methanol) system at temperatures (283.15 to 333.15 K) and pressures from (0.1 to 35) MPa, *J. Chem. Thermodynamic*, 40 (2008) 580-591
242. Wang, C.-C, Chen, H.-W., and Tu, C.-H., Densities, viscosities, and refractive indices for binary and ternary mixtures of ethanol, 2-methylpropan-2-ol, and 2,2,4-trimethylpentane, *J. Chem. Eng. Data*, 50 (2005) 1687-1693
243. Choudhury, A.R., Winterton, N., Steiner, A., Cooper, A.I. and Johnson, K.A., In situ crystallization of low - melting ionic liquids, *J. Am. Chem. Soc.*, 127 (2005) 16792–16793
244. Assarsson, P. and Eirich, F.R., Properties of amides in aqueous solution. I. Viscosity and density changes of amide-water systems. An analysis of volume deficiencies of mixtures based on molecular size differences (mixing of hard spheres), *J. Phys. Chem.*, 72 (1968) 2710–2719
245. Kipkemboi, K.P. and Easteal, A.J., Densities and viscosities of binary aqueous mixtures of nonelectrolytes: Tert-butyl alcohol and tert-butylamine, *Can. J. Chem.*, 72 (1994) 20-29
246. Bahadur, L. and Ramanamurti, M.V., Conductance studies in amide + water mixtures. Part 4. Tetraalkylammonium bromides in *N*, *N* - dimethylacetamide + water mixtures at 35° C., *J. Chem. Sc. Faraday I*, 76 (1980) 1409-1420

247. Gardas, R.L. and Coutinho, J.A.P., A group contribution method for viscosity estimation of ionic liquids, *Fluid Phase Eq.*, 266 (2008) 195-201
248. Eagland, D. and Pilling, G., Viscosity of concentrated aqueous solutions of tetraalkylammonium bromides, *J. Phys. Chem.*, 76 (1972) 1902–1906
249. Das, P.B., Ion - solvent interaction: viscosity of ternary electrolytes in dioxane-water mixtures at 35° C, *Electrochim. Acta*, 22 (1977) 1275-1276
250. Pensado, A.S., Pdua, A.A.H., Comuas, M.J.P. and Fernndez, J., Relationship between viscosity coefficients and volumetric properties using a scaling concept for molecular and ionic liquids, *J. Phys. Chem. B.*, 112 (2008) 5563-5573
251. Matsuda, H., Yamamoto, H., Kurihara, K. and Tochigi, K., Prediction of the ionic conductivity and viscosity of ionic liquids by QSPR using descriptors of group contribution type, *J. Com. Aided Chem.*, 8 (2007) 114-127
252. Riddick, J.A., Bunger, W.B. and Sakano, T.K., Organic solvent, physical properties and method of purification, 4th ed., *John Wiley & Sons*, New York, (1986) 71-87
253. Bonhote, P., Sias, A.-P., Papageorgiou, N., Kalyanasundaram, K., Gratzel, M., Hydrophobic, Highly Conductive Ambient-Temperature Molten Salts, *Ionrg. Chem.*, 35 (1996) 1168-1178
254. Khupse, N.D. and Kumar, A., Dramatic change in viscosities of pure ionic liquids upon addition of molecular solvents, *J. Solution Chem.*, 38 (2009) 589-600
255. Al-Ghawas, H.A., Hagewiesche, D.P., Ruiz-Ibanez, G. and Sandall, O.C., Physicochemical properties important for carbon dioxide absorption in aqueous methyldiethanolamine, *J. Chem. Eng. Data*, 34 (1989) 385-391
256. Okoturo, O.O. and Vander-Noot, T.J., Temperature dependence of viscosity for room temperature ionic liquids, *J. Electroanal. Chem.*, 568 (2004) 167–181
257. Gomez, E., González, B., Calvar, N., Tojo, E. and Domínguez, A., Physical properties of pure 1-ethyl-3-methylimidazolium ethylsulfate and its binary mixtures with ethanol and water at several temperatures, *J. Chem. Eng. Data*, 51 (2006) 2096-2102
258. Ge, X-H., Matsuo, Y., Shu, F.-W., Sin, S.-J. and Tsukioka, T., Viscosity bound, causality violation and instability with stringy correction and charge, *J. High Energy Phys.*, 20 (2008) 14-21
259. Muhammad, N., Man, Z.B., Bustam, M.A., Abdul-Mutalib, M. I., Wilfred, C.D. and Rafiq, S., Synthesis and thermophysical properties of low viscosity amino acid - based ionic liquids, *J. Chem. Eng. Data*, 33 (2010) 114-123

260. Wilkes, J.S., Properties of ionic liquid solvents for catalysis, *J. Mol. Catal. A: Chem.*, 214 (2004) 11-17
261. Paulechka, Y.U., Zaitsau, D.H., Kabo, G.J. and Strechen, A.A., Vapour pressure and thermal stability of ionic liquid 1-butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)amide, *Thermochim. Acta*, 439 (2005) 158–160
262. Huddleston, J.G., Visser, A.E., Reichert, W.M. Willauer, H.D., Broker, G.A. and Rogers, R.D., Characterization and comparison of hydrophilic and hydrophobic room temperature ionic liquids incorporating the imidazolium cation, *Green Chem.*, 3 (2001) 156-165
263. Kosmulski, M., Gustafsson, J. and Rosenholm, J.B., Thermal stability of low temperature ionic liquids revisited, *Thermochim. Acta*, 412 (2004) 47–53
264. Rodríguez, H. and Brennecke, J.F., Temperature and composition dependence of the density and viscosity of binary mixtures of water + ionic liquid, *J. Chem. Eng. Data*, 51 (2006) 2145–2155
265. Maham, Y., Liew, C.-N. and Mather, A. E., Viscosities and excess properties of aqueous solutions of ethanolamines from 25 to 80 °C, *J. Sol. Chem.* , 31 (2002) 743-756
266. Teng, T., Maham, Y., Hepler, L.G. and Mather, A.E., Measurement and prediction of the density of aqueous ternary mixtures of methyldiethanolamine and diethanolamine at temperatures from 25 °C to 80 °C, *Can. J. Chem. Eng.*, 72 (1994) 125-129
267. Esther, M.A. and Trejo, A., Density and viscosity of aqueous blends of three alkanolamines: *N*-methyldiethanolamine, diethanolamine, and 2-amino-2-methyl-1-propanol in the range of (303 to 343) K, *J. Chem. Eng. Data*, 51 (2006) 702–707
268. Benamor, A., Kinetics of CO₂ absorption into aqueous solutions of diethanolamine (DEA), methyldiethanolamine (MDEA) and their mixtures, *Thesis* (2002) 56-75
269. Si-Ali, B., Carbon dioxide absorption and its corrosivity in aqueous solutions of activated diethanolamine and methyldiethanolamine, *Thesis* (2007) 112-124
270. Galán-Sánchez, L.M., Meindersma, G.W. and Haan, A.B., Kinetics of absorption of CO₂ in amino-functionalized ionic liquids, *Chem. Eng. J.*, 166 (2011) 1104–1115.