

## REFERENCES

- Adamson, E. A. S. (2010). Influence of historical landscapes, drainage evolution and ecological traits on patterns of genetic diversity in Southeast Asian freshwater snakehead fishes. Published Doctoral's thesis, Queensland University of Technology, Brisbane, Australia. Retrieved 18 January 2011, from [eprints.qut.edu.au/39612/2/Eleanor\\_Adamson\\_Citation.pdf](http://eprints.qut.edu.au/39612/2/Eleanor_Adamson_Citation.pdf)
- Aibin-Zhan, Wang, Y., Brown, B., & Wang, H-P. (2009). Isolation and characterization of novel microsatellite markers for Yellow Perch (*Perca flavescens*). *International Journal of Molecular Sciences*, 10, 18-27.
- Alcivar-Warren, A., Meehan-Meola, D., Park, S. W., Xu, Z., Delaney, M., & Zuniga, G. (2007). Shrimp map: A low density, microsatellite-based linkage map of the pacific whiteleg shrimp, *Litopenaeus vannamei*: Identification of sex-linked markers in linkage group 4. *Journal of Shellfish Research*, Vol. 26, 4, 1259-1277.
- Anon. Molecular markers- a tool for exploring genetic diversity. In Anon, *State of the art in the management of animal genetic resources*. Retrieved on 24 May, 2011 from <http://ftp.fao.org/docrep/fao/010/a1250e/a1250e17.pdf>
- Ayeh, K. O. (2008). Expressed sequence tags (ESTs) and single nucleotide polymorphisms (SNPs): Emerging molecular marker tools for improving agronomic traits in plant biotechnology. *African Journal of Biotechnology*, 7 (4), 331-341
- Bakker, S. C., Sinke, R. J., Pearson, P. L. (2005). *Chapter 8: Differences in stutter intensities between microsatellites are related to length and sequence of the repeat*. In Anon. pp. 81-93. Retrieved on 20 December, 2010 from <http://igitur-archive.library.uu.nl/dissertations/2005-0531-200105/c8.pdf>
- Benjamini, Y. & Hochberg, Y. (1995). Controlling false discovery rate: a practical and powerful approach to multiple testing. *Journal of Royal Statistics Society*, 57, No. 1, 289-300
- Bhassu, S., See, L.M., Hassan, R. Tan, S. G. (2008). Genetic characterization of wild-stocks of prawns *M. rosenbergii* using Random Amplified Polymorphic DNA Markers. *Biotechnology*, 7(2), pp. 338-342
- Bhassu, S., See, L.M., Tan, S.G., Hassan, R., Siraj, S.S. (2009). Development of microsatellite markers from an enriched genomic library for the genetic analysis of the Malaysian giant freshwater prawn, *Macrobrachium rosenbergii*. *Biochem Genet*, 47, pp. 722-726
- Bhat, S., Patel, A., Das, P., Meher, P.K., Pillai, B.R., Jayasankar, P. (2009). Isolation and characterization of microsatellite loci in giant freshwater prawn, *Macrobrachium rosenbergii*. *Conserv Genet*, 10, pp.1473-1475

- Blastx. Basic Local Alignment Search Tool. Retrieved on 25 May 2011 from <http://blast.ncbi.nlm.nih.gov/Blast.cgi>
- Brown, J. H., New, M. B., & Ismael, D. (2010). Chapter 3: Biology. In New, M. B., Valenti, W. C., Tidwell, J. H., D'Abramo, L. R., & Kutty, M. N. (Eds.), *Freshwater Prawns Biology and Farming*. (pp.18-39). Malaysia: Blackwell Publishing Ltd.
- Chakraborty, R., De Andrade, M., Daiger, S., & Budowle, B. (1992). Apparent heterozygote deficiencies observed in DNA typing and their implications in forensic applications. *Annals of Human Genetics*, 56, 45-47
- Chand, V., de Bruyn, M., & Mather P. B. (2005). Microsatellite loci in the eastern form of the giant freshwater prawn (*Macrobrachium rosenbergii*). *Molecular Ecology Notes*, 5, 308-310.
- Chapman, M. A., Hvala, J., Strever, J., Matvienko, M., Kozik, A., Michelmore, R. W., et al. (2009). Development, polymorphism, and cross-taxon utility of EST-SSR markers from safflower (*Carthamus tinctorius* L.). *Theor. Appl. Genetics*, 120, 85-91
- Charoentawee, K., Poompuang, S., Na-Nakom, U., & Kamonrat, W. (2006). Genetic diversity of hatchery stocks of giant freshwater prawn (*Macrobrachium rosenbergii*) in Thailand. *Aquaculture*, 271, 121-129.
- Christiansen, F. B. (2008). *Theories of Population Variation in Genes and Genomes*. Malaysia: Princeton University Press.
- Cohen, D., Kuris, A., Ra'anan, Z., & Sagi, A. (1987). Morphotypic differentiation of male Malaysian Giant Prawns, *Macrobrachium rosenbergii*. *Journal of Crustacean Biology*, 7(2), 219-237
- Coulibaly, I., Gharbi, K., Danzmann, R. G. Yao, J., & Rexroad III, C.E. (2005). Characterization and comparison of microsatellites derived from repeat-enriched libraries and expressed sequence tags. *International Society for Animal Genetics, Animal Genetics*, 36, 309-315.
- de Bruyn, M., Wilson, J.A., & Mather, P.B. (2004). Huxley's line demarcates extensive genetic divergence between eastern and western forms of the giant freshwater prawn, *Macrobrachium rosenbergii*. *Molecular Phylogenetics and Evolution*, 30, 251-257
- Department of Fisheries, Malaysia. Retrieved on December 8, 2010 from [www.dof.gov.my](http://www.dof.gov.my)
- DeWoody, J. A. & Avise, J. C. (2006). Microsatellite variation in marine, freshwater and anadromous fishes compared with other animals. *Journal of Fish Biology*, 56, 461-473
- Divu, D., Karunasagar, I., & Karunasagar, I. (2008). Microsatellite DNA markers in the giant freshwater prawn *Macrobrachium rosenbergii*: a tool for genetic analysis. *Molecular Ecology Resources*, 8, 1040-1042

- Divu, D., Khushiramani, R., Malathi, S., Karunasagar, I., & Karunasagar, I. (2008). Isolation, characterization and evaluation of microsatellite DNA markers in giant freshwater prawn *Macrobrachium rosenbergii*, from South India. *Aquaculture*, 284, 281-284
- Duran, C., Appleby, N., Edwards, D., & Batley, J. (2009). Molecular Genetic Markers: Discovery, Applications, Data Storage and Visualisation. *Current Bioinformatics*, 4, 16-27.
- Ellegren, H. (2004). Microsatellites: simple sequences with complex evolution. *Nature Reviews, Genetics*. Vol 5, 435-445
- Ellis, JR., & Burke, JM. (2007). EST-SSRs as a resource for population genetic analyses. *Heredity*, 99, 125-132.
- Erhardt, G., & Weimann, C. (2007). Use of molecular markers for evaluation of genetic diversity in animal production. *Arch. Latinoam. Prod. Anim.*, Vol 15 (Supl 1), 63-66.
- Excofifier, L., Laval, G., & Scheider, S. (2005). Arlequin Ver 3.0: An integrated software package for population genetics data analysis [computer software]. *Evolutionary Bioinformatics Online*, 1: 47-50
- Frankham, R., Ballou, J. D. & Briscoe, D. A. (2002). *Introduction to conservation genetics*. Cambridge: Cambridge University Press
- Mohanta, K. N. (2000). Development of Giant Freshwater Prawn Broodstock. *NAGA, The ICLARM Quarterly*, 23 (4), July-September, pp. 18-20
- Freeland, J. R., Biss, P., Conrad, K. F., & Silvertown, J. (2010). Selection pressures have caused genome-wide population differentiation of *Anthoxanthum odoratum* despite the potential for high gene flow. *Journal of Evolutionary Biology*. pp 1-7
- Glaubitz, J. (2004). CONVERT: A user-friendly program to reformat diploid genotypic data for commonly used population genetic software packages [Computer software]. *Molecular Ecology Notes*, 4, 309-310
- Goudet, J. (1995). *FSTAT software Ver 2.9.3.2* [computer software]. Retrieved on 2 February, 2011 from <http://www2.unil.ch/popgen/softwares/fstat.htm>.
- Hamilton, M. B. (2009). *Population Genetics*. Chichester, UK: Blackwell Publishing
- Han, Z-G., Guo, W-Z., Song, X-L., & Zhang, T-Z. (2004). Genetic mapping of EST-derived microsatellites from diploid *Gossypium arboreum* in allotetraploid cotton. *Mol. Gen. Genomics*, 272, 308-327
- Hartl, D. L. (3<sup>rd</sup> Eds.). (2000). *A Primer of Population Genetics*. Massachusetts: Sinauer Associates, Inc.

- Hedrick, P. W. (3<sup>rd</sup> Eds.). (2000). *Genetics of Populations*. USA: Jones and Bartlett Publishers
- Holthuis, L. B. & Ng, P. K. L. (2010). Chapter 2: Nomenclature and Taxonomy. In New, M. B., Valenti, W. C., Tidwell, J. H., D'Abramo, L. R., & Kutty, M. N. (Eds.), *Freshwater Prawns Biology and Farming*. (pp.12-17). Malaysia: Blackwell Publishing Ltd.
- Hooshmand, S. (2008). Microsatellites development and characterization of the Malaysian Giant Freshwater Prawn, *Macrobrachium rosenbergii*. Unpublished master's thesis, Universiti Putra Malaysia.
- Jost, L. (2008).  $G_{ST}$  and its relative do not measure differentiation. *Molecular Ecology*, 17, 4015-4026
- Kim, K. S. Ratcliffe, S. T., French, B. W., Liu, L., & Sappington, T. W. (2008). Utility of EST-derived SSRs as population genetic markers in a beetle. *Journal of Heredity*, 99 (2), 112-124.
- Leberg, P. L. (2002). Estimating allelic richness: effects of sample size and bottlenecks. *Molecular Ecology*, 11, 2445-2449
- Lehnert, S.A., Wilson, K. J., Byrne, K., & Moore, S. S. (1999). Tissue-specific Expressed Sequence Tags from the Black Tiger Shrimp *Penaeus monodon*. *Marine Biotechnology*, 1, pp.465-476.
- Lewis, P. O., & Zaykin, D. (2001). Genetic Data Analysis: Computer program for the analysis of allelic data [Computer software]. Retrieved July 7, 2011 from <http://www.eeb.uconn.edu/people/plewis/software.php>
- Li, H-J., Liu, W-D, Gao, X-G, Zhu, D., Wang, J., Li, Y-F., & He, C-B. (2010). Identification of host defense gene and development of microsatellite markers from ESTs of hard clam *Meretrix meretrix*. *Molecular Biology Report*. Vol 38, 2, 769-775. DOI 10.1007/s1 1033-010-0165-4. Retrieved on 4 July, 2010 from <http://www.springerlink.com/content/g2461607437003x1/>
- Li, Q., Liu, S., & Kong, L. (2009, July 15). Microsatellites within genes and ESTs of the pacific oyster *Crassostrea gigas* and their transferability in five other *Crassostrea* species. *Electronic Journal of Biotechnology*, 12, 3. Retrieved May 10, 2010, from <http://www.ejbiotechnology.info/content/vol12/issue3/full/9/>
- Li, Y-C., Korol, A. B., Fahima, T., Beiles, A., & Nevo, E. (2002). Microsatellites: genomic distribution, putative functions and mutational mechanisms: a review. *Molecular Ecology*, 11, 2453-2465
- Li, Y-C., Korol, A. B., Fahima, T., Nevo, E. (2004). Microsatellites within genes: Structure, Function, and Evolution. *Molecular Biology and Evolution*, Vol. 21, No. 6, 991-1007

- Liu, Z. J. & Cordes, J. F. (2004). DNA marker technologies and their applications in aquaculture genetics. *Aquaculture*, 238, 1-37
- Malecha, S., Mather, P., & Hurwood, D. (2010). Chapter 15: Genetics. In New, M. B., Valenti, W. C., Tidwell, J. H., D'Abramo, L. R., & Kutty, M. N. (Eds.), *Freshwater Prawns Biology and Farming*. (pp.278-315). Malaysia: Blackwell Publishing Ltd.
- Maneeruttanarungroj, C., Pongsomboon, S., Wuthisuthimethavee, S., Klinbunga, S., Wilson, K. J., Swan, J., Li, Y., Whan, V., Chu, K-H., Li, C. P. , Tong, J., Glenn, K., Rothschild, M., Jerry, D., & Tassanakajon, A. (2006). Development of polymorphic expressed sequence tag-derived microsatellites for the extension of the genetic linkage map of the black tiger shrimp (*Penaeus monodon*). *Animal Genetics*, 37, 363-368
- Mather, P.B. & de Bryun, M. (2003). Genetic diversity in wild stocks of the giant freshwater prawn (*Macrobrachium rosenbergii*): Implications for aquaculture and conservation. *NAGA, WorldFish Center Quarterly*, 26 (4), Oct-Dec, pp. 4-7.
- Megléc, E., Costedoat, C., Dubut, V., Gilles, A., Malausa, T., Pech, N., & Martin, J-F. (2009). QDD: a user friendly program to select microsatellite markers and design primers from large sequencing projects. *Bioinformatics Advance Access*. pp. 1-2. Retrieved on 13 May, 2010 from <http://bioinformatics.oxfordjournals.org>
- Megléc, E. & Martin, J-F. (2009). *QDD for Windows and Linux Version 1 (2009): A user-friendly program to select microsatellite markers and design primers from large sequencing projects*. Retrieved on 1 June, 2010 from <http://www.up.univ-mrs.fr/Local/egee/dir/meglec/QDD.html>
- Metzgar, D., Bytof, J., Wills, C. (2000). Selection against frameshift mutations limits microsatellite expansion in coding DNA. *Genome Research*, 10-72-80. Retrieved 16 May, 2011 from [genome.cshlp.org](http://genome.cshlp.org)
- Munoz, J., Green, A. J., Figuerola, J., Amat, F., & Rico, C. (2009) Characterization of polymorphic microsatellite markers in the brine shrimp *Artemia* (Branchiopoda, Anostraca). *Molecular Ecology Resources*, 9, 547-550.
- Nandlal, S., & Pickering, T. (2005). Freshwater prawn *Macrobrachium rosenbergii* farming in Pacific Island countries. Volume one. *Hatchery operation*. Noumea, New Caledonia: Secretariat of the Pacific Community.
- Nawrocki, E.P., Kolbe, D.L., & Eddy, S.R. (2009). Infernal 1.0: Inference of RNA alignments. *Bioinformatics*, 25, 1335-1337.
- Nguyen, T. (2009). *Stock improvement of giant freshwater prawn (Macrobrachium rosenbergii) in Vietnam: Experimental evaluations of crossbreeding, the impact of domestication on genetic diversity and candidate genes (Thesis Abstract)*. Retrieved May 10, 2010, from The University of Queensland website: <http://espace.library.uq.edu.au/view/UQ:190728>
- Nei, M. (1972). Genetic distance between populations. *American Naturalist*, 106, 283-292

- Nei, M., Maruyama, T., & Chakraborty, R. (1975). The bottleneck effect and genetic variability in populations. *Evolution*, 29, No. 1, 1-10.
- New, M.B. (2002) Farming freshwater prawns: A manual for the culture of the giant river prawn (*Macrobrachium rosenbergii*) In *FAO Fisheries Technical Paper 428*. Food and Agriculture Organization of The United Nation, Rome.
- New, M.B. (2005). Freshwater prawn farming: global status recent research and a glance at the future. *Aquaculture Research*, 36, pp. 210-230
- New, M. B. (2010). Chapter 1: History and global status of freshwater prawn farming. In New, M. B., Valenti, W. C., Tidwell, J. H., D'Abramo, L. R., & Kutty, M. N. (Eds.), *Freshwater Prawns Biology and Farming*. (pp.18-39). Malaysia: Blackwell Publishing Ltd.
- Nicot, N., Chiquet, V., Gandon, B, Amihat, L., Legeai, F., Lerroy, P., et al. (2004). Study of simple sequence repeat (SSR) markers from wheat expressed sequence tags (ESTs). *Theoretical and Applied Genetics*, 109, 4, 800-805.
- Pritchard, J. K., Stephens, M., & Peter, D. (2000). Inference of Population Structure Using Multilocus Genotype Data [Computer software]. *Genetics*, 155, 945-959
- Qureshi, S. N., Saha, S., Kantety, R. V., & Jenkins, J. N. (2004). Molecular Biology and Physiology EST SSR: A new class of genetic markers in cotton. *The Journal of Cotton Science*, 8, 112-123
- Raymond, M. & Rousset, F. (1995). GENEPOP (Version 1.2): Population Genetics Software for Exact Tests and Ecumenicism [computer software]. *The Journal of Heredity*, 86 (3), 248-249
- Rensing, S. A., Lang, D., & Reski, R. (2003). *In silico prediction of UTR repeats using clustered EST data*. University of Freiburg, Plant Biotechnology, Sonnenstr. 5, D-79104 Freiburg, Germany. Retrieved on 25 May, 2011 from [http://www.plant-biotech.net/paper/Rensing\\_GCB03.pdf](http://www.plant-biotech.net/paper/Rensing_GCB03.pdf)
- Rodriguez, R. A., de Azeredo-Espin, A. M. L., & Torres, T. T. (2009). Microsatellite markers for population genetic studies of the blowfly *Chrysomya putoria* (Diptera: Calliphoridae). *Mem. Inst. Oswaldo Cruz, Rio de Janeiro*, Vol. 104, 7, 1047-1050
- Ryman, N. & Leimar, O. (2009).  $G_{ST}$  is still a useful measure of genetic differentiation – a comment on Jost's *D*. *Molecular Ecology*, 18, 2084-2087
- Sameer, Y. (2010). Isolation and characterization of microsatellite loci from wild striped snakehead (*Channa striata*). Unpublished Master's Thesis, University of Malaya, Kuala Lumpur.

- Serapion, J., Kucuktas, H., Feng, J., & Liu, Z. (2004). Bioinformatic Mining of Type I Microsatellites from Expressed Sequence Tags of Channel Catfish (*Ictalurus punctatus*). *Marine Biotechnology*, 6, 364-377.
- Sharma, A. & Subba, B. R. (2005). General Biology of Freshwater Prawn, *Macrobrachium lamarrei* (H. Milne-Edwards) of Biratnagar, Nepal. *Our Nature*, 3, 31-41
- Shete, S., Tiwari, H., & Elston, R. C. (2000). On Estimating the Heterozygosity and Polymorphic Information Content Value. *Theoretical Population Biology*, 57, 265-271
- Slatkin, M. 1987. *Gene flow and the geographic structure of natural populations. (Paper abstract)*. *Science*, 236, 4803, 787-792. Retrieved June 20, 2011 from <http://www.sciencemag.org/content/236/4803/787>
- Stukenbrock, E. H., Banke, S., Zala, M., McDonald, B., Oliver, R. P. (2005). Isolation and characterization of EST-derived microsatellite loci from fungal wheat pathogen *Phaeosphaeria nodorum*. *Molecular Ecology Notes*, 5, 931-933
- Urban, D. L. (2003). Mantel's Test. *Spatial Analysis in Ecology*. pp 1-5. Retrieved on 13 April, 2011 from <http://www.nceas.ucsb.edu/files/scicomp/Dloads/SpatialAnalysisEcologists/SpatialEcologyMantelTest.pdf>
- Van Oosterhout, C., Hutchinson, W. F., Wills, D. P. M., & Shipley, P. (2004). Micro-checker: software for identifying and correcting genotyping errors in microsatellite data. *Molecular Ecology Notes*, 4, 535-538
- Varshney, R. K., Graner, A., Sorrells, M. E. (2005). Genic microsatellite markers in plants: features and applications. *Trends in Biotechnology*, Vol 23, 1, 48-55
- Voris, H. K. (2000). Maps of Pleistocene sea levels in Southeast Asia: shorelines, river systems and time durations. *Journal of Biogeography*, 27, 1153-1167
- Walbieser, G. C., Karsi, A., Wolters, W. R. (2005). Assignment of immune-related genes to the channel catfish, *Ictalurus punctatus*, genetic map. *International Society for Animal Genetics, Animal Genetics*, 36, 502-506
- Walbieser, G. C., Quiniou, S. M. A., Karsi, A. (2003). Rapid development of gene-tagged microsatellite markers from bacterial artificial chromosome clones using anchored TAA repeat primers. *BioTechniques*, 35, 976-979
- Wang, H., Li, F., & Xiang, J. (2005). Polymorphic EST-SSR markers and their mode of inheritance in *Fenneropenaeus chinensis*. *Aquaculture*, 249, 107-114
- Wang, Y. & Guo, X. (2007). Development and Characterization of EST-SSR Markers in the Eastern Oyster *Crassostrea virginica*. *Marine Biotechnology*, 9, 500-511

- Wang, C. S., Chang, J. S., Wen, C. M., Shih, H. H., & Chen, S. N. (2008). *Macrobrachium rosenbergii* nodavirus infection in *M. rosenbergii* (de Man) with white tail disease cultured in Taiwan. *Journal of Fish Diseases*, 31, 415-422
- Wang, X., Guo, X., Zhang, Y., Meng, X., Qiu, X., Liu, S., et al. (2009). Development of polymorphic EST-derived SSR markers for the shrimp, *Fenneropenaeus chinensis*. *Conserv. Genetics*, 10, 1455-1457
- Wen, M., Wang, H., Xia, Z., Zou, M., Lu, C., & Wang, W. (2010). Development of EST-SSr and genomic-SSR markers to assess genetic diversity in *Jatropha Curcas* L. *Biomed Central Research Notes*, 3, 42-49.
- Whangchai, N., Ungsethaphand, T., Chitmanat, C., Mengumphan, K., & Uraiwan, S. (2007). Performance of Giant Freshwater Prawn (*Macrobrachium rosenbergii* de Man) reared in earthen ponds beneath plastic film shelters. *Chiang Mai J. Sci.* 34(1), pp.89-96
- Woodruff, D. S. (2003). Neogene marine transgressions, palaeogeography and biogeographic transitions on the Thai-Malay Peninsula. *Journal of Biogeography*, 30, 551-567
- Wowor, D., & Ng, P. K. L. (2007). The giant freshwater prawns of the *Macrobrachium rosenbergii* species group (Crustacea: Decapoda: Caridea: Palaemonidae). *The Raffles Bulletin of Zoology*, 55 (2), 321-336
- Ye, H., Wang, X., Gao, T., Wang, Z. (2010). EST-derived microsatellites in *Pseudosciaena crocea* and their applicability to related species. *Acta. Oceanol. Sin.*, Vol. 29, No. 6, 83-91.
- Yeh, F., Yang, R., Boyle, T., Zhihong, Y., Mao, J. X., & Yeh, D. (1997). *POPGENE, the user-friendly shareware for population genetics analysis* [Computer software]. Edmonton, Alberta, Canada: Molecular Biology and Biotechnology Centre, University of Alberta.
- Yu, H. & Li, Q. (2008). Exploiting EST databases for the development and characterization of EST-SSRs in the Pacific Oyster (*Crassostrea gigas*). *Journal of Heredity*, 99(2), 208-214
- Zhan, A., Wang, Y., Brown, B. & Wang, H. (2009). Isolation and characterization of novel microsatellites markers for Yellow Perch (*Perca flavescens*). *International Journal of Molecular Sciences*, 10, 18-27
- Zhou, Z-C., Zou, L-L., Dong, Y., He, C-B., Liu, W-D., Deng, H., & Wang, L-M. (2008). Characterization of 28 polymorphic microsatellites for Japanese sea urchin (*Strongylocentrotus intermedius*) via mining EST database of a related species (*S. purpuratus*). *Ann Zool Fennici*, 45, 181-184