

References

ABAQUS (2005). Manual, Abaqus version 6.5, Abaqus Inc., Providence, RI.

Abou-Rass, M., Jann, J. M., Jobe, D. and Tsutsui, F. (1982). Preparation of space for posting: effect on thickness of canal walls and incidence of perforation in molars. *J Am Dent Assoc*; **104**: 834-37.

Akkayan, B. and Gulmez, T. (2002). Resistance to fracture of endodontically treated teeth restored with different post systems. *J Prosthet Dent*; **87**: 431-37.

Al-Hazaimeh, N. and Gutteridge, D. L. (2001). An in vitro study into the effect of the ferrule preparation on the fracture resistance of crowned teeth incorporating prefabricated post and composite core restorations. *Int Endod J*; **34**: 40-46.

Al-Omiri, M. K. and Al-Wahadni, A. M. (2006). An ex vivo study of the effects of retained coronal dentine on the strength of teeth restored with composite core and different post and core systems. *Int Endod J*; **39**: 890-99.

Al-Omiri, M. K., Rayyan, M. R. and Abu-Hammad, O. (2011). Stress analysis of endodontically treated teeth restored with post-retained crowns: A finite element analysis study. *J Am Dent Assoc*; **142**: 289-300.

Alumina, Al₂O₃ Material properties. <http://accuratus.com/alumox.html>.

Anusavice, K. J. (2003). Phillips' science of dental materials. 11th ed. St. Louis: Elsevier; pp. 93-4, 598-603.

Andreasen, J. O., Farik, B. and Munksgaard, E. C. (2002). Long-term calcium hydroxide as a root canal dressing may increase risk of root fracture. *Dent Traumatol*; **18**: 134-37.

Arcís, R. W., López-Macipe, A., Toledano, M., Osorio, E., Rodríguez-Clemente, R., Murtra, J., Fanovich, M. A. and Pascual, C. D. (2002). Mechanical properties of visible light-cured resins reinforced with hydroxyapatite for dental restoration. *Dent Mater*; **18**: 49-57.

Arola, D. and Huang, M. P. (2000). The influence of simultaneous mechanical and thermal loads on the stress distributions in molars with amalgam restoration. *J Mater Sci: Mater Med*; **11**: 133-40.

Asmussen, E., Peutzfeldt, A. and Heitmann, T. (1999). Stiffness, elastic limit and strength of newer types of endodontic posts. *J Dent*; **27**: 275-78.

Asmussen, E. and Peutzfeldt, A. (2001). The influence of relative humidity on the effect of dentin bonding systems. *J Adhes Dent*; **3**: 123-27.

Asmussen, E., Peutzfeldt, A. and Sahafi, A. (2005). Finite element analysis of stresses in endodontically treated, dowel-restored teeth. *J Prosthet Dent*; **94**: 321-29.

Assif, D., Bitenski, A., Pilo, R. and Oren, E. (1993). Effect of post design on resistance to fracture of endodontically treated teeth with complete crowns. *J Prosthet Dent*; **69**: 36-40.

- Assif, D. and Gorfil, C. (1994). Biomechanical considerations in restoring endodontically treated teeth. *J Prosthet Dent*; **71**: 565-67.
- Asundi, A. and Kishen, A. (2000). A strain gauge and photoelastic analysis of in vivo strain and in vitro stress distribution in human dental supporting structures. *Arch Oral Biol*; **45**: 543-50.
- Asundi, A. and Kishen, A. (2001). Digital photoelastic investigations on the tooth-bone interface. *J Biomed Op*; **6**: 224-30.
- Ausiello, P., De Gee, A. J., Rengo, S. and Davidson, C. L. (1997). Fracture resistance of endodontically treated premolars adhesively restored. *Am J Dent*; **10**: 237-41.
- Ausiello, P., Apicella, A., Davidson, C. L. and Rengo, S. (2001). 3D-finite element analyses of cusp movements in a human upper premolar, restored with adhesive resin-based composites. *J Biomech*; **34**:1269-77.
- Aykent, F., Kalkan, M., Yucel, M. T. and Ozyesil, A. G. (2006). Effect of dentin bonding and ferrule preparation on the fracture strength of crowned teeth restored with dowels and amalgam cores. *J Prosthet Dent*; **95**: 297-301.
- Babushkin, O., Lindbäck, T., Holmgren, A., Li, J. and Hermansson, L. (1994). Thermal expansion of hot isostatically pressed hydroxyapatite. *J Mater Chem*; **4**: 413-15.
- Balkenhol, M., Wöstmann, B., Rein, C. and Ferger, P. (2007). Survival time of cast post and cores: a 10-years retrospective study. *J Dent*; **35**: 50-58.
- Baraban, D. J. (1988). The restoration of endodontically treated teeth: an update. *J Prosthet Dent*; **59**: 553-58.
- Baraban, D. J. (1967). The restoration of pulpless teeth. *Dent Clin North Am*; **11**: 633-53.
- Baumgartner, J. C. and Cuenin, P. R. (1992). Efficacy of several concentrations of sodium hypochlorite for root canal irrigation. *J Endod*; **18**: 605-12.
- Bender, I. B. and Freedland, J. B. (1983) Adult root fracture. *J Am Dent Assoc*; **107**: 413-19.
- Benzing, U. R., Gall, H. and Weber, H. (1995). Biomechanical aspects of two different implant-prosthetic concepts for edentulous maxillae. *Int J Oral Maxillofacial Implants*; **10**: 188-98.
- Berber, V. B., Gomes, B. P., Sena, N. T., Vianna, M. E., Ferraz , C. C., Zaia, A. A. and Souza-Filho, F. J. (2006). Efficacy of various concentrations of NaOCl and instrumentation technique in reducing *Enterococcus faecalis* within root canals and dentinal tubules. *Int Endod J*; **39**: 10-17.
- Bergman, B., Lundquist, P., Sjogren, U., Sundquist, G. (1989). Restorative and endodontic results after treatment with cast posts and cores. *J Prosthet Dent*; **61**:10-15.

- Bever, M. B. (1986). *Encyclopedia of materials Science and Engineering*. New York: Pergamon Press, 1059.
- Bilginer, S., Esener, T., Söylemezoğlu, F. and Tiftik, A. M. (1997). The investigation of biocompatibility and apical microleakage of tricalcium phosphate based root canal sealers. *J Endod*; **23**: 105-109.
- Bishara, S. E. (2001). *Text book of orthodontics*. Philadelphia; W. B Saunders Co.
- Bonfield, W. (1988). Hydroxyapatite-reinforced polyethylene as an analogous material for bone replacement. *Ann NY Acad Sci*; **523**: 173-77.
- Boone, K. J., Murchison, D. F., Schindler, W. G. and Walker, W. A. (2001). Post retention: the effect of sequence of post-space preparation, cementation time, and different sealers. *J Endod*; **27**: 768-71.
- Bortoluzzi, E. A., Souza, E. M., Reis, J. M., Esberard, R. M. and Tanomaru-Filho, M. (2007). Fracture strength of bovine incisors after intra-radicular treatment with MTA in an experimental immature tooth model. *Int Endod J*; **40**: 684-91.
- Boyer, H. E. and American Society for Metals (1985). *Metals handbook desk edition*. Metals park, Ohio.
- Braden, M. (1976). Braden, M. (1976). Biophysics of the tooth. In: *Frontiers of Oral Physiology*. 8th Edition, p. 1-37, Academic Press, London, UK.
- Bruck, H. A. (2000). A one-dimensional model for designing functionally graded materials to manage stress waves. *Int J Solids Structures*; **37**: 6383-95.
- Bruck, H. A. and Gershon, A. L. (2002). Three-dimensional effects near the interface in a functionally graded Ni-Al₂O₃ plate specimen. *Int J of Solids Structures*; **39**: 547-57.
- Burns, D. A., Krause, W. R., Douglas, H. B. and Burns, D. R. (1990). Stress distribution surrounding endodontic posts. *J Prosthet Dent*; **64**: 412-18.
- Butz, F., Lennon, A. M., Heydecke, G. and Strub, J. R. (2001). Survival rate and fracture strength of endodontically treated maxillary incisors with moderate defects restored with different post and- core systems: an in vitro study. *Int J Prosthodont*; **14**: 58-64.
- Büttel, L., Krastl, G., Lorch, H., Naumann, M., Zitzmann, N. U. and Weiger, R. (2009). Influence of post fit and post length on fracture resistance. *Int Endod J*; **42**: 47-53.
- Cagidiaco, M. C., Garcia-Godoy, F., Vichi, A., Grandini, S., Goracci, C. and Ferrari, M. (2008). Placement of fiber prefabricated or custom made posts affects the 3-year survival of endodontically treated premolars. *Am J Dent*; **21**: 179-84.
- Cailleateau, J. G., Rieger, M. R. and Akin, J. E. (1992). A Comparison of intracanal stresses in a post-restored tooth utilizing the finite element method. *J Endod*; **18**: 540-44.

- Callister, W. D. (2003). Failure. In: Materials science and engineering: An introduction. 6th Edition; p. 192-245, Wiley & Sons, New York.
- Callister, W. D. (2007). Materials science and engineering: An introduction. 7th Edition; p. 580-4, John Wiley & Sons, New York.
- Calt, S. and Serper, A. (2002). Time-dependent effects of EDTA on dentin structures. *J Endod*; **28**: 17-19.
- Camp, L. R. and Todd, M. J. (1983). The effect of dowel preparation on the apical seal of three common obturation techniques. *J Prosthet Dent*; **50**: 664-66.
- Caputo, A. A. and Standlee, P. J. (1987). Biomechanics in clinical dentistry. Quintessence Publisher Co.
- Cecchin, D., Farina, A. P., Guerreiro, C. A. and Carlini-Júnior B. (2010). Fracture resistance of roots prosthetically restored with intra-radicular posts of different lengths. *J Oral Rehabil*; **37**: 116-22.
- Chang, E., Chang, W. J., Wang, B. C. and Yang, C. Y. (1997). Plasma spraying of zirconia-reinforced hydroxyapatite composite coatings on titanium: Part I phase, microstructure and bonding strength. *J Mater Sci: Mater Med*; **8**: 193-200.
- Chapman, K. W., Worley, J. L. and Von Fraunhofer, J. A. (1985). Retention of prefabricated posts by cements and resins. *J Prosthet Dent*; **54**: 649-52.
- Chau, J. Y., Hutter, J. W., Mork, T. O. and Nicoll, B. K. (1997). An in vitro study of furcation perforation repair using calcium phosphate cement. *J Endod*; **23**: 588-92.
- Chaung, H. M., Hong, C. H., Chiang, C. P., Lin, S. K., Kuo, Y. S., Lan, W. H. and Hsieh, C. C. (1996). Comparisons of calcium phosphate cement mixture and pure calcium hydroxide as direct pulp capping agents. *J Formos Med Assoc*; **95**: 545-50.
- Cheung, G. S. and Chan, T. K. (2003). Long-term survival of primary root canal treatment carried out in a dental teaching hospital. *Int Endod J*; **36**: 117-28.
- Chohayeb, A. A., Adrian, J. C. and Salamat, K. (1991). Pulpal response to tricalcium phosphate as a capping agent. *Oral Surg, Oral Med, Oral Pathol*; **71**: 343-45.
- Choi, J.-W., Kong, Y.-M., Kim, H.-E. and Lee, I.-S. (1998). Reinforcement of hydroxyapatite bioceramic by addition of Ni₃Al and Al₂O₃. *J Am Ceram Soc*; **81**: 1743-48.
- Christel, P., Meunier, A., Heller, M., Torre, J. P. and Peille, C. N. (1989). Mechanical properties and short-term in-vivo evaluation of yttrium-oxide-partially-stabilized zirconia. *J Biomed Mater Res*; **23**: 45-61.
- Christensen, G. J. (2004). Post concepts are changing. *J Am Dent Assoc*; **135**: 1308-10.
- Chu, C., Zhu, J., Yin, Z. and Wang, S. (1999). Hydroxyapatite-Ti functionally graded biomaterial fabricated by powder metallurgy. *Mater Sci Eng A*; **271**: 95-100.

Clavijo, V. G., Reis, J. M., Kabbach, M. W., Silva, A. L., Oliveira Junior, O. B. and Andrade, M. F. (2009). Fracture strength of flared bovine roots restored with different intraradicular posts. *J Appl Oral Sci*; **17**: 574-78.

Cohen, B. I., Pagnillo, M., Condos, S., Musikant, B. L. and Deutsch, A. S. (1995). Comparison of the photoelastic stress properties for two combination prefabricated cast post systems. *Oral Health*; **85**: 41-4, 46.

Cormier, C. J., Burns, D. R. and Moon, P. (2001). *In vitro* comparison of the fracture resistance and failure mode of fibre, ceramic and conventional post systems at various stages of restoration. *J Prosthodont*; **10**: 26-36.

Craig, R. G. and Powers, J. M. (2002). Optical, thermal, and electrical properties. In: *Restorative dental materials*, 11 Edition; p. 38-68, St. Louis: Mosby.

Creugers, N. H., Mentink, A. G. and Kayser, A. F. (1993). An analysis of durability data on post and core restorations. *J Dent*; **21**: 281-84.

Creugers, N. H., Mentink, A. G., Fokkinga, W. A. and Kreulen, C. M. (2005a). 5-year follow-up of a prospective clinical study on various types of core restorations. *Int J Prosthodont*; **18**: 34-39.

Creugers, N. H., Kreulen, C. M., Fokkinga, W. A. and Mentink, A. G. (2005b). A 5-year prospective clinical study on core restorations without covering crowns. *Int J Prosthodont*; **18**: 40-41.

Dale, J. W. and Moser, J. (1977). A clinical evaluation of semiprecious alloys for dowels and cores. *J Prosthet Dent*; **38**: 161-64.

Darendeliler, S., Darendeliler, H. and Kinoglu, T. (1992). Analysis of a central maxillary incisor using a three-dimensional finite element method. *J Oral Rehabil*; **19**: 371-83.

da Silva, N. R., Raposo, L. H., Versluis, A., Fernandes-Neto, A. J. and Soares, C. J. (2010). The effect of post, core, crown type, and ferrule presence on the biomechanical behavior of endodontically treated bovine anterior teeth. *J Prosthet Dent*; **104**: 306-17.

DeDomenico, R. J. (1977). Technique for the fabrication of a cast post and core with nonprecious metal. *J Am Dent Assoc*; **94**: 1139-41.

Dejak, B. and Młotkowski, A. (2011). Finite element analysis of strength and adhesion of cast posts compared to glass fiber-reinforced composite resin posts in anterior teeth. *J Prosthet Dent*; **105**: 115-26.

De Iorio, A., Ianniello, D., Iannuzzi, R., Penta, F., Apicella, A. and Di Palma, L. (2002). Strength criteria for composite material structures. In: Found M. S., editor. *Experimental techniques and design in composite materials*, vol. 4. A. A. Balkema Publishers, Lisse.

Deutsch, A. S., Musikant, B. L., Cavallari, J. and Bernardi, S. (1985). Retentive properties of a new post and core system. *J Prosthet Dent*; **53**:12-14.

- Dietschi, D., Romelli, M. and Goretti, A. (1997). Adaptation of adhesive posts and cores to dentin after fatigue testing. *Int J Prosthodont*; **10**: 498-507.
- Dietschi, D., Duc, O., Krejci, I. and Sadan, A. (2008). Biomechanical considerations for the restoration of endodontically treated teeth: a systematic review of the literature, Part II (Evaluation of fatigue behavior, interfaces, and *in vivo* studies). *Quintessence Int*; **39**: 117-29.
- Di Renzo, M., Ellis, T. H., Sacher, E. and Stangel, I. (2001a). A photoacoustic FTIRS study of the chemical modifications of human dentin surfaces: I. Demineralization. *Biomaterials*; **22**: 787-92.
- Di Renzo, M., Ellis, T. H., Sacher, E. and Stangel I. (2001b). A photoacoustic FTIRS study of the chemical modifications of human dentin surfaces: II. Deproteinization. *Biomaterials*; **22**: 793-97.
- Donald, H. L., Jeansonne, B. G., Gardiner, D. M. and Sarkar, N. K. (1997). Influence of dentinal adhesives and a prefabricated post on fracture resistance of silver amalgam cores. *J Prosthet Dent*; **77**: 17-22.
- Dorozhkin, S. and Epple, M. (2002). Biomineralization of calcium phosphates. *Agnew Chem Int Ed*; **41**: 30-46.
- Dorozhkin, S. V. (2007). Calcium orthophosphates. *J Mater Sci*; **42**: 1061-95.
- Dorriz, H., Alikhasi, M., Mirfazaelian, A. and Hooshmand T. (2009). Effect of ferrule and bonding on the compressive fracture resistance of post and core restorations. *J Contemp Dent Pract*; **10**: 1-8.
- Drake, J. T., Williamson, R. L. and Rabin, B. H. (1993). Finite element analysis of thermal residual stresses at graded ceramic-metal interfaces. Part 2. Interface optimization for residual stress reduction. *J Appl Phys*; **74**: 1321-26.
- Drummond, J. L., Toepke, T. R. and King, T. J. (1999). Thermal and cyclic loading of endodontic posts. *Eur J Oral Sci*; **107**: 220-24.
- Drummond, J. L. (2000). *In vitro* evaluation of endodontic posts. *Am J Dent*; **13**: 5B-8B.
- Du, J. K., Lin, W. K., Wang, C. H., Lee, H. E., Li, H. Y. and Wu, J. H. (2011). FEM analysis of the mandibular first premolar with different post diameters. *Odontology*; **14**. In press
- Duret, B., Reynaud, M. and Duret, F. (1990). Un nouveau concept de reconstitution coron radicaire : le Composipost 1°. *Le Chir Dent de France*; **540**: 131-41.
- El-Karim, I., Kennedy, J. and Hussey, D. (2007). The antimicrobial effects of root canal irrigation and medication. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*; **103**: 560-69.

- Ellner, S., Bergendal, T. and Bergman B. (2003). Four post-and-core combinations as abutments for fixed single crowns: a prospective up to 10-year study. *Int J Prosthodont*; **16**: 249-54.
- Er, O., Yaman, S. D. and Hasan, M. (2007). Finite element analysis of the effects of thermal obturation in maxillary canine teeth. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*; **104**: 277-86.
- Ersoz, E. (2000). Evaluation of stresses caused by dentin pin with finite elements stress analysis method. *J Oral Rehabil*; **27**: 769-73.
- Farah, J. W., Craig, R. G. and Meroueh, K. A. (1989). Finite element analysis of three- and four-unit bridges. *J Oral Rehab*; **16**: 603-11.
- Featherstone, J. D. B., Ten Cate, J. M., Shariati, M., Arends, J. (1983). Composition of artificial caries-like lesion by quantitative microradiography and microhardness profiles. *Caries Res*; **17**: 385-91.
- Fenner, D. N., Robinson, P. B. and Cheung, P. M.-Y. (1998). Three dimensional finite element analysis of thermal shock in a premolar with a composite resin MOD restoration. *Med Eng Phy*; **20**: 269.
- Ferrari, M., Vichi, A., Mannocci, F. and Mason, P. N. (2000a). Retrospective study of the clinical performance of fiber posts. *Am J Dent*; **13**: 9B-13B.
- Ferrari, M., Vichi, A. and García-Godoy, F. (2000b). Clinical evaluation of fiber-reinforced epoxy resin posts and cast post and cores. *Am J Dent*; **13**: 15B-18B.
- Ferrari, M., Vichi, A., Grandini, S. and Goracci, C. (2001). Efficacy of a self-curing adhesive-resin cement system on luting glass-fiber posts into root canals: An SEM investigation. *Int J Prosthodont*; **14**: 543-49.
- Ferrari, M. and Scotti, R. (2002). Fiber post: Characteristics and clinical applications, 1st Edition, Masson, Milano.
- Ferrari, Ferrari, M., Mason, P. N., Goracci, C., Pashley, D. H. and Tay, F. R. (2004). Collagen degradation in endodontically treated teeth after clinical function. *J Dent Res*; **83**: 414-19.
- Ferrari, M., Cagidiaco, M. C., Goracci, C., Vichi, A., Mason, P. N., Radovic, I. and Tay, F. (2007). Long-term retrospective study of the clinical performance of fiber posts. *Am J Dent*; **20**:287-91.
- Ferraz, M. P., Knowles, J. C., Olsen, I., Monteiro, F. J., Santos, J. D. (1999). Flow cytometry analysis of effects of glass on response of osteosarcoma cells to plasma-sprayed hydroxyapatite/CaO-P₂O₅ coatings. *J Biomed Mater Res*; **47**: 603-11.
- Fokkinga, W. A., Kreulen, C. M., Vallittu, P. K. and Creugers, N. H. (2004). A structured analysis of in vitro failure loads and failure modes of fiber, metal and ceramic post-and-core systems. *Int J Prosthodont*; **17**: 476-82.

Fokkinga, W. A., Le Bell, A. M., Kreulen, C. M., Lassila, L. V. J., Vallittu, P. K. and Creugers, N. H. J. (2005). Ex-vivo fracture resistance of direct resin composite complete crowns with and without posts on maxillary premolars. *Int Endod J*; **38**: 230-37.

Fokkinga, W. A. (2007). Post it? Reconstruction of the endodontically treated tooth. Thesis. Radboud University Nijmegen, Nijmegen, Netherlands.

Fonseca, R. B., Haiter-Neto, F., Fernandes-Neto, A. J., Barbosa, G. A. and Soares, C. J. (2004). Radiodensity of enamel and dentin of human, bovine and swine teeth. *Arch Oral Biol*; **49**: 919-22.

Fonseca, R. B., Haiter-Neto, F., Carlo, H. L., Soares, C. J., Sinhoreti, M. A., Puppini-Rontani, R. M. and Correr-Sobrinho, L. (2008). Radiodensity and hardness of enamel and dentin of human and bovine teeth, varying bovine teeth age. *Arch Oral Biol*; **53**: 1023-29.

Foppiano, S., Tomsia, A., Marshall, G. and Marshall, S. (2004). In vitro biocompatibility of novel functionally graded bioactive coatings. IADR/AADR/CADR: 82nd General Session (March 10-13).

Fox, K. and Gutteridge, D. L. (1997). An *in vitro* study of coronal microleakage in root-canal-treated teeth restored by the post and core technique. *Int Endod J*; **30**: 361-68.

Franks, K., Abrahams, I., Georgiou, G. and Knowles, J. C. (2001). Investigation of thermal parameters and crystallization in a ternary CaO-Na₂O-P₂O₅-based glass system. *Biomaterials*; **22**: 497-501.

Fredriksson, M., Astbäck, J., Pamenius, M. and Arvidson, K. (1998). A retrospective study of 236 patients with teeth restored by carbon fiber-reinforced epoxy resin posts. *J Prosthet Dent*; **80**: 151-57.

Fujihara, K., Teo, K., Gopal, R., Loh, P. L., Ganesh, V. K., Ramakrishna, S., Foong, K. W. C. and Chew, C. L. (2004). Fibrous composite materials in dentistry and orthopaedics: review and applications. *Comp Sci Tech*; **64**: 775-88.

Fung, Y. C. (1993). Biomechanics: Mechanical properties of living tissues, 2nd Edition; p. 500-538. Springer-Verlag, New York.

Fuss, Z., Lustig, J., Katz, A. and Tamse, A. (2001). An evaluation of endodontically treated vertical root fractured teeth: impact of operative procedures. *J Endod*; **27**: 46-48.

Fuzzi, M. (1993). The restoration of the endodontically treated tooth. From the text "Endodontics", Castellucci A, Ed Martina, Milano.

Gale, M. S. and Darvell, B. W. (1999a). Dentine permeability and tracer tests. *J Dent*; **27**: 1-11.

Gale, M. S. and Darvell, B. W. (1999b). Thermal cycling procedures for laboratory testing of dental restorations. *J Dent*; **27**: 89-99.

- Gallo, J. R., Miller, T., Xu, X. and Burgess, J. O. (2002). In vitro evaluation of the retention of composite fiber and stainless steel posts. *J Prosthodont*; **11**: 25-9.
- Gegauff, A. G. (2000). Effect of crown lengthening and ferrule placement on static load failure of cemented cast post-cores and crowns. *J Prosthet Dent*; **84**: 169-79.
- Genovese, K., Lamberti, L. and Pappalettere, C. (2005). Finite element analysis of a new customized composite post system for endodontically treated teeth. *J Biomech*; **38**: 2375-89.
- Genovese, K., Lamberti, L., Pappalettere, C. (2006). Structural behaviour of endodontically treated teeth under thermomechanical loading. *Proc Inst Mech Eng H*; **220**: 909-28.
- Gher, M. E. Jr., Dunlap, R. M., Anderson, M. H. and Kuhl, L. V. (1987). Clinical survey of fractured teeth. *J Am Dent Assoc*; **114**: 584.
- Giovani, A. R., Vansan, P., de Sousa Neto, M. D. and Paulino, S. M. (2009). In vitro fracture resistance of glass-fiber and cast metal posts with different lengths. *J Prosthet Dent*; **101**: 183-88.
- Glazer, B. (2000). Restoration of endodontically treated teeth with carbon fibre posts-a prospective study. *J Can Dent Assoc*; **66**: 613-18.
- Goerig, A. C. and Mueninghoff, L. A. (1983). Management of the endodontically treated tooth. Part I: concept for restorative designs. *J Prosthet Dent*; **49**: 340-45.
- Goldsmith, M., Gulabivala, K. and Knowles, J. C. (2002). The effect of sodium hypochlorite irrigant concentration on tooth surface strain. *J Endod*; **28**: 575-79.
- Golec, T. S. (1985). The use of hydroxyapatite to coat subperiosteal implants. *J Oral Implantol*; **12**: 21-39.
- Goodacre, C. J. and Spolnik, K. J. (1995). The prosthodontic management of endodontically treated teeth: a literature review. Part II. Maintaining the apical seal. *Int J Prosthodont*; **4**: 51-53.
- Goracci, C., Fabianelli, A., Sadek, F. T., Papacchini, F., Tay, F. R. and Ferrari, M. (2005). The contribution of friction to the dislocation resistance of bonded fiber posts. *J Endod*; **31**: 608-12.
- Grandini, S., Goracci, C., Monticelli, F., Tay, F. R. and Ferrari, M. (2005). Fatigue resistance and structural integrity of fiber posts: three-bending test and SEM evaluation. *Dent Mater*; **21**: 75-82.
- Grigoratos, D., Knowles, J., Ng, Y. L. and Gulabivala, K. (2001). Effect of exposing dentine to sodium hypochlorite and calcium hydroxide on its flexural strength and elastic modulus. *Int Endod J*; **34**: 113-19.
- Güngör, M. A., Küçük, M., Dündar, M., Karaoğlu, C. and Artunç, C. (2004). Effect of temperature and stress distribution on all-ceramic restorations by using a three-dimensional finite element analysis. *J Oral Rehabil*; **31**: 172-78.

- Gutmann, J. L. (1992). The dentin-root complex: anatomic and biologic considerations in restoring endodontically treated teeth. *J Prosthet Dent*; **67**: 458-67.
- Guzy, G. E. and Nicholls, J. I. (1979). In vitro comparison of intact endodontically treated teeth with and without endo-post reinforcement. *J Prosthet Dent*; **42**: 39-44.
- Hannig, C., Westphal, C., Becker, K. and Attin, T. (2005). Fracture resistance of endodontically treated maxillary premolars restored with CAD/CAM ceramic inlays. *J Prosthet Dent*; **94**: 342-49.
- Harper, R. H. and Lund, M. R. (1976). Treatment of pulpless teeth during post and core construction. *Oper Dent*; **1**: 55-60.
- Hashimoto, M., Ohno, H., Kaga, M., Endo, K., Sano, H. and Oguchi, H. (2000). *In vivo* degradation of resin-dentin bonds in humans over 1 to 3 years. *J Dent Res*; **79**: 1385-91.
- Hayashi, M., Takahashi, Y., Imazato, S. and Ebisu, S. (2006). Fracture resistance of pulpless teeth restored with post-cores and crowns. *Dent Mater*, **22**: 477-85.
- He, L. H. and Swain, M. V. (2009). Enamel-a functionally graded natural coating. *J Dent*; **37**: 596-603.
- Hedia, H. S. and Mahmoud, N. A. (2004). Design optimization of functionally graded dental implant. *Biomed Mater Eng*; **14**: 133-43.
- Hedia, H. S. (2005a). Design of functionally graded dental implant in the presence of cancellous bone. *J Biomedical Mater Res B: Applied Biomater*; **75**: 74-80.
- Hedia, H. S. (2005b). Effect of cancellous bone on the functionally graded dental implant concept. *Biomed Mater Eng*; **15**: 199-209.
- Hedlund, S.-O., Johansson, N. G. and Sjogren, G. (2003). A retrospective study of pre-fabricated carbon fibre root canal posts. *J Oral Rehabil*; **30**: 1036-40.
- Helfer, A. R., Melnick, S. and Schilder, H. (1972). Determination of the moisture content of vital and pulp less teeth. *Oral Surg, Oral Med, Oral Pathol*; **34**: 661-70.
- Hench, L. L. (1991). Bioceramics: From concept to clinic. *J Am Ceram Soc*; **74**: 1487-1510.
- Heydecke, G., Butz, F. and Strub, J. R. (2001). Fracture strength and survival rate of endodontically treated maxillary incisors with proximal cavities after restoration with different post and core systems: an in vitro study. *J Dent*; **29**: 427-33.
- Heydecke, G., Butz, F., Hussein, A. and Strub, J. R. (2002). Fracture strength after dynamic loading of endodontically treated teeth restored with different post and core systems. *J Prosthet Dent*; **87**: 438-45.
- Hinckfuss, S. and Wilson, P. R. (2008). Effect of core material and restoration design on strength of endodontically treated bovine teeth: a laboratory study. *J Prosthodont*; **17**: 456-61.

- Hirai, T. (1996). Materials science and technology: *In: processing of ceramics (Part 2)*, (ed. Brook, R. J.). VCH Verlagsgeellschaft mbH, Weinheim, Germany; 17B, p. 292.
- Hirano, K. and Suzuki, T. (1990). In Proc. of the First Inter. Symp. on FGM, (Yamanouchi, M., Koizumi, M., Hirai, T. and Shiota, I.eds.); Sendai, Japan, p. 313.
- Hirschfeld, Z. and Stern, N. (1972). Post and core-the biomechanical aspect. *Aust Dent J*; **17**: 467-8.
- Ho, M. H., Lee, S. Y., Chen, H. H. and Lee, M. C. (1994). Three-dimensional finite element analysis of the effects of posts on stress distribution in dentin. *J Prosthet Dent*; **72**: 367-72.
- Holmes, D. C., Diaz-Arnold, A. M. and Leary, J. M. (1996). Influence of post dimension on stress distribution in dentin. *J Prosthet Dent*; **75**: 140-47.
- Hood, J. A. A. (1991). Biomechanics of intact, prepared and restored tooth: some clinical implications. *Int Dent J*; **41**: 25-32.
- Huang, M., Rahbar, N., Wang, R., Thompson, V., Rekow, D. and Soboyejo, W. O. (2007). Bioinspired design of dental multilayers. *Mater Sci Eng A*; **464**: 315-20.
- Huang, T.-J. G., Shilder, H. and Nathanson, D. (1992). Effects of moisture content and endodontic treatment on some mechanical properties of human dentin. *J Endod*; **18**: 209-15.
- Hugh, A. B. A. (2000). One dimensional model for designing functionally graded materials to manage stress waves. *Int J Solids Structures*; **37**: 6383-95.
- Hunter, A. J., Feiglin, B. and Williams, J. F. (1989). Effects of post placement on endodontically treated teeth. *J Prosthet Dent*; **62**: 166-72.
- Ingle, J. I. and Bakland, L. K. (2002). Endodontics, 4th Edition; Lea and Febiger, Philadelphia.
- Isidor, F. and Brøndum, K. (1992). Intermittent loading of teeth with tapered, individually cast or prefabricated, parallel-sided posts. *Int J Prosthodont*; **5**: 257-61.
- Isidor, F., Odman, P. and Brøndum, K. (1996). Intermittent loading of teeth restored using prefabricated carbon fiber posts. *Int J Prosthodont*; **9**: 131-36.
- ISO standards (1995). ISO/TS11405. *Dental Ceramic materials*: Geneva.
- ISO standards (2003). ISO/TS11405. *Dental materials*: testing of adhesion to tooth structure.
- Jacoby, W. E. (1976). Practical technique for the fabrication of a direct pattern for a post-core restoration. *J Prosthet Dent*; **35**: 357-60.
- Jager, N., Kler, M. and Zel, J. M. (2006). The influence of different core material on the FEA-determined stress distribution in dental crowns. *Dent Mater*; **22**: 234-42.

- Jean, A., Kerebel, B., Kerebel, L. M., Legeros, R. Z. and Hamel, H. (1988). Effects of various calcium phosphate biomaterials on reparative dentin bridge formation. *J Endod*; **14**: 83-87.
- Johnson, J. K., Schwartz, N. L. and Blackwell, R. T. (1976). Evaluation and restoration of endodontically treated posterior teeth. *J Am Dent Assoc*; **93**: 597-605.
- Jokstad, A. and Mjör, I. A. (1996). Ten years' clinical evaluation of three luting cements. *J Dent*; **24**: 309-15.
- Joshi, S., Mukherjee, A., Kheur, M. and Mehta, A. (2001). Mechanical performance of endodontically treated teeth. *Finite Elem Anal Des*; **37**: 587-601.
- Junge, T., Nicholls, J. I., Phillips, K. M. and Libman, W. J. (1998). Load fatigue of compromised teeth: a comparison of 3 luting cements. *Int J Prosthodont*; **11**: 558-64.
- Jung, S.-H., Min, K.-S., Chang, H.-S., Park, S.-D., Kwon, S.-N. and Bae, J.-M. (2007). Microleakage and fracture patterns of teeth restored with different posts under dynamic loading. *J Prosthet Dent*; **98**: 270-76.
- Kahler, B., Swain, M. V. and Moule, A. (2003). Fracture-toughening mechanisms responsible for differences in work to fracture of hydrated and dehydrated dentine. *J Biomech*; **36**: 229-37.
- Kawasaki, A. and Watanabe, R. (1997). Concept and P/M fabrication of functionally gradient materials. *Ceram Int*; **23**: 73-83.
- Kayaoglu, G., Erten, H. and Ørstavik, D. (2005). Growth at high pH increases *Enterococcus faecalis* adhesion to collagen. *Int Endod J*; **38**: 389-96.
- Khor, K. A., Gu, Y. W., Quek, C. H. and Cheang, P. (2003). Plasma spraying of functionally graded hydroxyapatite/Ti-6Al-4V Coatings. *Surf Coat Technol*; **168**: 195-201.
- Kieback, B., Neubrand, A. and Riedel, H. (2003). Processing techniques for functionally graded materials; *Mater Sci Eng A*; **362**: 81-105.
- Kim, J.-H. and Paulino, G. H. (2002). Isoparametric graded finite elements for nonhomogeneous isotropic and orthotropic materials. *ASME J Applied Mechanics*; **69**: 502-14.
- Kim, J. S., Baek, S. H., Bae, K. S. (2004). In vivo study on the biocompatibility of newly developed calcium phosphate-based root canal sealers. *J Endod*; **30**: 708 -11.
- King, P. A. and Setchell, D. J. (1990). An in vitro evaluation of a prototype CFRC prefabricated post developed for the restoration of pulpless teeth. *J Oral Rehabil*; **17**: 599-609.
- King, P. A., Setchell, D. J. and Rees, J. S. (2003). Clinical evaluation of a carbon fibre reinforced carbon endodontic post. *J Oral Rehabil*; **30**: 785-89.

- Kinney, J. H., Balooch, M., Marshall, G. W. and Marshall, S. J. (1993). Atomic force microscope study of dimensional changes in dentine during drying. *Arch oral Biol*; **39**: 759-67.
- Kinney, J. H., Balooch, M., Marshall, G. W. Jr. and Weihs, T. P. (1996). Hardness and Young's modulus of human peritubular and intertubular dentin. *Arch Oral Biol*; **41**: 9-13.
- Kinney, J. H., Balooch, M., Marshall, G. W. and Marshall, S. J. (1999). A micromechanics model of the elastic properties of human dentin. *Arch Oral Biol*; **44**: 813-22.
- Kinney, J. H., Habelitz, S., Marshall, S. J. and Marshall, G. W. (2003a). The importance of intrafibrillar mineralization of collagen on the mechanical properties of dentin. *J Dent Res*; **82**: 957-61.
- Kinney, J. H., Marshall, S. J. and Marshall, G. W. (2003b). The mechanical properties of human dentin: a critical review and re-evaluation of the dental literature. *Crit Rev Oral Biol Med*; **14**: 13-29.
- Kishen, A., Ramamurty, U. and Asundi, A. (2000). Experimental studies on the nature of property gradients in the human dentine. *J Biomed Mater Res*; **51**: 650-59.
- Kishen, A. and Asundi, A. (2002). Photomechanical investigations on post-endodontically rehabilitated teeth. *J Biomed Opt*; **7**: 262-70.
- Kishen, A. (2006). Mechanisms and risk factors for fracture predilection in endodontically treated teeth. *Endod Topics*; **13**: 57-83.
- Kivanc, B. H. and Gorgul, G. (2008). Fracture resistance of teeth restored with different post systems using new-generation adhesives. *J Contemp Dent Pract*; **9**: 33-40.
- Koizumi, M. and Niino, M. (1995). Overview of FGM research in Japan. *MRS Bull*; **20**: 19-21.
- Koizumi, M. (1997). FGM activities in Japan. *Composites Part B: Engineering*; **28**: 1-2.
- Kon, M., Ishikawa, K., Miyamoto, Y. and Asaoka, K. (1995). Development of calcium phosphate based functional gradient bioceramic. *Biomaterials*; **16**: 709-14.
- Krejci, I., Duc, O., Dietschi, D. and de Campos, E. (2003). Marginal adaptation, retention and fracture resistance of adhesive composite restorations on devital teeth with and without posts. *Oper Dent*; **28**: 127-35.
- Kurer, H. G. (1983). An evaluation of the retentive properties of various permanent crown posts. *J Prosthet Dent*; **49**: 633-35.
- Kvist, T., Rydin, E. and Reit, C. (1989). The relative frequency of periapical lesions in teeth with root canal retained posts. *J Endod*; **15**: 578-80.
- Kwiatkowski, S. and Geller, W. (1989). A preliminary consideration of the glass-ceramic dowel post and core. *Int J Prosthodont*; **2**: 51-5.

- Lambjerg-Hansen, H. and Asmussen, E. (1997) Mechanical properties of endodontic posts. *J Oral Rehabil*; **24**: 882-87.
- Lang, H., Korkmaz, Y., Schneider, K. and Raab, W. H.-M. (2006). Impact of endodontic treatments on the rigidity of the root. *J Dent Res*; **85**: 364-68.
- Lannuttia, J. J. (1994). Functionally graded materials: Properties, potential and design guidelines. *Comp Eng*; **4**: 81-94.
- Lanza, A., Aversa, R., Rengo, S., Apicella, D. and Antonio, A. (2005). 3D FEA of cemented steel, glass and carbon posts in a maxillary incisor. *Dent Mater*; **21**: 709-15.
- Larato, D. C. (1966). Single unit cast post crown for pulpless anterior tooth roots. *J Prosthet Dent*; **16**: 145-49.
- Leary, J. M., Aquilino, S. A. and Svare, C. W. (1987). An evaluation of post length within the elastic limits of dentin. *J Prosthet Dent*; **57**: 277-81.
- Ledley, R. H. and Huang, H. K. (1968). Linear model of tooth displacement by applied forces. *J Dent Res*; **48**: 32-37.
- Leempoel, P. J., Kayser, A. F., Van Rossum, G. M. and De Haan, A. F. (1995). The survival rate of bridges. A study of 1674 bridges in 40 Dutch general practices. *J Oral Rehabil*; **22**: 327-30.
- Leinfelder, K. F. (1985). Composite resins. *Dent Clin North Am*; **29**: 359-71.
- Lertchirakarn, V., Palamara, J. E. and Messer, H. H. (2003). Patterns of vertical root fracture: factors affecting stress distribution in the root canal. *J Endod*; **29**: 523-28.
- Lewinstein, I. and Grajower, R. (1981). Root dentin hardness of endodontically treated teeth. *J Endod*; **7**: 421-2.
- Libman, W. J. and Nicholls, J. I. (1995). Load fatigue of teeth restored with cast posts and cores and complete crowns. *Int J Prosthodont*; **8**: 155-61.
- Lim, Y.-M., Park, Y.-J., Yun, Y.-H. and Hwang, K.-S. (2002). Functionally graded Ti/HAP coatings on Ti-6Al-4V obtained by chemical solution deposition. *Ceram Int*; **28**: 37-41.
- Lin, C. L., Chang, C. H. and Ko, C. C. (2001). Multifactorial analysis of an MOD-restored human premolar using auto-mesh finite element approach. *J Oral Rehab*; **28**: 576-85.
- Linkow, L. (1984). Bone transplants using the symphysis, the iliac crest and synthetic bone materials. *Oral Implantol*; **11**: 211-17.
- Liu, C., Wang, W., Shen, W., Chen, T., Hu, L. and Chen, Z. (1997). Evaluation of biocompatibility of a nonceramic hydroxyapatite. *J Endod*; **23**: 490-93.

- Llena-Puy, M. C., Forner-Navarro, L. and Barbero-Navarro, I. (2001). Vertical root fracture in endodontically treated teeth: a review of 25 cases. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*; **92**: 553-55.
- Loney, R. W., Kotowicz, W. E. and McDowell, G. C. (1990). Three dimensional stress analysis of the ferrule effect in cast post and cores. *J Prosthet Dent*; **63**: 506-12.
- Loney, R. W., Moulding, M. B. and Ritsco, R. G. (1995). The effect of load angulation on fracture resistance of teeth restored with cast post and cores and crowns. *Int J Prosthodont*; **8**: 247-51.
- Lopes, M. A., Santos, J. D., Monteiro, F. J. and Knowles, J. C. (1998). Glass-reinforced hydroxyapatite: a comprehensive study of the effect of glass composition on the crystallography of the composites. *J Biomed Mater Res*; **39**: 244-51.
- Love, R. M. and Purton, D. G. (1998). Retention of posts with resin, glass ionomer and hybrid cements. *J Dent*; **26**: 599-602.
- Maceri, F., Martignoni, M. and Vairo, G. (2007). Mechanical behaviour of endodontic restorations with multiple prefabricated posts: a finite-element approach. *J Biomech*; **40**: 2386-98.
- Mahler, D. B. and Peyton, F. A. (1955). Photoelasticity as research technique for analysing stresses in dental structure. *J Dent Res*; **4**: 831-38.
- Magne, P., Versluis, A. and Douglas, W. H. (1999). Effect of luting composite shrinkage and thermal loads on the stress distribution in porcelain laminate veneers. *J Prosthet Dent*; **81**: 335-44.
- Manjubala, I. and Sastry, T. P. (2002). Structural and morphological analysis of functionally graded calcium phosphate bioceramic. *Key Eng Mater*; **218-220**: 89-92.
- Marchi, G. M., Mitsui, F. H. and Cavalcanti, A. N. (2008). Effect of remaining dentine structure and thermal-mechanical aging on the fracture resistance of bovine roots with different post and core systems. *Int Endod J*; **41**: 969-76.
- Markworth, A. J., Ramesh, K. S. and Parks, W. P. Jr. (1995). Review: modeling studies applied to functionally graded materials. *J Mater Sci*; **30**: 2183-93.
- Marshall, G. W., Marshall, S., Kinney, J. H. and Balooch, M. (1997). The dentin substrate: structure and properties related to bonding. *J Dent*; **25**: 441-58.
- Martelli, H. Jr., Pellizzer, E. P., Rosa, B. T., Lopes, M. B. and Gonini, A. Jr. (2008). Fracture resistance of structurally compromised root filled bovine teeth restored with accessory glass fibre posts. *Int Endod J*; **41**: 685-92.
- Martinez-Insua, A., da Silva, L., Rilo, B. and Santana, U. (1998). Comparison of the fracture resistances of pulpless teeth restored with a cast post and core or carbon-fiber post with a composite core. *J Prosthet Dent*; **80**: 527-32.
- Martz, E. O., Goel, V. K., Pope, M. H. and Park, J. B. (1997). Materials and design of spinal implants-a review. *J Biomed Mater Res*; **38**: 267-88.

- Mason, P. N. (2001). Transactions of International ADM meeting, Siena.
- Matsuo, S., Watari, F. and Ohata, N. (2001). Fabrication of a functionally graded dental composite resin post and core by laser lithography and finite element analysis of its stress relaxation effect on tooth root. *Dent Mater J*; **20**: 257-74.
- Mattison, G. D., Delivanis, P. D., Thacker, R. W. Jr. and Hassell, K. J. (1984). Effect of post preparation on the apical seal. *J Prosthet Dent*; **51**: 785-89.
- McDonald, A. V., King, P. A. and Setchell, D. J. (1990). An in vitro study to compare impact fracture resistance of intact root-treated teeth. *Int Endod J*; **23**: 304-12.
- Meffert, R. M., Thomas, R. R., Hamilton, K. M. and Bronstein, C. N. (1985). Hydroxylapatite as an alloplastic graft in the treatment of human periodontal osseous defects. *J Periodontol*; **56**: 63-73.
- Mendoza, D. B., Eakle, W. S. and Kahl, E. A. (1997). Root reinforcement with a resin-bonded preformed post. *J Prosthet Dent*; **78**: 10-15.
- Mentink, A. G. B., Meeuwissen, R., Käyser, A. F. and Mulder, J. (1993). Survival rate and failure characteristics of the all metal post and core restoration. *J Oral Rehabil*; **20**: 455-61.
- Mentink, A. G., Creugers, N. H., Hoppenbrouwers, P. M. and Meeuwissen, R. (1998). Qualitative assessment of stress distribution during insertion of endodontic posts in photoelastic material. *J Dent*; **26**: 125-31.
- Meredith, N., Sheriff, M., Setchell, D. J. and Swanson, S. A. V. (1996). Measurement of the microhardness and Young's modulus of human enamel and dentin using an indentation technique. *Arch Oral Bio*; **41**: 539-45.
- Meyenberg, K. H., Lüthy, H. and Schärer, P. (1995). Zirconia posts: a new all-ceramic concept for nonvital abutment teeth. *J Esthet Dent*; **7**: 73-80.
- Mezzomo, E., Massa, F. and Libera, S. D. (2003). Fracture resistance of teeth restored with two different post-and-core designs cemented with two different cements: an in vitro study. Part I. *Quintessence Int*; **34**: 301-306.
- Miao, X., Ruys, A. J. and Milthorpe, B. K. (2001). Hydroxyapatite-316L fibre composites prepared by vibration assisted slip casting. *J Mater Sci*; **36**: 3323-32.
- Mitchell, C. A. and Orr, J. F. (1998). Comparison of conventional and resin-modified glass-ionomer luting cements in the retention of post-crowns by fatigue load. *J Oral Rehabil*; **25**: 472-78.
- Miyao, R., Yokoyama, A., Watari, F. and Kawasaki, T. (2001). Properties of titanium/hydroxyapatite functionally graded implants by spark plasma sintering and their biocompatibility. *J Dent Mater*; **20**: 344-55.
- Mizuno, Y., Kawasaki, A. and Watanabe, R. (1995). Measurement of Non-uniform Sintering Shrinkage of Functionally Gradient Material by Digital Image Processing. *Metallurgical Mater Transac*; **26B**: 75-79.

- Mohammadi, N., Kahnamoii, M. A., Yeganeh, P. K. and Navimipour, E. J. (2009). Effect of fiber post and cusp coverage on fracture resistance of endodontically treated maxillary premolars directly restored with composite resin. *J Endod*; **35**: 1428-32.
- Morgano, S. M. and Milot, P. (1993). Clinical success of cast metal posts and cores. *J Prosthet Dent*; **70**: 11-16.
- Morgano, S. M., Hashem, A. F., Fotoohi, K. and Rose, L. (1994). A nationwide survey of contemporary philosophies and techniques of restoring endodontically treated teeth. *J Prosthet Dent*; **72**: 259-67.
- Morgano, S. M. (1996). Restoration of pulpless teeth: application of traditional principles in present and future contexts. *J Prosthet Dent*; **75**: 375-80.
- Morgano, S. M. and Brackett, S. E. (1999). Foundation restorations in fixed prosthodontics: current knowledge and future needs. *J Prosthet Dent*; **82**: 643-57.
- Moroi, H. H., Okimoto, K., Moroi, R. and Terada, Y. (1993). Numeric approach to the biomechanical analysis of thermal effects in coated implants. *Int J Prosthodont*; **6**: 564-72.
- Mou, Y. B., Chen, Y. M., Smales, R. J. and Yip, K. H. (2009). Optimum post and tooth root diameters for a cast post-core system. *Am J Dent*; **22**:311-14.
- Munting, E., Verhelpen, M., Li, F. and Vincent, A. (1990). ICRC handbook of bioactive ceramics, (Yamamuro, T., Hench, L. L. and Wilson, J. Eds.), p. 143-8, Boca Raton, MA: CRC Press.
- Nagasiri, R. and Chitmongkolsuk, S. (2005). Long-term survival of endodontically treated molars without crown coverage: a retrospective cohort study. *J Prosthet Dent*; **93**: 164-70.
- Nakamichi, I., Iwaku, M. and Fusayama, T. (1983). Bovine teeth as possible substitutes in adhesion test. *J Dent Res*; **62**: 1076-81.
- Narayan, R. J., Hobbs, L. W., Jin, C. and Rabiei, A. (2006). The use of functionally gradient materials in medicine. *JOM J Miner Met Mater Soc*; **58**: 52-56.
- Naumann, M., Blankenstein, F. and Dietrich, T. (2005). Survival of glass fibre reinforced composite post restoration after 2 years—an observation clinical study. *J Dent*; **33**: 305-12.
- Naumann, M., Preussm A. and Rosentritt, M. (2006). Effect of incomplete crown ferrules on load capacity of endodontically treated maxillary incisors restored with fiber posts, composite build-ups, and all-ceramic crowns: an in vitro evaluation after chewing simulation. *Acta Odontol Scand*; **64**: 31-36.
- Naumann, M., Preuss, A. and Frankenberger, R. (2007). Reinforcement effect of adhesively luted fiber reinforced composite versus titanium posts. *Dent Mater*; **23**: 138-44.

- Naumann, M., Sterzenbach, G., Rosentritt, M., Beuer, F. and Frankenberger, R. (2008). Is adhesive cementation of endodontic posts necessary? *J Endod*; **34**: 1006-10.
- Nergiz, I., Schmage, P., Platzer, U. and McMullan-Vogel, C. G. (1997). Effect of different surface textures on retentive strength of tapered posts. *J Prosthet Dent*; **78**: 451-57.
- Nergiz, I., Schmage, P., Özcan, M. and Platzer, U. (2002). Effect of length and diameter of tapered posts on the retention. *J Oral Rehabil*; **29**: 28-34.
- Newman, M. P., Yaman, P., Dennison, J., Rafter, M. and Billy, E. (2003). Fracture resistance of endodontically treated teeth restored with composite posts. *J Prosthet Dent*; **89**: 360-67.
- Ng, C. C., Al-Bayat, M. I., Dumbrigue, H. B., Griggs, J. A. and Wakefield, C. W. (2004). Effect of no ferrule on failure of teeth restored with bonded posts and cores. *Gen Dent*; **52**: 143-46.
- Niino, M and Maeda S. (1990). Recent development status of functionally gradient materials. *ISIJ International*; **30**: 699-703.
- NISA-II User's Manual. (1997). Version 7.0; Engineering mechanics research corporation, Troy, Michigan.
- Niu, X., Rahbar, N., Farias, S. and Soboyejo, W. (2009). Bio-inspired design of dental multilayers: experiments and model. *J Mech Behav Biomed Mater*; **2**: 596-602.
- Nothdurft, F. P., Schmitt, T., Motter, P. J. and Pospiech, P. R. (2008). Influence of fatigue testing and cementation mode on the load-bearing capability of bovine incisors restored with crowns and zirconium dioxide posts. *Clin Oral Investig*; **12**: 331-36.
- Nothdurft, F. P., Schmitt, T., Rupf, S. and Pospiech, P. R. (2011). Influence of fatigue testing and cementation mode on the load-bearing capability of bovine incisors restored with crowns and FRC posts. *Dent Mater J*; **30**: 109-14.
- O'Brien, W. J. (1997). Dental materials: properties and selection. 2nd Edition, p. 335-98, Chicago (IL): Quintessence.
- Oilo, G. (1978). The extent of slits at the interfaces between luting cements and enamel, dentin and alloy. *Acta Odontol Scand*; **36**: 257-61.
- Ottl, P., Hahn, L., Lauer, H. C. and Fay, M. (2002). Fracture characteristics of carbon fibre, ceramic and non-palladium endodontic post systems at monotonously increasing loads. *J Oral Rehabil*; **29**: 175-83.
- Ozeki, K., Yuhta, T., Fukui, Y., Ozeki, H. and Nishimura, I. (2002). A functionally graded titanium/hydroxyapatite film obtained by sputtering. *J Mater Sci: Mater Med*; **13**: 253-58.
- Palmer, D. S., Barco, M. T. and Billy, E. J. (1992). Temperature extremes produced orally by hot and cold liquids. *J Prosthet Dent*; **67**: 325-27.

- Palmqvist, S. and Soderfeldt, B. (1994). Multivariate analyses of factors influencing the longevity of fixed partial dentures, retainers, and abutments. *J Prosthet Dent*; **71**: 245-50.
- Pashley, D. H., Okabe, A. and Parham, P. (1985). The relationship between dentin microhardness and tubule density. *Endod Dent Traumatol*; **1**: 176-79.
- Paul, S. J. and Werder, P. (2004). Clinical success of zirconium oxide posts with resin composite or glass ceramic cores in endodontically treated teeth: a 4-year retrospective study. *Int J Prosthodont*; **17**: 524-28.
- Pegoretti, A., Fambri, L., Zappini, G. and Bianchetti, M. (2002). Finite element analysis of a glass fiber reinforced composite endodontic post. *Biomaterials*; **23**: 2667-82.
- Peroz, I., Blankenstein, F., Lange, K.-P. and Naumann, M. (2005). Restoring endodontically treated teeth with posts and cores-a review. *Quintessence Int*; **36**: 737-46.
- Piecuch, J. F. (1986). Augmentation of the atrophic edentulous ridge with porous replaniform hydroxyapatite (Interpore-200). *Dent Clin North Am*; **30**: 291-305.
- Pierrisnard, L., Bohin, F., Renault, P. and Barquins, M. (2002). Corono-radicular reconstruction of pulpless teeth: a mechanical study using finite element analysis. *J Prosthet Dent*; **88**: 442-48.
- Pilo, R., Shapenco, E. and Lewinstein, I. (2008). Residual dentin thickness in bifurcated maxillary first premolars after root canal and post space preparation with parallel-sided drills. *J Prosthet Dent*; **99**: 267-73.
- Pines, M. L. and Bruck, H. A. (2006a). Pressureless Sintering of Particle-reinforced Metal-Ceramic Composites for Functionally Graded Materials: Part II. Sintering model. *Acta Materialia*; **54**: 1457-65.
- Pines, M. L. and Bruck, H. A. (2006b). Pressureless sintering of particle-reinforced metal-ceramic composites for functionally graded materials: Part I. Porosity reduction models. *Acta Materialia*; **54**: 1467-74.
- Pissiotis, E. and Spangberg, L. S. (1990). Biological evaluation of collagen gels containing calcium hydroxide and hydroxyapatite. *J Endod*; **16**: 468-73.
- Purton, D. G. and Love, R. M. (1996). Rigidity and retention of carbon fibre versus stainless steel root canal posts. *Int Endod J*; **29**: 262-65.
- Purton, D. G., Love, R. M. and Chandler, N. P. (2000). Rigidity and retention of ceramic root canal posts. *Oper Dent*; **25**: 223-27.
- Qing, H., Zhu, Z., Chao, Y. and Zhang, W. (2007). In vitro evaluation of the fracture resistance of anterior endodontically treated teeth restored with glass fiber and zircon posts. *J Prosthet Dent*; **97**:93-98.
- Qualtrough, A. J., Chandler, N. P. and Purton, D. G. (2003). A comparison of the retention of tooth-colored posts. *Quintessence Int*; **34**: 199-201.

- Rabin, B. H. and Heaps, R. J. (1993). Powder processing of Ni-Al₂O₃ FGM. *Ceram Transac*; **39**: 547-57.
- Rahbar, N. and Soboyejo W. O. (2011). Design of functionally graded dental multilayers. *Fatig Fract Eng Mater Struct*. In press.
- Ramakrishna, S., Mayer, J., Wintermantel, E. and Leong, K. W. (2001). Biomedical applications of polymer-composite materials: a review. *Comp Sci Technol*; **61**: 1189-1224.
- Ramires, P. A., Romito, A., Cosentino, F. and Milella, E. (2001). The influence of titania/hydroxyapatite composite coatings on in vitro osteoblasts behaviour. *Biomaterials*; **22**: 1467-74.
- Randow. K. and Glantz, P. (1986). On cantilever loading of vital and non-vital teeth. *Acta Odontol Scand*; **44**: 271-77.
- Rasmussen, S. T., Patchin, R. E., Scott D. B. and Heur A. H. (1976). Fracture properties of human enamel and dentin. *J Dent Res*; **55**: 154-64.
- Raygot, C. G., Chai, J. and Jameson, D. L. (2001). Fracture resistance and primary failure mode of endodontically treated teeth restored with a carbon fiber reinforced resin post system in vitro. *Int J Prosthodont*; **14**: 141-45.
- Reeh, E. S., Messer, H. H. and Douglas, W. H. (1989a). Reduction in tooth stiffness as a result of endodontic and restorative procedures. *J Endod*; **15**: 512-16.
- Reeh, E. S., Douglas, W. H. and Messer, H. H. (1989b). Stiffness of endodontically treated teeth related to restoration technique. *J Dent Res*; **68**: 1540-44.
- Rees, J. S. and Jacobsen, P. H. (1997). Elastic modulus of the periodontal ligament. *Biomaterials*; **18**: 995-99.
- Reid, L. C., Kazemi, R. B. and Meiers, J. C. (2003). Effect of fatigue testing on core integrity and post microleakage of teeth restored with different post systems. *J Endod*; **29**: 125-31.
- Reis, P. N. B., Ferreira, J. A. M., Costa, J. D. M. and Richardson, M. O. W. (2002). Fatigue damage in a glass fibre reinforced polypropylene composite. In: Found, M. S., editor. *Experimental techniques and design in composite materials*, vol. 4. A.A. Balkema Publishers, Lisse.
- Ricketts, D. N., Tait, C. M. and Higgins, A. J. (2005). Post and core systems, refinements to tooth preparation and cementation. *Br Dent J*; **198**: 533-41.
- Rivera, E., Yamauchi, G., Chandler, G. and Bergenholtz, G. (1988). Dentine collagen cross-links of root-filled and normal teeth. *J Endod*; **14**: 195-98.
- Robbins, J. W. (1990). Guidelines for the restoration of endodontically treated teeth. *J Am Dent Assoc*; **120**: 560-62.

Rosenstiel, S. R., Land, M. F. and Fujimoto, J. (2001). Restoration of the endodontically treated teeth. In: *Contemporary fixed prosthodontics*, 3rd Edition; p. 272-312. St. Louis: Mosby, Inc.

Ruse, N. D. and Smith, D. C. (1991). Adhesion to bovine dentin–surface characterization. *J Dent Res*; **70**: 1002-8.

Ruse, N. D. (2008). Propagation of erroneous data for the modulus of elasticity of periodontal ligament and gutta-percha in FEM/FEA papers: A story of broken links. *Dent Mater*; **24**: 1717-19.

Sakaguchi, R. L., Cross, M. and Douglas, W. H. (1992). A simple model of crack propagation in dental restorations. *Dent Mater*; **8**: 131-36.

Sakkers, R. J. B., Dalmeyer, R. A. J., Brand, R., Rozing, P. M. and van Blitterswijk, C. A. (1997). Assessment of bioactivity for orthopedic coatings in a gap-healing model. *J Biomed Mater Res*; **36**: 265-73.

Salameh, Z., Sorrentino, R., Papacchini, F., Ounsi, H. F., Tashkandi, E., Goracci, C. and Ferrari, M. (2006). Fracture resistance and failure patterns of endodontically treated mandibular molars restored using resin composite with or without translucent glass fiber posts. *J Endod*; **32**: 752-55.

Salameh, Z., Sorrentino, R., Ounsi, H. F., Goracci, C., Tashkandi, E., Tay, F. R. and Ferrari, M. (2007). Effect of different all-ceramic crown system on fracture resistance and failure pattern of endodontically treated maxillary premolars restored with and without glass fiber posts. *J Endod*; **33**: 848-51.

Salameh, Z., Ounsi, H. F., Aboushelib, M. N., Sadig, W. and Ferrari, M. (2008a). Fracture resistance and failure patterns of endodontically treated mandibular molars with and without glass fiber post in combination with a zirconia-ceramic crown. *J Dent*; **36**: 513-19.

Salameh, Z., Sorrentino, R., Ounsi, H. F., Sadig, W., Atiyeh, F. Ferrari, M. (2008b). The effect of different full-coverage crown systems on fracture resistance and failure pattern of endodontically treated maxillary incisors restored with and without glass fiber posts. *J Endod*; **34**: 842-46.

Salvi, G. E., Siegrist Guldener, B. E., Amstad, T., Joss, A. and Lang, N. P. (2007). Clinical evaluation of root filled teeth restored with or without post-and-core systems in a specialist practice setting. *Int Endod J*; **40**: 209-15.

Sano, H., Ciucchi, B., Matthews, W. G. and Pashley, D. H. (1994). Tensile properties of mineralized and demineralized human and bovine dentin. *J Dent Res*; **73**: 1205-11.

Santos, A. F., Tanaka, C. B., Lima, R. G., Espósito, C. O., Ballester, R. Y., Braga, R. R. and Meira, J. B. (2009). Vertical root fracture in upper premolars with endodontic posts: finite element analysis. *J Endod*; **35**: 117-20.

Santos, A. F., Meira, J. B., Tanaka, C. B., Xavier, T. A., Ballester, R. Y., Lima, R. G., Pfeifer, C. S. and Versluis, A. (2010). Can fiber posts increase root stresses and reduce fracture? *J Dent Res*; **89**: 587-91.

- Santos-Filho, P. C., Castro, C. G., Silva, G. R., Campos, R. E. and Soares, C. J. (2008). Effects of post system and length on the strain and fracture resistance of root filled bovine teeth. *Int Endod J*; **41**: 493-501.
- Saunders, W. P. (1988). The shear impact retentive strengths of four dentine bonding agents to human and bovine dentine. *J Dent*; **16**: 233-38.
- Schilke, R., Lisson, J. A., Bauss, O. and Geurtsen, W. (2000). Comparison of the number and diameter of dentinal tubules in human and bovine dentine by scanning electron microscopic investigation. *Arch Oral Biol*; **45**: 355-61.
- Schmitter, M., Rammelsberg, P., Lenz, J., Scheuber, S., Schweizerhof, K. and Rues, S. (2010). Teeth restored using fiber-reinforced posts: in vitro fracture tests and finite element analysis. *Acta Biomater*; **6**: 3747-54.
- Schwartz, R. S., Murchison, D. F. and Walker, W. A. (1998). Effects of eugenol and noneugenol endodontic sealer cements on post retention. *J Endod*; **24**: 564-67.
- Schwartz, R. S. and Robbins, J. W. (2004). Post placement and restoration of endodontically treated teeth: a literature review. *J Endod*; **30**: 289-301.
- Schwartz, R. S. and Fransman, R. (2005). Adhesive dentistry and endodontics: materials, clinical strategies, and procedures for restoration of access cavities: a review. *J Endod*; **31**: 151-65.
- Segerström, S., Astbäck, J. and Ekstrand, K. (2006). A retrospective long term study of teeth restored with prefabricated carbon fiber reinforced epoxy resin posts. *Swed Dent J*; **30**: 1-8.
- Shillingburg, Jr. H. T., Fisher, D. W. and Dewhirst, R. B. (1970). Restoration of endodontically treated posterior teeth. *J Prosthet Dent*; **24**: 401-409.
- Sicher, H., Du Brul, E. L., 1970. The viscera of head and neck. In: *Oral anatomy*, 5th Edition, p. 174-304, St. Louis, C. V. Mosby, USA.
- Sidoli, G. E., King, P. A. and Setchell, D. J. (1997). An in vitro evaluation of a carbon fiber-based post and core system. *J Prosthet Dent*; **78**: 5-9.
- Signore, A., Benedicenti, S., Kaitsas, V., Barone, M., Angiero, F. and Ravera, G. (2009). Long-term survival of endodontically treated, maxillary anterior teeth restored with either tapered or parallel-sided glass-fiber posts and full-ceramic crown coverage. *J Dent*; **37**: 115-21.
- Silness, J., Gustavsen, F. and Hunsbeth, J. (1979). Distribution of corrosion products in teeth restored with metal crowns retained by stainless steel posts. *Acta Odontol Scand*; **37**: 317-21.
- Silva, V. V. and Domingues, R. Z. (1997). Hydroxyapatite-zirconia composites prepared by precipitation method. *J Mater Sci: Mater Med*; **8**: 907-10.

Silva, V. V. and Lameiras, F. S. (2000). Synthesis and characterization of calcia partially-stabilized-zirconia-hydroxyapatite composite powders. *Mater Character*; **45**: 51-59.

Silva, V. V., Lameiras, F. S. and Domingues, R. Z. (2001a). Synthesis and characterization of calcia partially stabilized zirconia-hydroxyapatite powders prepared by co-precipitation method. *Ceram Int*; **27**: 615-20.

Silva, V. V., Lameiras, F. S. and Domingues, R. (2001b). Microstructural and mechanical study of zirconia-hydroxyapatite (ZH) composite ceramics for biomedical applications. *Comp Sci Tech*; **61**: 301-10.

Silverstein, W. (1964). Reinforcement of weakened pulpless teeth. *J Prosthet Dent*; **14**: 372-81.

Sim, T. P. C., Knowles, J. C., Ng, Y-L., Shelton, J. and Gulabivala, K. (2001). Effect of sodium hypochlorite on mechanical properties of dentine and tooth surface strain. *Int Endod J*; **34**: 120-32.

Simmelinck, J. W. (1987). Histology of enamel. In: *Oral development and histology*. (Avery, J. K. ed.); p. 140-51, Baltimore: Williams and Wilkins.

Soares, C. J., Soares, P. V., de Freitas Santos-Filho, P. C., Castro, C. G., Magalhaes, D. and Versluis A. (2008). The influence of cavity design and glass fiber posts on biomechanical behavior of endodontically treated premolars. *J Endod*; **34**: 1015-19.

Soares, C. J., Raposo, L. H. A., Soares, P. V., Santos-Filho, P. C., Menezes, M. S., Soares, P. B. F. and Magalhaes, D. (2010). Effect of different cements on the biomechanical behavior of teeth restored with cast dowel-and-cores-in vitro and FEA analysis. *J Prosthodont*; **19**: 130-37.

Soares, C. J., Santana, F. R., Silva, N. R., Preira, J. C. and Pereira, C. A. (2007). Influence of the endodontic treatment on mechanical properties of root dentin. *J Endod*; **33**: 603-6.

Sorensen, J. A. and Martinoff, J. T. (1984a). Intracoronal reinforcement and coronal coverage: a study of endodontically treated teeth. *J Prosthet Dent*; **51**: 780-84.

Sorensen, J. A. and Martinoff, J. T. (1984b). Clinically significant factors in dowel design. *J Prosthet Dent*; **52**: 28-35.

Sorensen, J. A. and Engelman, M. J. (1990). Effect of post adaptation on fracture resistance of endodontically treated teeth. *J Prosthet Dent*; **64**: 419-24.

Sorensen, J., Ahn, S., Berge, H. and Edelhoff, D. (2001). Selection criteria for post core materials in the restoration of endodontically treated teeth. In: *Proceedings of conference on scientific criteria for selecting materials and technique in clinical dentistry*. p. 67-84.

- Sorrentino, R., Monticelli, F., Goracci, C., Zarone, F., Tay, F. R., García-Godoy, F. and Ferrari, M. (2007a). Effect of post-retained composite restorations and amount of coronal residual structure on the fracture resistance of endodontically-treated teeth. *Am J Dent*; **20**: 269-74.
- Sorrentino, R., Aversa, R., Ferro, V., Auriemma, T., Zarone, F., Ferrari, M. and Apicella, A.(2007b). Three-dimensional finite element analysis of strain and stress distributions in endodontically treated maxillary central incisors restored with different post, core and crown materials. *Dent Mater*; **23**: 983-93.
- Spierings, T. H. A. M., Devree, J. H. P., Peters, M. C. R. B. and Plasschaert, A. J. M. (1984). The influence of restorative dental materials on heat transmission in human teeth. *J Dent Res*; **63**: 1096-1100.
- Spierings, T. H. A. M., Peters, M. C. R. B., Bosman, F. and Plasschaert, A. J. M. (1986). The influence of cavity on heat transmission in restored teeth. *J Dent*; **14**: 47-51.
- Standlee, J. P., Caputo, A. A. and Hanson, E. C. (1978). Retention of endodontic dowels: effects of cement, dowel length, diameter, and design. *J Prosthet Dent*; **39**: 400-405.
- Standlee, J. P., Caputo, A. A., Holcomb, J. and Trabert, K. C. (1980). The retentive and stress distributing properties of a threaded endodontic dowel. *J Prosthet Dent*; **44**: 398-404.
- Stankiewicz, N. R. and Wilson, P. R. (2002). The ferrule effect: a literature review. *Int Endod J*; **35**: 575-81.
- Stern, N., and Hirshfeld, Z. (1973). Principles of preparing endodontically treated teeth for dowel and core restorations. *J Prosthet Dent*; **30**: 162-65.
- Stockton, L. W. (1999). Factors affecting retention of post systems: a literature review. *J Prosthet Dent*; **81**: 380-85.
- Suchanek, W. and Yoshimura, M. (1997). Processing and properties of hydroxyapatite-based biomaterials for use as hard tissue replacement implants. *J Mater Res*; **13**: 94-117.
- Sugawara, A., Chow, L. C., Takagi, S. and Chohayeb, H. (1990). In vitro evaluation of the sealing ability of a calcium phosphate cement when used as a root canal sealer-filler. *J Endod*; **16**: 162-65.
- Tabachnick, B. G. and Fidell, L. S. (2001). Using multivariate statistics, Needham Heights MA: Allyn and Bacon.
- Takechi, M., Miyamoto, Y., Ishikawa, K., Toha, T., Yuasaa, T., Nagayamaa, M. and Suzukib, K. (1998). Initial histological evaluation of anti-washout type fast-setting calcium phosphate cement following subcutaneous implantation. *Biomaterials*; **19**: 2057-63.
- Tamse, A. (1988). Iatrogenic vertical root fractures in endodontically treated teeth. *Endod Dent Traumatol*; **4**: 190-96.

- Tamse, A., Fuss, Z., Lustig, J. and Kaplavi, J. (1999). An evaluation of endodontically treated vertically fractured teeth. *J Endod*; **25**: 506-8.
- Tan, P. L. B., Aquilino, S. A., Gratton, D. G., Stanford, C. M., Tan, S. C., Johnson, W. T. and Dawson, D. (2005). *In vitro* fracture resistance of endodontically treated central incisors with varying ferrule heights and configurations. *J Prosthet Dent*; **93**: 331-36.
- Tancred, D. C., McCormack, B. A. O. and Carr, A. J. (1998). A quantitative study of the sintering and mechanical properties of hydroxyapatite/phosphate glass composites. *Biomaterials*; **19**: 1735-43.
- Tang, W., Wu, Y. and Smales, R. J. (2010). Identifying and reducing risks for potential fractures in endodontically treated teeth. *J Endod*; **36**: 609-17.
- Telli, C. and Gülkan, P. (1998). Stress analysis during root canal filling by vertical and lateral condensation procedures: a three-dimensional finite element model of a maxillary canine tooth. *Br Dent J*; **185**: 79-86.
- Thresher, R.W. and Saito G. E. (1973). The stress analysis of human teeth. *J Biomech*; **6**: 443-49.
- Tidmarsh, B. G. (1976). Restoration of endodontically treated posterior teeth. *J Endod*; **2**: 374-5.
- Toparli, M., Gokay, N. and Aksoy, T. (2000). An investigation of temperature and stress distribution on a restored maxillary second premolar tooth using three dimensional finite element method. *J Oral Rehab*; **27**: 1077-81.
- Toparli, M. (2003). Stress analysis in a post-restored tooth utilizing the finite element method. *J Oral Rehab*; **30**: 470-76.
- Toparli, M. and Sasaki, S. (2003). Finite element analysis of the temperature and thermal stress in a post restored tooth. *J Oral Rehab*; **30**: 921-26.
- Toparli, M., Aykut, H. and Sasaki, S. (2003). Temperature and thermal stress analysis of a crowned maxillary second premolar tooth using three-dimensional finite element method. *J Oral Rehabil*; **30**: 99-105.
- Torbjörner, A., Karlsson, S. and Ödman, P. A. (1995). Survival rate and failure characteristics for two post designs. *J Prosthet Dent*; **73**: 439-44.
- Torbjörner, A. (2000). Post and cores. In: *A textbook of Fixed Prosthodontics*, (Nilner, K. and Dahl, B. eds);p. 173-186, Stockholm: Förlagshuset Gothia AB.
- Torbjörner, A. and Fransson, B. (2004a). A literature review on the prosthetic treatment of structurally compromised teeth. *Int J Prosthodont*; **17**: 369-76.
- Torbjörner, A. and Fransson, B. (2004b). Biomechanical aspects of prosthetic treatment of structurally compromised teeth. *Int J Prosthodont*; **17**: 135-41.

- Traini, T., Manganob, C., Sammons, R. L., Manganod, F., Macchib, A. and Piattellia, A. (2008). Direct laser metal sintering as a new approach to fabrication of an isoelastic functionally graded material for manufacture of porous titanium dental implants. *Dent Mater*; **24**: 1525-33.
- Trope, M., Maltz, D. O. and Tronstad, L. (1985) Resistance to fracture of restored endodontically treated teeth. *Endod Dent Traumatol*; **1**:108-11.
- Turner, C. H. (1982). Post retained crown failure: a survey. *Dent Update*; 9: 193-202.
- Uddanwadiker, R. V., Padole, P. M. and Arya, H. (2007). Effect of variation of root post in different layers of tooth: linear vs nonlinear finite element stress analysis. *J Biosci Bioeng*; **104**: 363-70.
- Ukon, S., Moroi, H., Okimoto, K., Fujita, M., Ishikawa, M., Terada, Y. and Satoh, H. (2000). Influence of different elastic moduli of dowel and core on stress distribution in root. *Dent Mater J*; **19**: 50-64.
- Van Noort, R. (2002). Introduction to dental materials, 2nd Edition, Mosby Ltd.
- Vichi, A., Ferrari, M. and Davidson, C. L. (2000). Influence of ceramic and cement thickness on the masking of various types of opaque posts. *J Prosthet Dent*; **83**: 412-17.
- Vire, D. E. (1991). Failure of endodontically treated teeth: classification and evaluation. *J Endod*; **17**: 338-42.
- Volceanov, A., Volceanov, E. and Stoleriu, S. (2006). Hydroxyapatite-zirconia composites for biomedical applications. *J Optoelectronics Advanced Mater*; **8**: 585-88.
- Wakashima, K, Hirano, T., Niino M. (1990). Space application of advance structural material. *Proceeding of the European Space Agency (ESA) Symposium*, p. 303:97.
- Wagnild, G. W. and Mueller, K. I. (2002). Restoration of the endodontically treated tooth. In: *Pathways of the pulp* (Cohen, S. and Burns Eds.), 8th Edition; p. 765-95. St. Louis; London: Mosby.
- Walton, R. and Torabinejad, M. (1996). Principles and practice of endodontics, 2nd edition, p. 212-14, W.B. Saunders Co., USA.
- Walton, T. R. (2003). An up to 15-year longitudinal study of 515 metal-ceramic FPDs: part 2. Modes of failure and influence of various clinical characteristics. *Int J Prosthodont*; **16**: 177-82.
- Wang, F., Lee, H. P. and Lu, C. (2007). Thermal-mechanical study of functionally graded dental implants with the finite element method. *J Biomedical Mater Res A*; **80**: 146-58.
- Watanabe, R. (1995). Powder processing of functionally gradient materials. *MRS Bulletin*; **20**: 32-34.

- Watanabe, Y., Kawamoto, A. and Matsuda, K. (2002). Particle size distributions in functionally graded materials fabricated by the centrifugal solid-particle method. *Comp Sci Tech*; **62**: 881-88.
- Watari, F., Yokoyama, A., Omori, M., Hirai, T., Kondo, H., Uo, M. and Kawasaki, T. (2004). Biocompatibility of materials and development to functionally graded implant for bio-medical application. *Comp Sci Tech*; **64**: 893-908.
- Waters, N. E. (1980). Some mechanical and physical properties of teeth. In: *The mechanical properties of biological materials* (Vincent, J. F. V. and Curry, J. D. Eds.); p. 108-128, Cambridge University Press.
- Weine, F. S., Wax, A. H. and Wenckus, C. S. (1991). Retrospective study of tapered, smooth post systems in place for 10 years or more. *J Endod*; **17**: 293-97.
- Wheeler, R. C. (1974). The permanent maxillary incisors. In: *Dental anatomy, physiology and occlusion*, 5th Edition; p. 135-154, W.B. Saunders Co., USA.
- Whitworth, J. M., Walls, A. W. G. and Wassell, R. W. (2002). Crowns and extra-coronal restorations: Endodontic considerations: the pulp, the root-treated tooth and the crown. *Br Dent J*; **192**: 315-27.
- Williams, K. R. and Edmunson, J. T. (1987). Finite element analysis of restored teeth. *Dent Mater*; **3**: 200-206.
- Willershausen, B., Tekyatan, H., Krummenauer, F. and Briseno Marroquin, B. (2005). Survival rate of endodontically treated teeth in relation to conservative vs post insertion techniques-a retrospective study. *Eur J Med Res*; **10**: 204-8.
- Williams, K. R. and Edmundson, J. T. (1984). A finite element stress analysis of an endodontically restored tooth. *Eng Med*; **13**: 167-73.
- Williamson, R. L., Rabin, B. H. and Drake, J. T. (1993). Finite element analysis of thermal residual stresses at graded ceramic-metal interfaces. Part 1. Model description and geometrical effects. *J Appl Phys*; **74**: 1310-20.
- Winter, A. N., Corff, B. A., Reimanis, I. E. and Rabin, B. H. (2000). Fabrication of graded nickel-alumina composite with thermal-behaviour-matching process. *J Am Ceram Soc*; **83**: 2147-54.
- Wong, L. H., Tio, B. and Miao, X. (2002). Functionally graded tricalcium phosphate/fluoroapatite composites. *Mater Sci Eng C*; **20**: 111-15.
- Wu, M. K., van der Sluis, L. W. and Wesselink, P. R. (2004) Comparison of mandibular premolars and canines with respect to their resistance to vertical root fracture. *J Dent*; **32**: 265-68.
- Yamada, Y., Tsubota, Y. and Fukushima, S. (2004). Effect of restoration method on fracture resistance of endodontically treated maxillary premolars. *Int J Prosthodont*; **17**: 94-98.

- Yaman, D. S., Alaçam, T. and Yaman, Y. (1995). Analysis of stress distribution in a vertically condensed maxillary central incisor root canal. *J Endod*; **21**: 321-25.
- Yaman, D.S., Karacaer, O. and Sahin, M. (2004). Stress distribution of post-core applications in maxillary central incisor. *J Biomater App*; **118**: 163-77.
- Yang, H. S., Lang, L. A., Guckes, A. D. and Felton, D. A. (2001a). The effect of thermal change on various dowel-and-core restorative materials. *J Prosthet Dent*; **86**: 74-80.
- Yang, H. S., Lang, L. A., Molina, A. and Felton, D. A. (2001b). The effects of dowel design and load direction on dowel-and-core restorations. *J Prosthet Dent*; **85**: 558-67.
- Yang, J. and Xiang, H.-J. (2007). Three-dimensional finite element study on the biomechanical behavior of an FGBM dental implant in surrounding bone. *J Biomech*; **40**: 2377-85.
- Yoldas, O., Akova, T. and Uysal, H. (2005). An experimental analysis of stresses in simulated flared root canals subjected to various post-core applications. *J Oral Rehabil*; **32**: 427-32.
- Yoshimine, Y. and Maeda, K. (1995). Histologic evaluation of tetracalcium phosphate-based cement as a direct pulp-capping agent. *Oral Surg, Oral Med, Oral Pathol, Oral Radio, Endod*; **79**: 351-58.
- Yukna, R. A., Harrison, B. G., Caudill, R. F., Evans, G. H., Mayer, E. T. and Miller, S. (1985). Evaluation of durapatite ceramic as an alloplastic implant in periodontal osseous defects. II. Twelve month reentry results. *J Periodontol*; **56**: 540-47.
- Zalkind, M. and Hochman, N. (1998). Aesthetic considerations in restoring endodontically treated teeth with posts and cores. *J Prosthet Dent*; **79**: 702-705.
- Zarone, F., Apicella, D., Sorrentino, R., Ferro, V., Aversa, R. and Apicella, A. (2005) Influence of tooth preparation design on the stress distribution in maxillary central incisors restored by means of alumina porcelain veneers: a 3D-finite element analysis. *Dent Mater*; **21**: 1178-88.
- Zarone, F., Sorrentino, R., Apicella, D., Valentino, B., Ferrari, M., Aversa, R. and Apicella, A. (2006). Evaluation of the biomechanical behavior of maxillary central incisors restored by means of endocrowns compared to a natural tooth: A 3D static linear finite elements analysis. *Dent Mater*; **22**: 1035-44.
- Zirconium Oxide, ZrO₂ Material properties. <http://accuratus.com/zirc.html>.