

## REFERENCES:

- Abdalla, A. I., EL-Eraki, M. and Feilzer, A. J. (2007). The effect of direct and indirect water storage on the microtensile dentin bond strength of a total-etch and two self-etching adhesives. *Am J Dent*; **20**: 370-374.
- Abo-Hamar, S. E., Hiller, K. A., Jung, H., Federlin, M., Friedl, K. H. and Schmalz, G. (2005). Bond strength of a new universal self-adhesive resin luting cement to dentin and enamel. *Clin Oral Invest*; **9**: 161-167.
- Aboushelib, M. N., Kleverlaan, C. J. and Feilzer, A. J. (2007). Selective infiltration-etching technique for a strong and durable bond of resin cements to zirconia-based materials. *J Prosthet Dent*; **98**: 379-388.
- Aboushelib, M. N., Kleverlaan, C. J. and Feilzer, A. J. (2008). Microtensile bond strength of different components of core veneered all-ceramic restorations. Part 3: double veneer technique. *J Prosthodont*; **17**: 9-13.
- Anusavice, K. J. (2003). *Phillips' science of dental materials*, 11<sup>th</sup> edition, p. 74, 77 and 445. Saunders An Imprint of Elsevier: St. Louis, Missouri.
- Atsu, S. S., Kilicarslan, M. A., Kucukesmen, H. C. and Aka, P. S. (2006). Effect of zirconium-oxide ceramic surface treatments on the bond strength to adhesive resin. *J Prosthet Dent*; **95**: 430-436.
- Aykent, F., Kalkan, M., Yucel, M. T. and Ozyesil, A. G. (2006). Effect of dentin bonding and ferrule preparation on the fracture strength of crowned teeth restored with dowels and amalgam cores. *J Prosthet Dent*; **95**: 297-301.
- Ayna, E. B., Çelenk, S., Bolgöl, B. S., Atakul, F. and Uysal, E. (2006). Water sorption and water solubility of various restorative materials. *Turkiye Klinikleri J Dental Sci*; **12**: 43-46.
- Baek, C. J., Hyun, S. H., Lee, S. K., Seol, H. J., Kim, H. I. and Kwon, Y. H. (2008). The effects of light intensity and light-curing time on the degree of polymerization of dental composite resins. *J Dent Mater*; **27**: 523-533.
- Bausch, J. R., de-Lange, K., Davidson, C. L., Peters, A. and de-Gee, A. J. (1982). Clinical significance of polymerization shrinkage of composite resin. *J Prosthet Dent*; **48**: 59-67.
- Berger, S. B., Palialol, A. R. M., Cavalli, V. and Giannini, M. (2009). Characterization of water sorption, solubility and filler particles of light-cured composite resins. *Braz Dent J*; **20**: 314-318.
- Blatz, M. B., Sadan, A. and Kern, M. (2003). Resin-ceramic bonding: a review of the literature. *J Prosthet Dent*; **89**: 268-274.

- Bonfante, G., Kaizer, O. B., Pegoraro, L. F. and do-Valle, A. L. (2007). Tensile bond strength of glass fiber posts luted with different cements. *J Braz Oral Res*; **21**:159-164.
- Bott, B. and Hannig, M. (2003). Effect of different luting materials on the marginal adaptation of class I ceramic inlay restorations in vitro. *J Dent Mater*; **19**: 264-269.
- Cabrera, E. and De-la-Macorra, J. C. (2007). Polymerization shrinkage influences microtensile bond strength. *J Dent Res*; **86**: 227-231.
- Cantoro, A., Goracci, C., Papacchini, F., Mazzitelli, C., Fadda, G. M. and Ferrari, M. (2008). Effect of pre-cure temperature on the bonding potential of self-etch and self-adhesive resin cement. *J Dent Mater*; **24**: 577-583.
- Carrossa, S., Lombardo, S., Pera, P., Corsalini, M., Rastello, M. L. and Preti, P. G. (2001). Influence of posts and cores on light transmission through different all-ceramic crowns: spectrophotometric and clinical evaluation. *Int J Prosthodont*; **14**: 9-14.
- Carville, R. and Quinn, F. (2008). The selection of adhesive systems for resin-based luting agents. *J Ir Dent Assoc*; **54**: 218-222.
- Cavalli, V., Giannini, M. and Carvalho, R. M. (2004). Effect of carbamide peroxide bleaching agents on tensile strength of human enamel. *J Dent Mater*; **20**: 733-739.
- Charbeneau, G. T. (1989). *Principles and practice of operative dentistry*, 3<sup>rd</sup> edition, p. 439 and 440; Varghese publishing house.
- Cheung, W. (2005). A review of the management of endodontically treated teeth post, core and final restoration. *J Am Dent Assoc*; **136**: 611-619.
- Chieffi, N., Chersoni, S., Papacchini, F., Vano, M., Goracci, C., Davidson, C. L., Tay, F. R and Ferrari, M. (2007). The effect of application sustained seating pressure on adhesive luting procedure *Dent Mater*; **23**: 159-164.
- Christensen, G. J. (1997). Compomers vs. resin-reinforced glass ionomers. *J Am Dent Assoc*; **128**: 479-480.
- Cobb, D. S., Macgregor, K. M., Vargas, M. A. and Denehy, G. E. (2000). The physical properties of packable and conventional posterior resin-based composites: a comparison. *J Am Dent Assoc*; **131**: 1610-1615.
- Coltak, K. M., Yanikoğlu, N. D. and Bayindir, F. (2007). A comparison of the fracture resistance of core materials using different types of posts. *Quintessence Int.*; **38**: 511-516.
- Craig, R. G. and Powers, J. M. (2002). *Restorative dental materials*, 11<sup>th</sup> edition. p.4, 247. Mosby, An affiliate of Elsevier.

Craig, R. G., Powers, J. M. and Wataha, J. C. (2004). *Dental materials properties and manipulation*, 8<sup>th</sup> edition. p: 25. Mosby.

Davidson, C. L., de-Gee, A. J. and Feilzer, A. (1984). The competition between the composite-dentin bond strength and polymerization contraction stress. *J Dent Res*; **63**: 1396-1399.

De-Goes, M. F., Giannini, M., Foxton, R. M., Nikaido, T. and Tagami, J. (2007). Microtensile bond strength between crown and root dentin and two adhesive systems. *J Prosthet Dent*; **97**: 223-228.

De-Melo, R. M., Valandro, L. F. and Bottino, M. A. (2007). Microtensile bond strength of a repair composite to leucite-reinforced feldspathic ceramic. *Braz Dent J*; **18**: 314-319.

De-Munck, J., Vargas, M., Van-Landuyt, K., Hikita, K., Lambrechts, P. and Van-Meerbeek, B. (2004). Bonding of an auto-adhesive luting material to enamel and dentin. *Dent Mater*; **20**: 963-971.

Diaz-Arnold, A. M., Vargas, M. A. and Haselton, D. R. (1999). Current status of luting agents for fixed prosthodontics. *J Prosthet Dent*; **81**: 135-141.

Donly, K. J. and Browning, R. (1992). Class IV preparation design for microfilled and macrofilled composite resin. *Pediatr Dent*; **14**: 34-36.

Duarte, R. M., De-Goes, M. F. and Montes, M. A. J. R. (2006). Effect of time on tensile bond strength of resin cement bonded to dentine and low-viscosity composite. *J Dent*; **34**: 52-61.

Dunn, W. J. and Bush, A. C. (2002). A comparison of polymerization by light-emitting diode and halogen-based light-curing units. *Jam Dent Assoc*; **133**: 335-341.

Ellner, S., Bergendal, T. and Bergman, B. (2003). Four post-and-core combinations as abutments for fixed single crowns: a prospective up to 10-year study. *Int J Prosthodont*; **16**: 249-254.

El-Zohairy, A. A., De-Gee, A. J., Mohsen, M. M. and Feilzer, A. J. (2003). Microtensile bond strength testing of luting cements to prefabricated CAD/CAM ceramic and composite blocks. *J dent mater*; **19**: 575-583.

Ermis, R. B., De-Munck, J., Cardoso, M. V., Coutinho, E., Landuyt, K. L. V., Poitevin, A., Lambrechts, P. and Meerbeek, B. V. (2008). Bond strength of self-etch adhesives to dentin prepared with three different diamond burs. *J Dent Mater*; **24**: 978-985.

Ertugrul, H. Z. and Ismail, Y. H. (2005). An *in-vitro* comparison of cast metal dowel retention using various luting agents and tensile loading. *J Prosthet Dent*; **93**: 446-452.

Fowler, C. S., Swartz, M. L., Moore, B. K. and Rhodes, B. F. (1992). Influence selected variables on adhesion testing. *Dent Mater*; **8**: 265-269.

- Frankenberger, R., Krämer, N. and Sindel, J. (2000). Repair strength of etched vs silica-coated metal-ceramic and all-ceramic restorations. *J Oper Dent*; **25**: 209-215.
- Freilich, M. A., Meiers, J. C., Duncan, J. P. and Goldberg, A. J. (2000). *Fiber-reinforced composites in clinical dentistry*. 1<sup>st</sup> edition, p. viii and 63 Quintessence publishing Co, Inc.
- Fuentes, V., Ceballos, L., Osorio, R., Toledano, M., Carvalho, R. M. and Pashley, D. H. (2004). Tensile strength and microhardness of treated human dentin. *J Dent Mater*; **20**: 522-529.
- Garber, D. A., Goldstein, R. E. and Feinman, R. A. (1988). *Porcelain laminate veneers*, 1<sup>st</sup> edition. p. 24 Quintessence Books.
- García, A. H., Lozano, M. A. M., Vila, J. C., Escribano, A. B. and Galve, P. F. (2006). Composite resins. A review of the materials and clinical indications. *Med Oral Patol Oral Cir Bucal*; **11**: 215-220.
- Gau, D. J. and Krause, E. A. (1973). Etching effect of topical fluorides on dental porcelains: a preliminary study. *J Canad Dent Assn*; **6**: 410-415.
- Gladwin, M. and Bagby, M. (2000). *Clinical aspects of dental materials*, 1<sup>st</sup> edition. p. 31-42 and 62-67. Lippincott Williams and Wilkins.
- Guess, P. C., Zhang, Y., Kim, J. W., Rekow, E. D. and Thompson, V. P. (2010). Damage and reliability of Y-TZP after cementation surface treatment. *J Dent Res*; **89**: 592-596.
- Hirasawa, T., Hirano, S., Hirabayashi, S., Harashima, I., Nasu, I. and Aizawa, M. (1981). Dimensional stabilities of microfilled composite resin (author's translation). *Jap Dent J*; **22**: 196-201.
- Ilie, N., Hickel, R. and Watts, D. C. (2009). Spatial and cure-time distribution of dynamic-mechanical properties of dimethacrylate nano-composite. *J Dent Mater*; **25**: 411-418.
- Ilie, N., Kunzelmann, K. H. and Hickel, R. (2006). Evaluation of micro-tensile bond strengths of composite materials in comparison to their polymerization shrinkage. *J Dent Mater*; **22**: 593-601.
- Ilzhöfer, A., Schnelder, H. and Tsakmakls, Ch. (1997). Tensile testing device for microstructured specimens. *Microsystem Technologies*; **4**: 46-50.
- Ishii, T., Ohara, N., Oshima, A., Koizumi, H., Nakazawa, M., Masuno, T. and Matsumura, H. (2008). Bond strength to bovine dentin of a composite core build-up material combined with four different bonding agents. *Journal of Oral Science*; **50**: 329-333.
- ISO/TR 11405: 1994 (E). *Dental materials-guidance on testing of adhesion to tooth structure*. 1<sup>st</sup> edition, 1995-12-15.

- Jacobsen, P. (1998). *Restorative dentistry an integrated approach*; 1<sup>st</sup> edition. p. 102. Wright.
- Kamada, K., Yoshida, K. and Atsuta, M. (1998). Effect of ceramic surface treatments on the bond of four resin luting agents to a ceramic material. *J Prosth Dent*; **79**: 508-513.
- Kato, H., Matsumura, H., Tanaka, T. and Atsuta, M. (1996). Bond strength and durability of porcelain bonding systems. *J Prosthet Dent*; **75**: 163-168.
- Kelly, J. R., Nishimura, I. and Campbell, S. D. (1996). Ceramic in dentistry: historical roots and current perspectives. *J Prosthet Dent*; **75**: 18-32.
- Kim, B. K., Bae, H. E. K., Shim, J. S. and Lee, K. W. (2005). The influence of Ceramic Surface treatments on the Tensile Bond Strength on composite Resin to All-Ceramic Coping Material. *J Prosthet Dent*; **94**: 357-362.
- Kleverlaan, C. J. and Feilzer, A. J. (2005). Polymerization shrinkage and contraction stress of dental resin composites. *J dent mater*; **21**: 1150-1157.
- Kovarik, R. E., Breeding, L. C. and Caughman, W. F. (1992). Fatigue life of three core materials under simulated chewing conditions. *Journal of Prosthetic Dentistry*; **68**: 584-590.
- Lacy, A. M., Laluz, J., Watanabe, L. G. and Dellinges, M. (1988). Effect of porcelain surface treatment on the bond to composite. *J Prosthet Dent*; **60**: 288-291.
- Lawn, B. R., Deng, Y., Lloyd, I. K., Janal, M. N., Rekow, E. D. and Thompson, V. P. (2002). Materials design of ceramic-based layer structures for crowns. *J Dent Res*; **81**: 433-438.
- Lennon, A. M., Wiegand, A., Buchalla, W. and Attin, T. (2007). Approximal caries development in surfaces in contact with fluoride-releasing and non-fluoride-releasing restorative materials: an in situ study. *Eur J Oral Sci*; **115**: 497-501.
- Lührs, A. K. and Geurtsen, W. (2009). The application of silicon and silicates in dentistry: a review. *Prog Mol Subcell Biol*; **47**: 359-380.
- Lüthy, H., Loeffel, O. and Hammerle, C. H. F. (2006). Effect of Thermocycling on bond strength of luting cement to zirconia ceramic. *J Dent Mater*; **22**: 195-200.
- Mak, F. Y., Lai, S. C. N., Cheung, G. S. P., Chan, A. W. K., Tay, F. R. and Pashley, D. H. (2002). Micro-tensile bond testing of resin cements to dentin and an indirect resin composite. *J Dent Mater*; **18**: 609-621.
- Manhart, J., Chen, H. Y. and Hickel, R. (2001). The suitability of packable resin-based composites for posterior restorations. *J Am Dent Assoc*; **132**: 639-645.

- Matsuya, S., Maeda, T. and Ohta, M. (1996). IR and NMR analyses of hardening and maturation of glass-ionomer cement. *J Dent Res*; **75**: 1920-1927.
- McCabe, J. F. and Walls, A. W. G. (1998). *Applied dental materials*, 8<sup>th</sup> edition. p. 79. Blackwell Science.
- McDonald, R. E., Avery, D. R., and Dean, J. A. (2004). *Dentistry for the child and adolescent*; 8<sup>th</sup> edition. p. 511. Mosby.
- McClean, J. W. (2001). Evolution of dental ceramics in the twentieth century. *The Journal of Prosthetic Dentistry*; **85**: 61-66.
- Menani, L. R., Ribeiro, R. F. and Antununes, D. A. R. P. (2008). Tensile bond strength of cast commercially pure titanium and cast gold-alloy posts and cores cemented with two luting agents. *J Prosthet Dent*; **99**: 141-147.
- Meng, X., Yoshida, K. and Atsuta, M. (2008). Influence of ceramic thickness on mechanical properties and polymer structure of dual-cured resin luting agents. *J Dent Mater*; **24**: 594-599.
- Mitchell, C. A., Douglas, W. H. and Cheng, Y. S. (1999). Fracture toughness of conventional, resin-modified glass-ionomer and composite luting cements. *J Dent Mater*; **15**: 7-13.
- Mojon, P., Hawbolt, E. B., MacEntee, M. I. and Ma, P. H. (1992). Early bond strength of luting cements to a precious alloy. *J Dent Res*; **71**: 1633-1639.
- Molin, M. K., Karlsson, S. L. and Kristiansen, M. S. (1996). Influence of Film thickness on joint bend strength of ceramic/resin composite joint. *J Dent Mater*; **12**: 245-249.
- Morgano, S. M. and Brackett, S. E. (1999). Foundation restorations in fixed prosthodontics: Current knowledge and future needs. *J Prosthet Dent*; **82**: 643-657.
- Mount, G. J. (1990). *An atlas of glass-ionomer cements a clinician's guide*. 1<sup>st</sup> edition; p. 64. Dunitz M; Clinical techniques in dentistry.
- Nash, R. W., Lowe, R. A. and Leinfelder, K. (2001). Using packable composites for direct posterior placement. *J Am Dent Assoc*; **132**: 1099-1104.
- Neelima, L., Sathish, E. S., Kandaswamy, D. and Bupesh. (2008). Evaluation of microtensile bond strength of total-etch, self-etch, and glass ionomer adhesive to human dentin: An in vitro study. *Indian J Dent Res*; **19**: 129-133.
- Neves, A. D. A., Coutinho, E., Poitevin, A., der-Sloten J. V., Meerbeek, B. V. and Oosterwyck, H. V. (2008). Influence of joint component mechanical properties and adhesive layer thickness on stress distribution in micro-tensile bond strength specimens. *J Dent Mater*; **25**: 4-12.

- Nikolaenko, S. A., Lohbauer, U., Roggendorf, M., Petschelt, A., Dasch, W. and Frankenberger, R. (2004). Influence of c-factor and layering technique on microtensile bond strength to dentin. *J Dent Mater*; **20**: 579-585.
- Oh, N. S., Kim, D. J., Ong, J. L., Lee, H. Y. and Lee, K. W. (2007). Properties and cyclic fatigue of glass infiltrated tape cast alumina cores produced using a water-based solvent. *J Dent Mater*; **23**: 442-449.
- Ølio, G. (1993). Bond strength testing – what does it mean? *Inter Dent J*; **43**: 492-498.
- Opdam, N. J., Bronkhorst, E. M., Roeters, J. M. and Loomans, B. A. (2007). A retrospective clinical study on longevity of posterior composite and amalgam restorations. *Dent Mater*; **23**: 2-8.
- Özok, A. R., Wu, M. K., De-Gee, A. J. and Wesselink, P. R. (2004). Effect of dentin perfusion on the sealing ability and microtensile bond strengths of total-etch versus an all-in-one adhesive. *J Dent Mater*; **20**: 479-486.
- Papacchini, F., Dall'Oca, S., Chieffi, N., Goracci, C., Sadek, F. T., Suh, B. I., Tay, F. R. and Ferrari, M. (2007). Composite-to-composite microtensile bond strength in the repair of a microfilled hybrid resin: effect of surface treatment and oxygen inhibition. *J Adhes Dent*; **9**: 25-31.
- Pashley, D. H., Agee, K. A., Carvalho, R. M., Lee, K. W., Tay, F. R. and Callison, T. E. (2003). Effect of water and water-free solvents on the tensile properties of demineralized dentin. *J Dent Mater*; **19**: 347-352.
- Pastor, L. C., Moreno, J. V., Garrido, J. D. L. G., Muriel, V. P., Moore, K. and Elias, A. (1997). Comparing the tensile strength of brackets adhered to laser-etched enamel vs. acid-etched enamel. *Jo Am Dent Assoc*; **128**: 732-737.
- Paul, S. J. and Schärer, P. (1997). Post and core reconstruction for fixed prosthodontic restoration. *Pract Periodontics Aesthet Dent*; **9**: 513-520.
- Peumans, M., Hikita, K., De-Munck, J., Van-Landuyt, K., Poitevin, A., Lambrechts, P. and Van-Meerbeek, B. (2007). Effect of ceramic surface treatments on the bond strength of an adhesive luting agent to CAD/CAM ceramic. *J of Dentistry*; **35**: 282-288.
- Phillips, R. W. (1991). *Skinner's, Science of dental materials*, 9<sup>th</sup> edition. p. 22, 233 and 479-498. W.B.Saunders Company, Harcourt Brace Jovanovich, Inc.
- Phrukkanon, S., Burrow, M. F. and Tyas, M. J. (1998). The influence of cross-sectional shape and surface area on the microtensile bond test. *J Dent Mater*; **14**: 212-221.
- Pisani-Proenca, J., Erhardt, M. C. G., Valandro, L. F., Gutierrez-Aceves, G., Bolanos-Carmona, M. V., Del-Castillo-Salmeron, R. and Bottino, M. A. (2006). Influence of ceramic surface

conditioning and resin cements on microtensile bond strength to glass ceramic. *J Prosthet Dent*; **96**: 412-417.

Powers, J. M. and Sakaguchi, R. L. (2006). *Craig's, Restorative dental materials*, 12<sup>th</sup> edition. p. 481-483. Mosby an imprint of Elsevier.

Quaas, A. C., Yang, B. and Kern, M. (2007). Panavia F 2.0 Bonding to contaminated zirconia ceramic after different cleaning procedures. *J Dent Mater*; **23**: 506-512.

Reusens, B., D'hoore, W. and Vreven, J. (1999). In vivo comparison of a microfilled and a hybrid minifilled composite resin in class III restorations: 2-year follow-up. *Clin Oral Invest*; **3**: 62-69.

Roulet, J. F., Söderholm, K. J. M. and Longmate, J. (1995). Effect of treatment and storage conditions on ceramic/composite bond strength. *J Dent Res*; **74**: 381-387.

Russell, D. A. and Meiers, J. C. (1994). Shear bond strength of resin composite to Dicor treated with 4-META. *Int J Prosthodont*; **7**: 7-12.

Sakaguchi, R. L., Wiltbank, B. D. and Murchison, C. F. (2004). Prediction of composite elastic modulus and polymerization shrinkage by computational micromechanics. *J Dent Mater*; **20**: 397-401.

Sano, H., Shono, T., Sonoda, H., Takatsu, T., Ciucchi, B., Carvalho, R. and Pashley, D. H. (1994). Relationship between surface area for adhesion and tensile bond strength – Evaluation of a micro-tensile bond test. *J Dent Mater*; **10**: 236-240.

Santini, A., Ivanovic, V., Tan, C. L. and Ibbetson, R. (2006). Effect of prolonged thermal cycling on microleakage around class V cavities restored with glass-ceramic inserts with different coefficients of thermal expansion: an in vitro study. *J Prim Dent Care*; **13**: 147-153.

Santos, G. C., El-Mowafy, O. and Rubo, J. H. (2004). Diametral tensile strength of a resin composite core with nonmetallic prefabricated posts: An in vitro study. *J Prosthet Dent*; **91**: 335-341.

Saskalauskaite, E., Tam, L. E. and McComb, D. (2008). Flexural strength, elastic modulus, and pH profile of self-etch resin luting cements. *J Prosthodont*; **17**: 262-268.

Schmage, P., Sohn, J., Özcan, M. and Nergiz, I. (2006). Effect of surface treatment of titanium posts on the tensile bond strength. *Dent Mater*; **22**: 189-194.

Segerström, S., Astbock, J. and Ekstrand, K. D. (2006). A retrospective long term study of teeth restored with prefabricated carbon fiber reinforced epoxy resin posts. *Swed Dent J*; **30**: 1-8.

Sindel, J., Frankenberger, R., Krämer, N. and Petschelt, A. (1999). Crack formation of all-ceramic crown dependent on different core build-up and luting materials. *J Dent*; **27**: 175-181.

- Snyder, M. D., Lang, B. R. and Razzoog, M. S. (2003). The efficacy of luting all-ceramic crowns with resin-modified glass ionomer cement. *J Am Dent Assoc*; **134**: 609-612.
- Söderholm, K. J. M. and Shang, S. W. (1993). Molecular Orientation of silane at the surface of colloidal silica. *J Dent Res*; **72**: 1050-1054.
- St-Germain, H., Swartz, M. L., Phillips, R. W., Moore, B. K. and Roberts, T. A. (1985). Properties of microfilled composite resins as influenced by filler content. *J Dent Res*; **64**: 155-160.
- Swift, E. J., Lloyd, A. H. and Felton, D. A. (1997). The effect of resin desensitizing agents on crown retention. *J Am Dent Assoc*; **128**: 195-200.
- Valandro, L. F., Della-Bona, A., Bottino, M. A. and Neisser, M. P. (2005). The effect of ceramic surface treatment on bonding to densely sintered alumina ceramic. *J Prosthet Dent*; **93**: 253-259.
- Van-Noort, R. (1994). *Introduction to dental materials*. 1<sup>st</sup> edition. p. 106. Mosby.
- Walmsley, A. D., Trevor, F. W., Burke, F. J. T., Shortall, A. C. C., Lumley, P. J. and Hayes-Hall, R. (2002). *Restorative dentistry*; p. 67-69 and 106-08. Churchill Livingstone.
- Wang, Y. J., Raffaelli, O., Zhang, L., Chan, J. H. and Ferrari, M. (2007). Effect of different bonding procedures on micro-tensile bond strength between a fibre post and resin-based luting agent. *Journal of oral Science*; **49**: 155-160.
- Watanabe, E. K., Yamashita, A., Yatani, H., Ishikawa, K. and Suzuki, K. (1998). Improvement in tensile bond strength between resin cement and dentin surfaces after temporary cement application. *Int J Prosthodont*; **11**: 203-211.
- Weigand, A., Buchalla, W. and Attin, T. (2007). Review on fluoride-releasing restorative materials: fluoride release and uptake characteristics, antibacterial activity and influence on caries formation. *Dent Mater*; **23**: 343-362.
- Williams, P. D. and Smith, D.C. (1971). Measurement of the tensile strength of dental restorative materials by using a diametral compression test. *J Dent Res*; **50**: 436-442.
- Wolfart, M., Lehmann, F., Wolfart, S. and Kern, M. (2007). Durability of the resin bond strength to zirconia ceramic after using different surface conditioning methods. *J Dent Mater*; **23**: 45-50.
- Yang, B., Lange-Jansen, H. C., Scarnberg, M., Wolfart, S., Ludwig, K., Adelung, R. and Kern, M. (2008). Influence of saliva contamination on zirconia ceramic bonding. *J Dent mater*; **24**: 508-513.

Yüzügüllü, B., Ciftçi, Y., Saygılı, G. and Canay, S. (2008). Diametral tensile and compressive strengths of several types of core materials. *J Prosthodont*; **17**: 102-107.