
REFERENCE

A

- A. Maier, Stefan and A. Atwater, Harry (2005), 'Plasmonics: Localization and guiding of electromagnetic energy in metal/dielectric structures', *Journal of Applied Physics*, 98, 011101.
- Armelao, Lidia, et al. (2006), 'Recent trends on nanocomposites based on Cu, Ag and Au clusters: A closer look', *Coordination Chemistry Reviews*, 250 (11-12), 1294-314.
- Atwater, Harry (2011), 'Bending light to our will', *MRS Bulletin*, 36, 57.
- Al-Kuhaili, M. F. (2008), 'Characterization of copper oxide thin films deposited by the thermal evaporation of cuprous oxide (Cu₂O)', *Vacuum*, 82 (6), 623-29.
- Adachi, Toshiyuki (2002), 'Eutectic reaction of gold thin-films deposited on silicon surface ', *Surface Science*, 506, 305-12.
- Armelao, L., et al. (2005), 'RF-sputtering of gold on silica surfaces: Evolution from clusters to continuous films', *Materials Science and Engineering: C*, 25 (5-8), 599-603.

B

- Balamurugan, B. and Maruyama, Toshiro (2005), 'Evidence of an enhanced interband absorption in Au nanoparticles: Size-dependent electronic structure and optical properties ', *Applied Physics Letters*, 87, 143105.
- Baker, Christina O., et al. (2011), 'Size Control of Gold Nanoparticles Grown on Polyaniline Nanofibers for Bistable Memory Devices', *ACS Nano*, 5 (5), 3469-74.
- Barnes, William L., Dereux, Alain, and Ebbesen, Thomas W. (2003), 'Surface plasmon subwavelength optics', *Nature*, 424 (6950), 824-30.
- Barreca, Davide, et al. (2004), 'Influence of process parameters on the morphology of Au/SiO₂ nanocomposites synthesized by radio-frequency sputtering', *Journal of Applied Physics*, 96, 1655.
- Barreca, Davide, et al. (2008), 'A soft Plasma Enhanced-Chemical Vapor Deposition process for the tailored synthesis of SiO₂ films', *Thin Solid Films*, 516 (21), 7393- 99.
- Barreca, Davide, et al. (2008), 'Silica-sandwiched Au nanoparticle arrays by a soft PE-CVD/RF sputtering approach', *Nanotechnology*, 19 (25), 255602.
- Björnholm, Fredrik Westerlunda and Thomas (2009), 'Directed assembly of gold nanoparticles ', *Current Opinion in Colloid & Interface Science*, 14, 126.

- Boyen, H. G., et al. (2001), 'Chemically Induced Metal-to-Insulator Transition in Au₅₅ Clusters: Effect of Stabilizing Ligands on the Electronic Properties of Nanoparticles', *Physical Review Letters*, 87 (27), 276401.
- Bullen, Heather A. and Garrett, Simon J. (2002), 'TiO₂ Nanoparticle Arrays Prepared Using a Nanosphere Lithography Technique', *Nano Letters*, 2 (7), 739-45.
- Berreman, D. W. (1963), 'Infrared Absorption at Longitudinal Optic Frequency in Cubic Crystal Films', *Physical Review*, 130 (6), 2193.
- Bruno, Giovanni, et al. (2010a), 'A two-step plasma processing for gold nanoparticles supported on silicon near-infrared plasmonics', *Applied Physics Letters*, 96 (4), 043104-3.
- C**
- Carel, Carl. V. Thompson and Roland (1995), 'Texture development in polycrystalline thin films', *Materials Science and Engineering B*, 31, 211.
- Chunming Jin, Honghui Zhou, Wei Wei, and Roger Narayan (2006), 'Three-dimensional self-organization of crystalline gold nanoparticles in amorphous alumina', *Applied Physics Letters*, 89, 261103.
- Clark, Philip G. and Wagener, Thomas J. (2008), 'Removal of Particles by Chemical Cleaning', in Kohli Rajiv and K. L. Mittal (eds.), *Developments in Surface Contamination and Cleaning* (Norwich, NY: William Andrew Publishing), 873-88.
- Coscia, U., et al. (2003), 'Power density effects on the growth of microcrystalline silicon-carbon alloys by PECVD', *Thin Solid Films*, 427 (1-2), 284-88.
- Cabarrocas, Linwei Yu and Pere Roca i (2009), 'Initial nucleation and growth of in-plane solid-liquid-solid silicon nanowires catalyzed by indium', *Physics Review B*, 80, 085313.
- Chen, X. Y., et al. (2005), 'Annealing and oxidation of silicon oxide films prepared by plasma-enhanced chemical vapor deposition', *Journal of Applied Physics*, 97 (1), 014913-10.
- D**
- Dae-Gun Kim, et al. (2008), 'Tunable aggregation of Au nanoparticles in Au/SiO₂ composite film and its photo-absorbance', *Applied Physics A: Materials Science & Processing*, 92, 263.
- Davide Barreca, Alberto Gasparotto, and Tondello, Eugenio (2011), 'Metal/oxide interfaces in inorganic nanosystems: what's going on and what's next?', *Journal of Materials Chemistry*, 21, 1648.
- Dalacu, Dan and Martinu, Ludvik (2000), 'Temperature dependence of the surface plasmon resonance of Au/SiO₂ nanocomposite films', *Applied Physics Letters*, 77, 4283.

- Daniel, Marie-Christine and Astruc, Didier (2003), 'Gold Nanoparticles: Assembly, Supramolecular Chemistry, Quantum-Size-Related Properties, and Applications toward Biology, Catalysis, and Nanotechnology', *Chemical Reviews*, 104 (1), 293-346.
- De Marchi, G., et al. (2002), 'Two stages in the kinetics of gold cluster growth in ion-implanted silica during isothermal annealing in oxidizing atmosphere ', *Journal of Applied Physics*, 92, 4249.
- DiMaria, D. J. and Arienzo, M. (1987), 'A permeable-base switching device using stacked layers of silicon, silicon dioxide, and silicon-rich silicon dioxide', *Electron Devices, IEEE Transactions on*, 34 (8), 1762-67.
- Doughty, C, et al. (1999), 'Silicon nitride films deposited at substrate temperatures <math><100^{\circ}\text{C}</math> in a permanent magnet electron cyclotron resonance plasma ', *Journal of Vacuum Science & Technology A*, 17, 2612.
- Dao, Vinh-Ai, et al. (2009), 'Effect of $\text{N}_2\text{O}/\text{SiH}_4$ flow ratios on properties of amorphous silicon oxide thin films deposited by inductively-coupled plasma chemical vapor deposition with application to silicon surface passivation', *Vacuum*, 84 (3), 410-14.
- Devadason, Suganthi and Muhamad, Muhamad Rasat (2007), 'Structural and optical properties of vapor deposited multi-layer CdSe thin films', *Physica B: Condensed Matter*, 393 (1-2), 125-32.
- E**
- El-Sayed, Mostafa A. (2004), 'Small is different: shape-, size-, and composition-dependent properties of some colloidal semiconductor nanocrystals', *Accounts of chemical research*, 37, 326.
- Eustis, Susie and El-Sayed, Mostafa A. (2006), 'Why gold nanoparticles are more precious than pretty gold: Noble metal surface plasmon resonance and its enhancement of the radiative and nonradiative properties of nanocrystals of different shapes', *Chemical Society Reviews*, 35 (3), 209-17.
- Elechiguerra, J.L., Manriquez, J.A., and Yacamán, M.J. (2004), 'Growth of amorphous SiO_2 nanowires on Si using a Pd/Au thin film as a catalyst', *Applied Physics A: Materials Science & Processing*, 79, 461.
- F**
- F. A. Videla, G. A. Torchia, D. C. Schinca, L. B. Scaffardi, P. Moreno, C. Méndez, L. J. Giovanetti, J. M. Ramallo Lopez, and L. Roso (2010), 'Analysis of the main optical mechanisms responsible for fragmentation of gold nanoparticles by femtosecond laser radiation ', *Journal of Applied Physics*, 107, 114308.
- F. Ruffino, M. G. Grimaldi, C. Bongiorno, F. Giannazzo, F. Roccaforte, V. Raineri, and C. Spinella (2009), 'Normal and abnormal grain growth in nanostructured gold film ', *Journal of Applied Physics*, 105, 054311.

- Ferrari, M., et al. (1995), 'Preparation of silver nanoparticles in silica films by combined thermal and electron-beam deposition', *Journal of Non-Crystalline Solids*, 191 (1-2), 101-06.
- Feynman, R. P. (1992), 'There's plenty of room at the bottom', *Journal of Microelectromechanical Systems*, 1 (1), 60-66.
- Fuhrer, M. S., et al. (2002), 'High-Mobility Nanotube Transistor Memory', *Nano Letters*, 2 (7), 755-59.
- F. Ruffino, M.G. Grimaldi, C. Bongiorno, F. Giannazzo, F. Roccaforte, V. Raineri (2008), 'Microstructure of Au nanoclusters formed in and on SiO₂', *Superlattices and Microstructures*, 44, 588-98.
- G**
- Ghodselahe, T., et al. (2010), 'Metal-nonmetal transition in the copper-carbon nanocomposite films', *Physica B: Condensed Matter*, 405 (18), 3949-51.
- Giovanni Bruno, Giuseppe V. Bianco, Maria M. Giangregorio, Alberto Sacchetti, Pio Capezzuto, and Maria Losurdo (2010), 'A two-step plasma processing for gold nanoparticles supported on silicon near-infrared plasmonics', *Applied Physics Letters*, 96, 043104.
- Grunwaldt, Jan-Dierk and Baiker, Alfons (1999), 'Gold/Titania Interfaces and Their Role in Carbon Monoxide Oxidation', *The Journal of Physical Chemistry B*, 103 (6), 1002-12.
- Guerrero-Martínez, Andrés, Pérez-Juste, Jorge, and Liz-Marzán, Luis M. (2010), 'Recent Progress on Silica Coating of Nanoparticles and Related Nanomaterials', *Advanced Materials*, 22 (11), 1182-95.
- Gallagher, Alan (2001), 'Some physics and chemistry of hot-wire deposition', *Thin Solid Films*, 395 (1-2), 25-28.
- Grimaldi, F. Ruffino and M. G. (2010), 'Atomic force microscopy study of the growth mechanisms of nanostructured sputtered Au film on Si(111): Evolution with film thickness and annealing time', *Journal of Applied Physics*, 107, 104321.
- H**
- Hammond, P.T. (2004), 'Form and Function in Multilayer Assembly: New Applications at the Nanoscale', *Advanced Materials*, 16, 1271.
- Haes, Amanda J., et al. (2004), 'A Localized Surface Plasmon Resonance Biosensor: First Steps toward an Assay for Alzheimer's Disease', *Nano Letters*, 4 (6), 1029-34.
- Halas, Naomi J. (2010), 'Plasmonics: An Emerging Field Fostered by Nano Letters', *Nano Letters*, 10 (10), 3816-22.

Halas, Naomi J., et al. (2011), 'Plasmons in Strongly Coupled Metallic Nanostructures', *Chemical Reviews*, 111 (6), 3913-61.

Hall, Howard R. Stuart and Dennis G. (1998), 'Island size effects in nanoparticle-enhanced photodetectors ', *Applied Physics Letters*, 73, 3815.

Hyung-Seok, Lee, Dong Seup, Lee, and Palacios, T. (2011), 'AlGaIn/GaN High-Electron-Mobility Transistors Fabricated Through a Au-Free Technology', *Electron Device Letters, IEEE*, 32 (5), 623-25.

Haridas, M., Srivastava, S., and Basu, J. K. (2008), 'Tunable variation of optical properties of polymer capped gold nanoparticles', *European Physical Journal D*, 49 (1), 93- 100.

I

Innocenzi, P., et al. (1996), 'Microstructural characterization of gold-doped silica-titania sol-gel films', *Thin Solid Films*, 279 (1-2), 23-28.

J

Jones, Matthew R., et al. (2011), 'Templated Techniques for the Synthesis and Assembly of Plasmonic Nanostructures', *Chemical Reviews*, 111 (6), 3736-827.

Jiang, Peng, et al. (2010), 'Room-Temperature Reaction of Oxygen with Gold: An In situ Ambient-Pressure X-ray Photoelectron Spectroscopy Investigation', *Journal of the American Chemical Society*, 132, 2858.

Jung, Kyung-Han, et al. (2008), 'Fabrication and characterization of Au/SiO₂ nanocomposite films grown by radio-frequency cosputtering', *Current Applied Physics*, 8 (6), 761-65.

K

Kayes, Brendan M. , et al. (2007), 'Growth of vertically aligned Si wire arrays over large areas (>1cm²) with Au and Cu catalysts ', *Applied Physics Letters*, 91, 103110.

Kreibig, U. and Vollmer, M. (1995), *Optical Properties of Metal Clusters* (Berlin: Springer).

Kirk, C. T. (1988), 'Quantitative analysis of the effect of disorder-induced mode coupling on infrared absorption in silica', *Physical Review B*, 38 (2), 1255.

Keewah Chan et al. (2011), 'Effects of post-thermal annealing temperature on the optical and structural properties of gold particles on silicon suboxide films', *Applied Surface Science*, 257 (6), 2208-13.

Kolasinski, Kurt W. (2006), 'Catalytic growth of nanowires: Vapor-liquid-solid, vapor-solid-solid, solution-liquid- solid and solid-liquid-solid growth', *Current Opinion in Solid State and Materials Science*, 10, 182.

L

- Lau, Cindy Y., et al. (2011), 'Enhanced Ordering in Gold Nanoparticles Self-Assembly through Excess Free Ligands', *Langmuir*, 27 (7), 3355-60.
- Liz-Marzán, Luis M. (2005), 'Tailoring Surface Plasmons through the Morphology and Assembly of Metal Nanoparticles', *Langmuir*, 22 (1), 32-41.
- Lickiss, Paul D. and Lucas, Ronan (1996), 'Oxidation of sterically hindered organosilicon hydrides using potassium permanganate', *Journal of Organometallic Chemistry*, 521 (1-2), 229-34.
- Liao, H. B., Wen, Weijia, and Wong, G. K. L. (2003), 'Preparation and optical characterization of Au/SiO₂ composite films with multilayer structure', *Journal of Applied Physics*, 93 (8), 4485-88.

M

- Matthew R. Jones, et al. (2011), 'Templated Techniques for the Synthesis and Assembly of Plasmonic Nanostructures', *Chemical Reviews*, 111, 3736.
- M. Hirasawa, H. Shirakawa, H. Hamamura, Y. Egashira, and H. Komiyama (1997), 'Growth mechanism of nanoparticles prepared by radio frequency sputtering', *Journal of Applied Physics*, 82, 1404.
- Maier, S. A., et al. (2001), 'Plasmonics — A Route to Nanoscale Optical Devices', *Advanced Materials*, 13 (19), 1501-05.
- Mavrikakis, M., Stoltze, P., and Nørskov, J. K. (2000), 'Making gold less noble', *Catalysis Letters*, 64 (2), 101-06.
- Mie, G. (1908), 'Contributions to the optics of turbid media, particularly of colloidal metal solutions', *Ann. Phys.*, 25, 377.
- Mohapatra, S. and et al. (2007), 'Synthesis of Au nanoparticles in partially oxidized Si matrix by atom beam sputtering', *Journal of Physics D: Applied Physics*, 40 (22), 7063.
- Morton, Seth M., Silverstein, Daniel W., and Jensen, Lasse (2011), 'Theoretical Studies of Plasmonics using Electronic Structure Methods', *Chemical Reviews*, 111 (6), 3962- 94.
- Murray, W. A and Barnes, W. L (2007), 'Plasmonic Materials', *Advanced Materials*, 19 (22), 3771-82.
- Maiti, Namita, et al. (2010), 'Effects of oxygen flow rate on microstructure and optical properties of aluminum oxide films deposited by electron beam evaporation technique', *Vacuum*, 85 (2), 214-20.
- Matsuda, T., et al. (2003), 'Application of 60 mm[phi] superconducting bulk magnet to magnetron sputtering', *Physica C: Superconductivity*, 392-396 (Part 1), 696-703.

- Mattox, Donald M. (1998), 'Cleaning', *Handbook of Physical Vapor Deposition (PVD) Processing* (Westwood, NJ: William Andrew Publishing), 664-743.
- Modreanu, M., et al. (2004), 'Optical properties of silicon thin films related to LPCVD growth condition', *Thin Solid Films*, 450 (1), 105-10.
- Murali, K. R., Srinivasan, K., and Trivedi, D. C. (2004), 'Structural and photoelectrochemical properties of CdSe thin films deposited by the vacuum evaporation technique', *Materials Science and Engineering: B*, 111 (1), 1-4.
- Miotello, A., et al. (2001a), 'Clustering of gold atoms in ion-implanted silica after thermal annealing in different atmospheres', *Physics Review B*, 63, 075409.
- Mohapatra, S., et al. (2008), 'Synthesis of gold-silicon core-shell nanoparticles with tunable localized surface plasmon resonance', *Applied Physics Letters*, 92 (10), 103105-3.
- Morales-Sánchez, A., et al. (2008), 'Optical characterization of silicon rich oxide films', *Sensors and Actuators A: Physical*, 142 (1), 12-18.

N

- North, Anthony C. T. (2010), 'X-Ray Crystallography of Macromolecules, Theory and Methods', in Lindon John (ed.), *Encyclopedia of Spectroscopy and Spectrometry* (Oxford: Academic Press), 2968-75.
- Niu, Junjie, et al. (2007), 'Infrared spectra of silicon nanowires', *Materials Letters*, 61 (3), 894-96.

P

- Prashant K. Jain, Wenyu Huang, and El-Sayed, Mostafa A. (2007), 'On the Universal Scaling Behavior of the Distance Decay of Plasmon Coupling in Metal Nanoparticle Pairs: A Plasmon Ruler Equation', *Nano letters*, 7, 2080.
- Park, Young-Bae and Rhee, Shi-Woo (2004), 'Low temperature silicon dioxide film deposition by remote plasma enhanced chemical vapor deposition: growth mechanism', *Surface and Coatings Technology*, 179 (2-3), 229-36.
- Parkhutik, V., Martínez, M. San-Jerónimo, and Senent, E. Gómez (2000), 'Processing of Infrared Spectroscopy Data on Thin Porous Films Using Software "Prospect"', *Journal of Porous Materials*, 7, 239.
- Pillai, S., et al. (2007), 'Surface plasmon enhanced silicon solar cells', *Journal of Applied Physics*, 101, 093105.

Q

- Qiu, H., et al. (2004), 'Structure and internal stress of Au films deposited on SiO₂/Si(100) and mica by dc sputtering', *Journal of University of Science and Technology Beijing: Mineral Metallurgy Materials (Eng Ed)*, 11 (5), 415-19.

R

- Reinhard, Björn M., et al. (2005), 'Calibration of Dynamic Molecular Rulers Based on Plasmon Coupling between Gold Nanoparticles', *Nano Letters*, 5 (11), 2246-52.
- Rosa, Lorenzo, et al. (2011), '3D-Tailored Gold Nanoparticles for Light Field Enhancement and Harvesting over Visible-IR Spectral Range', *The Journal of Physical Chemistry C*, 115 (13), 5251-56.
- Ruffino, F., et al. (2008), 'Thermodynamic Properties of Supported and Embedded Metallic Nanocrystals: Gold on/in SiO₂', *Nanoscale Research Letters*, 3 (11), 454-60.
- Ruffino, F, et al. (2007), 'Effect of surrounding environment on atomic structure and equilibrium shape of growing nanocrystals: gold in/on SiO₂', *Nanoscale Research Letters* 2, 240.
- Ruffino, F. and Grimaldi, M. G. (2010), 'Atomic force microscopy study of the growth mechanisms of nanostructured sputtered Au film on Si(111): Evolution with film thickness and annealing time', *Journal of Applied Physics*, 107 (10), 104321-9.
- Ruffino, F., et al. (2008), 'Microstructure of Au nanoclusters formed in and on SiO₂', *Superlattices and Microstructures*, 44 (4-5), 588-98.
- Rath, A, et al. (2011), 'Temperature-dependent electron microscopy study of Au thin films on Si (1 0 0) with and without a native oxide layer as barrier at the interface ', *Journal of Physics D: Applied Physics*, 44, 115301.

S

- Seung H. Ko, et al. (2006), 'Nanosecond laser ablation of gold nanoparticle films', *Applied Physics Letters*, 89, 141126.
- Stockman, Mark I. (2011), 'Nanoplasmonics: The physics behind the applications', *Physics Today*, 64, 39.
- S. Mohapatra, J. Ghatak, B. Joseph, H. P. Lenka, P. K. Kuri, and D. P. Mahapatra (2007), 'Anomalous diffusion of Au in mega-electron-volt Au implanted SiO₂/Si(100)', *Journal of Applied Physics*, 101, 063542.
- Santhanam, Venugopal, et al. (2003), 'Self-Assembly of Uniform Monolayer Arrays of Nanoparticles', *Langmuir*, 19 (19), 7881-87.
- Sardar, Rajesh, et al. (2009), 'Gold Nanoparticles: Past, Present, and Future†', *Langmuir*, 25 (24), 13840-51.
- Sau, Tapan K., et al. (2010), 'Properties and Applications of Colloidal Nonspherical Noble Metal Nanoparticles', *Advanced Materials*, 22 (16), 1805-25.

- Spyropoulos, G. D., et al. (2011), 'Plasmonic organic photovoltaics doped with metal nanoparticles', *Photonics and Nanostructures - Fundamentals and Applications*, 9 (2), 184-89.
- Su, K. H., et al. (2003), 'Interparticle Coupling Effects on Plasmon Resonances of Nanogold Particles', *Nano Letters*, 3 (8), 1087-90.
- Sangpour, P., et al. (2007), 'Formation of gold nanoparticles in heat-treated reactive co-sputtered Au-SiO₂ thin films', *Applied Surface Science*, 254 (1), 286-90.
- Sekhar, Praveen Kumar, et al. (2006), 'Selective growth of silica nanowires in silicon catalysed by Pt thin film ', *Nanotechnology*, 17, 4606.
- Sen, P. N. and Thorpe, M. F. (1977), 'Phonons in AX₂ glasses: From molecular to band- like modes', *Physical Review B*, 15 (8), 4030.
- Serrano, A., de la Fuente, O. Rodriguez, and Garcia, M. A. (2010), 'Extended and localized surface plasmons in annealed Au films on glass substrates', *Journal of Applied Physics*, 108 (7), 074303-7.
- Shin, H. J., et al. (2003), 'Comparative investigation of energy relaxation dynamics of gold nanoparticles and gold-polypyrrole encapsulated nanoparticles', *Journal of Physical Chemistry B*, 107 (20), 4699-704.
- T**
- Tauc, J. and Abeles, F. (eds.) (1972), *Optical Properties of Solids* (North-Holland, Amsterdam) 277.
- Tokareva, Iryna and Hutter, Eliza (2004), 'Hybridization of Oligonucleotide-Modified Silver and Gold Nanoparticles in Aqueous Dispersions and on Gold Films', *J. Am. Chem. Soc.*, 126, 15784.
- Toshiyuki Adachi (2002), 'Eutectic reaction of gold thin-films deposited on silicon surface', *Surface Science*, 506 (3), 305-12.
- T. Wu, K. H. Chen, and L. C. Chen (2004), 'Blue luminescence of Au nanoclusters embedded in silica matrix', *Journal of Chemical Physics*, 121, 12595.
- Takagi, Mieko (1954), 'Electron-Diffraction Study of Liquid-Solid Transition of Thin Metal Films', *Journal of the Physical Society of Japan*, 9, 359.
- Thompson L, F. (1983), 'An Introduction to Lithography', *Introduction to Microlithography* (ACS Symposium Series, 219: AMERICAN CHEMICAL SOCIETY), 1-13.
- Tseng, Chiao-Wei and Tao, Yu-Tai (2009), 'Electric Bistability in Pentacene Film-Based Transistor Embedding Gold Nanoparticles', *Journal of the American Chemical Society*, 131 (34), 12441-50.
- Th, Stelzner and et al. (2006), 'Growth of silicon nanowires by chemical vapour deposition on gold implanted silicon substrates', *Nanotechnology*, 17 (12), 2895.

V

Vittadini, Andrea and Selloni, Annabella (2002), 'Small gold clusters on stoichiometric and defected TiO₂ anatase (101) and their interaction with CO: A density functional study', *Journal of Chemical Physics*, 117, 353.

W

W. L. Leong, P. S. Lee, S. G. Mhaisalkar, T. P. Chen, and A. Dodabalapur (2007), 'Charging phenomena in pentacene-gold nanoparticle memory device', *Applied Physics Letters*, 90, 042906.

Wang, Chuan-yi, et al. (1997), 'The Surface Chemistry of Hybrid Nanometer-Sized Particles', *Journal of Colloid and Interface Science*, 191 (2), 464-70.

Wang, Zhenguang, et al. (2006), 'Optical properties of metal-dielectric multilayers in the near UV region', *Vacuum*, 80 (5), 438-43.

Wu, Jyh-Lih, et al. (2011), 'Surface Plasmonic Effects of Metallic Nanoparticles on the Performance of Polymer Bulk Heterojunction Solar Cells', *ACS Nano*, 5 (2), 959-67.

Wu, Yi-Jen, et al. (2010), 'Plasmon Resonance Spectroscopy of Gold-in-Gallium Oxide Peapod and Core/Shell Nanowires', *ACS Nano*, 4 (3), 1393-98.

X

Xiuli Zhou, et al. (2009), 'Formation of ultrafine uniform gold nanoparticles by sputtering and redeposition', *Applied Physics Letters*, 94, 133107.

Xie, Xian Ning, et al. (2010), 'UV-visible-near infrared photoabsorption and photodetection using close-packed metallic gold nanoparticle network', *Journal of Applied Physics*, 107 (5), 053510-6.

Y

Yu-Ying Yu, et al. (1997), 'Gold Nanorods: Electrochemical Synthesis and Optical Properties', *Journal of Physical Chemistry B*, 101, 6661.

Yeshchenko, Oleg A., et al. (2007), 'Size-dependent melting of spherical copper nanoparticles embedded in a silica matrix', *Physical Review B*, 75 (8), 085434.

Yoshimura, M. and Byrappa, K. (2008), 'Hydrothermal processing of materials: past, present and future', *Journal of Materials Science*, 43 (7), 2085-103.

Yu, G. Q., et al. (2005), 'Ion beam co-sputtering deposition of Au/SiO₂ nanocomposites', *Physica E: Low-dimensional Systems and Nanostructures*, 27 (3), 362-68.

Z

- Zhang, Peng and Sham, T. K. (2003), 'X-Ray Studies of the Structure and Electronic Behavior of Alkanethiolate- Capped Gold Nanoparticles: The Interplay of Size and Surface Effects', *Physical Review Letters*, 90 (24), 245502.
- Zheng, Nanfeng and Stucky, Galen D. (2006), 'A General Synthetic Strategy for Oxide-Supported Metal Nanoparticle Catalysts', *Journal of the American Chemical Society*, 128 (44), 14278-80.
- Zhao, Z. X., et al. (2005), 'Nanocrystalline silicon thin films deposited by high-frequency sputtering at low temperature', *Solar Energy Materials and Solar Cells*, 86 (1), 135-44.
- Zhu, Huaiyong, et al. (2009), 'Mechanism of supported gold nanoparticles as photocatalysts under ultraviolet and visible light irradiation', *Chemical Communications*, (48), 7524-26.

