

References:

- Aaronson, S.A. (1991). Growth factors and cancer. *Science*; 254(5035): 1146-1153
- Abbott, R.G., Forrest, S and Pienta, K.J. (2006). Stimulating the hallmarks of cancer. *Artif Life*; 12(4): 617-634
- Abou-Elhamd, K.E and Habib, T.N. (2008). The role of chromosomal aberrations in premalignant and malignant lesions in head and neck squamous cell carcinoma. *Eur Arch Otorhinolaryngol*; 265(2): 203-7
- Adisa, A.O. (2009). Oral Squamous cell carcinoma. *Dentoscope*; 16: 1-4
- Alarcon, M., Abraham, B.S., Stone, J.L., Duvall, J.A., Perederiy, J.V., Bomar, J.M., Sebat, J., Wigler, M., Martin, C.L., Ledbetter, D.H., Nelson, S.F., Cantor, R.M and Geschwind, D.H. (2008). Linkage, Association and gene expression analyses identify CNTNAP2 as an Autism-Susceptibility gene. *Am J Hum Genet*; 82: 150-159
- Albertson, D.G., Collins, C., McCormick, F and Gray, JW. (2003). Reviews: Chromosome aberrations in solid tumors. *Nat Genet*; 34(4): 369-375
- Altura, R.A., Maris, J.M., Li, H., Boyett, J.M., Brodeur, G.M., Look, A.T. (1997). Novel regions of chromosomal loss in familial neuroblastoma by comparative genomic hybridization. *Genes Chromosomes Cancer*; 19: 176-184
- Ambatipudi, S., Gerstung, M., Gowda, R., Pai, P., Borges, A.M., Schaffer, A.A., Beerenwinkel, N., Mahimkar, M.B. (2011). Genomic profiling of advanced-stage oral cancers reveals chromosome 11q alterations as markers of poor clinical outcome. *PLoS One*; 6(2): e17250
- Amtha, R., Ching, C.S., Zain, R., Razak, I.A., Basuki, B., Roeslan, B.O., Gautama, W., Purwanto, D. (2009). GSTMQ, GSTT1 and CYP1A1 polymorphisms and risk of oral cancer: a case control study in Jakarta, Indonesia. *Asian Pac J Cancer Prev*; 10(1): 21-26
- Andre, F., Job, B., Dessen, P., Tordai, A., Michiels, S., Liedtke, C., Richon, C., Yan, K., Wang, B., Vassal, G., Delaloge, S., Hortobagyi, G.N., Symmans, W.F., Lazar, V., Pusztai, L. (2009). Molecular characterization of breast cancer with high-resolution oligonucleotide comparative genomic hybridization array. *Clin Cancer Res*; 15(2): 441-51
- Ansari, K.I., Kasiri, S., Hussain, I and Mandal, S. (2009). Mixed lineage leukemia histone methylases play critical roles in estrogen mediated regulation of HOXC13. *FEBS Journal*; 276 :7400–7411
- Argiris, A., Karamouzis, M.V., Raben, D and Ferris, R.L. (2008). Head and neck cancer. *Lancet*; 371: 1695-1709

- Ashman, J.N.E., Patmore, H.S., Condon, L.T., Cawkwell, L., Stafford, N.D., Greenman, J. (2003). Prognostic value of genomic alterations in head and neck squamous cell carcinoma detected by comparative genomic hybridization. *BrJ Cancer*; 89: 864-869
- Baak, J.P.A., Path, F.R.C., Hermsen, M.A.J.A., Meijer, G., Schmidt, J and Janssen, E.A.M. (2003). Genomics and proteomics in cancer. *Eur J Cancer*; 39: 1199-1215
- Bagan, J., Sarrion, G., Jimenez, Y. (2010). Oral cancer: Clinical features (Review). *Oral Oncol*; 46: 414-417
- Balaram, P., Sridhar, H., Rajkumar, T., Vaccarella, S., Herrero, R., Nandakumar, A., Ravichandran, K., Ramdas, K., Sankaranarayanan, R., Gajalakshmi, V., Munoz, N., Franceschi, S. (2002). Oral cancer in southern India: the influence of smoking, drinking, paan-chewing and oral hygiene. *Int J Cancer*; 98(3): 440-5
- Baldwin, C., Garnis, C., Zhang, L., Rosin, M.P and Lam, W.L. (2005). Multiple microalterations detected at high frequency in oral cancer. *Cancer Res*; 65 (17); 7561-7567
- Batsakis, J.G. (2003). Clinical pathology of oral cancer. Shah, J.P., Johnson, N.W., Batsakis, J.G.(Eds), *Oral Cancer* (pp 84). Martin Dunitz, Taylor and Francis Group, London, UK.
- Baumgartner, S., Littleton, J.T., Broadie, K., Bhat, M.A., Harbecke, R., Lengyel, J.A., Chiquet-Ehrismann, R., Prokop, A., and Bellen, H.J. (1996). A Drosophila neurexin is required for septate junction and blood-nerve barrier formation and function. *Cell*; 87:1059-1068.
- Baylin, S.B and Ohm, J.E. (2006). Epigenetic gene silencing in cancer- a mechanism for early oncogenic pathway addiction? *Nat Rev Cancer*; 6: 107-106
- Beckman, R.A and Loeb, L.A.(2005). Review: Genetic instability in cancer: Theory and experiment. *Semin Cancer Biol*; 15:423-435
- Bejjani, B.A and Shaffer, L.G. (2006). Application of array-based comparative genomic hybridization to clinical diagnostics. *J Mol Diagn*; 8(5): 528-533
- Ben-Chetrit, E., Bergmann, S and Sood, R. (2006). Mechanism of the anti-inflammatory effect of colchicine in rheumatic diseases: a possible new outlook through microarray analysis. *Rheumatology*; 45:274-282
- Bentz, M., Plesch, A., Stilgenbauer, S., Dohner, H and Lichter, P. (1998). Minimal size of deletions detected by Comparative Genomic Hybridization. *Genes Chromosome Cancer*; 21: 172-175
- Bergamo, N.A., Rogatto, S.R., Poli-Frederico, R.C., Reis, P.P., Kowalski, L.P., Zielenska, M., Squire, J.A. (2000). Comparative Genomic Hybridization analysis detects frequent over-representation of DNA sequences at 3q, 7p and 8q in head and neck carcinomas. *Cancer Genet Cytogenet*; 119: 48-55

- Berger, M.R., Berger, I., Schmahl, D. (1991). Vitamins and cancer. In: Rowland IR, ed. Nutrition, toxicity, and cancer. Ann Arbor: CRC Press (pp517-48)
- Beroukhim, R., Mermel, C.H., Porter, D., Wei, F., Raychaudhuri, S, Donovan, J., Barretina, J., Boehm, JS., Dobson, J., Urashima, M *et al.* (2010). The landscape of somatic copy number alteration across human cancers. *Nature*; 463(7283):899-905.
- Berthier-Vergnes, O., Kharbili, MEI., de la Fouchardiere, A., Pointecouteau, T., Verrando, P., Wierinckx., A., Lachuer, J., Le Naour, F and Lamartine, J. (2011). Gene expression profiles of human melanoma cells with different invasive potential reveal TSPAN8 as a novel mediator of invasion. *Br J Cancer*; 104: 155-165
- Bessarabova, M., Kirillov, E., Shi, W., Bugrim, A., Nikolsky, Y and Nikolskaya, T. (2010). Bimodal gene expression patterns in breast cancer. *BMC Genomics*; 11(Suppl 1): 1-14
- Bild, A H., Potti, A and Nevins, J R. (2006a). Linking oncogenic pathways with therapeutic opportunities. *Nature*; 6:735-741
- Bild, A H., Yao, G., Chang, J T., Wang, Q., Potti, A., Chasse, D., Joshi, M B., Harpole, D., Lancaster, J M., Berchuck, A., Olson Jr, J A., Marks, J R., Dressman, H K., West, M and Nevins, J R. (2006b). Oncogenic pathway signatures in human cancers as a guide to targeted therapies. *Nature*; 439: 353-357
- Blaveri, E., Brewer, J.L., Roydasgupta, R., Fridlyand, J., DeVries, S., Koppie, T., Pejavar, S., Mehta, K., Carroll, P., Simko, J.P., Waldman, S.M. (2005). Bladder cancer stage and outcome by array-based comparative genomic hybridization. *Clin Cancer Res*; 11: 7012-22
- Blot, W.J., McLaughlin, J.K., Winn, D.M., Austin, D.F., Greenberg, R.S., Preston-Martin, S., Bernstein, L., Schoenberg, J.B., Stemhagen, A., Fraumeni, J.F. (1988). Smoking and drinking in relation to oral and pharyngeal cancer. *Cancer Res*; 48: 3282-7
- Bockmuhl, U., Petersen, S., Schmidt, S., Wolf, G., Jahnke, V., Dietel, M., Petersen, I. (1997). Patterns of chromosomal alterations in metastasizing and nonmetastasizing primary head and neck carcinomas. *Cancer Res*; 57: 5213-5216
- Bockmuhl, U., Schluns, K., Kuchler, I., Petersen, S and Petersen, I. (2000). Genetic imbalances with impact on survival in head and neck cancer patients. *Am J Pathol*; 157(2): 369-375.
- Boyle, P and Ferlay, J. (2005). Cancer incidence and mortality in Europe, 2004. *Ann Oncol*; 16:481-8.

- Braakhuis, B.J.M., Tabor, M.P., Kummer, A., Leemans, C.R and Brakenhoff, R.H. (2003). A genetic explanation of Slaughter's concept of field cancerization: Evidence and clinical implications. *Cancer Res*; 63: 1727-1730.
- Brady-Kalnay, S.M., Mourton, T., Nixon, J.P., Pietz, G.E., Kinch, M., Chen, H., Brackenbury, R., Rimm, D.L., Del Vecchio, R.L and Tonks, N.K. (1998). Dynamic interaction of PTPmu with multiple cadherins in vivo. *J. Cell Biol.* 141; 287-296
- Bringstock, D. (2003). The CCN family: a new stimulus package. *J Endocrinol*; 178:169-75.
- British Dental Association. (2000). Opportunistic oral cancer screening. *Occasional paper*; No 6
- Califano, J., van der Riet, P., Westra, W., Nawroz, H., Clayman, G., Piantadosi, S., Corio, R., Lee, D., Greenberg, B., Koch, W and Sidransky, D. (1996). Genetic progression model for head and neck cancer: implications for field cancerization. *Cancer Res*; 56: 2488-2492
- Callender, T., El-Naggar, A.K, Lee, M.S., Frankenthaler, R., Luna, M.A and Batsakis, J.G. (1994). PRAD-1 (CCND1)/ cyclin D1 oncogene amplification in primary head and neck squamous cell carcinoma. *Cancer*; 74:152-158
- Camp, N.J., Farnham, J.M and Cannon-Albright, L.A. (2006). Localization of a prostate cancer predisposition gene to an 880-kb region on chromosome 22q12.3 in Utah high risk pedigrees. *Cancer Res*; 66 (20):10205-10212
- Casali, P.G., Messina, A., Stacchiotti, S., Tamborini, E., Crippa, F., Gronchi, A., Orlandi, R., Ripamonti, C., Spreafico, C., Bertieri, R., Bertulli, R., Colecchia, M., Fumagalli, E., Greco, A., Grosso, F., Olmi, P., Pierotti, M.A and Pilotti, S. (2004). Imatinib mesylate in chordoma. *Cancer*; 101:2086-2097
- Caserta, D., Benkhalifa, M., Baldj, M., Fiorentino, F., Qunsiyeh, M., Moscarini, M. (2008). Genome profiling of ovarian adenocarcinomas using pangenomic BACs microarray comparative genomic hybridization. *Mol Cytogenet*; 1:10
- Cengiz, B., Gunduz, M., Nagatsuka, H., Beder, L., Gunduz, E., Tamamura, R., Mahmut, N., Fukushima, K., Ali, M.A.S., Naomoto, Y., Shimizu, K and Nagai, N. (2007). Fine deletion mapping of chromosome 2q21-37 shows three preferentially deleted regions in oral cancer. *Oral Oncol*; 43:241-247
- Cha, J.D., Kim, H.J., Cha, I-H. (2011). Genetic alterations in oral squamous cell carcinoma progression detected by combining array based comparative genomic hybridization and multiplex ligation-dependent probe amplification. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*; 111: 594-607
- Chambers, A.F., Groom, A.C., MacDonald, I.C. (2002). Dissemination and growth of cancer cells in metastatic sites. *Nat Rev Cancer*; 2: 563-572

- Chattopadhyay, I., Singh, A., Phukan, R., Purkayastha, J., Kataki, A., Mahanta, J., Saxena, S., Kapur, S. (2010). Genome-wide analysis of chromosomal alterations in patients with esophageal squamous cell carcinoma exposed to tobacco and betel quid from high-risk area in India. *Mutat Res*; 696: 130–138
- Chen, C., Mendez, E., Houck, J., Fan, W., Lohavanichbutr, P., Doody, D., Yueh, B., Futran, N.D., Upton, M., Frwell, DG., Schwartz, SM and Zhao, LP. (2008). Gene expression profiling identifies genes predictive of oral squamous cell carcinoma. *Cancer Epidemiol Biomarkers Prev*; 17(8): 2152-2162
- Chen, H. H., Yu, C.H., Wang, J.T., Liu, B.Y., Wang, Y.P., Sun, A., Tsai, T.C and Chiang, C.P. (2007a). Expression of human telomerase reverse transcriptase (hTERT) protein is significantly associated with the progression, recurrence and prognosis of oral squamous cell carcinoma in Taiwan. *Oral Oncol* ;43:122-129
- Chen, I-H., Chang, J.T., Liao, C-T., Wang, H-M., Hsieh, L-L and Cheng, A-J.(2003). Prognostic significance of EGFR and Her-2 in oral cavity cancer in betel quid prevalent area. *Br J Cancer* ; 89: 681–686
- Chen, J., He, Q-Y., Yuen, A.P-W., Chiu, J-F. (2004a). Proteomics of buccal squamous cell carcinoma: The involvement of multiple pathways in tumorigenesis. *Proteomics*; 4:2465–2475
- Chen, P-P., Li, W-J., Wang, Y., Zhao, S., Li, D-Y., Feng, L-Y., Shil, X-L., Koeffler, H.P., Tong, X-J., Xie, D. (2007b). Expression of Cyr61, CTGF, and WISP-1 Correlates with Clinical Features of Lung Cancer. *PLoS One*; 2(6): e534
- Chen, Y.J., Lin, S.C., Kao, T., Chang, C.S., Hong, P.S., Shieh, T.M and Chang, K.W. (2004b). Genome wide profiling of oral squamous cell carcinoma. *J Pathol*; 204: 326-332
- Chi, L.M., Lee, C.W., Chang, K.P., Hao, S.P., Lee, H.M., Liang, Y., Hsueh, C., Yu, C.J., Lee, N.I., Chang, Y.J., Lee, S.Y., Yeh, Y.M., Chang, Y.S., Chien, K.Y and Yu, J.S. (2009). Enhanced interferon signaling pathway in oral cancer revealed by quantitative proteome analysis of microdissected specimens using ¹⁶O/¹⁸O labeling and integrated two-dimensional LC-ESI-MALDI tandem MS. *Mol Cell Proteomics*; 8(7):1453-74
- Chi, Y-H and Jeang, K-T.(2008). Chromosomal instability and Human T cell leukemia virus 1 transformation. Nicholas, J., Jeang, K-T and Wu, T-C (Eds), *Human Cancer Viruses. Principles of transformation and pathogenesis* (pp 228-238). *Transl Res Biomed*. Karger, Basel.
- Choi, S and Myers, J.N.(2008). Molecular Pathogenesis of Oral Squamous Cell Carcinoma: Implications for Therapy. *J Dent Res*; 87(1): 14-32
- Ciardiello, F., De Vita, F., Orditura, M and Tortora, G. (2004). The role of EGFR inhibitors in nonsmall cell lung cancer. *Curr Opin Oncol*; 16: 130-135

- Coleman, W.B and Tsongalis, G.I. (Eds). (2002). Chapter 6: The role of genomic instability in the development of human cancer. *The Molecular Basis Of Human Cancer* (pp 123). Humana Press Inc. Totowa, New Jersey.
- Croce, C.M. (2008). Oncogenes and cancer. *N ENGL J MED*; 358(5): 502-511
- Curtis, C., Lynch, A.G., Dunning, M.J., Spiteri, I., Marioni, J.C., Hadfield, J., Chin, S.F., Brenton, J.D., Tavare, S., Caldas, C. (2009). The pitfalls of platform comparison: DNA copy number array technologies assessed. *BMC Genomics*; 10: 588
- Davies, J.J., Wilson, I.M and Lam, W.L. (2005). Array CGH technologies and their applications to cancer genomes. *Chromosome Res*; 13:237-248
- Day, G.L., Blot, W.J., Austin, D.F., Bernstein, L., Greenberg, R.S., Preston-Martin, S., Schoenberg, J.B., Winn, D.M., McLaughlin, J.K., Fraumeni, J.F Jr.R. (1993). Racial differences in risk of oral and pharyngeal cancer: alcohol, tobacco, and other determinants. *J Natl Cancer Inst*; 85: 465-473
- Denhart, B.C., Guidi, A.J., Tognazzi, K., Dvorak, H.F., Brown, L.F. (1997). Vascular permeability factor/vascular endothelial growth factor and its receptors in oral and laryngeal squamous cell carcinoma and dysplasia. *Lab Invest*; 77: 659-664
- Diaz, E.M., Holsinger, F.C., Zuniga, E.R., Roberts, D.B and Sorensen, D.M. (2003). Squamous cell carcinoma of the buccal mucosa: one institution's experience with 119 previously untreated patients. *Head Neck*; 25(4): 267-273
- Dietrich, M.F., van der Weyden, L., Prosser, H.M., Bradley, A., Herz, J and Adams, D.J. (2010). Ectodomains of the LDL receptor-related proteins LRP1b and LRP4 have anchorage independent functions in vivo. *PLoS One*; 5(4): 1-7
- Dimitriadis, P and Stavrianeas, N.G. (2008). Review: Tobacco smoking and oral cavity cancer. *Τεύχος*; 1: 71-78
- Diniz-Freitas, M., Garcia-Caballero, T., Antunez-Lopez, J., Gandara-Rey, J.M., Garcia-Garcia, A. (2006). Reduced E-cadherin expression is an indicator of unfavorable prognosis in oral squamous cell carcinoma. *Oral Oncol*; 42: 190-200
- Dode, C., Weil, D., Levilliers, J., Crozet, F., Chaib, H., Levi-Acobas, F., Guilford, P and Petit, C. (1997). Sequence characterization of a newly identified human α -Tubulin gene (TUBA2). *Genomics*; 47:125-130
- Esteller, M and Herman, J.G. (2002). Cancer as an epigenetic disease: DNA methylation and chromatin alterations in human tumors. *J Pathol*; 196: 1-7

- Estilo, C L., O-charoenrat, P., Talbot, S., Socci, N D., Carlson, D L., Ghossein, R., Williams, T., Yonekawa, Y, Ramanathan, Y., Boyle, J O., Kraus, D H., Patel, S., Shaha, A R., Wong, R J., Hury, J M, Shah, J P and Singh, B. (2009). Oral tongue cancer gene expression profiling: Identification of novel potential prognosticators by oligonucleotide microarray analysis. *BMC Cancer*; 9 (11): 1-13
- Evan, G.I and Vousden, K.H. (2001). Proliferation, cell cycle and apoptosis in cancer. *Nature*; 411(6835): 342-8
- Ewing, J. (Eds) (1928). *Neoplastic Disease. A treatise on tumors* (pp 77-89). W.B Saunders Co, Philadelphia and London.
- Fan, S.Y. (2003). Molecular cytogenetic in medicine. An overview. *Methods Mol Biol*; 204(1):3-20
- Farber, E. (1984). The multistep nature of cancer development. *Cancer Res*; 44: 4217-4223
- Fearon, E.R and Vogelstein, B. (1990). A genetic model for colorectal tumorigenesis. *Cell*; 61: 759-767
- Ferlay, J., Shin, H R., Bray, F., Forman, D., Mathers, C and Parkin, D M. (2010). Estimates of worldwide burden of cancer in 2008: GLOBOCAN 2008. *Int J Cancer*; 127: 2893-2917
- Field, J.K. (1995). The role of oncogenes and tumor-suppressor genes in the aetiology of oral, head, and neck squamous cell carcinoma. *J R Soc Med*; 88:35-39
- Fleming, S. (2003). The molecular biology of cancer: the basics. *Surgery*; 21(11):iii-vi
- Fodde, R and Smits, R. (2002). Cancer Biology. A matter of dosage. *Science*; 298: 761-763
- Folkman, J. (1990). What is the evidence that tumors are angiogenesis dependent? *J Natl Cancer Inst*; 82: 4-6
- Folkman, J. (2006). Angiogenesis. *Annu Rev Med*; 57: 1-8
- Freier, K., Schwaenen, C., Sticht, C., Flechtenmacher, C., Muhling, J., Hofele, C., Radlwimmer, B., Lichter, P., Joos, S. (2007). Recurrent FRFR1 amplification and high FGFR1 protein expression in oral squamous cell carcinoma (OSCC). *Oral Oncol*; 43: 60-66
- Friwdman, J.I., Vrijenhoek, T., Markx, S., Janssen, I.M., van der Vliet, W.A., Faas, B.H.W., Knoers, N.V., Cahn, W., Kahn, R.S., Edelmann, L., Davis, K.L., Silverman, J.M., Brunner, H.G., van Kessel, A.G., Wijmenga, C., Ophoff, R.A and Veltman, J.A. (2008). CNTNAP2 gene dosage variation is associated with schizophrenia and epilepsy. *Molecular Psychiatry*; 13: 261-266

- Frixen, U.H., Behrens, J., Sachs, M., Eberle, G., Voss, B., Warda, A., Lochner, D and Birchmeier, W. (1991). E-cadherin mediated cell-cell adhesion prevents invasiveness of human carcinoma cells. *J Cell Biol*; 113(1); 173-185
- Frohling, S and Dohner, H. (2008). Chromosomal abnormalities in cancer. *N Engl J Med* ;359:722-34.
- Furukawa, T., Sunamura, M and Horii, A. (2006). Molecular mechanisms of pancreatic carcinogenesis. *Cancer Sci*; 97: 1-7
- Garavello, W., Bertuccio, P., Levi, F. (2010). The oral cancer epidemic in central and eastern Europe. *Int J Cancer*; 127: 160-171
- Garewal, H. (1995). Antioxidants in oral cancer prevention. *Am J Clin Nutr*; 62: 1410S-6S
- Garnis, C., Baldwin, C., Zhang, L., Roson, M.P., Lam, W.L. (2003). Use of complete coverage array comparative genomic hybridization to define copy number alterations on chromosome 3p in Oral Squamous Cell Carcinomas. *Cancer Res*; 63: 8582-8585
- Garnis, C., Buys, T.P.H and Lam, W.L. (2004a). Review: Genetic alteration and gene expression modulation during cancer progression. *Mol Cancer*; 3(9):1-23
- Garnis, C., Campbell, J., Zhang, L., Rosin, M.P and Lam, W.L. (2004b). OCGR array: an oral cancer genomic regional array for comparative genomic hybridization analysis. *Oral Oncol*; 40: 511-519
- Garnis, C., Coe, B.P., Zhang, L., Rosin, M.P., Lam, W.L. (2004c). Overexpression of LRP12, a gene contained within an 8q22 amplicon identified by high resolution array CGH analysis of oral squamous cell carcinomas. *Oncogene*; 23: 2582-2586
- Garnis, C., Chari, R., Buys, T.P.H., Zhang, L., Ng, R.T., Rosin, M.P., Lam, W.L. (2009). Genomic imbalances in precancerous tissues signal oral cancer risk. *Mol Cancer*; 8: 50
- Garro, A.J., Espina, N., Farinati, F., Salvagnini, M. (1986). The effect of chronic ethanol consumption on carcinogen metabolism and on O⁶-methylguanine transferase-mediated repair of alkylated DNA. *Alcohol Clin Exp Res*; 10: 73S-77s.
- Gasparini, P., Sozzi, G., Pierotti, M.A. (2007). The role of chromosomal alterations in human cancer development. *J Cell Biochem*; 102(2): 320-31.
- Gilbertson, R.J., Perry, R.H., Kelly, P.J, Pearson, A.D and Lunec, J. (1997). Prognostic significance of HER2 and HER4 coexpression in childhood medulloblastoma. *Cancer Res*; 57(15):3272-80

- Gisselsson, D., Jonson, T., Yu, C., Martins, C., Mandahl, N., Wiegant, J., Jin, Y., Mertens, F and Jin, C. (2002). Centrosomal abnormalities, multipolar mitoses, and chromosomal instability in head and neck tumors with dysfunctional telomeres. *Br J Cancer*; 87: 202-207
- Gleich, L.L and Salamone, F.N. (2002). Molecular Genetics of Head and Neck Cancer. *Cancer Control*; 9(5): 369-78.
- Gollin, S.M. (2004). Chromosomal instability. *Curr Opin Oncol*; 6: 25-31
- Goodwin, M and Yap, A.S. (2004). Classical cadherin adhesion molecules: coordinating cell adhesion, signalling and the cytoskeleton. *J Mol Histol*; 35(8-9): 839-844
- Gordon, K.E., Ireland, H., Roberts, M., Steeghs, K., McCaul, J.A., MacDonald, D.G and Parkinson, E.K. (2003). High levels of telomere dysfunction bestow a selective disadvantage during the progression of human Oral Squamous Cell Carcinoma. *Cancer Res*; 63: 458-467
- Grandis, J.R and Tweardy, D.J. (1993). Elevated levels of transforming growth factor alpha and epidermal growth factor receptor messenger RNA are early markers of carcinogenesis in head and neck cancer. *Cancer Res*; 53: 3579-3584
- Graham, S., Dayal, H., Rohrer, T., Swanson, M., Sultz, H., Shedd, D and Fischman, S. (1977) Dentition, diet, tobacco, and alcohol in the epidemiology of oral cancer. *J Natl Cancer Inst*; 59: 1611-1618
- Gray, S.T., Wilkins, R.J., Yun, K. (1992). Interstitial collagenase gene expression in oral squamous cell carcinoma. *Am J Pathol*; 141: 301-6
- Greenlee, R.T., Hill-Harmon, M.B., Murray, T., Thun, M. (2001). Cancer statistics, 2001. *Calif Cancer J Clin*; 51: 15-36
- Gumbiner, B.M. (1996). Cell adhesion: the molecular basis of tissue architecture and morphogenesis. *Cell*; 84: 345-357
- Gupta, P.C and Ray, C.S. (2004). Epidemiology of betel quid usage. *Ann Acad Med Singapore*; 33(4 Suppl): 31-6
- Hackel, C and Varella-Garcia, M. (1997). Interphase cytogenetics using fluorescent in situ hybridization: an overview of its application to diffuse and solid tissue. *Braz J Genet*; 20(1): 97-106
- Hahn, M., Hagedorn, G., Kuhlisch, E., Schackert, H.K, Eckelt, U. (2002). Genetic polymorphisms of drug-metabolizing enzymes and susceptibility to oral cavity cancer. *Oral Oncol*; 38(5): 486-490
- Hanahan, D and Folkman, J. (1996). Patterns and emerging mechanisms of the angiogenic switch during tumorigenesis. *Cell*; 86: 353-364
- Hanahan, D and Weinberg, R.A. (2000). The hallmarks of cancer. *Cell*; 100: 57-70

- Hannen, E.J.M., Macville, M.V.E., Wienk, S.M., Slootweg, P.J., Manni, J.J., Hanselaar, A.G.J.M and de Wilde, P.C.M. (2004). Different chromosomal imbalances in metastasized and nonmetastasized tongue carcinomas identified by comparative genomic hybridization. *Oral Oncol*; 40:364-371
- Hartmann, S., Martin-Subero, J.I., Gesk, S., Husken, J., Giefing, M., Nagel, I., Riemke, J., Chott, A., Klapper, W., Parrens, M., Merlio, J.P., Kupperts, R., Brauninger, A., Siebert, R and Hansmann, M.L. (2008). Detection of genomic imbalances in microdissected Hodgkin and Reed-Sternberg cells of classical Hodgkin's lymphoma by array-based comparative genomic hybridization. *Haematological*; 93(9): 1318-1326
- Hayashi, R., Goto, Y., Ikeda, R., Yokoyama, K.K and Yoshida, K. (2006). CDCA4 is an E2F transcription factor family-induced nuclear factor that regulates E2F-dependent transcriptional activation and cell proliferation. *J Biol Chem*; 281 (47): 35633-35648
- Hayflick, L. (1997). Mortality and immortality at the cellular level. A review. *Biochemistry*; 62(11): 1180-1190
- He, Q-Y., Chen, J., Kung, H-F., Yuen, A.P-W., Chiu, J-F. (2004). Identification of tumor-associated proteins in oral tongue squamous cell carcinoma by proteomics. *Proteomics*; 4: 271-278
- Hecht, S.S. (2003). Tobacco carcinogens, their biomarkers and tobacco-induced cancer. *Nat Rev Cancer*; 3(3): 733-44
- Heinrich, M.C., Blanke, C.D., Druker, B.J., Corless, C.L. (2002). Inhibition of KIT tyrosine kinase activity: a novel molecular approach to the treatment of KIT-positive malignancies. *J Clin Oncol*; 20:1692-1703
- Herity B, Moriarty M, Bourke GJ, Caly L. (1981). A case-control study of head and neck cancer in the Republic of Ireland. *Br J Cancer*; 43: 177-82.
- Hermesen, M.A., Joenje, H., Arwert, F., Braakhuis, B.J., Baak, J.P., Westerveld, A., Slater, R. (1997). Assessment of chromosomal gains and losses in oral squamous cell carcinoma by comparative genomic hybridization. *Oral Oncol*; 33: 414-8
- Herrero, R., Castellsagué X., Pawlita, M., Lissowska, J., Kee, F., Balaram, P., Rajkumar, T., Sridhar, H., Rose, B., Pintos, J., Fernández, L., Idris, A., José Sánchez, M., Nieto, A., Talamini, R., Tavani, A., Bosch, F.X., Reidel, U., Snijders, P.J.F., Meijer, C.J.L.M., Viscidi, R., Muñoz, N., Franceschi, S. (2003). Human Papillomavirus and Oral Cancer: The International Agency for Research on Cancer Multicenter Study; *J Natl Cancer Inst*; 95(23): 1772-1783

- Heselmeyer, K., Macville, M., Schrock, E., Blegen, H., Hellstrom, A.C., Shah, K., Auer, G., Ried, T. (1997). Advanced stage cervical carcinomas are defined by a recurrent pattern of chromosomal aberrations revealing high genetic instability and a consistent gain of chromosomal arm 3q. *Genes Chromosomes Cancer*; 19: 223-240
- Heselmeyer, K., Schrock, E., du Manoir, S., Blegen, H., Shahs, K., Steinbeck, R., Auer, G., Ried, T. (1996). Gain of 3q defines the transition from severe dysplasia to invasive carcinoma of the uterine cervix. *Proc Natl Acad Sci USA*; 93: 479-484
- Hirayama, T. (1966). An epidemiological study of oral and pharyngeal cancer in central and SouthEast Asia. *Bull Wld Hlth Org*; 34: 41-69
- Huang, C H., Chu, S T., Ger, L P., Hou, Y Y and Sun, C P. (2007). Clinicopathologic evaluation of prognostic factors of squamous cell carcinoma of the buccal mucosa. *J Chin Med Assoc*; 70 (4): 164-170
- Huang, E., Cheng, S.H., Dressman, H., Pittman, J., Tsou, M.H., Horng, C.F., Bild, A., Iversen, E.S., Liao, M., Chen, C.M., West, M., Nevins, J.R and Huang, A.T. (2003). Gene expression predictors of breast cancer outcomes. *Lancet*; 361: 1590-1596
- Hunter, T and Pines, J. (1991). Cyclins and cancer. *Cell*; 66: 1071-1074
- Hunter, T and Pines, J. (1994). Cyclin and cancer II: cyclin D and CDK inhibitors come of age. *Cell*; 79: 573-582
- Hurst, C.D., Fiegler, H., Carr, P., Williams, S., Carter, N.P., Knowles, M.A. (2004). High-resolution analysis of genomic copy number alterations in bladder cancer by microarray-based comparative genomic hybridization. *Oncogene*; 23(12): 2250-63
- Imai, Y., Soda, M., Inoue, H., Hattori, N., Mizuno, Y and Takahashi, R. (2001). An unfolded putative transmembrane polypeptide, which can lead to endoplasmic reticulum stress, is a substrate of Parkin. *Cell*; 105(7):891-902
- Inazawa, J., Inoue, J., Imoto, I. (2004). Comparative genomic hybridization (CGH)-arrays pave the way for identification of novel cancer-related genes. *Cancer Sci*; 95(7): 559-563
- Inomata, M., Tagawa, H., Guo, Y-M., Kameoka, Y., Takahashi, N and Sawada, K. (2009). MicroRNA-17-92 down regulates expression of distinct targets in different B-cell lymphoma subtypes. *Blood*; 113: 396-402
- International Agency for Research on Cancer (IARC). (1990). Cancer: causes, occurrence and control. IARC Scientific Publication, No. 100, Lyon, 1990.
- International Agency for Research on Cancer.(1986). Tobacco smoking. IARC Monograph on the evaluation of carcinogenic risks of chemicals to humans. Lyon, France: IARC, 38: 1-421

- International Agency for Research on Cancer.(2004). Tobacco smoke and involuntary smoking.IACR Monographs on the Evaluation of Carcinogenic Risks to Humans, vol. 83. Lyon: IARC; 2004
- International Human genome sequencing consortium.(2001). Initial sequencing and analysis of the human genome.*Nature*; 409: 860-921
- International Human Genome Sequencing Consortium. (2004). Finishing the Euchromatic Sequence of the Human Genome. *Nature*; 431: 931-945.
- Ishitoya, J., Toriyama, M., Oguchi, N., Kitamura, K., Ohshima, M., Asano, K. and Yamamoto, T. (1989).Gene amplification and overexpression of EGF receptor in squamous cell carcinomas of the head and neck.*Br J Cancer*; 59(4): 559-562
- Isola, J.J., Kallioniemi, O-P., Chu, L.W., Fuqua, S.A., Hilsenbeck, S.G., Osborne, C.K., Waldman, F.M. (1995). Genetic aberrations detected by comparative genomic hybridization predict outcome in node negative breast cancer. *Am J Pathol*; 147: 905-911
- Jain, P.K. (2003). Epigenetics: the role of methylation in the mechanism of action of tumor suppressor genes. *Ann NY Acad Sci*; 983: 71-83
- James, L.A. (1999). Comparative genomic hybridization as a tool in tumor cytogenetics.*J Pathol*; 187: 385-395
- James, L.A., Mitchell, E.L.D., Menasce, L., Varley, J.M. (1997). Comparative genomic hybridization of ductal carcinoma in situ of the breast: identification of regions of DNA amplification and deletion in common with invasive breast cancer. *Oncogene*; 14: 1059-1065
- Jarvinen, A.K., Autio, R., Haapa-Paananen, S., Wolf, M., Saarela, M., Grenman, R., Leivo, I., Kallioniemi, O., Makitie, A.A and Monni, O. (2006). Identification of target genes in laryngeal squamous cell carcinoma by high-resolution copy number and gene expression microarray analyses.*Oncogene*; 25: 6997–7008
- Jarvinen, A.K., Autio, R., Kilpinen, S., Saarela, M., Leivo, I., Grenman, R., Makitie, A.A and Monni, O. (2008). High-resolution copy number and gene expression microarray analyses of head and neck squamous cell carcinoma cell lines of tongue and larynx. *Genes Chromosomes Cancer*; 47: 500-509
- Jemal, A., Bray, F., Center, M.M., Ferlay, J., Ward, E., Forman, D. (2011). Global Cancer Statistics.*CA Cancer J Clin*;61(2): 69-90
- Jones, J.L and Walker, R.A. (1997).Control of matrix metalloproteinase activity in cancer.*J Pathol*; 183: 377-379.
- Johnson, N.W. (1991). Orofacial neoplasms: global alimentary and respiratory tracts in Bombay, India: A study of incidence over two decades. *Br J Cancers*;56: 847-852

- Johnson, N.W. (2003). Chapter 1: Global epidemiology. Shah, J.P., Johnson, N.W., Batsakis, J.G. (Eds), *Oral Cancer* (pp 3). Martin Dunitz, Taylor & Francis Group, New York
- Jones, P.A and Baylin, S.B. (2007).The epigenomics of cancer.*Cell*;128: 683-692
- Jourenkova-Mironova, N., Voho, A., Bouchardy, C., Wikman, H., Dayer, P., Benhamou, S., Hirvonen, A. (1999). Glutathione S-transferase GSTM1, GSTM3, GSTP1 and GSTT1 genotypes and the risk of smoking-related oral and pharyngeal cancers. *Int J Cancer*; 81(1): 44-48
- Kallioniemi, A. (2008). CGH microarrays and cancer.*Curr Opin Biotechnol*;19: 36-40
- Kallioniemi, A., Kallioniemi, O.P., Citro, G., Sauter, G., DeVries, S., Kerschmann, R., Carroll, P., Waldman, F. (1995). Identification of gains and losses of DNA sequences in primary bladder cancer by comparative genomic hybridization. *Genes Chromosomes Cancer*;12: 213-9
- Kallioniemi, A., Kallioniemi, O.P., Sudar, D., Rutovitz, D., Gray, J.W., Waldman, F., Pinkel, D.(1992). Comparative genomic hybridization for molecular cytogenetic analysis of solid tumors.*Science*;258: 818-21
- Kalyankrishna, S and Grandis, J.R. (2006).Epidermal Growth Factor receptor biology in head and neck cancer.*J Clin Oncol*;124(17): 2666-2672
- Kalyankrishna, S and Grandis, J.R. (2006).Epidermal growth factor receptor biology in head and neck cancer.*J Clin Oncol*;24: 2666-2672
- Kannan, S., Tahara, H., Yokozaki, H., Mathew, B., Nalinakumari, K.R., Nair, M.K, and Tahara, E. (1997).Telomerase activity in premalignant and malignant lesions of human oral mucosa.*Cancer Epidemiol Biomarkers Prev*;6:413-420.
- Kao, S-Y., Chu, Y-W., Chen, Y-W., Chang, K-W and Liu, T-Y.(2009). Detection and screening of oral cancer and pre-cancerous lesions.*J Chin Med Assoc*;72(5): 227-233
- Katayama, H., Brinkley, W.R and Sen, S. (2003). The Aurora kinases: role in cell transformation and tumorigenesis. *Cancer Metastasis Rev*; 22: 451-464
- Katoh, T., Kaneko, S., Kohshi, K., Munaka, M., Kitagawa, K., Kunugita, N., Ikemura, K., Kawamoto, T. (1999).Genetic polymorphisms of tobacco- and alcohol-related metabolizing enzymes and oral cavity cancer.*Int J Cancer*; 83(5): 606-609
- Khodiyar, V.K., Maltais, L.J., Sneddon, K.M.B., Smith, J.R., Shimoyama, M., Cabral, F., Dumontet, C., Dutcher, S.K., Harvey, R.J., Lafanechere, L., Murray, J.M., Nogales, E., Piquemal, D., Stanchi, F., Povey, S and Lovering, R.C. (2007).A revised nomenclature for the human and rodent α -tubulin gene family.*Genomics*;90(2): 285-289

- Kietthubthew, S., Sriplung, H., Au, W.W. (2001). Genetic and environmental interactions on oral cancer in Southern Thailand. *Environ Mol Mutagen*; 37(2): 111-116
- Kim, J., Roh, M and Abdulkadir, S.A. (2010). Pim 1 promotes human prostate cancer cell tumorigenicity and c-MYC transcriptional activity. *BMC Cancer*; 10: 248
- Kim, Y.T., Choi, E.K., Kim, J.W., Kim, D.K and Kim, S.H. (2002). Expression of E-Cadherin and α -, β -, γ - catenin proteins in endometrial carcinoma. *Yonsei Medical Journal*; 43(6): 701-711
- Kinzler, K.W and Vogelstein, B. (1997). Gatekeepers and caretakers. *Nature*; 386: 761-763.
- Kinzler, K.W and Vogelstein, B. (1998). Landscaping the cancer terrain. *Science*; 280(5366): 1036-1037
- Klussmann, J.P., Mooren, J.J., Claessen, S.M.H., Stenner, M., Huebbers, C.U., Weissenborn, S.J., Wedemeyer, I., Preuss, S.F., Straetmans, J.M.J.A.A., Hopman, A.H.N., Speel, E-J.M. (2009). Genetic Signatures of HPV-related and Unrelated Oropharyngeal Carcinoma and Their Prognostic Implications. *Clin Cancer Res*; 15(5): 1779-1786
- Knudson, A.G. (1971). Mutation and Cancer: Statistical study of retinoblastoma. *Proc. Nat. Acad. Sci. USA*; 68(4): 820-823
- Knudson, A.G. (2001). Two genetic hits (more or less) to cancer. *Nat Rev Cancer*; 1: 157-162
- Koontongkaew, S., Chareonkitkajorn, L., Chanvitan, A., Leelakriangsak, M., Amornphimoltham, P. (2000). Alterations of p53, pRb, cyclin D1 and cdk4 in human oral and pharyngeal squamous cell carcinoma. *Oral Oncol*; 36: 334-339
- Kozomara, R., Jovic, N., Magic, Z., Brankovic-Magic, M., Minic, V. (2005). p53 mutations and human papillomavirus infection in oral squamous cell carcinomas: correlation with overall survival. *J Craniomaxillofac Surg*; 33(5): 342-348
- Kreeger, P K and Lauffenburger, D A. (2010). Cancer systems biology: a network modeling perspective. *Carcinogenesis*; 38 (1): 2-8
- Kruger, T., Schoor, O., Lemmel, C., Kraemer, B., Reichle, C., Dengjel, J., Weinschenk, T., Muller, M., Hennenlotter, J., Stenzl, A., Rammensee, H-G and Stevanovic, S. (2005). Lessons to be learned from primary renal cell carcinomas: novel tumor antigens and HLA ligands for immunotherapy. *Cancer Immunol Immunother*; 54: 826-836
- Kumkasjarvi, T., Tanner, M., Pennanen, S., Karhu, R., Kallioniemi, O-P., Isola, J. (1997). Genetic changes in intraductal breast cancer detected by comparative genomic hybridization. *Am J Pathol*; 150: 1465-1471

- Kusukawa, J., Sasaguri, Y., Shima, I., Kameyama, T., Morimatsu, M. (1993). Expression of matrix metalloproteinase-2 related to lymph node metastasis of oral squamous cell carcinoma. A clinicopathologic study. *American Journal of Clinical Pathology*; 99:18-23.
- La Starza, R., Trubia, M., Crescenzi, B., Matteucci, C., Negrini, M., Martelli, M.F., Pelicci, P.G and Mecucci, C. (2003) Human homeobox gene HOXC13 is the partner of NUP98 in adult acute myeloid leukemia with t(11;12)(p15;q13). *Genes Chromosomes Cancer*; 36: 420–423.
- Lambros, M.B., Fiegler, H., Jones, A., Gorman, P., Roylance, R.R., Carter, N.P., Tomlinson, I.P. (2005). Analysis of ovarian cancer cell lines using array-based comparative genomic hybridization. *J Pathol*; 205(1): 29-40
- Landis, S.H., Murray, T., Bolden, S., Wingo, P.A. (1998). Cancer statistics, 1998. *CA Cancer J Clin*; 48:6-29
- Langbein, S., Szakacs, O., Wilhelm, M., Sukosd, F., Weber, S., Jauch, A., Beltran, AL., Alken, P., Kalble, T and Kovacs, G. (2002). Alteration of the LRP1B gene is associated with high grade of urothelial cancer. *Laboratory Investigation*; 82 (5): 639-643
- Lappin, T.R, Grier, D.G, Thompson, A and Halliday, H.L. (2006). HOX genes: seductive science, mysterious mechanisms. *Ulster Med J*;75: 23–31.
- Lastowska, M., Nacheva, E., McGuckin, A., Curtis, A., Grace, C., Pearson, A., Bown, N. (1997). Comparative Genomic Hybridization study of primary neuroblastoma tumors. *Genes Chromosomes Cancer*; 18: 162-169
- La Vecchia, C. (2009). Mouthwash and oral cancer risk: an update. *Oral Oncol*; 45: 198–200.
- La Vecchia, C., Tavani, A., Franceschi, S., Levi, F., Corrago, G., Negri, E. (1997). Epidemiology and prevention of oral cancer. *Oral Oncol*; 33: 302-312
- Lawrence, H.J., Sauvageau, G., Humphries, R.K and Largman, C. (1996). The role of HOX homeobox genes in normal and leukemic hematopoiesis. *Stem Cells*;14: 281-291
- Lee, B.K., Diebel, E., Neukam, F.W., Wiltfang, J., Ries, J. (2001a). Diagnostic and prognostic relevance of expression of human telomerase subunits in oral cancer. *Int J Oncol*; 19:1063-1068.
- Lee, C.H., Yin, P.H., Yu, T.N., Chang, Y.D., Hsu, W.C., Kao, S.Y., Chi, C.W., Lin, T.Y and Wei, Y.H. (2001b). Accumulation of mitochondrial DNA deletions in human oral tissues -effects of betel quid chewing and oral cancer. *Mutat Res*; 493:67–74.
- Lee, K H., Veness, M J., Pearl-Larson, T and Morgan, G J. (2005). Role of combined modality treatment of buccal mucosa squamous cell carcinoma. *Aust Dent J*; 50 (2):108-113

- Lengauer, C., Kinzler, K.W and Vogelstein, B. (1998). Genetics instabilities in human cancers. *Nature*; 396: 643-649
- Levin, N.A., Brzoska, P., Gupta, N., Minna, J.D., Gray, J.W., Christman, M.F. (1995). Identification of frequent novel genetic alterations in small cell lung carcinoma. *Cancer Res*; 54: 5086-5091
- Levine, A.J. (1997). p53, the cellular gatekeeper for growth and division. *Cell*; 88: 323-331
- Li, C., Li, R.W., Elsasser, T.H and Kahl, S. (2009). Global genetic profiles of gene network disruption in bovine peripheral blood mononuclear cells induced by bovine leukemia virus (BLV) infection. *Genet Epigenet*; 2: 17-27
- Li, M., Yamamoto, H., Adachi, Y., Maruyama, Y and Shinomura, Y. (2006). Role of matrix metalloproteinase-7 (matrilysin) in human cancer invasion, apoptosis, growth, and angiogenesis. *Exp Biol Med (Maywood)*; 231(1):20-7
- Lichter, P., Joos, S., Bentz, M., Lampel, S. (2000). Comparative genomic hybridization: uses and limitations. *Semin Hematol*; 37: 348-357
- Lim, G.C.C., Rampal, S and Halimah, Y. (Eds) (2008). *Cancer Incidence in Peninsular Malaysia, 2003 - 2005*. National Cancer Registry. Kuala Lumpur, Malaysia: National Cancer Registry
- Lin, C.S., Jen, Y.M., Cheng, M.F., Lin, Y.S., Su, W.F., Hwang, J.M., Chang, L.P., Chao, H.L., Liu, D.W., Lin, H.Y and Shum, W.Y. (2006). Squamous cell carcinoma of the buccal mucosa: An aggressive cancer requiring multimodality treatment. *Head Neck*; 28 (2):150-157
- Lin, S.C., Chang, K.W., Chang, C.S., Liu, T.Y., Tzeng, Y.S., Yang, F.S., Wong, Y.K. (2000). Alterations of p16/MTS1 gene in oral squamous cell carcinoma s from Taiwanese. *J Oral Pathol Med*; 29: 159-66
- Lin, S.C., Chen, Y.J., Kao, S.Y., Hsu, M.T., Lin, C.H., Yang, S.C., Liu, T.Y., Chang, K.W. (2001). Chromosomal changes in betel-associated oral squamous cell carcinomas and their relationship to clinical parameters. *Oral Oncol*; 38(3): 266-73
- Liotta, L.A. (1986). Tumor invasion and metastases-Role of the extracellular matrix: Rhoads memorial award lecture. *Cancer Res*; 46: 1-7
- Liu, C.J., Lin, S.C., Chen, Y.J., Chang, K.M and Chang, K.W. (2006). Array-comparative genomic hybridization to detect genomewide changes in microdissected primary and metastatic oral squamous cell carcinoma. *Mol Carcinogenesis*; 45; 721-731
- Liu, C-X., Musco, S., Lisitsina, N.M., Forgacs, E., Minna, J.D and Lisitsyn, N.A. (2000a). LRP-DIT, a putative endocytic receptor gene, is frequently inactivated in non small cell lung cancer cell lines. *Cancer Res*; 60: 1961-1967

- Liu, C-X., Musco, S., Lisitsina, N.M., Yaklichkin, S.Y and Lisitsyn, N.A. (2000b). Genomic Organization of a New Candidate Tumor Suppressor Gene, LRP1B. *Genomics*; 69: 271–274
- Liu, Z., Niu, Y., Li, C., Zhou, Y., Yang, Y and Gao, C. (2010) Dys-regulated gene expression networks by meta analysis of microarray data on oral squamous cell carcinoma. *Nature*; 1-13 (In press)
- Lobo, I. (2008). Chromosome abnormalities and cancer cytogenetics. *Nature Education*; 1(1)
- Lockwood, W.W., Chari, R., Chi, B., Lam, W.L. (2006). Recent advances in array comparative genomic hybridization technologies and their applications in human genetics. *Eur J Hum Genet*; 14: 139-148
- Loeb, L.A. (2001). A mutator phenotype in cancer. *Cancer Res*; 61: 3230-3239
- Loeb, L.A., Loeb, K.R and Anderson, J.P. (2003). Multiple mutations and cancer. *Proc. Natl. Acad. Sci. USA*; 100: 776-781
- Lucito, R., Healey, J., Alexander, J., Reiner, A., Esposito, D., Chi, M., Rodgers, L., Brady, A., Sebat, J., Troge, J., West, J., Rostan, S., Nguyen, K., Powers, S., Ye, K., Olshen, A., Venkatraman, E., Norton, L., and Wigler, M. (2003). Representational oligonucleotide microarray analysis: a high resolution method to detect genome copy number variation. *Nat. Genet*; 13:2291-305.
- Ludwig, J.A and Weinstein, J.N. (2005). Biomarkers in cancer staging, prognosis and treatment selection. *Nature Rev Cancer*; 5: 845-856
- Luna, C., Li, G., Qiu, J., Epstein, D.L and Gonzalez, P. (2009). Role of miR-29b on the regulation of the extracellular matrix in human trabecular meshwork cells under chronic oxidative stress. *Mol Vis*; 15: 2488-2497
- MacFarlane, G.J., Boyle, P., Evstifeeva, T.V., Robertson, C., Scully, C. (1994). Rising trends of oral cancer mortality among males worldwide: the return of an old public health problem. *Cancer Causes Control*; 5: 259-265
- MacFarlane, G.J., MacFarlane, T.V., Lowenfels, A.B. (1996). The influence of alcohol consumption on world-wide trends in mortality from upper aerodigestive tract cancers in men. *J Epidemiol Comm Health*; 50:636-639.
- Macleod, K. (2000). Tumor suppressor genes. *Curr Opin GenetDev*; 10:81-93
- Madjd, Z., Parsons, T., Watson, N.F.S., Spendlove, I., Ellis, I and Durrant, L.G. (2005). High expression of Lewis^{y/b} antigens is associated with decreased survival in lymph node negative breast carcinomas. *Breast Cancer Res*; 7: R780-R787
- Manning, F.C.R and Patierno, S.R. (1996). Apoptosis: inhibitors or instigators of carcinogenesis. *Cancer Invest*; 14: 455-465

- Mao, L., Lee, J.S., Fan, Y.H., Ro, J.Y., Batsakis, J.G., Lippman, S., Hittelman, W and Hong, W.K. (1996). Frequent microsatellite alterations at chromosome 9p21 and 3p41 in oral premalignant lesions and their value in cancer risk assessment. *Nat Med*; 2: 682-685
- Marchi, C., Iravani, M., Natrajan, R., Lambros, M.B.K., Geyer, FC., Savage, K., Parry, S., Tamber, N., Fenwick, K., Mackay, A., Schmitt, F.C., Bussolati, G., Ellis, I., Ashworth, A., Sapinos, A and Reis-Filho, J.S. (2009). Mixed micropapillary ductal carcinomas of the breast: a genomic and immunohistochemical analysis of morphologically distinct components. *J Pathol*; 218: 301-315
- Marmor, MD., Skaria, KB and Yarden, Y. (2004). Signal transduction and oncogenesis by ErbB/HER receptors. *Int. J. Radiation Oncology Biol. Phys*; 58(3): 903-913
- Marquis-Nicholson, R., Aftimos, S., Hayes, I., George, A and Love, D.R. (2010). Array comparative genomic hybridization: a new tool in the diagnostic genetic armoury. *NZMJ*; 123(1318): 50-61
- Marschang, P., Brich, J., Weeber, E.J., Sweatt, J.D., Shelton, J.M., Richardson, J.A., Hammer, R.E and Herz, J. (2004). Normal development and fertility of knockout mice lacking the tumor suppressor gene LRP1b suggest functional compensation by LRP1. *Mol Cell Biol*; 24(9):3782-3793
- Martin, C.L., Reshmi, S.C., Ried, T., Gottberg, W., Wilson, J.W., Reddy, J.K., Khanna, P., Johnson, J.T., Myers, E.N., Gollin, S.M. (2008). Chromosomal imbalances in oral squamous cell carcinoma: examination of 31 cell lines and review of the literature. *Oral Oncol*; 44: 369-82
- Martin, D.B and Nelson, P.S. (2001). From genomics to proteomics: techniques and applications in cancer research. *Trends Cell Biol*; 11(11):S60-5.
- Masayeva, B.G., Ha, P., Garrett-Mayer, E., Pilkington, T., Mao, R., Pevsner, J., Speed, T., Benoit, N., Moon, C.S., Sidransky, D., Westra, W.H and Califano, J. (2004). Gene expression alterations over large chromosomal regions in cancers include multiple genes unrelated to malignant progression. *Proc. Natl. Acad. Sci. USA*; 101: 8715-8720
- Mashberg, A., Merletti, F., Boffetta, P., Gandolfo, S., Ozzello, F., Fracchia, F., Terracini, B. (1989). Appearance, site of occurrence, and physical and clinical characteristics of oral carcinoma in Torino, Italy. *Cancer*; 63(12): 2522-7
- Massion, P.P., Zou, Y., Chen, H., Jiang, A., Coulson, P., Amos, CI., Wu, X., Wistuba, I., Wei, Q., Shyr, Y and Spitz, MR. (2008). Smoking-related genomic signatures in non small cell lung cancer. *Am J Respir Crit Care Med*; 178: 1164-1172
- Mathews, L.S. (1994). Activin receptors and cellular signalling by the receptor serine kinase family. *Endocr Rev*; 15: 310-325

- Matsumura, K. (1995). Detection of DNA amplifications and deletions in oral squamous cell carcinoma cell lines by comparative genomic hybridization (CGH). *Kokubyo Gakkai Zasshi*; 62(4): 513-31
- McAvoy, S., Ganapathiraju, S.C., Ducharme-Smith, A.L., Pritchett, J.R., Kosari, F., Perez, D.S., Zhu, Y., James, C.D and Smith, D.I. (2007). Non-random inactivation of large common fragile site genes in different cancers. *Cytogenet Genome Res*; 118(2-4): 260-269
- McCullough, M.J and Farah, C.S. (2008). The role of alcohol in oral carcinogenesis with particular reference to alcohol-containing mouthwashes. *Aust DentJ*; 53: 302–305
- McDoniels-Silvers, A.L., Nimri, C.F., Stoner, G.D., Lubet, R.A and You, M. (2002). Differential gene expression in human lung adenocarcinomas and squamous cell carcinomas. *Clin Cancer Res*; 8: 1127-1138
- McSharry, J. (2001). Biology of cancer cells. In: Nasca PC, Pastides H. (Eds), *Fundamentals of cancer epidemiology* (pp 55). Aspen Publishers, Gaithersburg, Maryland
- Meehan, M., Melvin, A., Gallagher, E., Smith, J., Mc Goldrick, A., Moss, C., Goossens, S., le Harrison, M., Kay, E., Fitzpatrick, J., Dervan, P and Mc Cann, A. (2007). Alpha-T-Catenin (CTNNA3) Displays Tumor Specific Monoallelic Expression in Urothelial Carcinoma of the Bladder. *Genes Chromosomes Cancer*; 46:587–593
- Michor, F., Iwasa, Y., Vogelstein, B., Lengauer, C., Nowak, M.A. (2005). Can chromosomal instability initiate tumorigenesis? *Semin Cancer Biol* 15:43-49.
- Mikse, O.R., Blake, D.C., Jones, N.R., Sun, Y-W., Amin, S., Gallagher, C.J., Lazarus, P., Weisz, J and Herzog, C.R. (2010). FOXO3 encodes a carcinogen-Activated transcription factor frequently deleted in early stage lung adenocarcinoma. *Cancer Res*; 70(15): 6205-15
- Mishra, A and Verma, M. (2010). Cancer Biomarkers: Are We Ready for the Prime Time? *Cancers*; 2: 190-208.
- Mitelman, F (2005). Cancer cytogenetics update 2005. *Atlas Genet Cytogenet Oncol Haematol.* March 2005
 URL:<http://AtlasGeneticsOncology.org/Deep/CancerCytogenet2005ID20050.html> (Retrieved on 30 June 2011)
- Mitelman, F., Johansson, B., Mandahl, N., Mertens, F. (1997). Clinical significance of cytogenetic findings in solid tumors. *Cancer Genet Cytogenet*; 95: 1-8
- Moore, S.R., Johnson, N.W., Pierce, A.M and Wilson, D.F. (2000). The epidemiology of mouth cancer: a review of global incidence. *Oral Dis*; 6(2): 65-74

- Mufti SI. (1992). Alcohol acts to promote the incidence of tumor. *Cancer Detect Prev*; 16: 157-162.
- Mukhopadhyay, A., Bandyopadhyay, and Maulik, U. (2010). Multi-Class Clustering of Cancer Subtypes through SVM Based Ensemble of Pareto-Optimal Solutions for Gene Marker Identification. *PLoS One*; 5(11): e13803-e 13803
- Muller, D., Wolf, C., Abecassis, J., Millon, R., Engelmann, A., Bronner, G., Rouyer, N., Rio, M-C., Eber, M., Methlin, G., Chambon, P and Basset, P. (1993). Increased stromelysin 3 gene expression is associated with increased local invasiveness in head and neck squamous cell carcinomas. *Cancer Res*; 53:165-9.
- Munger, K. (2002). Disruption of oncogene/tumor suppressor networks during human carcinogenesis. *Cancer Invest*; 20: 71-81
- Nagaraj, N.S. (2009). Evolving ‘omic’ technologies for diagnostic of head and neck cancer. *Brief Funct Genomics Proteomics*; 8(1): 49-59
- Nagpal, J.K and Das, B.R. (2003). Oral Cancer: reviewing the present understanding of its molecular mechanism and exploring the future directions for its effective management. *Oral Oncol*; 39: 213-221
- Nair, U.J., Floyd, R.A., Nair, J., Busachini, V., Friesen, M., Bartsch, H. (1987). Formation of reactive oxygen species and of 8-OH-dG in DNA in vitro with betel quid ingredients. *Chem Biol Interact*; 63: 157-69
- Nair, U.J., Oshima, H., Frisen, M., Croisy, A., Bhide, S.V., Bartsch, H. (1985). Tobacco specific and betel nut specific N-nitroso compounds: occurrence in saliva and urine of betel quid chewers and formation *in vitro* by nitrosation of betel quid. *Carcinogenesis*; 6: 295-303
- Nakahara, Y., Shintani, S., Mihara, M., Kiyota, A., Ueyama, Y., Matsumura, T. (2000). Alterations of Rb, p16(INK4A) and cyclin D1 in the tumorigenesis of oral squamous cell carcinomas. *Cancer Lett*; 160: 3-8
- Nambiar, PR., Gupta, RR and Misra, V. (2010). Review: An “Omic” based survey of human colon cancer. *Mutat Res*; 693: 3-18
- Naylor, T.L., Greshock, J., Wang, Y/, Colligon, T., Yu, Q.C., Clemmer, V., Zaks, T.Z., Weber, B.L. (2005). High resolution genomic analysis of sporadic breast cancer using array-based comparative genomic hybridization. *Breast Cancer Res*; 7(6): 1186-98
- Negrini, S., Gorgoulis, V.G and Halazonetis, T.D. (2010). Reviews: Genomic instability-an evolving hallmark of cancer. *Nat Rev Mol Cell Biol*; 11: 220-228
- Neville, B.W. and Day, T.A. (2002). Oral cancer and precancerous lesions. *CA Cancer J Clin*; 52(4): 195-215.

- Nevin, J.R. (1998). Toward an understanding of the functional complexity of the E2F and retinoblastoma families. *Cell Growth Differ*; 9(8):585-93.
- Ng, K.H, Siar, C.H, Ramanathan, K., Murugasu, P., Chelvanayagam, P.I. (1985). Squamous cell carcinoma of the oral mucosa in Malaysia - any change? *Southeast Asian J Trop Med Public Health*;16(4):602-6.
- Nishimura, Y., Martin, C.L., Lopez, A.V., Spence, S.J., Alvarez-Retuert, A.I., Sigman, M., Steindler, C., Pellegrini, S., Schanen, N.C., Warren, S.T and Geschwind, D.H. (2007). Genome-wide expression profiling of lymphoblastoid cell lines distinguishes different forms of autism and reveals shared pathways. *Human Molecular Genetics*; 16 (14): 1682-1698
- O'Regan, E., Toner, M.E., Smyth, P.C., Finn, S.P., Timon, C., Cahill, S., Flavin, R., O'Leary, J.J., Sheils, O. (2006). Distinct array comparative genomic hybridization profiles in oral squamous cell carcinoma occurring in young patients. *Head Neck*; 28: 330-338
- Oesterreich, S and Fuqua, S.A.W. (1999). Tumor suppressor genes in breast cancer. *Endocrine-Related Cancer*; 6:405-419
- Ogden, G.R and Wight, A.J. (1998). Aetiology of oral cancer: alcohol. *Br J Oral Maxillofac Surg*; 36: 247-251
- Okafuji, M., Ita, M., Hayatsu, Y., Shinozaki, F., Oga, A., Sasaki, K. (1999). Identification of genetic aberrations in cell lines from oral squamous cell carcinomas by comparative genomic hybridization. *J Oral Pathol Med*; 28(6): 241-5
- Okey, A.B., Harper, P.A., Grant, D.M., Hill, R.P. (2005). Chapter 3: Chemical and radiation carcinogenesis. Tannock, I.F., Hill, R.P., Bristow, R.G and Harrington, L. (Eds), *The Basic science of oncology* (pp 26-27). United State of America: The McGraw Hill Companies, Inc.
- Olayioye, M.A., Neve, R.M., Lane, H.A., Hynes, N.E. (2000). The ErbB signalling network: receptor heterodimerization in development and cancer. *EMBO J*;19(13):3159-67.
- Oliver, C.L., Bauer, J.A., Wolter, K.G., Ubell, M.L., Narayan, A., O'Connell, K.M., Fisher, S.G., Wang, S., Wu, X., Ji, M., Carey, T.E and Bradford, C.R. (2004). In vitro effects of the BH3 mimetic, (-)-gossypol, on head and neck squamous cell carcinoma cells. *Clin Cancer Res*; 10: 7757-7763
- Omura, N., Li, C-P., Li, A., Hong, S-M., Walter, K., Jimeno, A., Hidalgo, M and Goggins, M. (2008). Genome-wide profiling of methylated promoters in pancreatic adenocarcinoma. *Cancer Biol Ther*; 7(7): 1146-1156
- O'Regan, E.M., Toner, M.E., Smyth, P.C., Finn, S.P., Timon, C., Cahill, S., Flavin, R., O'Leary, J.J., Sheils, O. (2006). Distinct array comparative genomic hybridization profiles in oral squamous cell carcinoma occurring in young patients. *Head Neck*; 28(4): 330-338

- Oren, M. (1992). The involvement of oncogenes and tumor suppressor genes in the control of apoptosis. *Cancer Metastasis Rev*; 11: 141-148
- Oster, S., Penn, L and Stambolic, V. (2005). Chapter 7: Oncogenes and tumor suppressor genes. Tannock, I.F., Hill, R.P., Bristow, R.G and Harrington, L. (Eds), *The Basic science of oncology* (pp 133-134). United State of America: The McGraw Hill Companies, Inc.
- Paget, S. (1889). The distribution of secondary growths in cancer of the breast. *Lancet*; 1: 99-101
- Pande, P., Mathur, M.R., Shukia, N.K., Ralhan, R. (1998). pRb and p16 protein alterations in human oral tumorigenesis. *Oral Oncol*; 34(B): 396-403
- Paradiso, A., Abatangelo, M., Piepoli, S., Tommasi, S., Xu, J-M., Coponio, M.A., Marzullo, F., D'Auria, C., Achille, G., Grammatica, L. (2002). Fluorescent in situ hybridization analysis of HER-2/neu in brushings of normal oral mucosa. *Cancer Genet Cytogenet*; 132: 141-144
- Park, J.Y., Muscat, J.E., Ren, Q., Schantz, S.P., Harwick, R.D, Stern, J.C, Pike, V., Richie, J.P Jr., Lazarus, P. (1997). CYP1A1 and GSTM1 polymorphisms and oral cancer risk. *Cancer Epidemiol Biomarkers Prev*; 6(10): 791-797
- Parkin, D.M., Bray, F., Ferlay, J., Pisani, P. (2005). Global Cancer Statistics, 2002. *CA Cancer J Clin*; 55:74-108
- Parkin, D.M., Pisani, P and Ferlay, J. (1999). Estimates of the worldwide incidence of 25 major cancers in 1990. *Int J Cancer*; 80: 827-8
- Paterson, I.C, Eveson, J.W, Prime, S.S. (1996). Molecular changes in oral cancer may reflect aetiology and ethnic origin. *Eur J Cancer B: Oral Oncol*; 32(3):150-3.
- Pathak, KA., Nason, R., Talole, S., Abdoh, A., Pai, P., Deshpande, M., Chaturvedi, P., Chaukar, D., D'Cruz, A., Bhalavat, R. (2009). Cancer of the buccal mucosa: a tale of two continents. *Int. J. Oral Maxillofacial Surg*; 38: 146-150
- Pathare, S., Schaffer, A.A., Beerenwinkel, N., Mahimkar, M. (2009). Construction of oncogenic tree models reveals multiple pathways of oral cancer progression. *Int J Cancer*; 124: 2864-71
- Patmore, H.S., Ashman, J.N., Stafford, N.D., Berrieman, H.K., MacDonald, A., Greenman, J., Cawkwell, L. (2007). Genetic analysis of head and neck squamous cell carcinoma using comparative genomic hybridization identifies specific aberrations associated with laryngeal origin. *Cancer Lett*; 258: 55-62
- Pavelic, Z.P., Lasmar, M., Pavelic, L., Sorensen, C., Stambrook, P.J., Zimmermann, N., Gluckman, J.L. (1996). Absence of retinoblastoma gene product in human primary oral cavity carcinomas. *Eur J Cancer B Oral Oncol*; 32(B): 347-351

- Pece, S., Serresi, M., Santolini, E., Capra, M., Hulleman, E., Galimberti, V., Zurrada, S., Maisonneuve, Viale, G and Fiore, P.P.D. (2004). Loss of negative regulation by Numb over Notch is relevant to human breast carcinogenesis. *J Cell Biol*; 167(2): 215-221
- Pennica, D., Swanson, T.A., Welsh, J.W., Roy, M.A., Lawrence, D.A., Lee, J., Brush, J., Taneyhill, L.A., Deuel, B., Lew, M., Watanabe, C., Cohen, R.L., Melhem, M.F., Finley, G.G., Quirke, P., Goddard, A.D., Hillan, K.J., Gurney, A.L., Botstein, D., Levine, A.J. (1998). *WISP* genes are members of the connective tissue growth factor family that are up-regulated in Wnt-1-transformed cells and aberrantly expressed in human colon tumors. *Proc. Natl. Acad. Sci. USA*; 95: 14717-14722
- Perera, S and Bapat, B .Genetic Instability in Cancer. Atlas Genet Cytogenet Oncol Haematol. January 2007 .URL :<http://AtlasGeneticsOncology.org/Deep/GenetInstabilityCancerID20056.html> (Retrieved on 12 Feb 2011)
- Petraglia, F., Florio, P., Luisi, S., Gallo, R., Gadducci, A., Vigano, P., Blasio, A.M.D., Genazzani, A.R and Vale, W. (1998). Expression and secretion of inhibin and activin in normal and neoplastic uterine tissues. High levels of serum activin A in women with endometrial and cervical carcinoma. *J Clin Endocrinol Metab*; 83:1194–1200
- Petridou, E., Zavras, A.I., Lefatzis, D., Dessypris, N., Laskaris, G., Dokianakis, G., Segas, J., Douglas, C.W., Diehl, S.R., Trichopoulos, D. (2002). The role of diet and specific micronutrients in the etiology of oral carcinoma. *Cancer*; 94:2981-8
- Petrin, A.L., Giacheti, C.M., Maximino, L.P., Abramides, D.V.M., Zanchetta, S., Rossi, N.F., Richieri-Costa, A., Murray, J.C. (2010). Identification of a microdeletion at the 7q33-q35 disrupting the CNTNAP2 gene in a Brazilian stuttering case. *Am J Med Genet Part A*; 152A (12):3164–3172.
- Petti, S. (2009). Review: Lifestyle risk factors for oral cancer. *Oral Oncol*;45: 340-350.
- Pezzella, F., Turley, H., Kuzu, L., Tumgekar, M.F., Dunnill, M.S., Pierce, C.B., Harris, A., Gatter, K.C., Mason, D.Y. (1993). Bcl-2 protein in non-small cell lung carcinoma. *N Engl J Med*; 329: 690-694
- Pindborg, J.J., Reichart, P.A., Smith, C.J., van der Waal, I. (1997). (2nd Eds). *Histological typing of cancer and precancer of the oral mucosa* (pp 11). Springer: Berlin and New York
- Pinkel, D and Albertson, D.G. (2005). Array comparative genomic hybridization and its applications in cancer. *Nature Genetics*; 37: S11-17
- Piper, J., Rutovitz, D., Sudar, D., Kallioniemi, A., Kallioniemi, O.P., Waldman, F.M., Gray, J.W., Pinkel, D. (1995). Computer image analysis of comparative genomic hybridization. *Cytometry*; 19(1): 10-26

- Pisani, P., Parkin, D.M., Bray, F and Ferlay, J. (1999). Estimates of the worldwide mortality from 25 cancers in 1990. *Int J Cancer*; 83: 18-29
- Pitteri, J.S., JeBailey, L., Faca, V.M., Thorpe, J.D., Silva, M.A., Ireton, R.C., Horton, M.B., Wang, H., Pruitt, L.C., Zhang, Q., Cheng, K.H., Urban, N., Hanash, S.M and Dinulescu, D.M. (2009). Integrated proteomic analysis of human cancer cells and plasma from tumor bearing mice for ovarian cancer biomaker discovery. *PLoS One*; 4(11): 1-13
- Polette, M., Clavel, C., Birembaut, P., De Clerck, Y.A. (1993). Localisation by in situ hybridisation of mRNAs encoding stromelysin 3 and tissue inhibitors of metalloproteinases TIMP-1 and TIMP-2 in human head and neck carcinomas. *Pathol Res Pract*; 189:1052-7.
- Polette, M., Clavel, C., Muller, D., Abecassis, J., Binniger, I., Birembaut, P. (1991). Detection of mRNAs encoding collagenase 1 and stromelysin 2 in carcinomas of the head and neck by in situ hybridisation. *Invasion Metastasis*; 11:76-83.
- Przybytkowski, E., Ferrario, C and Basik, M. (2011). The use of ultra-dense array CGH analysis for the discovery of micro-copy number alterations and gene fusions in the cancer genome. *BMC Med Genomics*; 4(16): 1-19
- Rahmatpanah, F.B., Carstens, S., Guo, J., Sjahputera, O., Taylor, K.H., Duff, S., Shi, H., Davis, J.W., Hooshmand, S.I., Chitman-Matsiga, R and Caldwell, C.W. (2006). Differential DNA methylation pattern of small B-cell lymphoma subclasses with different clinical behavior. *Leukemia*; 20:1855-1862
- Reding, T., Wagner, U., Silva, AB., Sun, L-K., Bain, M., Kim, S-Y., Bimmler, D and Graf, R. (2009). Inflammation dependent expression of SPARC during development of chronic pancreatitis in WBN/Kob rats and a microarray gene expression analysis. *Physiol Genomics*; 38: 196-204
- Redon, R., Hussenet, T., Bour, G., Caulee, K., Jost, B., Muller, D., Abecassis, J., du Manoir, S. (2002). Amplicon mapping and transcriptional analysis pinpoint Cyclin L as a candidate oncogene in head and neck cancer. *Cancer Res*; 62: 6211-6217
- Reed, A.L., Califano, K., Cairns, P., Westra, W.H., Jones, R.M., Koch, W., Ahrendt, S., Eby, Y., Sewell, D., Nawroz, H., Bartek, J and Sidransky, D. (1996). High frequency of p16(CDKN2/MTS-1/INK4A) inactivation in head and neck squamous cell carcinoma. *Cancer Res*; 56: 3630-3633
- Rehault, S., Monget, P., Mazerbourg, S., Tremblay, R., Gutman, N., Gauthier, F., Moreau, T. (2001). Insulin-like growth factor binding proteins (IGFBPs) as potential physiological substrates for human kallikreins hk2 and hk3. *European Journal of Biochemistry / FEBS*; 268(10):2960-8
- Ren, Y., Zhao, J and Feng, J. (2003). Parkin binds to alpha/beta tubulin and increases their ubiquitination and degradation. *J Neurosci*; 23(8):3316-24

- Reshmi, S.C and Gollin, S.M. (2005).Chromosomal instability in oral cancer cells.*J Dent Res*; 84(2): 107-117
- Reuter, C.W.M., Morgan, M.A and Eckardt, A. (2007).Targeting EGF-receptor signaling in squamous cell carcinomas of the head and neck.*Br J Cancer*; 96: 408-416
- Revillion, F., Lhotellier, V., Hornez, L., Bonneterre, J., Peyrat, J.P. (2008).ErbB/HER ligands in human breast cancer, and relationships with their receptors, the bio-pathological features and prognosis.*Ann Oncol*; 19: 73-80
- Ridge, J.A., Glisson, B.S., Horwitz, E.M and Meyers, M.O. (Eds) (2007).Head and neck tumors.*In textbook of Cancer Management: a multidisciplinary approach* (pp 40-65). Mwlcille, NY: PPR, Inc
- Ried, T., Petersen, J., Holtzgreve-Grez, H., Speicher, M.R., Schrock, D., du Manoir, S., Cremer, T. (1994).Mapping of multiple DNA gains and losses in primary small cell lung carcinoma by comparative genomic hybridization.*Cancer Res*; 54: 1801-1806
- Rodriguez, T., Altieri, A., Chatenoud, L., Gallus, S., Bosetti, C., Negri, E., Franceschi, S., Levi, F., Talamini, R., Vecchia, C.L. (2004). Risk factors for oral and pharyngeal cancer in young adults.*Oral Oncol*;40: 207-213
- Rodu, B and Jansson, C. (2004). Smokeless tobacco and oral cancer: a review of the risks and determinants. *Crit Rev Oral Biol Med*; 15(5): 252-63
- Rogers, S.J., Harrington, K.J., Rhys-Evans, P., O-Charoenrat, P., Eccles, S.A. (2005).Biological significance of c-erbB family oncogenes n head and neck cancer.*Cancer Metastasis Rev*; 24: 47-69.
- Rothman, K and Keller, A. (1972).The effect of joint exposure to alcohol and tobacco on risk of cancer of the mouth and pharynx. *J Chron Dis*; 25:711-716
- Rousseau, A., Lim, M.S., Lin, Z., Jordan, R.C. (2001). Frequent cyclin D1 gene amplification and protein expression in oral epithelial dysplasias.*Oral Oncol*; 37: 268-275.
- Russo, A., Migliavacca, M., Zanna, I., Macaluso, M., Gebbia, N and Viviana, B. (2006).Caretakers and Gatekeepers.*Encyclopedia of Life Sciences*.
- Sager, R. (1989). Tumor suppressor genes: the puzzle and the promise. *Science*; 246(4936): 1406-1412
- Sartor, M., Steingrimsdottir, H., Elamin, F., Gaken, J., Warnakulasuriya, S., Partridge, M., Thakker, N., Johnson, N.W., Tavassoli, M. (1999). Role of p16/MTS1, cyclin D1 and RB in primary oral cancer and oral cancer cell lines.*Br J Cancer*; 80: 79-86

- Sathyan, K.M., Sailasree, R., Jayasurya, R., Lakshminarayanan, K., Abraham, T., Nalinakumari, K.R., Abraham, E.K and Kannan, S. (2006). Carcinoma of tongue and the buccal mucosa represent different biological subentities of the oral carcinoma. *J Cancer Res Clin Oncol*; 132: 601-609
- Sato, M., Sato, T., Izumo, T., Amagasa, T. (1999). Genetic polymorphism of drug metabolizing enzymes and susceptibility to oral cancer. *Carcinogenesis*; 20(10): 1927-1931
- Saunders, W.S., Shuster, M., Huang, X., Gharaibeh, B., Enyenihi, A.H., Peterson, I and Gollin, S.M. (2000). Chromosomal instability and cytoskeletal defects in oral cancer cells. *Proc. Natl. Acad. Sci. USA*; 97: 303-308
- Schvartzman, J-M., Sotillo, R and Benezra, R. (2010). Mitotic chromosomal instability and cancer: mouse remodeling of the human disease. *Nature*; 10: 102-115
- Scully, C and Bedi, R. (2000). Ethnicity and oral cancer. *Lancet Oncol*; 1: 37-42
- Scully, C., Field, J.K and Tanzawa, H. (2000). Genetic aberrations in oral or head and neck squamous cell carcinoma 2: chromosomal aberrations. *Oral Oncol*; 36: 311-327
- Scully, C and Bagan, J. (2009a). Oral squamous cell carcinoma: overview of current understanding of aetiopathogenesis and clinical implications. *Oral Dis*; 15(6): 388-99
- Scully, C and Bagan, J. (2009b). Oral squamous cell carcinoma overview. *Oral Oncol*; 45: 301-308
- Scully, C., Malamos, D., Levers, B.G., Porter, S.R., Prime, S.S. (1986). Sources and patterns of referrals of oral cancer: role of general practitioners. *Br Med J (Clin Res Ed)*; 293: 599-601
- Seder, C.W., Hartojo, W., Lin, L., Silvers, A.L., Wang, Z., Thomas, D.G., Giordano, T.J., Chen, G., Chang, A.C., Orringer, M.B and Beer, D.G. (2009). Upregulated INHBA expression may promote cell proliferation and is associated with poor survival in lung adenocarcinoma. *Neoplasia*; 11(4): 388-396
- SEER, Horner M, Ries L, Krapcho M, Neyman N, Aminou R et al. (2009). National Cancer Institute: Bethesda, MD.
- Sen, B., Wolf, D.C., Turpaz, Y., Bugrim, A., Retief, J and Hester, S.D. (2007). Identification of interspecies concordance of mechanisms of arsenic-induced bladder cancer. *Toxicol In Vitro*; 21: 1513-1529
- Serpa, J., Mendes, N., Reis, C.A., Santos Silva, L.F., Almeida, R., Pendu, J.L.E and David, L. (2004). Two new FUT2 (fucosyltransferase 2 gene) missense polymorphisms, 739G→A and 839T→C, are partly responsible for non-secretor status in a Caucasian population from Northern Portugal. *Biochem. J*; 383:469-474

- Serrano, M., Hannon, G.J., Beach, D. (1993). A new regulatory motif in cell-cycle control causing specific inhibition of cyclin-D/CDK4. *Nature*; 366: 704-707
- Shay, J.W and Wright, W.E. (2006). Telomerase therapeutics for cancer: challenges and new directions. *Nat Rev Drug Discov*; 5: 577-584
- Sheng, Q., Liu, X., Fleming, E., Yuan, K., Piao, H., Chen, J., Moustafa, Z., Thomas, R.K., Greulich, H., Schinzel, A., Zaghlul, S., Batt, D., Ettenberg, S., Meyerson, M., Schoeberl, B., Kung, A.L., Hahn, W.C., Drapkin, R., Livingston, D.M and Liu, J.F. (2010). An activated ErbB/NRG1 autocrine loop supports in vivo proliferation in ovarian cancer cells. *Cancer Cell*; 17: 298-310
- Shima K, Kobayashi I, Saito I, Kiyoshima T, Matsuo K, Ozeki S, Ohishi M, Sakai H. (2000). Incidence of human papillomavirus 16 and 18 infection and p53 mutation in patients with oral squamous cell carcinoma in Japan. *Br J Oral Maxillofac Surg*; 38(5): 445-450
- Shinawi, M and Cheung, S.W. (2008).The array CGH and its clinical applications. *Drug Discovery Today*; 13(17/18): 760-770
- Shiozaki, H., Oka, H., Inoue, M., Tamura, S and Monden, M. (1996). E-cadherin mediated adhesion system in cancer cells. *Cancer*; 77: 1605-1613
- Shiboski, C.H., Schmidt, B.L., Jordan, R.C. (2005). Tongue and tonsillar carcinoma: an increasing trends in the US population age 20-44 years. *Cancer*; 103: 1843-9
- Siar, C.H, Ng, K.H, Mah, C.F, Ling, C.C. (1990). Oral squamous cell carcinoma in Penisular Malaysia. *Asian MedJ*;33(12):697-703.
- Sidransky, D. (1995). Molecular genetics of head and neck cancer. *Curr Opin Oncol*; 7: 229-233
- Silverman, S Jr. (2001). Demographics and occurrence of oral and pharyngeal cancer: The outcomes, the trends, the challenge. *J Am Dent Assoc*; 132: 7S-11S
- Silverman, S Jr. (2003). Epidemiology. Silverman, S Jr. (Eds), *Oral Cancer* (pp 1). 5th edn. Hamilton, Ontario, Canada: Decker
- Simone, N.D., Schneyer, A.L., Caliandro, D., Castellani, R and Caruso, A.(2002). Regulation of endometrial adenocarcinoma cell proliferation by Activin-A and its modulation by 17 β -estradiol. *MolCell Endocrinol*; 192: 187-195
- Siriwardena, B.S.M.S., Tilakaratne, A., Amaraunga, E.A.D.P., Tilakaratne, W.M. (2006). Demographic, aetiological and survival differences of squamous cell carcinoma in the young and the old in Sri Lanka, *Oral Oncol*; 42: 831-836

- Skacel, M., Siva, A.A and Tubbs, R.R. (2009). Chapter 7: Array-based comparative genomic hybridization in the analysis of genomic alterations in human disease. Tubbs, R.R and Stoler, M.H. (Eds), *Cell and tissue based molecular pathology* (63-64). Churchill Livingstone, Philadelphia
- Smith, D.I., Zhu, Y., McAvoy, S and Kuhn, R. (2005). Common fragile sites, extremely large genes, neural development and cancer. *Cancer Lett*; 232: 48-57
- Snijders, A.M., Schmidt, B.L., Fridlyand, J., Dekker, N., Pinkel, D., Jordan, R.C.K., Albertson, D.G. (2005). Rare amplicons implicate frequent deregulation of cell fate specification pathways in oral squamous cell carcinoma. *Oncogene*;24: 4232-4242
- Snustad, D.P and Simmons, M.J. (Eds) (2003). Principles of genetics (pp 267). 3rd edition. John Wiley & Sons, Inc. United States of America.
- Sonada, I., Imoto, I., Inoue, J., Shibata, T., Shimada, Y., Chin, K., Imamura, M., Amagasa, T., Gray, JW., Hirohashi, S and Inazawa, J. (2004). Frequent silencing of low density lipoprotein receptor-related protein 1B (LRP1B) expression by genetic and epigenetic mechanisms in esophageal squamous cell carcinoma. *Cancer Res*; 64: 3741-3747
- Soon, L., Yie, T., Shvarts Levine, A., Su, F., Tchou-Wong, K. (2003). Overexpression of WISP-1 down regulated motility and invasion of lung cancer cells through inhibition of rac activation. *J Biol Chem*; 278:11465-70.
- Sparano, A., Quesnelle, KM., Kumar, MS., Wang, Y., Sylvester, AJ., Feldman, M., Sewell, DA., Weinstein, GS and Brose, MS. (2006). Genome-Wide profiling of oral squamous cell carcinoma by array-based comparative genomic hybridization. *Laryngoscope*; 116:735-741
- Speicher, M.R., Howe, C., Crotty, P., du Manoir, S., Costa. J., Ward, D.C. (1995). Comparative genomic hybridization detects novel deletions and amplifications in head and neck squamous cell carcinomas. (1995). *Cancer Res*; 55: 1010-1013
- Spitz, R., Oberthuer, A., Zapatka, M., Brors, B., Hero, B., Ernestus, K., Oestreich, J., Fischer, M., Simon, T., Berthold, F. (2006). Oligonucleotide array-based comparative genomic hybridization (aCGH) of 90 neuroblastomas reveals aberration patterns closely associated with relapse pattern and outcome. *Gene Chromosome Cancer*; 45: 1130-1142
- Sporn, M.B. (1996). The war on cancer. *Lancet*; 347: 1377-1381.
- Squire, J.A., Bayani, H., Luk, C., Unwin, L., Tokunaga, J., MacMillan, C., Irish, J., Brown, D., Gullane, P., Kamel-Reid, S. (2002). Molecular cytogenetic analysis of head and neck squamous cell carcinoma: By comparative genomic hybridization, spectral karyotyping and expression array analysis. *Head Neck*; 24: 874-887

- Sreelekha, T.T., Ramadas, K., Pandey, M., Thomas, G., Nalinakumari, K.R., Pillai, M.R. (2001). Genetic polymorphism of CYP1A1, GSTM1 and GSTT1 genes in Indian oral cancer. *Oral Oncol*; 37(7): 593-598
- Srisupundit, K., Brady, P.D., Devriendt, K., Fryns, J-P., Cruz-Martinez, R., Gratacos, E., Deprest, J.A and Vermeesch, J.R. (2010). Targeted array comparative genomic hybridisation (array CGH) identifies genomic imbalances associated with isolated congenital diaphragmatic hernia (CDH). *Prenat Diagn*; 30: 1198-1206
- Stafford, N.D., Ashman, J.N., MacDonald, A.W., (1999). Genetic analysis of head and neck squamous cell carcinoma and surrounding mucosa. *Arch Otolaryngol Head Neck Surg*; 125: 1341-8
- Stalling, R.L., Nair, P., Maris, J.M., Catchpoole, D., McDermott, M., O'Meara, A and Breatnach, F. (2006). High-Resolution analysis of chromosomal breakpoints and genomic instability identifies PTPRD as a candidate tumor suppressor gene in neuroblastoma. *Cancer Res*; 66: 6373-3680
- Stears, R.L., Martinsky, T., Schena, M. (2003). Trends in microarray analysis. *Nat Med*; 9(1): 140-145
- Stewart B, Kleihues P, (Eds) 2003. Chapter 5-Human cancers by organ site In: World Cancer Report. IARC Press, Lyon, France pp 232-236.
- Stetler-Stevenson, W.G and Yu, A.E. (2001). Proteases in invasion: matrix metalloproteinases. *Semin Cancer Biol*; 11: 143-152
- Strome, S.E., To, W., Strawderman, M., Gersten, K., Devaney, K.O., Bradford, C.R., Esclamado, R.M. (1999). Squamous cell carcinoma of the buccal mucosa. *Otolaryngol Head Neck Surg*; 120: 375-9
- Sugerman, P.B and Savage, N.W. (1999). Current concepts in oral cancer. *Aust Dent J*; 44(3): 147-156
- Surveillance epidemiology and end results (SEER). SEER Cancer statistics review 1975-2004. National Cancer Institute. Available from <http://seer.cancer.gov.staffact/html/oralcav> (Retrieved on 8th May 2011)
- Sweeney, C and Carraway, K.L. (2000). Ligand discrimination by ErbB receptors: differential signaling through differential phosphorylation site usage. *Oncogene*; 19:5568-5573
- Tachdjian, G., Aboura, A., Lapierre, J.M., Viguie, F. (2000). Cytogenetic analysis from DNA by comparative genomic hybridization. *Annales de Genetique*; 43: 147-154
- Tanaka, S., Sugimachi, K., Kameyama, T., Maehara, S-i., Shirabe, K., Shimada, M., Wands, J.R., Maehara, Y. (2003). Human WISP1v, a Member of the CCN Family, Is Associated With Invasive Cholangiocarcinoma. *Hepatology*; 37(5): 1122-1129

- Theisen, A. (2008). Micorarray-based comparative genomic hybridization (aCGH). *Nature Education*;1(1): 1-6
- Thierry-Mieg, D and Thierry-Mieg, J. (2006). AceView: a comprehensive cDNA-supported gene and transcripts annotation. *Genome Biol*; 7(Suppl 1):S12
- Thiery, J.P. (2002). Epithelial-mesenchymal transitions in tumor progression. *Nat Rev Cancer*; 2: 442-454
- Thomas, G.T., Lewis, M.P and Speight, P.M. (1999).Matrix metalloproteinases and oral cancer. *Oral Oncol*; 35: 227-233
- Thompson, C.T and Gray, J.W. (1993).Cytogenetic profiling using fluorescent in situ hybridization (FISH) and Comparative genomic hybridization (CGH). *J Cell Biochem*; 17G: 139-143
- Thompson, F.H. (1997). Chapter 8: Cytogenetic method and findings in human solid tumors. Barch, M.J., Knutsen, T and Spurbeck, J. (Eds), *The AGT cytogenetics laboratory manual* (pp 375).3rd edition.The association of genetic technologies.Published by Lippincott-Raven Publishers, Philadelphia.
- Thorven, M., Grahn, A., Hedlund, K-O., Johansson, H., Wahlfrid, C., Larson, G and Svensson, L. (2005). A homozygous nonsense mutation (428G→A) in the human secretor (FUT2) gene provides resistance to symptomatic norovirus (GGII) infections. *J Virol*; 79(24): 15351-15355
- Timar, J., Csuka, O., Remenar, E., Repassy, G and Kasler, M. (2005).Progression of head and neck squamous cell cancer. *Cancer Metastasis Rev*; 24: 107–127
- Todd, R., Chou, M.Y., Matossian, K., Gallagher, G.T., Donoff, R.B and Wong, D.T. (1991).Cellular source of transforming growth factor-alpha I human oral cancer. *J Dental Res*; 70: 917-923.
- Todd, R., Donoff, R.B and Wong, D.T. (1997). The molecular biology of oral carcinogenesis: toward a tumor progression model. *J Oral Maxillofac Surg*; 55: 613-625
- Tommasi, S., Karm, D.L., Wu, X., Yen, Y and Pfeifer, G.P. (2009). Methylation of homeobox genes is a frequent and early epigenetic event in breast cancer. *Breast Cancer Res*; 11(1): 1-17
- Tremmel, S.C., Gotte, K., Popp, S., (2003).Intratumoral genomic heterogeneity in advanced head and neck cancer detected by comparative genomic hybridization. *Cancer Gent Cytogenet*; 144: 165-74
- Tsui, I.F.L and Garnis, C. (2010).Integrative molecular characterization of head and neck cancer cell model genomes. *Head Neck*; 32 (9): 1143-1160

- Tzur, S., Rosset, S., Shemer, R., Yudkovsky, G., Selig, S., Tarekegn, A., Bekele, E., Bradman, N., Wasser, WG., Behar, DM and Skorecki, K. (2010). Missense mutation in the APOL1 gene are highly associated with end stage kidney disease risk previously attributed to the MYH9. *Hum Genet*;128: 345-350
- Uchida, K., Oga, A., Okafuji, M., Mihara, M., Kawauchi, S., Furuya, T., Chochi, Y., Ueyama, Y., Sasaki, K. (2006).Molecular cytogenetic analysis of oral squamous cell carcinomas by comparative genomic hybridization, spectral karyotyping, and fluorescence in situ hybridization.*Cancer Genet Cytogenet*; 167(2):109-16.
- Udagawa, T., Fernandez, A., Achilles, E.G., Folkman, J., D'Amato, R.J. (2002). Persistence of microscopic human cancers in mice: alterations in the angiogenic balance accompanies loss of tumor dormancy. *FASEB J*; 16: 1361-1370
- Uzawa, N., Sonoda, I., Myo, K., Takahashi, K-I., Miyamoto, R., Amagasa, T. (2007).Florescent in situ hybridization for detecting genomic alterations of Cyclin D1 and p16 in Oral squamous cell carcinoma.*Cancer*; 110: 2230-9
- Vader, G and Lens, S.M. (2008).The Aurora kinase family in cell division and cancer.*Biochim.Biophys. Acta*; 1786(1): 60-72
- Vale, W.W., Bilezikjian, L.M and Rivier, L.M. (2006). Reproductive and other roles of inhibin and activins. In: Knobil, E., Neil, JD (Eds), *The physiology of reproduction* (pp 1861-1878). Raven Press, New York
- van der Riet, P., Nawroz, H., Hruban, R.H., Corio, R., Tokino, J., Koch, W and Sidransky, D. (1994). Frequent loss of chromosome 9p21-22 early in head and neck cancer progression.*Cancer Res*; 54: 1156-1158
- van Schaik, R.H.N., Wierikx, C.D.J., Timmerman, M.A., Oomen, M.H., van Weerden, W.M., van der Kwast, T.H., van Steenbrugge, G.J and de Jong, F.H. (2000). Variation in activin receptor, inhibin/activin subunit and follistatin mRNAs in human prostate tumor tissues.*Br J Cancer*; 82(1); 112-117
- Varella-Garcia, M. (2003). Molecular cytogenetics in solid tumor: Laboratorial tool for diagnosis, prognosis, and therapy. *The Oncologist*; 8: 45-58.
- Verkerk, A.J.M.H., Mathews, C.A., Joosse, M., Eussen, B.H.J., Heutink, P., Oostra, B.A and the Tourette Syndrome Association International Consortium For Genetics. (2003). CNTNAP2 is disrupted in a family with Gilles de la Tourette syndrome and obsessive disorder. *Genomics*; 82: 1-9
- Villiers, E-M.De., Weidauer, H., Otto, H., Zur Hausen, H. (1985). Papillomavirus DNA in human tongue carcinomas. *Int J Cancer*; 36 (5): 575-578
- Virgilio, L., Shuster, M., Gollin, S.M., Veronese, M.L., Ohta, M., Huebner, K and Croce, C.M.(1996). FHIT gene alterations in head and neck squamous cell carcinomas.*Proc Natl Acad Sci USA*; 93: 9770-9775

- Vogelstein, B., Fearon, E.R., Kern, S.E., Hamilton, S.R., Preisinger, A.C., Nakamura, Y., White, R. (1989). Allelotype of colorectal carcinomas. *Science*; 244(4901): 207-211
- Vogelstein, B., Fearon, E.R., Hamilton, S.R., Kern, S.E., Preisinger, A.C., Leppert, M., Smits, A.M.M., Bos, J.L. (1988). Genetic alterations during colorectal-tumor development. *N Engl J Med*; 319: 525-532
- Vogelstein, B and Kinzler, K.W. (1993). The multistep nature of cancer. *Trends Genet*; 9: 138-141
- Vogelstein, B. and Kinzler, K.W. (2004). Cancer genes and the pathways they control. *Nat Med*; 10(8): 789-99.
- Voorter, C., Joss, S., Bringuier, P-P., Vallinga, M., Poddighe, P., Schalken, J., du Manoir, S., Ramaekers, F., Lichter, P., Hopman, A. (1995). Detection of chromosomal imbalances in transitional cell carcinoma of the bladder by comparative genomic hybridization. *Am J Pathol*; 146: 1341-1354
- Wang, Z., Feng, X., Liu, X., Jiang, L., Zeng, X., Ji, N., Li, J., Li, L and Chen, Q. (2009). Involvement of potential pathways in malignant transformation from oral leukoplakia to oral squamous cell carcinoma revealed by proteomic analysis. *BMC Genomics*; 10: 383
- Warnakulasuriya, S and Johnson, N.W. (1996). Epidemiology and risk factors for oral cancer: rising trends in Europe and possible effects of migration. *Int Dent J*; 46(Suppl 1): 245-50
- Warnakulasuriya, S. (2009a). Causes of oral cancer- an appraisal of controversies. *Br Dent J*; 207: 471-475
- Warnakulasuriya, S. (2009b). Review: Global epidemiology of oral and oropharyngeal cancer. *Oral Oncol*; 45: 309-316.
- Warnakulasuriya, S., Sutherland, G., Scully, C. (2005). Tobacco, oral cancer, and treatment of dependence. *Oral Oncol*; 41: 244-260
- Weber, R.G., Scheer, M., Born, I.A., Joos, S., Cobbers, J.M., Hofele, C., Reifenberger, G., Zoller, J.E., Lichter, P. (1998). Recurrent chromosomal imbalances detected in biopsy material from oral premalignant and malignant lesions by combined microdissection, universal DNA amplification, and comparative genomic hybridization. *Am J Pathol*; 153: 295-303
- Weinberg, R.A. (1991). Tumor suppressor genes. *Science*; 254(5053): 1138-1146
- Weinberg, R.A. (1996). How cancer arises. *Sci Am*; 275(3):62-70
- Weinstein, I.B. (2002). Addiction to oncogenes-the Achilles heel of cancer. *Science*. 297(5578); 63-64

- Weiss, M.M., Hermsen, M.A.J.A., Meijer, G.A., van Grieken, N.C.T., Baak, J.P.A., Kuipers, E.J., van Diest, P.J. (1999). Comparative genomic hybridization. *J Clin Pathol: Mol Pathol*; 52: 243-251
- Wen, C.P., Tsai, S.P., Cheng, T.Y., Chen, C-J., Levy, D.T., Yang, H-J and Eriksen, M.P. (2005). Uncovering the relation between betel quid chewing and cigarette smoking in Taiwan. *Tobacco Control*; 14(Suppl 1): i16-i22
- Werning, J.W and Mendenhall, W.M. (2007). Cancer of the buccal mucosa. Werning, J.W. (Eds), *Oral Cancer Diagnosis, Management and Rehabilitation* (pp 91). Thieme Medical Pubkisher, Inc, New York.
- Wight, A.J and Ogden, G.R. (1998). Possible mechanisms by which alcohol may influence the development of oral cancer. A review. *Oral Oncol*; 34: 441-7
- Wilczynski, S.P., Lin, B.T.Y., Xie, Y., Paz, B.I. (1998). Detection of human papillomavirus DNA and oncoprotein Overexpression are associated with distinct morphological patterns of tonsillar squamous cell carcinoma. *Am J Patho*; 152(1): 145-156
- Wildi, S., Kleeff, J., Maruyama, H., Maurer, C.A., Buchler, M.W and Korc, M. (2001). Overexpression of activin A in stage IV colorectal cancer. *Gut*; 49: 409-17.
- Willing, S.M., de Wilde, J., Meijer, C.J.L.M., Berkhof, J., Yi, Y., van Wieringen, W.N., Braakhuis, B.J.M., Meijer, G.A., Ylstra, B., Snijders, P.J.F and Steenbergen, R.D.M. (2008). Integrated genomic and transcriptional profiling identifies chromosomal loci with altered gene expression in cervical cancer. *Genes Chromosomes Cancer*; 47 (10): 890-905
- Winn, D.M. (1995). Diet and nutrition in the etiology of oral cancer. *Am J Clin Nutr*; 61: 437S-45S.
- Winn, D.M., Blot, W.J., McLaughlin, J.K., Austin, D.F., Greenberg, R.S., Preston-Martin, S., Schoenberg, J.B., Jr Fraumeni, J.F. (1991). Mouthwash use and oral conditions in the risk of oral and pharyngeal cancer. *Cancer Res*; 51: 3044-3047
- Wolff, E., Girod, S., Liehr, T., Vorderwulbecke, U., Ries, J., Steininger, H., Gebhart, E. (1997). Oral squamous cell carcinomas are characterized by a rather uniform pattern of genomic imbalances detected by comparative genomic hybridisation. *Oral Oncol*; 34: 186-190
- Woodruff, T.K. (2002). Role of inhibins and activins in ovarian cancer. *Cancer Treat Res*; 107:293-302
- Woolgar, J.A. (2005). Histopathological prognosticators in oral and oropharyngeal squamous cell carcinoma. *Oral Oncol*; 42: 229-239

- Xia, W., Lau, Y.K., Zhang, H.Z., Liu, A.R., Li, L., Kiyokawa, N., Clayman, G.L., Katz, R.L and Hung, M.C. (1997). Strong correlation between c-erbB-2 overexpression and overall survival of patients with oral squamous cell carcinoma. *Clin Cancer Res*; 3(1): 3-9
- Xia, W., Lau, Y-K., Zhang, H.Z., Xiao, F-Y., Johnston, D.A., Liu, A-R., Li, L., Katz, R.L and Hung, M-C. (1999). Combination of EGFR, HER-2/neu, and HER-3 is a stronger predictor for the outcome of oral squamous cell carcinoma than any individual family members. *Clin Cancer Res*; 5:4164-4174.
- Xie, D., Nakachi, K., Wang, H., Elashoff, R., Koeffler, H.P. (2001). Elevated Levels of Connective Tissue Growth Factor, WISP-1, and CYR61 in Primary Breast Cancers Associated with More Advanced Features. *Cancer Res*; 61: 8917-8923
- Xu, J., Gimenez-Conti, I.B., Cunningham, J.E., Collet, A.M., Luna, M.A., Lanfranchi, H.E., Spitz, M.R., Conti, C.J. (1998). Alterations of p53, cyclin D1, Rb and H-ras in human oral carcinomas related to tobacco use. *Cancer*; 83: 204-212
- Xu, L., Corcoran, R.B., Welsh, J.W., Pennica, D., Levine, A.J. (2000). WISP-1 is a Wnt-1 and b- catenin responsive. *Genes Dev*; 14:585-595
- Yamada, T., Shimizu, T., Suzuki, M., Kihara-Negishi, F., Nanashima, N., Sakurai, T., Fan, Y., Akita, M., Oikawa, T and Tsuchida, S. (2008) Interaction between the homeodomain protein HOXC13 and ETS family transcription factor PU.1 and its implication in the differentiation of murine erythroleukemia cells. *Exp Cell Res*; 314: 847- 858.
- Yamada, T and Tsuchida, S. HOXC13 (homeobox C13). *Atlas Genet Cytogenet Oncol Haematol*. June 2009. URL: <http://AtlasGeneticsOncology.org/Genes/HOXC131D473ch12q13.html> (Retrieved on 20 Feb 2011)
- Yano, S., Kondo, K., Yamaguchi, M., Richmond, G., Hutchison, M., Wakeling, A., Averbuch, S and Wadsworth, P. (2003). Distribution and function of EGFR in human tissue and the effect of EGFR tyrosine kinase inhibition. *Anticancer Res*; 23: 3639-3650
- Yarden, Y. (2001). Biology of HER2 and its importance in breast cancer. *Oncology*; 61:1-13.
- Yeang, C.H. (2010). An integrated analysis of molecular aberrations in NCI-60 cell lines. *BMC Bioinformatics*; 11 (495): 1-18
- Yeh, K.T., Chang, J.G., Lin, T.H., Wang, Y.F., Tien, N., Chang, J.Y., Chen, J.C and Shih, M.C. (2003). Epigenetic changes of tumor suppressor genes, P15, P16, VHL and P53 in oral cancer. *Oncol Rep*; 10: 659-663
- Yokota, J and Sugumura, T. (1993). Multiple steps in carcinogenesis involving alteration of multiple tumor suppressor genes. *FASEB J*; 7: 920-925

- Yoshinaga, K., Yamashita, K., Mimori, K., Tanaka, F., Inoue, H and Mori, M. (2007). Activin A causes cancer cell aggressiveness in esophageal squamous cell carcinoma cells. *Ann Surg Oncol*; 15(1): 96-103
- Yu, W.H., Woessner, J.F Jr., McNeish, J.D., Stamenkovic, I. (2002). CD44 anchors the assembly of matrilysin/MMP7 with heparin-binding epidermal growth factor precursor and ErbB4 and regulates female reproductive organ remodeling. *Genes Dev*; 16(3):307-23
- Zain, R.B and Ghazali, N. (2001). A review of epidemiological studies of oral cancer and precancer in Malaysia. *Ann Dent Univ Malaya*; 8: 50-56
- Zain, R.B., Ikeda, N., Razak, I.A., Axell, T., Majid, Z.A., Gupta, P.C. (1997). A national epidemiological survey of oral mucosal lesions in Malaysia. *Community Dent. Oral Epidemiol*; 25: 377-383
- Zhang, L., Deng, M., Parthasarathy, R., Wang, L., Mongan, M., Molkenin, J.D., Zheng, Y and Xia, Y. (2005). MEKK1 transduces activin signals in keratinocytes to induce actin stress fiber formation and migration. *Mol Cell Biol*; 25(1): 60-65
- Zhao, E., Xu, J., Yin, X and Sun, Y. (2009). Detection of deregulated pathways to lymphatic metastasis in oral squamous cell carcinoma. *Pathol Oncol Res*; 15(2): 217-223
- zur Hausen, H. (1996). Full review Papillomavirus infections — a major cause of human cancers. *Biochimica et Biophysica Acta (BBA)*; 1228(2): F55-F78

Appendix:

Appendix 2.1



Thank You For Your Order!

Dear Vincent,

Thank you for placing your order through Copyright Clearance Center's Rightslink service. Elsevier has partnered with Rightslink to license its content.

Your order details and publisher terms and conditions are available by clicking the link below:

http://s100.copyright.com/CustomerAdmin/PLF.jsp?IID=2010091_1285252156789

Order Details

Licensee: vincent chong

License Date: Sep 23, 2010

License Number: 2514820172789

Publication: The Lancet

Title: Head and neck cancer

Type Of Use: reuse in a thesis/dissertation

Total: 0.00 USD

To access your account, please visit <https://myaccount.copyright.com>.

Invoices are issued daily and are payable immediately upon receipt.

To ensure we are continuously improving our services, please take a moment to complete our [customer satisfaction survey](#).

B.1:v4.2

+1-877-622-5543 / Tel: +1-978-646-2777
customercare@copyright.com
<http://www.copyright.com>



Appendix 2.1: Reprinted from Argiris *et al.* (2008) with permission.