

Bibliography

- Abdel-Rahim, E., Abdel-Fatah, O. M., Kabasse, M. I., El-Shemy, H. A., & Abd El-Samei, M. B. (1998). Growth of date palm callus as affected by growth regulators, sugars as carbon source and amino acids as organic nitrogen source. *Arab Journal of Biotechnology* , 1 (1), 99-106.
- Abu-Shanab, B., Adwan, G., Abu Safiya, D., Adwan, K., & Abu-Shanab, M. (2005) . Antibacterial activity of *Rhus coriaria*. L extracts growing in Palestine. *Journal Islam(Uni Gaza)* , 13 (2), 147-153.
- Ahloowalia, A. B. (1991). Somatic embryos in monocots: The genesis and genetic stability. *Revue de cytologie et de biologie végétales, Le Botaniste* , 14 (3-4), 223-235.
- Ahmad, A. S., Ahmad Ansari, M., Ahmad, M., Saleem, S., Yousuf, S., Nasrul Hoda, M., (2005). Neuroprotection by crocetin in a hemi-parkinsonian rat model. *Pharmacology Biochemistry and Behavior* , 81 (4), 805-813.
- Ahuja, A., Verma, M., & Grewal, S. (1982). Clonal propagation of *Ocimum* species by tissue culture. *Indian Journal of Experimental Biology* , 20, 455–458.
- Alam, F. M., Sinha, P., & Hakim, L. M. (2009). Micropropagation of *Vanda teres* (Roxb.) Lindle. In S. M. Jain, & S. J. Ochatt (Eds.), *Protocols for In Vitro Propagation of Ornamental Plants* (First ed., pp. 21-33). New York, USA: Humana Press.
- Al-Amin, M. D., Karim, M. R., Amin, M. R., Rahman, S., & Mamun, A. N. (2009). *In Vitro* Micropropagation of Banana (*Musa* spp.). *Bangladesh Journal of Agriculture* , 34 (4), 645-659.
- Ali, A. M., El-Sharkawy, S. H., & Hamid, J. A. (1995). Antimicrobial Activity of Selected Malaysian Plants. *Asian Journal of Agricultural Research* , 57-61.
- Ali, A., Naz, S., & Iqbal, J. (2007). Effect of different explants and media compositions for efficient somatic embryogenesis in sugarcane (*Saccharum officinarum*). *Pakistan Journal of Botany* , 39 (6), 1961–1977.
- Al-Juboory, K. H., Skirvin, R. M., & Williams, D. J. (1998). Callus induction and adventitious shoot regeneration of gardenia (*Gardenia jasminoides* Ellis) leaf explants. *Scientia Horticulturae* , 72, 171-1788.
- Amin, M. N., Rahman, M. M., & Manik, M. S. (2003). In vitro Clonal Propagation of *Paederia foetida* L.- A Medicinal Plant of Bangladesh. *Plant Tissue Culture* , 13 (2), 117-123.
- Ananthi, P., Ranjitha Kumar, B. D., & Ramachandran, A. (2011). *In vitro* propagation of *Rorippa indica* L. from nodal and shoot tip explants. *International Journal for Biotechnology and Molecular Biology Research* , 2 (3), 51-55.
- Aqil, F., Ahmad, I., & Mehmood, Z. (2006). Antioxidant and free radical scavenging properties of twelve traditionally used Indian medicinal plants. *Turkish Biology* , 30 (3), 177-183.

- Arnold, V. S., Sabala, I., Bozhkov, P., Dyachok, J., & Filonova, L. (2002). Developmental pathways of somatic embryogenesis. *Plant Cell Tissue Organ Culture* , 69, 233–249.
- Arora, R., & Bhojwani, S. S. (1989). In vitro propagation and low temperature storage of *Saussurea lappa*. *Plant Cell Reports* , 8 (1), 44–47.
- Aruna, P., Fred, R., & Eugene, M. (2001). Antioxidant Activity. *Medallion Laboratories Analytical Progress* , 19 (1), 1-4.
- Asaka, I., Li, I., Hirotsu, M., Asada, Y., & Furuya, T. (1993). Production of ginsenoside saponins by culturing ginseng (*Panax ginseng*) embryogenic tissues in bioreactors. *Biotechnology Letters* , 15 (12), 1259-1264.
- Ates, A. D., & Erdorul, Ö. T. (2003). Antimicrobial Activities of Various Medicinal and Commercial Plant Extracts. *Turkish Journal Biology* , 27 (3), 157-162.
- Baksha, R., Akhter Jahan, M., Khatun, R., & Munshi, J. L. (2005). Micropropagation of *Aloe barbadensis* Mill. through *in vitro* Culture of Shoot tip Explant . *Plant Tissue Culture & Biotech* , 15 (2), 121-126.
- Bank, W. (2004). *Sustaining Forests A Development Perspective*. . Washington, D.C, US: World Bank.
- Barbara, R., Carlo, M., & Marco, S. (2010). *In Vitro* Propagation of Ornamental Myrtus (*Myrtus communis*). In Ochatt, S., Mohan, J.& Sergio, J., *Protocols for In Vitro Propagation of Ornamental Plants* (pp. 259-260). New york, USA: Humana Press.
- Barna, K. S., & Wakhlu, A. K. (1988). Axillary shoot induction and plant regeneration in *Plantago ovata* Forssk. *Plant Cell Tissue and Organ Culture* , 15, 169–173.
- Baruah, A., Sarma, D., Saud, J., & Singh, R. S. (2001). *In vitro* regeneration of *Hypericum patulum* Thunb. a medicinal plant. *Indian Journal of Experimental Biology* , 39 (9), 947-949.
- Basri, D. F., & Fan, S. H. (2005). The potential of aqueous and acetone extracts of galls of *Quercus infectoria* as antibacterial agents. *Indian Journal of Pharmacology* , 37 (1), 26-29.
- Behbahani, M., Shanehsazzadeh, M., & Hesami, M. J. (2011). Optimization of callus and cell suspension cultures of *Barringtonia racemosa* (Lecythidaceae family) for lycopene production. *Scientia Agricola* , 68 (1), 69-76.
- Benjamin, B. D., Roja, P. C., Heble, M. R., & Chadha, M. S. (1987). Multiple shoot cultures of *Atropa belladonna*: effect of physicochemical factors on growth and alkaloid formation. *Plant Physiology* , 129 (1-2), 129–135.
- Beruto, M. (2010). *In vitro* Propagation Through Axillary Shoot Culture of *Ranunculus asiaticus* L. In M. S. Jain, & S. J. Ochatt (Eds.), *Protocols for In Vitro Propagation of Ornamental Plants* (pp. 29-35). New york -USA: Humana Press.

- Bhansali, R. R., & Singh, M. (2000). Somatic embryogenesis in fruit and forest of arid zone. In M. S. Jain, P. K. Gupta, & R. J. Newton (Eds.), *Somatic embryogenesis in woody plants* (second ed., Vol. 6, pp. 141-169). Netherlands: Kluwer Academic Publisher- Springer.
- Bhattacharya, S., & Bhattacharyya, S. (2010). In Vitro Propagation of *Jasminum officinale* L. In S. M. Ochatt, Jain, S. Mohan, Ochatt, & J. Sergio (Eds.), *Protocols for In Vitro Propagation of Ornamental Plants* (First ed., pp. 117-123). New York, USA: Humana Press.
- Bhojwani, S. S., & Razdan, M. K. (1996a). Cell culture. In S. S. Bhojwani, & M. K. Razdan, *Plant Tissue Culture: Theory and practice* (Revised ed., pp. 63-65). Amsterdam, Netherland: Elsevier.
- Bhojwani, S. S., & Razdan, M. K. (1996b). History. In S. S. Bhojwani, & M. K. Razdan, *Plant Tissue Culture: Theory and practice* (Revised ed., pp. 7-15). Amsterdam, Netherland: Elsevier.
- Bhojwani, S. S., & Razdan, M. K. (1996c). Somatic Embryogenesis. In S. S. Bhojwani, & M. K. Razdan, *Plant Tissue Culture, Theory and practice* (pp. 125-150). Amsterdam, Netherland: Elsevier.
- Ball, E., Joshi P. C. (1965). Divisions in isolated cells of palisade parenchyma of *Arachis hypogaea*. *Nature*, July 10; 207(993): 213–214.
- Bozhkov, P. V., Filonova, L. H., & Arnold, S. v. (2002). A key developmental switch during Norway spruce somatic embryogenesis is induced by withdrawal of growth regulators and is associated with cell death and extracellular acidification. *Biotechnology and Bioengineering*, 77 (6), 658–667.
- Carvalho, V., Melo, V. M., Aguiar, A., & Matos, F. S. (1988). Toxicity evaluation of medicinal plant extracts by the brine shrimp (*Arthenus salina* Leah) bioassay. *Ciência e Cultura*, 40, 1109-1111.
- Chanda, S., & Dave, R. (2009). *In vitro* models for antioxidant activity evaluation and some medicinal plants possessing antioxidant properties : An overview. *African Journal of Microbiology Research*, 3 (13), 981-996.
- Chaturvedi, H. C., Jain, M., & Kidwai, N. R. (2007). Cloning of medicinal plants through tissue culture. *Indian Journal of Experimental Biology*, 45 (11), 937-948.
- Chen, L. J., Hu, T. W., & Huang, L. C. (1995). A protocol toward multiplication of the medicinal tree, *Eucommia ulmoides* Oliver. *In Vitro Cellular & Developmental Biology. Plant*, 31 (4), 193–198.
- Chen, Y., Zhang, H., Li, Y.-X., Cai, L., Huang, J., Zhao, C. (2010). Crocin and geniposide profiles and radical scavenging activity of gardenia fruits (*Gardenia jasminoides* Ellis) from different cultivars and at the various stages of maturation. *Fitoterapia*, 81 (4), 269–273.
- Chen, Y., Zhang, H., Tian, X., Zhao, C., Cai, L., Liu, Y. (2008). Antioxidant potential of crocins and ethanol extracts of *Gardenia jasminoides* ELLIS and *Crocus sativus* L.: A relationship

investigation between antioxidant activity and crocin contents. *Food Chemistry* , 109 (3), 484-492.

Chiang, H. C., Lo, Y. J., & Lu, F. J. (1994). Xanthine Oxidase Inhibitors from the Leaves of *Alsophila Spinulosa* (HOOK) Tryon. *Enzyme Inhibition* , 8 (1), 61-71.

Chinnamadasamy, K., Veerabahu, R. M., & Arjunan, D. (2010). Effect of Auxin and Cytokinin on Vincristine Production by Callus Cultures of *Catharanthus Roseus* L. (Apocynaceae). *Tropical and Subtropical Agroecosystems* , 12 (2), 283 - 288 .

Choi, S. J., Kim, M. J., Heo, H. J., Hong, B., Cho, H. Y., Kim, Y. J. (2007). Ameliorating Effect of *Gardenia jasminoides* Extract on Amyloid Beta Peptide-induced Neuronal Cell Deficit. *Molecules and Cells* , 24, 113-118.

Choudhar, A. B., Nazim, S., Gomase, P., Zakaria, P., Moshin, K., Nadim, P. (2011). Phytochemical screening and evaluation of antimicrobial activity of *Acacia nilotica* leaves. *Pharmaceutical Research & Development* , 3 (5), 1-7.

Chuenboonngarm, N., Charoonsote, S., & Bhamarapravati, S. (2001). Effect of BA and 2iP on Shoot Proliferation and Somaclonal Variation of *Gardenia jasminoides* Ellis *in vitro* Culture. *Science And Technology* , 27, 137-141.

Cohen, M. L. (1992). Epidemiology of drug resistance: implications for a post-antimicrobial era. *Science* , 257 (5073), 1050-1055.

Cos, P., Ying, L., Calomme, M., Hu, J. P., Cimanga, K., Van Poel, B. (1998). Structure–activity relationship and classification of flavonoids as inhibitors of xanthine oxidase and superoxide scavengers. *Journal of Natural Products* , 61, 71-78.

Cruz, F. G., Roque, N. F., Giesbrecht, A. M., & Davino, S. C. (1996). Antibiotic activity of diterpenes from *Mikania triangularis*. *Fitoterapia* , 67, 189-190.

Debnath, T., Park, P.-J., Deb, N. C., Samad, N. B., Park, H. W., & Lim, B. O. (2011). Antioxidant activity of *Gardenia jasminoides* Ellis fruit extracts. *Food Chemistry* , 128 (3), 697–703.

Devasagayam, T. P., Tilak, J. C., Boloor, K. K., Sane, K. S., Ghaskadbi, S. S., & Lele, R. D. (2004). Free radicals and antioxidants in human health: current status and future prospects. *Association of Physicians of India* , 52, 794-804.

Dharmananda, S. (2003). *Key Herb for Dispelling Dampness and Heat Via the Triple Burner*. Portland, Oregon: Institute for Traditional Medicine.

Dodds, J. H., & Lorin, R. W. (1995). Culture plant cells, Tissue and Organs. In J. H. Dodds, & R. W. Lorin, *Experiment in plant tissue culture* (pp. 3-6). New york, USA: Press Syndicate.

Dos Santos, W. G., Pacheco, I., Liu, M.-Y., Teixeira, M., Xavier, A. V., & Le Gall, J. (2000). Purification and Characterization of an Iron Superoxide Dismutase and a Catalase from the Sulfate-Reducing Bacterium *Desulfovibrio gigas*. *Journal of Bacteriology* , 182 (3), 796-804.

- Duhoky, M. M., & Rasheed, K. A. (2010). Effect of Different Concentrations of Kinetin and NAA on Micropropagation of *Gardenia jasminoides*. *Journal of Zankoy Sulaimani* , 13 (1), 103-120.
- Dumitrescu, R. (2002). The Variation of the Assimilating Pigments Content in *Gardenia Jasminoides* (Ellis) H .Br. Callus under Action of Spermidine Exogenous added. *Romanian Biology - Plant Biology* , 47 (1-2), 19-26.
- Dziezak, J. D. (1986). Preservatives: Antioxidants: The ultimate answer to oxidation. *Food Technology* , 40- 94.
- Economou, A. S., & Spanoudaki, M. J. (1986a). *In vitro* propagation Gardenia. *Scientia horticulturae*, 20 (155-161), 213-220.
- Economou, A. S., & Spanoudaki, M. J. (1986b). The influence of cytokinin and gibberellic acid on Gardenia tissue cultures. *Scientia horticulturae* , 29 (1), 155–161.
- Edreva, A., Velikova, V., Tsonev, T., Dagnon, S., Gürel, A., & Aktaş, K. a. (2008). Stress-Protective Role of Secondary Metabolites: Diversity of Functions and Mechanisms. *plant of Physiology* , 34 (1-2), 67-78.
- Edwards, Gerald, E., Black, Clanton, C., Jr. (1971). Isolation of Mesophyll Cells and Bundle Sheath Cells from *Digitaria sanguinalis* (L.) Scop. Leaves and a Scanning Microscopy Study of the Internal Leaf Cell Morphology. *Plant Physiology*. January; 47(1): 149–156.
- Eeckhaut, T., Janssens, K., Keyser, E. D., & Riek, J. D. (2010). Micropropagation of Rhododendron. In S. M. Jain, & S. J. Ochatt (Eds.), *Protocols for In Vitro Propagation of Ornamental Plants, Methods in Molecular Biology* (Vol. 589). Helsinki, Finland: Humana Press.
- Emons, A. M. (1994). Somatic embryogenesis: cell biological aspects. *Acta botanica Neerlandica* , 43, 1-14.
- Enieux G-C, Van Beekt T (1997). Production of ginkgolide and bilobalide in transformed and gametophyte derived cell cultures of *Ginkgo biloba*. *Phytochemistry* (46),127-130
- Endress, P. K. (1994). Diversity and Evolutionary Biology of Tropical Flowers. In P. K. Endress, *Introduction* (pp. 1-8). Melbourne, Australia: Cambridge University Press.
- Ereky, K. (1919): Biotechnologie der Fleisch-, Fett- und Milcherzeugungim, *landwirtschaftlichen Grosbetriebe*. Verlag Paul Parey, Berlin, VII. 84.
- Fan, Y., Ge, Z. f., & Luo, A. (2011). In vitro antioxidant activity of polysaccharide from *Gardenia jasminoides* Ellis . *Medicinal Plants Research* , 5 (14), 2963-2968.
- Faria, R. T., & Illg, R. D. (1995). Micropropagation of *Zingiber spectabile* Griff. *Scientia Horticulturae* , 62 (1), 135–137.
- Filonova, L. H., Bozhkov, P. V., & Arnold, S. V. (2000). Developmental pathway of somatic embryogenesis in *Picea abies* as revealed by time-lapse tracking. *Experimental Botany* , 51 (343), 249–264.

- Flamini, G., Cioni, P. L., Puleio, R., Morelli, I., & Panizzi, L. (1999). Antimicrobial activity of the essential oil of *Calamintha nepeta* and its constituent Pulegone against bacteria and fungi. *Phytotherapy research* , 13 (4), 349-351.
- Fuentes, S. I., Suarez, R., Villegas, T., Acero, L. C., & Hernandez, G. (1993). Embryogenic response of *Mexican alfalfa (Medicago sativa)* varieties. *Plant Cell Tissue and Organ Culture* , 34, 299–302.
- Gamborg, O. L., Murashige, T., Thorpe, T. A., & Vasil, I. K. (1976). Plant tissue culture media. *In Vitro Cellular & Developmental Biology - Plant* , 12 (7), 473–478.
- Gautheret RJ. 1985. History of plant tissue and cell culture: A personal account. In: Vasil IK, ed. *Cell culture and somatic cell genetics of plants*, Vol. 2. New York: Academic Press, 1–59.
- Gautam, V. K., Nanda, K., & Gupta, S. C. (1993). Development of shoots and roots in anther-derived callus of *Azadirachta indica* A.Juss.: a medicinal tree. *Plant Cell Tissue and Organ Culture* , 34, 13–18.
- George, E. F., & De Klerk, G.-J. (2008b). The Components of Plant Tissue Culture Media I : Macro- and Micro-Nutrients. In E. F. George, M. A. Hall, & G.-J. De Klerk (Eds.), *Plant Propagation by Tissue Culture 3rd Edition Volume 1. The Background* . pp: 60-68. Dordrecht, Netherland: Springer.
- George, E. F., De Klerk, G. J., & Hall, M. A. (Eds.). (2008a). *Plant Propagation by Tissue Culture 3rd Edition Volume 1. The Background*. pp: 1-35. Dordrecht, Netherland: Springer.
- George, P. S. (1995). *In vitro multiplication of Gardenia jasminoides*. Mysore: Central food technological research institute of India.
- George, P. S., & Ravishankar, C. A. (1995). Induction of crocin and crocetin in callus cultures of *Gardenia jasminoides* Ellis. *Food Biotechnology* , 9 (1-2), 29-38.
- George, P. S., Ravishankar, C. A., & Venkatarman, L. V. (1993). Clonal multiplication of *Gardenia jasminoides* Ellis through axillary bud culture. *Plant Cell culture* , 13 (1), 59–62.
- Geier, T. (1986). Factors affecting plant regeneration from leaf segments of *Anthurium scherzerianum* Schott cultured *in vitro*. *Plant Cell Tissue and Organ Culture* , (6), 115-125.
- Giovanni Giuliano, S. A.-B. (2003). Carotenoid oxygenases: cleave it or leave it. *Plant Science* , 8 (4), 145-147.
- Godo, T., Lu, Y., & Mii, M. (2010). Micropropagation of *Lysionotus pauciflorus* Maxim. (Gesneriaceae). In M. S. Jain, & S. J. Ochatt (Eds.), *Protocols for In Vitro Propagation of Ornamental Plants, Methods in Molecular Biology* (Vol. 589, pp. 126-139). Helsinki, Finland: Humana Press, a part of Springer Science.
- González-Rábade, N., Badillo-Corona, J. A., Aranda-Barradas, J. S., & Oliver-Salvador, M. D. (2011). Production of plant proteases *in vivo* and *in vitro* — A review. *Biotechnology Advances* , 29, 983–996.

- Green, P. S. (1965). The name Jasmine. *A continuation of the Bulletin of popular Information of The Arboretum, Harvard University*. Arnolda, USA: Harvard University.
- Gupta, P. K., & Durzan, D. J. (1987). Biotechnology of somatic polyembryogenesis and plantlet regeneration in loblolly pine. *BioTechnology*, 5 (2), 147- 151.
- Hamilton, A., Dürbeck, K., & Lawrence, A. (2006). Towards a sustainable harvest: a work in hand. *Plant Talk*, 43, 32-35.
- Hammer, K. A., Carson, C. F., & Riley, T. V. (1999). Antimicrobial activity of essential oils and other plant extracts. *Applied Microbiology*, 86 (6), 985-990.
- Harisha, S. (2007). Tissue Culture Techniques. In S. Harisha, *Biotechnology Procedures and Experiments Handbook* (pp. 480-500). New Delhi, India: David F. Pallai.
- Hatzilazarou, S. P., Syros, T. D., Yupsanis, T. A., Bosabalidis, A. M., & Economou, A. S. (2006). Peroxidases, lignin and anatomy during *in vitro* and *ex vitro* rooting of gardenia (*Gardenia jasminoides* Ellis) microshoots. *Plant Physiology*, 163 (8), 827—836.
- Helgeson, J. P., & Upper, C. D. (1970). Modification of Logarithmic Growth Rates of Tobacco Callus Tissue by Gibberellic Acid. *Plant Physiology*, 46, 113-117.
- Hilltunen, R., & Holm, Y. (1999). Basil the genus of *Ocimum*. In R. Hilltunen, & Y. Holm (Eds.), *Essential Oil for Ocimum* (pp. 77-111). Amsterdam, The Netherland: Harwood Academic Publisher.
- Hiraoka, N., Bhatt, I. D., Sakurai, Y., & Chang, J. I. (2004). Alkaloid production by somatic embryo cultures of *Corydalis ambigua*. *Plant Biotechnology*, 21 (5), 361–366.
- Hsin-Sheng, T. (2004). *In vitro* propagation of some important chinese medicinal plants and their sustainable usage. *In Vitro Cellular Developmental Biology Plant*, 40 (2), pp. 143-154.
- Huang, C. L., Hsieh, M. T., Hsieh, W. C., Sagare, A. P., & Tsay, H. S. (2000). *In vitro* propagation of *Limonium wrightii* (Hance) Ktze. (Plumbaginaceae), an ethnomedicinal plant, from shoot-tip, leaf- and inflorescence-node explants. *In Vitro Cellular Developmental Biology Plant*, 36 (3), 220-224.
- Huang, L., & Murashige, T. (1977). Plant tissue culture media: major constituents; their preparation and some applications. *Tissue Culture Assoc Manual*, 3, 539–548.
- Hunter, C. S. (1988a). *Cinchona* spp. micropropagation, and the *in vitro* production of quinine and quinidine. In Y. P. Bajaj (Ed.), *Medicinal and Aromatic Plants 4 (Biotechnology in Agriculture and Forestry)* (1 ed., Vol. 4, pp. 367–387). New York, USA: Springer.
- Hunter, C. S. (1979 b). *In vitro* culture of *Cinchona ledgeriana* L. *Horticultural Science & Biotechnology*, 54 (2), 111–114.
- Hutchinson, W. A. (1980). *Plant Propagation and Cultivation*. Cincinnati, Ohio, USA: Westport, Conn.

- Hwang, S. M., Lee, Y. J., Yoon, J. J., & Lee, S. M. (2010). *Gardenia jasminoides* Inhibits Tumor Necrosis Factor- α -Induced Vascular Inflammation in Endothelial Cells. *Phytotherapy Research* , 24-26.
- Izzo, A. A., Di Carlo, G., Biscardi, D., Fusco, R., Mascolo, N., Borrelli, F. (1995). Biological screening of Italian medicinal plants for antibacterial activity. *Phytotherapy Research* , 9, 281-286.
- Jain, M. S., & Gupta, P. K. (2005). *Protocol for Somatic Embryogenesis in Woody Plants (Forestry Sciences)* (Fifth ed.). Netherlands: Springer.
- Jamal, P., Barkat, A. A., & Amid, A. (2010). Distribution of Phenolic in Various Malaysian Medical Plant. *Journal of Applied Sciences* , 10, 2658-2662.
- Janssen, A. M., Sheffer, J. C., & Svendsen, B. (1987). Antimicrobial activity of essential oils, a 1976-1985 literature review aspects on the test methods. *Plant Medica* , 53 (5), 395-398.
- Joshi PC. (1968). Growth of isolated palisade cells of *Arachis hypogaea* *in vitro*. *Dev Biol* ,Mar;17(3):308-325
- Judith, S. (2000). The Natural History of Medical Plant. In s. Judith, *The Natural History of Medical Plant* (pp. 17- 18). portland: Cambridge.
- Kaladhar, D. S., Harasreeramulu, S., Duddukuri, G. R., & Surekha, C. H. (2011). *In Vitro* Regeneration of the Medicinal Herb, *Evolvulus nummularius* L. From Shoot Tip and Flower Explants. *Indian Journal of Fundamental and Applied Life Sciences* , 1 (2), 81-89.
- Karl, H. N., Ashwani, K., & Imani, J. (2009a). Secondary Metabolism. In H. N. Karl, K. Ashwani, & J. Imani, *Plant Cell Cultures and Pharmaceuticals*. In H. N. Karl, K. Ashwani, & J. Imani, *Plant Cell and Tissue Culture, A Tool in Biotechnology* (pp. 197-205). Berlin, Germany: Springer-Verlag.
- Karl, H. N., Ashwani, K., & Imani, J. (2009b). Secondary Metabolism. In H. N. Karl, K. Ashwani, & J. Imani, *Plant Cell and Tissue Culture A Tool in Biotechnology Basics and Application* (pp. 183-189). Berlin, Germany: Springer-Verlag Berlin Heidelberg.
- Kende, H. (1989). Enzymes of ethylene biosynthesis. *Plant Physiology* , 91 (1), 1-4.
- Keswick, M., Jencks, CH. & Hardie, A. (2003). *The Chinese Garden* (second Ed.). London: Frances Lincoln. pp. 63-64&205.
- Khalaf, N. A., Shakya, A. K., Al-Othman, A., El-Agbar, Z., & Farah, H. (2008). Antioxidant Activity of Some Common Plants. *Turkish Biology* , 32 (1), 51-55.
- Khalafalla, M. M., Daffalla, H. M., El-Shemy, H. A., & Abdell Atef, E. (2009). Establishment of *in vitro* fast-growing normal root culture of *Vernonia amygdalina* - a potent African medicinal plant. *African Journal of Biotechnology* , 8 (21), 5952-5957.
- Khorasani, A., Sani, W., Philip, K., Taha, R. M., & Rafat, A. (2010). Antioxidant and antibacterial activities of ethanolic extracts of *Asparagus officinalis* cv. Mary Washington:

Comparison of *in vivo* and *in vitro* grown plant bioactivities. *African Journal of Biotechnology* , 9 (49), 8460-8466.

King, P. J. (1984). Inuction and Maintenance of Cell suspension Culture. In I. k. Vasil, *Cell culture and Somatic Cell Genetics of Plants Vol.1, Laboratory Procedures and Their Applications* (pp. 130-138). Orlando, USA: Academic Press, INC.

Knorr, D. (1989). Plant Cells for Secondary Metabolite Production. In D. Knorr, *Biocatalysis in Agricultural Biotechnology* (pp. 65–80). Berlin, Germany: American Chemical Society.

Komal, R. (2011). Effect of BAP and IAA on callus formation and plant regeneration in pointed gourd. *Biotechnology, Bioinfo and Bioengineering* , 1 (1), 59-62.

Kone, W. M., Atindehou, K. K., Terreaux, C., Hostettmann, K., Traore, D., & Dosso, M. (2004). Traditional medicine in North Cote-d'Ivoire: screening of 50 medicinal plants for antibacterial activity. *Ethnopharmacol* , 93, 43-49.

Kotoky, J., & Das, P. N. (2008). Medicinal plants used for liver diseases in some parts of Kamrup district of Assam, a North Eastern State of India. *Fitoterapia* , 79 (5), 384-387.

Koul, O. (2004). Neem: Today and in the new millennium. In O. Koul, & S. Wahab, *Neem: A Global Perspective* (pp. 1-19). Dordrecht, Netherland: Kluwer Academic, Springer.

Kubota, H., Sato, K., Yamada, T., & Maitani, T. (1995). Phytochelatins (class III metallothioneins) and their desglycyl peptides induced by cadmium in normal root cultures of *Rubia tinctorum* L. *Plant Science* , 106 (2), 157-166.

Kumar, A., & Shekhawat, N. S. (2009). Their role in improving crop productivity. In A. Kumar, & N. S. Shekhawat, *Plant tissue culture and molecular markers*. New Delhi, India: I.K. International,.

Kuratsune, H., Umigai, N., Takeno, R., Kajimoto, Y., & Nakano, T. (2010). Effect of crocetin from *Gardenia jasminoides* Ellis on sleep: A pilot study. *Phytomedicine international journal of phytotherapy and phytopharmacology* , 17 (11), 840–843.

Kyte, L., & Kleyn, J. G. (1996). The Basic of Tissue Culture. In L. Kyte, & J. G. Kleyn, *Plant from Test Tubes* (pp. 31-34). Oregon, USA: Timber Press.

Ładyżyński, M., & Rybczyński, J. J. (2009, September 9-11). Regeneration of *Gentiana cruciata* from *in vitro* shoot tip culture. *Poster* , 51. Poznań, Poland: Acta Biologica Crcoviensia Series Botanica.

Lal, N., Ahuja, P. S., Kukreja, A. K., & Pandey, B. (1988). Clonal propagation of *Picrorhiza kurroa* Royle ex Benth. By shoot tip culture. *Plant Cell Reports* , 7 (3), 202–205.

Lee, S.-J., Oh, P.-S., Koa, J.-H., Limb, K., & Lim, K.-T. (2006). Glycoprotein isolated from *Gardenia jasminoides* Ellis has a scavenging activity against oxygen radicals and inhibits the oxygen radical-induced protein kinase C alpha and nuclear factor-kappa B in NIH/3T3 cells. *Environmental Toxicology and Pharmacology* , 21 (1), 8-21.

- Lelono, R. A., Tachibana, S., & Itoh, S. (2009). Isolation of Antifungal Compound from *Gardenia jasminoides*. *Pakistan Journal of Biological Science* , 12 (13), 949-951.
- Lemma, A. (1991). The Potentials and Challenges of Endod, the Ethiopian Soapberry Plant for Control of Schistosomiasis. *Science in Africa: Achievements and Prospects, American Association for the Advancement of Sciences (AAAS)* . , 2-4.
- Lièvrea, K., Hehna, A., Trana, T. L., Gravota, A., Thomassetb, B., Bourgauda, F. (2005). Genetic transformation of the medicinal plant *Ruta graveolens* L by an Agrobacterium tumefaciens-mediated method. *Plant Science* , 168 (4), 883-888.
- Linsmaier, E. M., & Skoog, F. (1965). Organic Growth Factor Requirements of Tobacco Tissue Cultures. *Physiologia Plantarum* , 18 (1), 100–127.
- liu, F., Ooi, V. E., & Chang, S. T. (1997). Free radical scavenging activities of mushroom polysaccharide extracts. *Life Science* , 60 (10), 763-771.
- Liu, Z., & Li, Z. (2001). Micropropagation of *Camptotheca acuminata* Decaisne from Axillary Buds, Shoot Tips, and Seed Embryos in a Tissue Culture System. *In Vitro Cellular & Developmental Biology* , 37 (1), 84-88.
- Lloyd, G., & Mc Cown, B. (1980). Commercially feasible micropropagation of mountain laurel (*Kalmia latifolia*) by use of shoot tip cultures. *Proceedings of International Plant Propagator's Society* , 30, 421–426.
- Lu, C. Y. (1993). The use of thidiazuron in tissue culture. *In Vitro Cell culture* , 29, 92-96.
- Machakova, I., Zazimalova, E., & George, E. F. (2008). Plant Growth Regulators I: Introduction; Auxin, their Analogues and Inhibitors. In E. F. George, M. A. Hall, & G.-J. D. Klerk, *Plant Propagation by Tissue Culture* (pp. 187-194). Dordrecht, The Netherlands: Springer.
- Magesh, V., Vijaya Singh, J. P., & Sakthisekaran, D. (2006). Antitumour activity of crocetin in accordance to tumor incidence, antioxidant status, drug metabolizing enzymes and histopathological studies. *Molecular and Cellular Biochemistry* , 287 (1-2), 127-135.
- Manning, F. C., & Hugh, D. (2000). Science, Ethics and gender. In R. M. Alan, & J. Vogle, *The international politics of biotechnology: investigating global futures* (Vol. Volume 1, pp. 1- 30). Manchester, UK: Manchester University.
- Mantle, D., Eddeb, F., & Pickering, A. T. (2000). Comparison of relative antioxidant activities of British medicinal plant species *in vitro*. *Journal of Ethnopharmacology* , 72 (1-2), 47–51.
- Mao, A. H., Wetten, A., Fay, M., & Caligari, P. D. (1995). *In vitro* propagation of *Clerodendrum colebrookianum* Walp; a potential natural anti-hypertension medicinal plant. *Plant Cell Reports* , 14 (8), 493–496.
- Martin, F. W., & Gaskins, M. H. (1968). *Cultivation of the sapogenin bearing Dioscorea species*. (U. D. Agriculture, Ed.) Washington, Washington, USA: Agricultural Research Service.

- Matos, F. J., Aguiar, L. M., & Silva, M. G. (1988). Chemical constituents and antimicrobial activity of *Vatairea macrocarpa* Ducke. *Acta Amazonica* , 18, 351-352.
- Meena, M. C., Meena, R., & Patni, V. (2010). High frequency plant regeneration from shoot tip explants of *Citrullus colocynthis* (Linn.) Schrad. – An important medicinal herb. *African Journal of Biotechnology* , 9 (31), 5037-5041.
- Meyer, M. M. (1982). *In vitro* propagation of *Rhododendron catawbiense* from flower buds. *Hort Science*, 17, 891–892.
- Miszalski, Z., Kornas, A., Gawronska, K., Ślesak, I., E Niewiadomska, K. J., Christian, A. L. (2007). Superoxide dismutase activity in C3 and C3/CAM intermediate species of *Clusia*. *Biologia Plantarum* , 51 (1), 86-92.
- Mizukami, H., Hirano, A., & Oashi, H. (1987). Effect of Substituent Groups on the Glucosyl Conjugation of Xenobiotic Phenols by Cultured Cells of *Gardenia jasminoides*. *Plant Science* , 48, 11-15.
- Møretrø, T., Sonerud, T., Mangelrød, E., & Langsrud, S. (2006). Evaluation of the antibacterial effect of a triclosan-containing floor used in the food industry. *Journal Of Food Protection* , 69 (3), 627-633.
- Mortensen, A. (2006). Carotenoids and other pigments as natural colorants. *Pure Apply Chemical* , 78 (8), 1477–1491.
- Moshkov, I. E., Novikova, G. V., Hall, M. A., & George, E. F. (2008). Plant Growth Regulators III: Gibberellins, Ethylene, Abscisic Acid, their Analogues and Inhibitors; Miscellaneous Compounds. In E. F. George, M. A. Hall, & G.-J. D. Klerk, *Plant Propagation by Tissue Culture* (pp. 280-290). Dordrecht, The Netherlands: Springer.
- Murashige, T. (1977). Manipulation of organ culture in plant tissue cultures. *Academy Sinica* , 18, 1–24.
- Murashige, T., & Skoog, F. (1962). A revised medium for rapid growth and bioassays with Tobacco cultures. *Plant Physiology* , 15, 473–497.
- Nakagawa, K. Y., Miura, H., & Tabata, M. (1982). Clonal propagation of medicinal plants through the induction of somatic embryogenesis from the cultured cells. In A. In Fujiwara, A *Plant Tissue Culture* (pp. 701-702). Tokyo, Japan: Maruzen.
- Namasivayam, P. (2007). Acquisition of embryogenic competence during somatic embryogenesis. *Plant Cell Tissue and Organ Culture* , 90 (1), 1-8.
- Nascimento, G. G., Locatelli, J., Freitas, P. C., & Silva, G. L. (2000). Antibacterial Activity of Plant Extracts and Phytochemicals on Antibiotic resistant Bacteria. *Brazilian Journal of Microbiology* , 31, 247-256.
- Nascimento, S. C., Chiappeta, A., & Lima, R. M. (1990). Antimicrobial and cytotoxic activities in plants from Pernambuco, Brazil. *Fitoterapia* , 61 (4), 353-355.

- Neal, M. C. (1965). *Coffee family*. Lancaster, Pennsylvania, USA: Bernice Pauahi Museum.
- O'Sullivan, A. M., O'Callaghan, Y. C., O'Grady, M. N., Queguineur, B., Hanniffy, D., Troy, D. J. (2011). In vitro and cellular antioxidant activities of seaweed extracts prepared from five brown seaweeds harvested in spring from the west coast of Ireland. *Food Chemistry* , 126 (3), 1064–1070.
- Ochiai, T., Soeda, S., Ohno, S., Tanaka, H., Shoyama, Y., & Shimeno, H. (2004). Crocin prevents the death of PC-12 cells through sphingomyelinase-ceramide signaling by increasing glutathione synthesis. *Neurochemistry International* , 44 (5), 321-330.
- Oktay, M., Gülçin, İ., & Küfrevioğlu, İ. Ö. (2003). Determination of *in vitro* antioxidant activity of fennel (*Foeniculum vulgare*) seed extracts. *Food Science and Technology* , 36 (2), 263-271.
- Pandeya, K., Tiwari, K. N., Singh, J., Verma, J. P., & Du, S. D. (2010). In vitro propagation of *Clitoria ternatea* L.: A rare medicinal plant. *Journal Of Medicinal Plants* , 4 (8), 664-668.
- Pant, K. K., & Joshi, S. D. (2009). *In vitro* Multiplication of Wild Nepalese *Asparagus racemosus* Through Shoots and Shoot Induced Callus Cultures. *Botany Research International* , 2 (2), 88-93 .
- Pati, U. S., & Kurade, N. P. (2005). *Antibacterial screening methods for evaluation of natural products*. Indian Veterinary Research Institute. Palampur (HP): Regional Station,.
- Pham, T. Q., Cormier, F., Farnworth, E., Tong, V. H., & Calsteren, M.-R. V. (2000). Antioxidant Properties of Crocin from *Gardenia jasminoides* Ellis and Study of the Reactions of Crocin with Linoleic Acid and Crocin with Oxygen. *Journal of Agricultural and Food Chemistry* , 48 (5), 1455–1461.
- Philip, V. A. (1984). Induction, Maintenance, and Manipulation of Development in embryogenic Cell Suspension Culture. In, In K. I. Vasil, *Cell culture and Somatic Cell Genetics of Plants* (Vol. 1. Laboratory Procedures and Their Applications, pp. 139-151). Orlando, USA: Academic Press.
- phytotechlab. (2011). *PhytoTechnology Laboratories*. Retrieved Oct 25, 2011, from PhytoTechnology Laboratories: <http://www.phytotechlab.com/pdf/PlantGrowthRegulatorsII.pdf>
- Pierik, R. L. (1997). History. In R. L. Pierik, *In vitro culture of higher plants* (pp. 3-5). Dordrech, Netherland: Kluwer Academic Publisher.
- Pontikis, C. A. (1983). *In vitro* propagation of *Gardenia jasminoides*. *Plant Propagation* , 13-14.
- Pradel, H., Dumkelehmman, U., Diettrich, B., & Luckner, M. (1997). Hairy root cultures of *Digitalis lanata*. Secondary metabolism and plant regeneration. *Plant Physiology* , 109 (2), 209–215.

- Proctor, J. T. (1996). Ginseng: Old crop, new directions. In J. T. Proctor, *Ginseng: Old crop, new directions* (pp. 565-577.). Arlington, USA: ASHS Press.
- Prosper-Cabral, B. N., Gabriel, A. A., Julius, O. E., & Jeanne, N. Y. (2007). Phytochemical studies and antioxidant properties of four medicinal plants used in Cameroon. *African journal of traditional complementary and alternative medicines* , 4 (4), 495-500.
- Purnima Tyagi, P. S. (2010). Micropropagation of *Crataeva adansonii*. In S. M. Ochatt, *Protocols for In Vitro Propagation of ornamental plants* (pp. 39-45). Newyork, USA: Humana Press.
- Radzan, M. K. (2002). Introduction and technique. In M. K. Radzan, *Introduction on Plant tissue Culture* (pp. 3-6). New Hampshire, USA: Science Publisher.
- Ragasa, C. Y., Pimenta, L. E., & Rideout, J. A. (2007). Iridoids from *Gardenia jasminoides*. *Journal of Natural Products* , 21 (12), 1078-1084.
- Ramamoorthy, P. K., & Awang, B. (2007). Antioxidant Activity, Total Phenolic and Flavonoid Content of *Morinda citrifolia* Fruit Extracts from Various Extraction Processes. *Engineering Science and Technology* , 70-80.
- Ravishankar, G. A., & Grewal, S. (1991). Development of media for growth of *Dioscorea deltoidea* cells and *in vitro* diogenin production: Influence of media constituents and nutrient stress. *Biotechnology Letters* , 13 (2), 125–130.
- Ravishankar, G.A., Rao, R.S., (2000), *Biotechnological production of phyto-pharmaceuticals*, *J Biochem, Mol Biol Biophys*, 4, 73 –102.
- Riceevans, C., Miller, N., & Paganga, G. (1997). Antioxidant properties of phenolic compounds. *Trends Plant science* , 2 (4), 152-159.
- Roja, G., Benjamin, B. D., Heble, M. R., Patanka, A. V., & Sipahimalani, A. T. (1990). The effect of plant growth regulators and nutrient conditions on growth and alkaloid production in multiple shoot cultures of *Rauwolfia serpentina*. *Phytotherapy Research* , 4 (2), 49–52.
- Rout, G. R., & Das, P. (1997). Techniques of micropropagation *in vitro*. In T. K. Bose, S. K. Mitra, M. K. Sadhu, & P. Das (Eds.), *Propagation of Tropical and Sub-tropical Horticultural Crops* (pp. 105–106). Calcutta: Kalyani Publishers.
- Rout, G. R., Samantaray, S., & Das, P. (2000). *In vitro* manipulation and propagation of medicinal plants. *Biotechnology Advances* , 18 (2), 91–120.
- Roxburgh, W. (1975). *Gardenia*. In W. Roxburgh, *Flora India* (pp. 549-551). NewYork, USA: Oriole Editions, INC.
- Sabahat, S., & Tariq, P. (2009). Antibacterial activity of oregano (*Origanum vulgare* Linn.) against gram positive bacteria. *Pakistan Journal Of Pharmaceutical Sciences* , 22 (4), 421-424.

- Sahoo, Y., Pattnaik, S. K., & Chand, P. K. (1997). *In vitro* clonal propagation of an aromatic medicinal herb *Ocimum basilicum* L.(Sweet basil) by axillary shoot proliferation. *In Vitro Cellular Developmental Biology Plant* , 33 (4), 293–296.
- Sanavy, M., & Jami, M. (2003). Effects of Different Hormone Combinations and Planting Beds on Growth of Single Nodes and Plantlets Resulted from Potato Meristem Culture. *Plant Tissue Culture* , 13 (2), 145-150.
- Saritha, K. V., & Naidu, C. V. (2007). *In vitro* flowering of *Withania somnifera* Dunal.An important antitumor medicinal plant. *Plant Science* , 172 (4), 847–851.
- Sayd, S. S., Taie, H. A., & Taha, S. L. (2010). Micropropagation, antioxidant activity, total phenolics and flavonoids content of *Gardenia jasminoides* Ellis as affected by growth regulators. *International Journal of Academic Research* , 2 (3), 184 -191.
- Schippmann, U., Cunningham, A. B., & Leaman, J. D. (2002). *Impact of cultivation and gathering of medicinal plants on biodiversity: Global trends and issues*. Food and Agriculture Organization of the United Nations, Food and Agriculture Organization of the United Nations. Rome, Italy: FAO.
- Schumann, G., Ryschika, U., Schulze, J., & Klocke, E. (1995). Anatomy of somatic embryogenesis. In Y. P. Bajaj (Ed.), *Biotechnology in Agriculture and Forestry* (Vol. 30, pp. 71-86). Berlin, Germany: Springer-Verlag.
- Seong, S. J., Yun-Bae, K., & Do, I. L. (2010). Antimicrobial and Antioxidant Properties of Secondary Metabolites from White rose flower. *Plant Pathology* , 26 (1), 57-62.
- Seridhar, T. M., & Naidu, C. V. (2011). High frequency plant regeneration, *in vitro* flowering of *Solaum nigrum* (L.) an important antiulcer medicinal plant. *Journal of Phytology* , 3 (2), 85-93.
- Serret, M. D., Trillas, M. I., Matas, J., & Araus, J. L. (1996). Development of Photoautotrophy and photoinhibition of *Gardenia jasminoides* plantlets during micropropagation. *Plant Cell, Tissue and Organ Culture* , 45, 1-16.
- Setefarzi, M.N., Tengku Mohd Ariff, T.A., and Sarmin, S. (2001). The local herbal processing industry: An analysis of raw material utilization and production constraints.Proc. *Malaysia Science and Technology Congress*, Kota Kinabalu, pp. 492–501.
- Sharma, A. K., & Sharma, A. (1980). *Chromosome techniques, theory and practice*. Norfolk: Frakenham Press, Ltd.
- Sharma, N., Chandel, K. P., & Paul, A. (1993). *In vitro* propagation of *Gentiana kurroo*: an indigenous threatened plant of medicinal importance. *Plant Cell Tissue and Organ Culture* , 34 (3), 307–309.
- Sharp, W. R., Sondahl, M. R., Caldas, L. S., & Maraffa, S. B. (1980). The physiology of *in vitro* sexual embryogenesis. *Horticulture Review* , 2, 268-310.

- Shasany, A. K., Khanuja, S. P., Dhawan, S., Yadav, U., Sharma, S., & Kumar, S. (1998). High regenerative nature of *Mentha arvensis* internodes. *Biosciences* , 23 (5), 641–646.
- Shigeharu, I., Toshio, T., & Hideyo, Y. (2001). Antibacterial activity of essential oils and their major constituents against respiratory tract pathogens by gaseous contact. *The British Society for Antimicrobial Chemotherapy* , 47 (5), 565-573.
- Shilpashree, R., & Kumar, S. B. (2011). A study on anti-stress property of *Nardostachys jatamansi* on stress induced *Drosophila melanogaster*. *Journal of Stress Physiology & Biochemistry* , 7 (3), 159-164.
- Shmaefsky, B. R. (2006). *Biotechnology 101*. West Port, USA: Greenwood.
- Shu-Ying, H., Zhi-Yu, Q., Tang, F. T., Na, W., Xu, G. L., & Liang, S. (2005). Effect of crocin on experimental atherosclerosis in quails and its mechanisms. *Life Science* , 77 (8), 907-921.
- Shyun, C. Y., & Rasadah, A. M. (2004). Inventory, documentation and status of medicinal plants research in Malaysia. In Batugal, P.A., Kanniah, J., Sy, L., Oliver, J.T. (Eds.), *The Framework and Project Work plans* (Vol. Volume 1, pp. 120-124). Serdang, Selangor, Malaysia: International Plant Genetic Resources Institute- Regional Office for Asia, The Pacific and Oceania (IFGRI-APO).
- Siah, C. L., & Doran, P. M. (1991). Enhanced codeine and morphine production in suspended *Papaver somniferum* cultures after removal of exogenous hormones. *Plant Cell Report* , 10 (6-7), 349-353.
- Siegel, S. M., & Galston, A. W. (1953). Experimental Coupling of Indoleacetic Acid to Pea Root Protein *In Vivo* and *In Vitro*. *Proceedings of the National Academy of Sciences of the United States of America* , 39 (11), 1111-1118.
- Siong, P. K., Taha, R. M., & Abdul Rahiman, F. (2011). Somatic Embryogenesis and Plant Regeneration from Hypocotyl and Leaf Explants of *Brassica oleracea* Var. Botrytis (Cauliflower). *Acta Biologica Cracoviensia Series Botanica* , 53 (1), 26–31.
- Stafford, P. J. (2003). Osmundaceae. In W. Punt, S. Blackmore, P. P. Hoen, & P. J. Stafford, *The Northwest European Pollen Flora* (Vol. 8, pp. 1-7). Amsterdam, Netherland: Elsevier Scienc B.V.
- Steiner, N., Nascimento Vieira, F. d., Maldonado, s., & Guerra, M. P. (2005). Effect of Carbon Source on Morphology and Histodifferentiation of *Araucaria angustifolia* Embryogenic Cultures. *Brazilian Archives of Biology and Technology* , 48 (6), 895-903.
- Sticher, O. (1998). Getting to the root of Ginseng. *Journal of Chemical Technology & Biotechnology* , 28, 26-32.
- Stojakowska, A., Malar, J., & Wanda, K. (2004). Thymol Derivatives from a Root Culture of *Inula helenium*. *Zeitschrift Fur Naturforschung C* , 59 (7-8), 606-608.

- Sujana, P., & Naidu, C. V. (2011). Indirect Plant Regeneration from Leaf Explants of *Mentha piperita* (L.) An Important Multipurpose Medicinal Plant. *Journal of Phytology* , 3 (5), 19-22.
- Supremecourt, U. (1980). *Diamond, commissioner of patents and trademarks v. chakrabarty*. Schenectady, New York: U.S supreme court.
- Sweeney, A. P., Wyllie, S. G., Shalliker, R. A., & Markham, J. L. (2001). Xanthine oxidase inhibitory activity of selected Australian native plants. *Journal of Ethnopharmacology* , 75 , 273–277.
- Tam, W. H., Constabel, F., & Kurz, W. (1980). Codeine from cell suspension cultures of *Papaver somniferum*. *Phytochemistry* , 19, 486-487.
- Thangavela, K., Ebbieb, M. G., & Ravichandaranc, P. (2011). Antibacterial Potential of *Decalepis hamiltonii* Wight & Arn. Callus Extract. *Nature of Pharmaceutical Technology* , 1 (1), 14-18.
- Torres, C. K. (1989). In Chapman, & Hall (Eds.), *Tissue culture techniques for Horticultural Crops* (pp. 65-67). New York, USA: Van Nostrand.
- Tripathi, L., & Tripathi, J. N. (2003). Role of biotechnology in medicinal plants. *Tropical Journal of Pharmaceutical Research* , 2 (2), 243-253.
- Tseng, T. H., Chu, C. Y., Huang, J. M., Shiow, S. J., & Wang, C. J. (1995). Crocetin protects against oxidative damage in rat primary hepatocytes. *Cancer Letters* , 91 (7), 61-67.
- Tyagi, P., Sharma, P. K., & Kothari, S. L. (2010). Micropropagation of *Crataeva adansonii* D.C.: An Ornamental Avenue Tree. In Jain, S. Mohan, Ochatt, & J. Sergio (Eds.), *Protocols for In Vitro Propagation of Ornamental Plants* (1 ed., pp. 39-46). New York, USA: Humana Press.
- Van Calsteren, M. R., Bissonnette, M. C., Cormier, F., Dufresne, C., Ichi, T., LeBlanc, J. C. Y., et al. (1997). Spectroscopic characterization of crocetin derivatives from *Crocus sativus* and *Gardenia jasminoides*. *Journal of Agricultural and Food Chemistry*, 45(4), 1055–1061.
- Vengadesan, G., Ganapathi, A., Amutha, S., & Selvaraj, N. (2002). *In vitro* propagation of *Acacia species*—a review. *Plant Science* , 163 (4), 663-671.
- Von, A. S. (2007). Somatic Embryogenesis. In E. F. George, M. A. Hall, & G.-J. D. Klerk, *Plant Propagation by Tissue Culture* (pp. 342-349). Dordrecht, The Netherlands: Springer.
- Waksman, S. A. (1947). What Is an Antibiotic or an Antibiotic Substance. *Mycologia* , 39 (5), 565–569.
- Wei, L. S., Musa, N., Sengm, T. C., Wee, W., & Shazili, N. A. (2008). Antimicrobial properties of tropical plants against 12 pathogenic bacteria isolated from aquatic organisms. *African Journal of Biotechnology* , 7 (13), 2275-2278.
- Wei, S., Li, Z., Jian-Tao, L., Hua, L., Xiao-Hua, W., Dan, L. (2009). Antioxidant Activity of Total Saponins from *Gardenia jasminoides* Fruits. *Food Science* , 30 (15), 75-77.

- Wenhao, H., Xuan, L., Honggao, X., Ying, G., Fang, Y., & Yanxiang, G. (2010). On-line HPLC-ABTS screening and HPLC-DAD-MS/MS identification of free radical scavengers in *Gardenia jasminoides* Ellis fruit extracts. *Food Chemistry*, *123* (2), 521–528.
- Williams, E. G., & Maheswaran, G. (1986). Somatic embryogenesis: factors influencing coordinated behaviour of cells as an embryogenic group. *Annals of Botany*, *57* (4), 443–462.
- Xiang, M., Qian, Z. Y., Zhou, C. H., & Juan, L. (2006). Crocetin inhibits leukocyte adherence to vascular endothelial cells induced by AGEs. *Ethnopharmacology*, *107* (1), 25-31.
- Xinrong, Y. (2003). *Tradaditional Chinese medicine* (First ed.). Frankfurt, Germany: Springer.
- Xu, X., Yu, R., & Zhao, Y. (2004). Establishment of plantlet regeneration system of medicinal plant *Aconitum coreanum*. *Chinese medicinal materials*, *27* (11), 797-799.
- Yasuda, T., & Fujii, Y. A. (1985). Embryogenic callus induction from *Coffea arabica* leaf explants by benzyladenine. *Plant Cell Physiol*, *26*, 595-597.
- Yeh, F. T., Huang, W. W., Cheng, C. C., Na, C., & Tsay, H. S. (1994). Tissue culture of *Dioscorea doryophora* Hance. II. Establishment of suspension culture and the measurement of diosgenin content. *Chinese Agron*, *4*, 257-268.
- Yoshikawa, T. A. (1985). Morphinan alkaloid production by tissues differentiated from cultured cells of *Papaver somniferum*. *Planta Medica*, *51* (2), 110-113.
- Zenk, M. H. (1978). The impact of plant cell culture on industry. In T. A. Thorpe (Ed.), *Frontiers of Plant Tissue Culture* (pp. 1-13). University of Calgary; International Association for Plant Tissue Culture.