

References

Agarwala, P., Annapoorni, S., Srivastava, M. P., Rawat, R. S., & Chauhan, P. (1997). Magnetite phase due to energetic argon ion irradiation from a dense plasma focus on hematite thin film. *Physics Letters, Section A: General, Atomic and Solid State Physics*, 231(5-6), 434-438.

Amrollahi, R., Habibi, M., & Shahshenas, S. (2009). Correlation between plasma pinch intensity, current sheath symmetry, and HXR yield by APF plasma focus device. *Plasma Devices and Operations*, 17(1), 1-7.

Asif, M., & Ikram, A. (2004). Electron temperature measurement using PIN diodes as detectors to record the X-ray pulses from a low-energy mather-type plasma focus. *Plasma Science and Technology*, 6(2), 2199-2203.

Bernstein, M. J. (1970). Acceleration mechanism for neutron production in plasma focus and z-pinch discharges. *Physics of Fluids*, 13(11), 2858-2866.

Bernstein, M. J., & Hai, F. (1970). Evidence for nonthermonuclear neutron production in a plasma focus discharge. *Physics Letters A*, 31(6), 317-318.

Bhuyan, H., Chuaqui, H., Favre, M., Mitchell, I., & Wyndham, E. (2005). Ion beam emission in a low energy plasma focus device operating with methane. *Journal of Physics D: Applied Physics*, 38(8), 1164-1169.

Bhuyan, H., Favre, M., Valderrama, E., Chuaqui, H., & Wyndham, E. (2006). Experimental studies of ion beam anisotropy in a low energy plasma focus operating with methane. *Journal of Physics D: Applied Physics*, 39(16), 3596-3602.

Bhuyan, H., Mohanty, S. R., Neog, N. K., Bujarbarua, S., & Rout, R. K. (2004). Comparative study of soft x-ray emission characteristics in a low energy dense plasma focus device. *Journal of Applied Physics*, 95(6), 2975-2981.

Bostick, W. H., Kilic, H., Nardi, V., & Powell, C. W. (1993). Time resolved energy spectrum of the axial ion beam generated in plasma focus discharges. *Nuclear Fusion*, 33(3), 413-420.

Bruzzone, H., & Vieytes, R. (1993). The initial phase in plasma focus devices. *Plasma Physics and Controlled Fusion*, 35(12), 1745-1754.

Castillo, F., Herrera, J. J. E., Gamboa, I., Rangel, J., Golzarri, J. I., & Espinosa, G. (2007). Angular distribution of fusion products and x rays emitted by a small dense plasma focus machine. *Journal of Applied Physics*, 101(1).

Castillo Mejía, F., Milanese, M., Moroso, R., & Pouzo, J. (1997). Some experimental research on anisotropic effects in the neutron emission of dense plasma-focus devices. *Journal of Physics D: Applied Physics*, 30(10), 1499-1506.

Chen, Y. H., & Lee, S. (1973). Coaxial plasma gun in mode 1 operation. *International Journal of Electronics*, 35(3), 341-352.

Comisar, G. G. (1969). Hydromagnetic instabilities in the dense plasma focus. *Physics of Fluids*, 12(5), 1000-1007.

Corallo, D. M., Creek, D. M., & Murray, G. M. (1980). The x-ray calibration of silicon p-i-n diodes between 1.5 and 17.4 keV. *Journal of Physics E: Scientific Instruments*, 13(6), 623-626.

Decker, G., Kies, W., & Pross, G. (1983). The first and the final fifty nanoseconds of a fast focus discharge. *Physics of Fluids*, 26(2), 571-578.

Decker, G., Nahrath, B., Oppenlander, T., Pross, G., Ruckle, B., Schmidt, H., et al. (1976). *Dynamics of 120 and 20 kV plasma focus devices with respect to density and current distribution, and neutron and X-ray emission*. Paper presented at the Sixth International Conference on Plasma Physics and Controlled Nuclear Fusion Research, Berchtesgaden, West Germany.

Deutsch, R., & Kies, W. (1988). Ion acceleration and runaway in dynamical pinches. *Plasma Physics and Controlled Fusion*, 30(3), 263-276.

El-Aragi, G. M. (2010). Neutron and ion beams emitted from plasma focus (112.5 J) device. *Plasma Science and Technology*, 12(1), 1-5.

Feugeas, J. N., Llonch, E. C., De González, C. O., & Galambos, G. (1988). Nitrogen implantation of AISI 304 stainless steel with a coaxial plasma gun. *Journal of Applied Physics*, 64(5), 2648-2651.

Filippov, N. V., Filippova, T. I., & Vinogradov, V. P. (1962). Dense, high-temperature plasma in a noncylindrical 2-pinch compression. *Nuclear Fusion Supplement Pt. 2*, 577.

Gerdin, G., Stygar, W., & Venneri, F. (1981). Faraday cup analysis of ion beams produced by a dense plasma focus. *Journal of Applied Physics*, 52(5), 3269-3275.

Gribkov, V. A., Pimenov, V. N., Ivanov, L. I., Dyomina, E. V., Maslyayev, S. A., Miklaszewski, R., et al. (2003). Interaction of high temperature deuterium plasma streams and fast ion beams with stainless steels in dense plasma focus device. *Journal of Physics D: Applied Physics*, 36(15), 1817-1825.

Gullickson, R. L., & Sahlin, H. L. (1978). Measurements of high-energy deuterons in the plasma-focus device. *Journal of Applied Physics*, 49(3), 1099-1105.

Gupta, R., Srivastava, M. P., Balakrishnan, V. R., Kodama, R., & Peterson, M. C. (2004). Deposition of nanosized grains of ferroelectric lead zirconate titanate on thin films using dense plasma focus. *Journal of Physics D: Applied Physics*, 37(7), 1091-1094.

Haines, M. G. (1983). Ion beam formation in an $m = 0$ unstable Z pinch. *Nuclear Instruments and Methods In Physics Research*, 207(1-2), 179-185.

Haruki, T., Yousefi, H. R., Masugata, K., Sakai, J. I., Mizuguchi, Y., Makino, N., et al. (2006). Simulation of high-energy particle production through sausage and kink instabilities in pinched plasma discharges. *Physics of Plasmas*, 13(8).

Heo, H., & Park, D. K. (2002). Correlations between argon ion beams and X-rays in a plasma focus. *Japanese Journal of Applied Physics, Part 1: Regular Papers and Short Notes and Review Papers*, 41(5 A), 3120-3124.

Hübner, K., Bruhns, H., & Steinmetz, K. (1978). Fusion reaction rate for a plasma boiler moving in an ambient plasma. *Physics Letters A*, 69(4), 269-272.

Imshennik, V. S., Osovets, S. M., & Otroschenko, I. V. (1973). The dynamics of plasma constrictions and electromagnetic acceleration of ions. *Sov. Phys. JETP* 37(6), 1037-1044.

Jahoda, F. C., Little, E. M., Quinn, W. E., Sawyer, G. A., & Stratton, T. F. (1960). Continuum radiation in the X Ray and visible regions from a magnetically compressed plasma (Scylla). *Physical Review*, 119(3), 843-856.

Jalufka, N. W., & Lee, J. H. (1972). Current sheet collapse in a plasma focus. *Physics of Fluids*, 15(11), 1954-1958.

Jeffrey, A., & Taniuti, T. (1966). Magnetohydrodynamic Stability and Thermonuclear Containment. In A. Jeffrey & T. Taniuti (Eds.), *Perspectives in Physics* (pp. 1-38). New York and London: Academic Press.

Kelly, H., Lepone, A., Márquez, A., Lamas, D., & Oviedo, C. (1996). Coating on metallic samples produced by a small energy plasma focus. *Plasma Sources Science and Technology*, 5(4), 704-709.

Kelly, H., & Márquez, A. (1996). Ion-beam and neutron production in a low-energy plasma focus. *Plasma Physics and Controlled Fusion*, 38(11), 1931-1942.

Kies, W., Lucas, B., R öwekamp, P., Schmitz, F., Ziethen, G., & Decker, G. (1998). Pinches and micropinches in the SPEED 2 plasma focus. *Plasma Sources Science and Technology*, 7(1), 21-27.

Kondoh, Y., & Hirano, K. (1978). Numerical study of an ion acceleration in a z-pinch type plasma focus. *Physics of Fluids*, 21(9), 1617-1622.

Koshelev, K. N., Krauz, V. I., Reshetniak, N. G., Salukvadze, R. G., Sidelnikov, Y. V., & Khautiev, E. Y. (1988). The formation of the micropinch structure in plasma focus by the addition of heavy impurities. *Journal of Physics D: Applied Physics*, 21(12), 1827-1829.

Lee, J. H., Shomo, L. P., Williams, M. D., & Hermansdorfer, H. (1971). Neutron production mechanism in a plasma focus. *Physics of Fluids*, 14(10), 2217-2223.

Lee, S. Radiative Dense Plasma Focus Computation Package: RADPF. [Online]. Available: (<http://www.plasmafocus.net/IPFS/modelpackage/File1RADPF.htm>)

Lee, S. (1969). Transverse ionizing shock waves in a planar electromagnetic shock tube. Ph. D. thesis, Australian National University, Australia.

Lee, S. (1983). Energy balance and the radius of electromagnetically pinched plasma columns. *Plasma Physics*, 25(5), 571-576.

Lee, S., & Serban, A. (1996). Dimensions and lifetime of the plasma focus pinch. *IEEE Transactions on Plasma Science*, 24(3), 1101-1105.

Lehnert, B. (1967). Experimental evidence of plasma instabilities. *Plasma Physics*, 9(3), 301-337.

Leonard, S. L. (1965). Basic macroscopic measurements. In R. H. Huddleston & S. L. Leonard (Eds.), *Plasma diagnostic techniques* (pp. 8-13). New York, London: Academic Press.

Lim, L. K., Ngoi, S. K., Yap, S. L., Wong, C. S., & Saadah, A. R. (2009). Ion beam and plasma jet generated by a 3 kJ plasma focus. In S. P. Chia, K. Ratnavelu & M. Rasat (Eds.), *Proceedings of the 3rd International Meeting on Frontiers in Physics, IMFP 2009 at Awana Genting Highlands, Malaysia* (pp. 444-447). New York: American Institute of Physics.

Lu, M. F. (1996). Instability of the current sheath implosion in an 18-kJ Mather-type plasma focus. *Physical Review E - Statistical Physics, Plasmas, Fluids, and Related Interdisciplinary Topics*, 54(2), R1074-R1077.

Malinowski, K., Skladnik-Sadowska, E., & Sadowski, M. J. (2005). Comparison of responses of LR-115A, CR-39 and PM-355 track detectors to pulsed low-energy proton streams. *Radiation Measurements*, 40(2-6), 371-374.

Mather, J. W. (1964). Investigation of the high-energy acceleration mode in the coaxial gun. *Physics of Fluids*, 7(11), S28-S34.

Mather, J. W. (1965). Formation of a high-density deuterium plasma focus. *Physics of Fluids*, 8(2), 366-377.

Mather, J. W. (1971). Dense plasma focus. In H. L. Ralph & R. G. Hans (Eds.), *Methods of experimental physics* (Vol. 9-Part B, pp. 187-249). New York and London: Academic Press.

Mather, J. W., & Bottoms, P. J. (1968). Characteristics of the dense plasma focus discharge. *Physics of Fluids*, 11(3), 611-618.

Mather, J. W., & Williams, A. H. (1966). Image converter observations of the development of the dense plasma focus discharge. *Physics of Fluids*, 9(10), 2080-2082.

Mathuthu, M., Zengeni, T. G., & Gholap, A. V. (1998). Variation of focus action with electrode length for an inner electrode of negative polarity. *IEEE Transactions on Plasma Science*, 26(1), 14-18.

Mohanty, S. R., Srivastava, M. P., & Rawat, R. S. (1997). Study of X-ray emission of dense plasma focus device in the presence of external magnetic field. *Physics Letters, Section A: General, Atomic and Solid State Physics*, 234(6), 472-476.

Moo, S. P., Chakrabarty, C. K., & Lee, S. (1991). An investigation of the ion beam of a plasma focus using a metal obstacle and deuterated target. *IEEE Transactions on Plasma Science*, 19(3), 515-519.

Moreno, J., Silva, P., & Soto, L. (2003). Optical observations of the plasma motion in a fast plasma focus operating at 50 J. *Plasma Sources Science and Technology*, 12(1), 39-45.

Musseau, O., Ferlet-Cavrois, V., Campbell, A. B., Knudson, A. R., Buchner, S., Fischer, B., et al. (1998). Technique to measure an ion track profile. *IEEE Transactions on Nuclear Science*, 45(6 PART 1), 2563-2570.

Nakano, Y., Hirano, K., & Mitadera, K. (1966). Pinch phenomena in a coaxial plasma gun. *Japanese Journal of Applied Physics*, 5(8), 732.

Nardi, V., Bortolotti, A., Brzosko, J. S., Esper, M., Luo, C. M., Pedrielli, F., et al. (1988). Stimulated acceleration and confinement of deuterons in focused discharges - part 1. *IEEE Transactions on Plasma Science*, 16(3), 368-373.

Nayak, B. B., Acharya, B. S., Mohanty, S. R., Borthakur, T. K., & Bhuyan, H. (2001). Surface nitriding of graphite substrate by plasma focus device towards. *Surface and Coatings Technology*, 145(1-3), 8-15.

Neog, N. K., & Mohanty, S. R. (2007). Study on electron beam emission from a low energy plasma focus device. *Physics Letters, Section A: General, Atomic and Solid State Physics*, 361(4-5), 377-381.

Neog, N. K., Mohanty, S. R., & Borthakur, T. K. (2008). Time resolved studies on X-rays and charged particles emission from a low energy plasma focus device. *Physics Letters, Section A: General, Atomic and Solid State Physics*, 372(13), 2294-2299.

Ngoi, S. K., Yap, S. L., Goh, B. T., Ritikos, R., Rahman, S. A., & Wong, C. S. (2011). Formation of Nano-Crystalline Phase in Hydrogenated Amorphous Silicon Thin Film by Plasma Focus Ion Beam Irradiation. *Journal of Fusion Energy*, 1-8.

Nisar, M., Khattak, F. Y., Murtaza, G., Zakaullah, M., & Rashid, N. (1993). Sequential focusing in a Mather-type plasma focus. *Physica Scripta*, 47(6), 814-816.

Oppenlander, T., Pross, G., Decker, G., & Trunk, M. (1977). The plasma focus current in the compression phase. *Plasma Physics*, 19(11), 1075-1083.

Patran, A., Tan, L. C., Stoenescu, D., Rafique, M. S., Rawat, R. S., Springham, S. V., et al. (2005). Spectral study of the electron beam emitted from a 3 kJ plasma focus. *Plasma Sources Science and Technology*, 14(3), 549-560.

Peacock, N. J., Hobby, M. G., & Morgan, P. D. (1971). *Measurement of the plasma confinement and ion energy in the dense plasma focus*. Paper presented at the Fourth International Conference on Plasma Physics and Controlled Nuclear Fusion Research, Madison, Wisconsin, USA.

Peter Gary, S. (1974). Ion acceleration in a plasma focus. *Physics of Fluids*, 17(11), 2135-2137.

Peter Gary, S., & Hohl, F. (1973). Ion kinematics in a plasma focus. *Physics of Fluids*, 16(7), 997-1002.

Pouzo, J. O., & Milanese, M. M. (2003). Applications of the Dense Plasma Focus to Nuclear Fusion and Plasma Astrophysics. *IEEE Transactions on Plasma Science*, 31(6 D), 1237-1242.

Raspa, V., Moreno, C., Sigaut, L., & Clause, A. (2008). Hard x-ray spectrum emitted by a plasma focus optimized for flash radiography. *Physica Scripta*, *T131*, art. no. 014034.

Raspa, V., Sigaut, L., Llovera, R., Cobelli, P., Knoblauch, P., Vieytes, R., et al. (2004). Plasma focus as a powerful hard X-ray source for ultrafast imaging of moving metallic objects. *Brazilian Journal of Physics*, *34*(4 B), 1696-1699.

Rawat, R. S., Chew, W. M., Lee, P., White, T., & Lee, S. (2003). Deposition of titanium nitride thin films on stainless steel-AISI 304 substrates using a plasma focus device. *Surface and Coatings Technology*, *173*(2-3), 276-284.

Roshan, M. V., Lee, P., Pan, Z., Verma, R., Rawat, R. S., & Springham, S. V. (2010). Correlation analysis of intense and high-energy deuteron beam, pinch images, and neutron yield. *IEEE Transactions on Plasma Science*, *38*(9 PART 2), 2434-2438.

Sadiq, M., Shafiq, M., Waheed, A., Ahmad, R., & Zakaullah, M. (2006). Amorphization of silicon by ion irradiation in dense plasma focus. *Physics Letters, Section A: General, Atomic and Solid State Physics*, *352*(1-2), 150-154.

Sadowski, M., Baranowski, J., Skladnik-Sadowska, E., Szydowski, A., Kelly, H., Lepone, A., et al. (1997). Calibration of CN and CR-39 track detectors for measurements of fast deuterons and nitrogen ions. *Radiation Measurements*, *28*(1-6), 201-206.

Sadowski, M., Zebrowski, J., Rydygier, E., & Kucinski, J. (1988). Ion emission from plasma-focus facilities. *Plasma Physics and Controlled Fusion*, *30*(6), 763-769.

Sánchez, G., & Feugeas, J. (1997). The thermal evolution of targets under plasma focus pulsed ion implantation. *Journal of Physics D: Applied Physics*, *30*(6), 927-936.

Scholz, M., Bienkowska, B., Ivanova-Stanik, I. M., Karpinski, L., Paduch, M., Tomaszewski, K., et al. (2004). Correlation between pinch dynamics, neutron and X-ray emission from megajoule plasma focus device. *Vacuum*, *76*(2-3), 361-364.

Serban, A., & Lee, S. (1998). Experiments on speed-enhanced neutron yield from a small plasma focus. *Journal of Plasma Physics*, *60*(1), 3-15.

Shyam, A., & Srinivasan, M. (1978). Neutron emission from a 100 joule plasma focus. *Applied Physics*, *17*(4), 425-426.

Siegbahn, K. (1965). *Alpha-Beta and Gamma-Ray Spectroscopy* (Vol. 1). Amsterdam: North-Holland Publishing Company.

Skladnik-Sadowska, E., Baranowski, J., Milanese, M., Moroso, R., Pouzo, J., Sadowski, M., et al. (2001). Spatial structure and energy spectrum of ion beams studied with CN detectors within a small PF device. *Radiation Measurements*, 34(1-6), 315-318.

Skladnik-Sadowska, E., Baranowski, J., & Sadowski, M. (2001). Low-energy ion measurements by means of CR-39 nuclear track detectors. *Radiation Measurements*, 34(1-6), 337-339.

Skladnik-Sadowska, E., Czaus, K., Malinowski, K., & Sadowski, M. J. (2005). Study of spatial structure and energy spectrum of ion beams by means of LR 115A and PM-355 nuclear track detectors. *Radiation Measurements*, 40(2-6), 475-478.

Soto, L. (2005). New trends and future perspectives on plasma focus research. *Plasma Physics and Controlled Fusion*, 47(5 A), A361-A381.

Soto, L., Pavéz, C., Moreno, J., Tarifeño, A., Pedreros, J., & Altamirano, L. (2009). *Nanofocus of tenth of joules and a portable plasma focus of few joules for field applications*. In B. R. Kusse & D. A. Hammer (Eds.), *Proceedings of 7th International Conference on Dense Z-Pinches held on 12–21 August 2008 at Alexandria, Virginia (USA)* (pp. 219-222). New York: American Institute of Physics.

Soto, L., Pavez, C., Tarifeño, A., Moreno, J., & Veloso, F. (2010). Studies on scalability and scaling laws for the plasma focus: Similarities and differences in devices from 1MJ to 0.1 J. *Plasma Sources Science and Technology*, 19(5).

Springham, S. V., Lee, S., & Rafique, M. S. (2000). Correlated deuteron energy spectra and neutron yield for a 3 kJ plasma focus. *Plasma Physics and Controlled Fusion*, 42(10), 1023-1032.

Szydlowski, A., Banaszak, A., Bienkowska, B., Ivanova-Stanik, I. M., Scholz, M., & Sadowski, M. J. (2004). Measurements of fast ions and neutrons emitted from PF-1000 plasma focus device. *Vacuum*, 76(2-3), 357-360.

Tanimoto, M., & Koyama, K. (1982). Resistive ion-acceleration in a plasma focus. *Japanese Journal of Applied Physics*, 21(8), L491-L493.

Tarifeño-Saldivia, A., Pavez, C., Moreno, J., & Soto, L. (2011). Dynamics and density measurements in a small plasma focus of tens-of-joules-emitting neutrons. *IEEE Transactions on Plasma Science*, 39(2), 756-760.

Tou, T. Y., Chin, O. H., & Chen, Y. H. (1992). Simulations of V-I characteristics in a plasma focus gun. *IEEE Transactions on Plasma Science*, 20(5), 507-514.

Van Paassen, H. L. L. (1971). A time-resolved ross filter system for measuring x-ray spectra in z-pinch plasma focus devices. *Review of Scientific Instruments*, 42(12), 1823-1824.

Van Paassen, H. L. L., Vandre, R. H., & White, R. S. (1970). X-ray spectra from dense plasma focus devices. *Physics of Fluids*, 13(10), 2606-2612.

Verma, R., Rawat, R. S., Lee, P., Lee, S., Springham, S. V., Tan, T. L., et al. (2009). Effect of cathode structure on neutron yield performance of a miniature plasma focus device. *Physics Letters, Section A: General, Atomic and Solid State Physics*, 373(30), 2568-2571.

Wong, C. S., & Yap, S. L. (2005). Generation of deuteron beam from the plasma focus. *Solid State Phenomena*, 107, 151-155.

Yamamoto, T., Shimoda, K., Kobayashi, K., & Hirano, K. (1984). Correlation between Plasma Dynamics and Emission of Deuteron Beam, X-Rays and Neutrons in a Plasma Focus Discharge. *Japanese Journal of Applied Physics, Part 1: Regular Papers & Short Notes*, 23(2), 242-246.

Yap, S. L. (1998). A Study of the temporal and spatial evolution of neutron emission from a plasma focus. MSc. Thesis, University of Malaya, Kuala Lumpur.

Yap, S. L. (2006). Studies on the neutron emission and high energy deuteron beams from a 3 kilojoule plasma focus. PhD. thesis, University of Malaya, Kuala Lumpur.

Yap, S. L., Wong, C. S., Choi, P., Dumitrescu, C., & Moo, S. P. (2005). Observation of two phases of neutron emission in a low energy plasma focus. *Japanese Journal of Applied Physics, Part 1: Regular Papers and Short Notes and Review Papers*, 44(11), 8125-8132.

Yasin, M., Ali, R., Solaija, T. J., Younis, J., & Zakaullah, M. (2004). Study of neutron yield degradation in a low energy plasma focus. *Journal of Fusion Energy*, 22(4), 247-250.

Zakaullah, M., Ahmad, I., Shafique, M., Murtaza, G., Yasin, M., & Beg, M. M. (1998). Correlation study of ion, electron and X-ray emission from argon focus plasma. *Physica Scripta*, 57(1), 136-141.

Zakaullah, M., Akhtar, I., Waheed, A., Alamgir, K., Shah, A. Z., & Murtaza, G. (1998). Comparative study of ion, x-ray and neutron emission in a low energy plasma focus. *Plasma Sources Science and Technology*, 7(2), 206-218.

Zakaullah, M., Alamgir, K., Shafiq, M., Hassan, S. M., Murtaza, G., & Waheed, A. (2001). Improved temperature measurement in a plasma focus by means of a cobalt filter. *Plasma Sources Science and Technology*, 10(2), 295-301.

Zambreanu, V., & Doloc, C. M. (1992). An electrodynamic model for the ion behaviour in the final plasma focus stages. *Plasma Physics and Controlled Fusion*, 34(8), 1433-1442.

Zhang, T., Rawat, R. S., Hassan, S. M., Lin, J. J., Mahmood, S., Tan, T. L., et al. (2006). Drive parameter as a design consideration for Mather and Filippov types of plasma focus. *IEEE Transactions on Plasma Science*, 34(5), 2356-2362.

Zhang, T., Thomas Gan, K. S., Lee, P., Ramanujan, R. V., & Rawat, R. S. (2006). Characteristics of FeCo nano-particles synthesized using plasma focus. *Journal of Physics D: Applied Physics*, 39(10), 2212-2219.