

REFERENCES

- Adisakwattana, S., Jiphimai, P., Prutanopajai, P., Chanathong, B., Sapwarobol, S., & Ariyapitipan, T. (2010). Evaluation of alpha-glucosidase, alpha-amylase and protein glycation inhibitory activities of edible plants. *International Journal of Food Science and Nutrition*, 61(3), 295-305.
- Adolfsson, O., Meydani, S. N., & Russell, R. M. (2004). Yogurt and gut function. *American Journal of Clinical Nutrition*, 80, 245-256.
- Aiba, Y., Suzuku, N., Kabir, A., Takagi, A., & Koga, Y. (1998). Lactic acid-mediated suppression of *Helicobacter pylori* by the oral administration of *Lactobacillus salivarius* as a probiotic in a gnotobiotic murine model. *Am J Gastroenterol*, 93, 2097-2101.
- Akowuah, G. A., Ismail, Z., Norhayati, A., & Sadikun, A. (2005). The effects of different extraction solvents of varying polarities on polyphenols of *Orthosiphon stamineus* and evaluation of the free radical-scavenging activity. *Food Chemistry*, 93, 311-317.
- Akowuah, G. A., Zhari, I., Norhayati, A., & Khamsah, S. M. (2004). Sinensetin, eupatorin, 3'-hydroxy-5, 6,7,4'-tetramethoxyflavone and rosmarinic acid contents and antioxidative effect of *Orthosiphon stamineus* from Malaysia. *Food Chemistry*, 87, 559-566.
- Anuradha, S., & Rajeshwari, K. (2005). Probiotics in Health and Disease. *Journal, Indian Academy of Clinical Medicine*, 6(1), 67-72.
- Aranda-Michel, J., & Giannella, R. A. (1999). Acute Diarrhea: A Practical Review. *The American Journal of Medicine*, 106, 670-676.
- Baron, A. D. (1998). Postprandial hyperglycemia and alpha-glucosidase inhibitors. *Diabetes Research and Clinical Practice*, 40, S51-S55.
- Berset, C., Brand-Williams, W., & Cuvelier, M. E. (1994). Use of a free radical method to evaluate antioxidant activity. *Lebensmittel-Wissenschaft & Technologies*, 28(11), 25-30.
- Bhandari, M. R., Nilubon, J. A., Gao, H., & Kawabata, J. (2008). α -Glucosidase and α -amylase inhibitory activities of Nepalese medicinal herb Pakhanbhed (*Bergenia ciliata* Haw.) *Food Chemistry*, 106, 247-252.
- Boeneke, C. A., & Aryana, K. J. (2008). Effect of follic acid fortification on the characteristic of lemon yogurt. *Swiss Society of Food Science and Technology*, 41, 1335-1343.
- Bravo, L. (1998). Phenolic phytochemicals: Chemistry, dietary sources, metabolism, and nutritional significance. *Nutrition Rev.*, 56, 317-333.

- Bussmann, R. W. (2002). Ethnobotany and biodiversity conservation. In R. S. Ambasht & N. K. Ambasht (Eds.), *Moderns Trends in Applied Terrestrial Ecology* (pp. 345-362). New York: Kluwer Publishers.
- Cai, Y., Luo, Q., Sun, M., & Corke, H. (2004). Antioxidant activity and phenolic compounds of 112 Chinese medicinal plants associated with anticancer. *Life Science*, 74, 2157-2184.
- Capela, P., Hay, T. K. C., & Shah, N. P. (2006). Effect of cryoprotectants, prebiotics and microencapsulation on survival of probiotic organism in yogurt and freeze-dried yogurt. *Food Research International*, 39, 203 - 211.
- Casellas, F., Aparici, A., Casaus, M., Rodriguez, P., & Malagelada, J. R. (2010). Subjective Preception of Lactose Intolerance Does Not Always Indicate Lactose Malabsorption. *Clinical Gactroenterology and Hepatology*, 8(7), 581-586.
- Cats, A., Kulpers, E. J., Bosschaert, M. A., Pot, R. G., Vandenbroucke-Gauls, C. M., & Kusters, J. G. (2003). Effect of frequent consumption of *Lactobacillus casei*-containing milk drink in *Helicobacter pylori*-colonised subjects. *Pharmacology and Therapeutics*, 17, 429-435.
- Cenci, G., Rossi, J., Throtta, F., & Caldini, G. (2002). Lactic acid bacteria isolated from dairy products inhibit genotoxic effect of 4-nitroquinoline-1-oxide in SOS-chromotest. *Systematic and Applied Microbiology* 25, 483-490.
- Chan-Blanco, Y., Vaillant, F., Perez, A. M., Reynes, M., Brillouet, J. M., & Brat, P. (2006). The noni fruit (*Morinda citrifolia* L.) : a review of agricultural research, nutritional and therapeutic properties. *Journal of Food Composition and Analysis*, 19, 645-654.
- Chew, K. K., Khoo, M. Z., Ng, S. Y., Thoo, Y. Y., Wan Aida, W. M. & Ho, C. W. (2011). Effect of ethanol concentration, extraction time and extraction temperature on the recovery of phenolic compounds and antioxidant capacity of *Orthosiphon stamineus* extracts. *International Food Research Journal* 18 (4), 1427-1435.
- Chowdhury, B. R., Chakraborty, R., & Raychaudhuri, U. (2008). Study on β -galactosidase enzymatic activity of herbal yogurt. *International Journal of Food Science and Nutrition*, 59(2), 116-122.
- Chung, H. S., Chang, L. C., Lee, S. K., Shamon, L. A., Van Breemen, R. B., Mehta, R. G., et al. (1999). Flavonoids constituents of *Chrizanthe diffusa* with potential cancer chemopreventive activity. *Journal of Agricultural and Food Chemistry*, 47, 36-41.

- Coisson, J. D., Travaglia, F., Piana, G., Capasso, M., & Arlorio, M. (2005). *Euterpeoleracea* juice as a functional pigment for yogurt. *Food Research International*, 83, 893-897.
- Coppen, P. P. (1994). The use of antioxidants. In J. C. Allen & R. J. Hamilton (Eds.), *Rancidity in Foods*. New York: An Aspen Publication.
- Correia, A., Nunes, I. F., Duarte, A., & Barros, I. (2004). Sorghum fermentation followed by spectroscopic techniques. *Food Chem.*, 853-859.
- Cox, D. N., Rajasuriya, S., Soysa, P. E., Gladwin, J., & Ashworth, A. (1993). Problems encountered in the community based production of leaf concentrate as a supplement for pre-school children in Sri Lanka. *International Journal of Food Science and Nutrition*, 44, 123-132.
- Crozier, A., Burns, J., Aziz, A. A., Stewart, A. J., Rabiasz, H. S., Jenkins, G. I., et al. (2000). Antioxidant flavonols from fruits, vegetables and beverages: Measurements and bioavailability. *Biol. Res.*, 33, 79-88.
- Cruz, A. G., Faria, J. A. F., & Van Dender A. G. F. (2007). Packaging system and probiotic dairy foods. *Food Research International*, 40, 951-956.
- Curry, B., & Crow, V. (2003). *Lactobacillus* spp.: General characteristics. *Encyclopedia of Dairy Sciences*, 3, 1479-1484.
- Daniel, C., Roisin, H., Colette, S., & Ian, R. (2005). The potential mechanism involved in the anti-carcinogenic action of probiotics. *Mutation Research* (591), 276-289.
- Datamonitor. (2010). *Yogurt in Malaysia*.
- Dave, R. I., & Shah, N. P. (1996). Viability of Yogurt and Probiotic Bacteria in Yogurts Made from Commercial Starter Cultures. *International Dairy Journal* 7, 31-41.
- Dave, R. I., & Shah, N. P. (1997). Viability of yogurt and probiotic bacteria in yogurts made from commercial starter cultures. *International Dairy Journal*, 7, 31 - 41.
- Davis, J. G., Ashton, T. R., & McCaskill, M. (1971). Enumeration and viability of *Lactobacillus bulgaricus* and *Streptococcus thermophilus* in yogurt. *Dairy Industries*, 36, 569-573.
- Deanne, T. (1996). *Acidophilus*. Peasant Grove, UT: Woodland Publishing.
- Deeth, H. C., & Tamime, A. Y. (1981). Yogurt: nutritive and therapeutic aspects. *J. Food Prot.* , 44, 78-86.

- Deng, S., Palu, A. K., West, B. J., Su, C. X., Zhou, B. N., & Jensen, J. C. (2007). Lipoxygenase inhibitory constituents of the fruits of Noni (*Morinda citrifolia*) collected in Tahiti. *Journal of Natural Products*, *70*, 859-862.
- Dicarli, M. F., Janises, J., Grunberger, J., & Ager, J. (2003). Role of chronic hyperglycemia in the pathogenesis of coronary microvascular dysfunction in diabetes. *J. Am Coll. Cardiol.*, *41*, 1387-1393.
- Dixon, A. R., McMillen, H. & Etkin, N. L. (1999). Ferment this: the transformation of Noni, a traditional Polynesia medicine (*Morinda citrifolia*, Rubiaceae), *Ecological Botany*, *53*, 51-68.
- Donkor, O. N., Henriksson, A., Vasiljevic, T., & Shah, N. P. (2006). Effect of acidification on the activity of probiotics in yogurt during cold storage. *International Dairy Journal*, *16*, 1181-1189.
- Durlu-Ozkaya, F., Aslim, B., & Ozkaya, M. T. (2007). Effect of exopolysaccharides (EPSs) produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* strains to bacteriophage and nisin sensitivity of the bacteria. *LWT- Food Sci Technol*, *40*, 564-568.
- FAO. (2002). *Guidelines for the evaluation of probiotics in food*. . London ON, Canada: Food and Agricultural Organization (FAO)/World Health Organization (WHO).
- Felly, C. P., Corthesy-Theulaz, I., Rivero, J. L., Sipponen, P., Kaufmann, M., & Bauerfeind, P. (2001). Favourable effect of an acidified milk (LC-1) on *Helicobacter pylori* gastritis in man. *European Journal of Gastroenterology and Hepatology*, *13*, 25-29.
- Fresco, P., Borges, F., Marques, M. P. M., & Diniz, C. (2010). The anticancer properties of dietary polyphenols and its relation with apoptosis. *Current Pharmaceutical Design*, *16* (1), 114-134.
- Fuhrman, B., Lavy, A., & Aviram, M. (1995). Consumption of red wine meal reduces the susceptibility of human plasma and low density lipoprotein to lipid. *American Journal of Clinical Nutrition*, *61*, 349-354.
- Fujisawa, T., Ikegami, H., Inoue, K., Kawabata, Y., & Ogihara, T. (2005). Effect of two α -glucosidase inhibitors, voglibose and acarbose, on postprandial hyperglycemia correlates with subjective abdominal symptoms. *Metabol.*, *54*, 387-390.
- Fuller, R. (Ed.). (1992). *Probiotics, the scientific basis*. London, UK: Chapman & Hall.
- Furusawa, E., & Hirazumi, A. (1994). Anticancer activity of *Morinda citrifolia* (noni) on intraperitoneally implanted Lewis Lung carcinoma in syngeneic mice. *Proc West Pharmacol Soc.*, *37*, 146-146.

- Furusawa, E., & Hirazumi, A. (1996). Immunomodulation contributes to the anticancer activity of *Morinda citrifolia* (noni) fruit juice. *Proc West Pharmacol Soc.*, 39, 25.
- Furusawa, E., Hirazumi, A., Story, S., & Jenson, J. (2003). Antitumor potential of a polysaccharide-rich substance from the fruit juice of *Morinda citrifolia* (noni) on sarcoma 180 ascites tumour in mice. *Phytotherapy Research*, 17, 1158-1164.
- Gilliland, S. E. (1978). Beneficial interrelationships between certain microorganisms and humans: candidate microorganisms for use as dietary adjuncts. *J. Food Prot.*, 42, 164-167.
- Gilliland, S. E., & Speck, M. L. (1977). Instability of *Lactobacillus acidophilus* in yogurt. *Journal of Dairy Science* 60, 1394 - 1398.
- Gnanapragasam, A., Ebenezar, K. K., Sathish, V., Govindaraju, P., & Devaki, T. (2004). Protective effect of *Centella asiatica* on antioxidant tissue defense system against adriamycin induced cardiomyopathy in rats. *Life Science*, 76(5) 585-597.
- Guler, A., & Mutlu, B. (2005). The effects of different incubation temperatures on the acetaldehyde content and viable bacteria counts of bio-yogurt made from ewe's milk. *Int. J. Dairy Tech.* , 58,174-179.
- Goodwin, C. S., & Armstrong, J. A. (1990). Microbiological aspects of *Helicobacter pylori* (*Campylobacter pylori*). *European Journal of Clinical Microbiology and Infections Disease*, 9, 1-13.
- Hamann, W. T., & Marth, E. H. (1983). Survival of *Streptococcus thermophilus* and *Lactobacillus bulgaricus* in commercial and experimental yogurts. *Journal of Food Protection*, 47(10), 781-786.
- Han, C. J., Abas, H., & Sabariah, I. (2008). Toxicity study of *Orthosiphon stamineus* Benth (Misai Kucing) on Sprague Dawley rats *Tropical Biomedicine*, 25(1), 9-16.
- Heller, J. K. (2001). Probiotic bacteria in fermented foods: Product characteristics and starter organism. *American Journal of Clinical Nutrition*, 73(Suppl.), 374S-379S.
- Hertog, M. G. L., Feskens, E. L. M., Hollman, P. C. H., Katan, M. B., & Kromhout, D. (1993). Dietary antioxidant flavonoids and risk of coronary heart disease : the Zutphen elderly study. *Lancet*, 342, 1007-1011.

- Hirazumi, A., & Furusawa, E. (1999). An immunomodulatory polysaccharide-rich substance from the fruit juice of *Morinda citrifolia*. *Phytotherapy Research*, 13, 380.
- Hollman, P. C., & Katan, M. B. (1999). Dietary flavonoids; intake, health effects and bioavailability. *Food Chemistry Toxicology*, 37, 937-942.
- Hossain, M. A., & Rahman, S. M. M. (2011). Isolation and characterisation of flavonoids from the leaves of medicinal plant *Orthosiphon stamineus*. *Arabian Journal of Chemistry*.
- Hugenholtz, J., & Kleerebezem, M. (1999). Metabolic engineering of lactic acid bacteria: Overview of the approaches and results of pathway rerouting involve in food fermentations. *Current Opinion in Biotechnology*, 10, 492-497.
- Hughes, D. B., & Hoover, D. G. (1991). Bifidobacteria their potential for use in American dairy products. *Food Technology*, 45, 74 76 78-80 83.
- Hussin, A. (2001). Adverse Effects of Herbs and Drug-Herbal Interactions. *Malaysian Journal of Pharmacy*, 1(2), 39-44.
- Hyun, C., & Shin, H. (1998). Utilization of bovine plasma obtained from a slaughterhouse for economic production of probiotics. *Journal of Fermentation and Bioengineering*, 86, 34-37.
- IDF. (1984). Fermented Milk. *International Dairy Federation Bulletin No 179*.
- Ishibashi, N., & Shimamura, S. (1993). Bifidobacteria: reserach and development in Japan. *Food Technology*, 47, 126-134.
- Jolly, L., Sebastien, J. F. V., Duboc, P., & Neeser, J.-R. (2002). Exploiting exopolysaccharides from lactic acid bacteria. *Antonie Van Leeuwenhoek*, 82, 367 - 374.
- Jones, P. J., & Jew, S. (2007). Functional food development: Concept to reality. *Trends in Food Science and Technology*, 18, 387-390.
- Kailasapathy, K., & Rybka, S. (1997). *L. acidophilus* and *Bifidobacterium* spp. - Their therapeutic potential and survival in yogurt. *Australian Journal of Dairy Technology*, 52, 28-35.
- Kailasapathy, K., Harmstorf, I., & Philips, M. (2007). Survival of *Lactobacillus acidophilus* and *Bifidobacterium animalis* ssp. *lactis* in stirred fruit yogurts. *Journal of Food Science and Technology*, 52, 28-35.
- Kamboj, V. P. (2000). Herbal medicine. *Current Science*, 78(1), 35-39.

- Kanbe, M. (1992). Functions of Fermented Milk: Challenges for the health science. In Y. Nakazawa & A. Hosono (Eds.). London: Elsevier Appl. Sci. Publ.
- Karaaslan, M., Ozden, M., Vardin, H., & Turkoglu, H. (2011). Phenolic fortification of yogurt using grape and callus extracts. *Food Science and Technology*, *44*(4), 1065-1072.
- Kawabata, J., Gao, H., Huang, Y.-N., & Xu, P. Y. (2007). Inhibitory effect on alpha-glucosidase by the fruits of *Terminalia chebula* Retz. *Food Chemistry*, *105*, 628-634.
- Keating, K., & White, C. H. (1990). Effect of alternative sweeteners in plain and fruit flavored yoghurt. *Journal Dairy Science*, *73*, 54-62.
- Kurmann, J. A., & Rasic, J. L. (1991). The health potential of products containing bifidobacteria. In R. K. Robinson (Ed.), *Therapeutic properties of fermented milk* (pp. 117-157). London, UK: Elsevier Applied Science.
- Laakso, M., & Kuusisto, J. (2007). Cerebrovascular disease in type 2 diabetes. *International Congress Series*, 65-69.
- Labuza, T. (1994). Foreword, in Functional Foods; Designer Foods, . In I. Goldberg (Ed.), *Pharmafoods, Nutraceuticals* (pp. xi-xiii). London: Chapman and Hall.
- Lankaputhra, W. E. V., & Shah, N. P. (1994). Investigation of factors affecting viability of *Lactobacillus acidophilus* and *Bifidobacteria* in yoghurt. *24th Inter. Dairy Congress*.
- Lankaputhra, W. E. V., & Shah, N. P. (1995). Survival of *Lactobacillus acidophilus* and *Bifidobacterium* species in the presence of acid and bile salts. *Cultured Dairy Products Journal* *30*, 113 - 118.
- Lankaputhra, W. E. V., & Shah, N. P. (1998). Antimutagenic properties of probiotic bacteria and of organic acids. *Mutation Research*, *39*, 169-182.
- Lankaputhra, W. E. V., Shah, N. P., & Britz, M. L. (1996). Survival of Bifidobacteria during refrigerated storage in the presence of acid and hydrogen peroxide. *Milchwissenschaft*, *51*, 65-70.
- Larmond, E. (1987). Laboratory methods for sensory evaluation of foods.
- Le, M. G., Moulton, L. H., Hill, C., & Kramar, A. (1986). Consumption of dairy produce and alcohol in a case control study of breast cancer. *J. Natl. Cancer Inst.*, *77*, 633.

- Liu G.M., Bode, A., Ma, W. Y., Sang, S. M., Ho, C. T., & Dong, Z. G. (2001). Two novel glycosides from the fruits of *Morinda citrifolia* (noni) inhibit AP-1 transactivation and cell transformation in the mouse epidermal JB6 cell line. *Cancer Research*(61), 5749-5756.
- Liu, M., Dai, Y., Yao, X., Li, Y., Luo, Y., Xia, Y., et al. (2008). Anti-rheumatoid arthritic effect of madecassoside on type II collagen-induced arthritis in mice. *Int. Immunopharmacol* 11, 1561-1566.
- Loizzo, M. R., Saab, A. M., Tundis, R., Menichini, F., Bonesi, M., Piccolo, V., et al. (2008). *In vitro* inhibitory activities of plants used in Lebanon traditional medicine against angiotensin converting enzyme (ACE) and digestive enzymes related to diabetes. *Journal of Ethnopharmacology*, 119, 109-116.
- Lourens-Hattingh, A., & Viljoen, B. C. (2001). Yogurt as probiotic carrier food. *International Dairy Journal*(11), 1-17.
- Lui, M., Dai, Y., Li, Y., Luo, Y., Huang, F., Gong, Z., et al. (2008). Madecassoside isolated from *Centella asiatica* herbs facilitates burn wound healing in mice. *Planta Med.* , 74(8), 809-815.
- Margoles, A., & Garcia, L. (2003). Characterisation of a bifidobacterium strain with acquired resistance to cholera: A preliminary study *International Journal of Food Microbiology*, 80, 191-198.
- Marles, R., & Farnsworth, N. (1994). Plants as sources of antidiabetic agents. In H. Wagner & N. R. Farnsworth (Eds.), *Economic and Medicinal Plant Research* (Vol. 6, pp. 149-187). UK: Academic Press Ltd.
- Martirosyan, D. M. (2009). *Functional Foods for Chronic Disease, Volume 4: Obesity, Diabetes, Cardiovascular Disorders and AIDS*: D & A Incorporated.
- Maskat, M.Y., & Tan, S.M. (2011). Effect of heat treatment on the physico-chemical properties of Mengkudu (*Morinda citrifolia*) extract. *International Food Research Journal*, 18(3), 1007-1011.
- Matsuo, T., Sugaya, S., Yasukawa, J., Aigaki, T., & Fuyama, Y. (2007). Odorant-Binding Proteins OBP57d and OBP57e Affect Taste Perception and Host-Plant Preference in *Drosophila*. *PLoS Biology* 5(5).
- Mc. Clatchey, W. (2002). From polynesian healers to health food stores: changing perspectives of *Morinda citrifolia* (Rubiaceae). *Integrative Cancer Therapies*, 1, 110-120.
- McCue, P. P., & Shetty, K. (2004). Inhibitory effects of rosmarinic acid extracts on porcine pancreatic amylase *in vitro*. *Asia Pacific Journal of Clinical Nutrition*, 13, 101-106.

- Melo, E. B. d., Gomes, A. D. S., & Carvalho, I. (2006). α - and β -Glucosidase inhibitors: chemical structure and biological activity. *Tetrahedron*, 62, 10277-10302.
- Micanel, N., Haynes, I. N., & Playne, M. J. (1997). Viability of probiotic cultures in commercial Australia yoghurts. *Australian Journal of Dairy Technology*, 52, 24-27.
- Mital, B. K., & Garg, S. K. (1992). Acidophilus milk products: manufacture and therapeutics. *Food Rev. Int.*, 8, 347.
- Morton, J. F. (1992). The ocean-going Noni or Indian mulberry (*Morinda citrifolia*, Rubiaceae) and some of its 'colourful' relatives, *Ecological Botony*, 46,241-256.
- Mountney, G. J., & Gould, W. A. (1988). *Practical Food Microbiology and Technology*. New York, USA: AVI Books, Van Nostrand Reinhold Company.
- Nakasugi, T., & Komai, K. (1998). Antimutagens in the Brazilian folk medicinal plant Carqueja (*Baccharis trimera* Less). *Journal of Agricultural and Food Chemistry*, 46, 2560-2564.
- Nakazawa, Y., & Hosono, A. (1992). *Functions of Fermented Milk: Challenges for Health Sciences*. London: Elsevier Sci. Publ.
- Nighswonger, B. D., Brashears, M. M., & Gililand, S. E. (1996). Viability of *Lactobacillus acidophilus* and *Lactobacillus casei* in fermented milk products during refrigerated storage. *Journal of Dairy Science*, 79(2), 212-219.
- Odhav, B., Kandasamy, T., Khumalo, N., & Baijnath, H. (2010). Screening of African traditional vegetables for their alpha-amylase inhibitory effect. *Journal of Medicinal Plants Research*, 4(14), 1502-1507.
- Olson, D. W., & Aryana, K. J. (2008). An excessively high *Lactobacillus acidophilus* inoculation level in yogurt lowers product quality during storage. *Swiss Society of Food Science and Technology*, 911-918.
- O'Ryan, M., Prado, V., & Pickering, L. K. (2005). *A Millennium Update on Pediatric Diarrheal Illness in the Developing World*. Paper presented at the Pediatric Infectious Diseases.
- Ostle, H. M., Treimo, J., & Narvhus, J. A. (2003). Effects of temperature on growth and metabolism of probiotic bacteria in milk. *International Dairy Journal*, 15, 989-997.
- Ouwehand, A. C., Salminen, S., & Isolauri, E. (2002). Probiotics: An overview of beneficial effects. *Antonie Van Leeuwenhoek*, 82, 279-289.

- Ozer, B., Kirmaci, H. A., Oztekin, S., Hayaloglu, A., & Atamer, M. (2007). Incorporation of microbial transglutaminase into non-fat yogurt production. *International Dairy Journal*, 17, 199-207.
- Ozer, D., Akin, S., & Ozer, B. (2005). Effect of inulin and lactulose on survival of *Lactobacillus acidophilus* LA-5 and *Bifidobacterium bifidum* BB-02 in acidophilus-bifidus yogurt. *Food Science and Technology International*, 11, 19 - 24.
- PDM, Persatuan Diabetes Malaysia (2006). What is Diabetes.
- Pechard, G., Antona, M., Aubert, S., & Badin, D. (2005). "Ressources phytogénétiques, contrats et application de la convention biodiversité à Madagascar". *Bois et Forêts des Tropiques*. 2, 284. 45-58.
- Perez, R. M., Zavala, M. A., Perez, S., & Perez, C. (1998). Anti diabetic effects of compound isolated from plants. *Phytomedicine*, 5, 55-75.
- Personnet, J. (1993). *Helicobacter pylori* and gastric cancer. *Gastroenterology Clinics of North America*, 22, 89-104.
- Pette, J. W., & Lolkema, H. N. (1950). Acid production and aroma formation in yogurt. *Milk Dairy J.*, 4, 261-273.
- Potter, N. N., & Hotchkiss, J. H. (1995). *Milk and Milk Products in Food Science* (5th ed.). New York: Chapman and Hall.
- Prajapati, J. B., & Dave, R. I. (1994). *Associative growth of L. acidophilus and S. thermophilus in buffalo milk*. Paper presented at the 24th Dairy Congress, Melbourne, Australia.
- Puls, W., Keup, U., Krause, H. P., Thomas, G., & Hoffmeister, F. (1997). Glucosidase inhibition: A new approach to the treatment of diabetes, obesity and hyperlipoproteinaemia. *Naturwissenschaften*, 64, 536-537.
- Ramasubbu, N., Rangunath, C., Mishra, P. J., Thomas, L. M., Gyement, G., & Kandra, L. (2004). Human salivary α -amylase Trp58 situated at subsite-2 is critical for enzyme activity. *European Journal Biochemistry*, 271, 2517-2529.
- Ramchandran, L., & Shah, N. P. (2010). Characterization of functional, biochemical and textural properties of synbiotic low-fat yogurts during refrigerated storage. *Food Science and Technology* 43, 819 - 827.
- Rhabasa-Lhoret, R., & Chiasson, J. L. (2004). Alpha-glucosidase inhibitors (3rd ed.). In R. A. Defronzo, E. Ferranini, H. Keen & P. Zimmet (Eds.), *International textbook of diabetes mellitus* (Vol. 1). UK: John Wiley.

- Rivasseau, C., Boisson, A. M., Mong'elard, G., Couram, G., Bastien, O., & Bligny, R. (2006). Rapid analysis of organic acids in plant extracts by capillary electrophoresis with indirect UV detection directed metabolic analyses during metal stress. *Journal of Chromatography A*, 1129, 283-290.
- Ruas-Madiedo, P., & de los Reyes-Gavilan, C. G. (2005). Invited review: Methods for the screening, isolation and characterization of exopolysaccharides produced by lactic acid bacteria. *Journal of Dairy Science*, 88, 843-856.
- Saavedra, J. M., Bauman, N. A., Oung, I., Perman, J. A., & Yolken, R. H. (1994). Feeding of *Bifidobacterium bifidum* and *Streptococcus thermophilus* to infants in hospital for prevention of diarrhoea and shedding of rotavirus. *Lancet*, 344, 1046-1049.
- Salminen, S. J., Gueimonde, M., & Isolauri, E. (2005). Probiotics that modify disease risk. *J. Nutr*, 135(5), 1294-1298.
- Sander, M. E., & Klaenhammer, T. R. (2001). Invited review: The scientific basis of *Lactobacillus acidophilus* NCFM functionality as a probiotics. *Journal of Dairy Science*, 84, 319-331.
- Sang, S., Cheng, X., Zhu, N., Stark, R. E., Badmaev, V., & Ghai, G. (2001). Flavonol glycoside and novel iridoid glycoside from the leaves of *Morinda citrifolia*. *Journal of Agricultural and Food Chemistry*, 49, 4478-4481.
- Sang, S., Liu, G., He, K., Zhu, N., Dong, Z., Zheng, Q., et al. (2003). New unusual iridoids from the leaves of Noni (*Morinda citrifolia* L.) show inhibitory effect on ultraviolet B-induced transcriptional activator protein-1 (AP-1) activity. *Bioorganic and Medicinal Chemistry*, 11, 2499-2502.
- Savita, S. M., Sheela, K., Sharan, S., Shankar, A. G., & Parama, R. (2004). *Stevia rebaudiana* - A Functional Component for Food Industry. *J. Hum. Ecol.*, 15(4), 261-264.
- Schrezenmeir, J., & deVrese, M. (2001). Probiotics, prebiotics and synbiotics-approaching a definition. *American Journal of Clinical Nutrition*, 73, 361S-364S.
- Schultz, M., & Sartor, R. B. (2000). Probiotics and inflammatory bowel diseases. *American Journal of Gastroenterology*, 95, 19S-21S.
- Shah, N. P. (1993). Effectiveness of dairy products in alleviation of lactose intolerance. *Food Australia*, 45, 268-271.
- Shah, N. P. (2000). Some beneficial effects of probiotic bacteria. *Bioscience Microflora*, 19, 99-106.
- Shah, N. P. (2007). Functional cultures and health benefits. *International Dairy Journal*, 17, 1262 - 1277.

- Shah, N. P., Fedorak, R. N., & Jelen, P. (1992). Food consistency effects of quark in lactose absorption by lactose intolerant individuals. *International Dairy Journal*, 2, 257-269.
- Sherwin, E. R. (1978). Oxidation and antioxidants in fat and oil. *Journal of the American Oil Society*, 55, 809-816.
- Shetty K., Apostolidis E., & Kwon Y.I. (2007). Inhibitory potential of herbs, fruit, and fungal-enriched cheese against key enzymes linked to type 2 diabetes and hypertension. *Innovative Food Science and Emerging Technologies*, 8, 46-54.
- Shetty, K., Curtis, O. F., Levin, R. E., Witkowsky, R., & Ang, W. (1995). Prevention of vitrification associated with in vitro shoot culture of oregano (*Origanum vulgare*) by *Pseudomonas* spp. *Journal of Plant Physiology*, 147, 447-557.
- Shotipruk, A., Kiatsongserm, J., Pavasant, P., Goto, M., & Sasaki, M. (2004). Pressurized hot water extraction of anthraquinones from the roots of *Morinda citrifolia*. *Biotechnology Progress*, 20, 1872-1875.
- Singleton, V., Orthofer, R., & Lamuela-Raventos, R. M. (1999). Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent. *Methods in Enzymology*, 299, 152-175.
- Su, B. N., Pawlus, A. D., Jung, H. A., Keller, W. J., McLaughlin, J. L., & Kinghorn, A. D. (2005). Chemical constituents of the fruits of *Morinda citrifolia* (Noni) and their antioxidant activity. *J Nat Prod*, 2005(68), 592-595.
- Sumaryono, W., Proksc, P., Wray, V., Witte, L., & Hartmann, T. (1991). Qualitative and quantitative analysis of the phenolic constituents from *Orthosiphon aristatus*. *Planta Medica*, 57, 176-180.
- Tabak, M., Armon, R., Potasman, I., & Neeman, I. (1996). *In vitro* inhibition of *Helicobacter pylori* by extracts of thyme. *Journal of Applied Bacteriology* 80, 667-672.
- Takeda, Y., (1994). Differences in Caffeine and Tannin Contents between Tea Cultivars, and Application to Tea Breeding. *JARQ* 28,117-123.
- Tezuka, Y., Stampoulis, P., Banskota, A. H., Awale, S., Tran, K. Q., & Saiki, I. (2000). Constituents of the Vietnamese medicinal plant *Orthosiphon stamineus*. *Chemical Pharmaceutical Bulletin*, 48, 1711-1719.
- Thomas, T. D., & Crow, L. V. (1984). Selection of galactose-fermenting *Streptococcus thermophilus* in lactose-limited chemostat cultures. *Applied and Environment Microbiology*, 48(1), 186-191.
- Tiwari, N. N., & Joshi, M. P. (1990). Medicinal Plants of Nepal. *Journal of Nepal Medical Association*, I, II & III(28), 181-190,221-232,266-279.

- Vadivel, V., & Biesalski, H. K. (2011). Contribution of phenolic compounds to the antioxidant potential and type II diabetes related enzyme inhibition properties of *Pongamia pinnata* L. Pierre seeds. *Process Biochemistry*.
- Van'tVeer, P., Dekker, J. M., Lemers, J. W. J., Kok, F. J., Schouten, E. G., Brants, H. A. M., et al. (1989). Consumption of fermented milk products and breast cancer: a case control study in the Netherlands. *Cancer Res.*, *49*, 4020-4023.
- Vattem, D. A., Ghaedian, R., & Shetty, K. (2005). Enhancing health benefits of berries through phenolic antioxidant enrichment: Focus on cranberry. *Asia Pac. Clin. Nutr.*, *14*, 120-130.
- Venkatamuru, K., Patel, J. D., & Rao, S. (1983). Fractionation of wood phenolics and their use in brandy. *Journal of Food Science and Technology*, *20*, 16-18.
- Wang, M. F., Kikuzaki, H., Jin, Y., Nakatani, N., Zhu, N., Csiszar, K., et al. (2000). Novel glycosides from noni (*Morinda citrifolia*). *Journal of Natural Products*, *63*, 1182-1183.
- Wang, M. Y., West, B. J., Jensen, C. J., Nowicki, D., Chen, S., & Palu, A. (2002). *Morinda citrifolia* (noni): A literature review and recent advances in noni research. *Acta Pharmacologica Sinica*, *23*, 1127-1141.
- Wangner, H. (1982). *Parmazietische Biologie: drogen und ihre Inhaltsstoffe* Gustav Fischer Verlag, 2nd, 49-50.
- Welman, A. D., & Maddox, I. S. (2003). Exopolysaccharides from lactic acid bacteria: perspectives and challenges. *Trends in Biotechnology*, *21*(269 - 274).
- Whitney, E., & Rolfes, S. R. (2008). Diet and health *Understand Nutrition, Eleventh Edition*: Thomson Wadsworth.
- WHO, World Health Organization. (2009). Diabetes.
- Wingard, D., & Barrett-Connor, E. (1995). Heart disease and diabetes. In M. Harris, C. Cowie, M. Stern, E. Boyko, G. Reiber & P. Bennett (Eds.), *Diabetes in America* (2nd ed.). Washington DC, US: Govt. Printing Office.
- Wongfahun, P., Gordon, M. H., & Apichartsrangkoon, A. (2010). Flavour characterisation of fresh and processed pennywort (*Centella asiatica* L.) juices. *Food Chemistry*, *119*, 69-74.
- Yadav, H., Shalini, J., & Sinha, P. R. (2007). Antidiabetic effect of probiotic dahi containing *Lactobacillus acidophilus* and *Lactobacillus casei* in high fructose fed rats. *Nutrition*, *23*, 62-68.

- Yamamoto, N., Akino, A., & Takano, T. (1994). Antihypersensitive effects of different kinds of fermented milk in spontaneously hypersensitive rats. *Bio-Sci. Biotechnol. Biochem*, 58, 776-778.
- Yang, J., Paulino, R., Janke-Stedronsky, S., Abawi, F. (2007) Free-radical-scavenging activity and total phenols of noni (*Morinda citrifolia* L.) juice and powder in processing and storage. *Food Chemistry*, 102, 302-308.
- Yoon, H., Benamouzing, R., Little, J., Francois-Collange, M., & Tome, D. (2000). Systematic review of epidemiological studies on meat, dairy products, and egg consumption and risk of colorectal adenomas. *European Journal of Cancer Preventioan*, 9, 151-164.
- Yoshida, M., Fuchigami, M., Nagao, T., Okabe, H., Matsunaga, K., & Takata, J., Karube, Y., Tsuchihashi, R., Kinjo, J., Mihashi, K., & Fujioka, T. (2005). Antiproliferative constituents from Umbelliferae plants VII. Active triterpenes and rosmarinic acid from *Centella asiatica*. *Biol. Pharm. Bull.*, 28(1), 173-175.
- Zainol, M. K., Abdul-Hamid, A., Yusof, S., & Muse, R. (2003). Antioxidative activity and total phenolic compounds of leaf, root and petiole of four accessions of *Centella asiatica* (L.) urban. *Food Chemistry*, 81, 575-581.
- Zloch, Z. (1969). Influence of quercetin and epicatechol on biochemical change in guinea pig during experimental C-hypovaminosis. *International Zeitschrift Vitaminforsch*, 39, 269-280.