

## REFERENCES

- Adebahr J., Ciccosillo N., Shekibi Y., Farlane D. R. M., Hill A. J., Forsyth M., “The filler effect in organic ionic plastic crystals: Enhanced conductivity by the addition of nano-sized TiO<sub>2</sub>” Solid State Ionics 177 (2006) 827– 831
- Agrawal P., Strijkers G. J., Nicolay K., “Chitosan-based systems for molecular imaging” Advanced Drug Delivery Reviews 62 (2010) 42–58
- Agrawal R. C., Pandey G. P., “Solid polymer electrolytes: materials designing and all-solid-state battery applications: an overview” Journal of Physics D: Applied Physics 41 (2008) 223001
- Agrawal S. L., Singh M., Tripathi M., Dwivedi M. M., Pandey K., “Dielectric relaxation studies on [PEO–SiO<sub>2</sub>]:NH<sub>4</sub>SCN nanocomposite polymer electrolyte films” J Mater Sci (2009) 44:6060–6068
- Ahmad S., Agnihotry S. A. “Effect of nano-Al<sub>2</sub>O<sub>3</sub> addition on ion dynamics in polymer electrolytes” Current Applied Physics 9 (2009) 108–114
- Ahmad M. M., Yamada K., Okuda T., “Ionic conduction and relaxation in KSn<sub>2</sub>F<sub>5</sub> fluoride ion conductor” Physica B 339 (2003) 94–100
- Alloin F., D’Aprea A., El Kissi N., Dufresne A., Bossard F., “Nanocomposite polymer electrolyte based on whisker or microfibrils polyoxyethylene nanocomposites” Electrochimica Acta 55 (2010) 5186–5194
- Aravindan V., Lakshmi C., Vickraman P., “Investigations on Na<sup>+</sup> ion conducting polyvinylidenefluoride-co-hexafluoro-propylene/poly ethylmethacrylate blend polymer electrolytes” Current Applied Physics 9 (2009) 1106–1111
- Asami K., “Characterization of heterogeneous systems by dielectric spectroscopy” Progress in Polymer Science 27 (2002) 1617–1659

- Avellaneda C. O., Vieira D. F., Al-Kahlout A., Leite E. R., Pawlicka A., Aegeerter M. A., "Solid-state electrochromic devices with Nb<sub>2</sub>O<sub>5</sub>:Mo thin film and gelatin-based electrolyte" 53 (2007) 1648-1654
- Awadhia A., Agrawal S. L., "Structural, thermal and electrical characterizations of PVA:DMSO:NH<sub>4</sub>SCN gel electrolytes" Solid State Ionics 178 (2007) 951– 958
- Awadhia A., Patel S. K., Agrawal S. L., "Dielectric investigations in PVA based gel electrolytes" Progress in Crystal Growth and Characterization of Materials 52 (2006) 61-68
- Ayesh A. S., "Electrical and optical characterization of PMMA doped with Y<sub>0.0025</sub> Si<sub>0.025</sub> Ba<sub>0.9725</sub> (Ti<sub>0.9</sub> Sn<sub>0.1</sub>) O<sub>3</sub> CERAMIC" Chinese Journal of Polymer Science 28 (2010) 537–546
- Aziz S. B., Abidin Z. H., Arof A. K., "Effect of silver nanoparticles on the DC conductivity in chitosan–silver triflate polymer electrolyte" Physica B: Condensed Matter 405 (2010a) 4429-4433
- Aziz S. B., Abidin Z. H., Arof A. K., "Influence of silver ion reduction on electrical modulus parameters of solid polymer electrolyte based on chitosan-silver triflate electrolyte membrane" eXPRESS Polymer Letters 4 (2010b) 300–310
- Barsoukov E., Macdonald J. R., "Impedance Spectroscopy, Theory, experiment, and application" 2005, pp. 7
- Baskaran R., Selvasekarapandian S., Hirankumar G., Bhuvaneswari M.S., "Vibrational, ac impedance and dielectric spectroscopic studies of poly(vinylacetate)-N,N-dimethylformamide-LiClO<sub>4</sub> polymer gel electrolytes" Journal of Power Sources 134 (2004) 235–240
- Baskaran R., Selvasekarapandian S., Kuata N., Kawamura J., Hattori T." Conductivity and thermal studies of blend polymer electrolytes based on PVAc–PMMA" Solid State Ionics, 177 (2006) 2679-2682
- Baskaran R., Selvasekarapandian S., Kuwata N., Kawamura J., Hattori T. "Structure, thermal and transport properties of PVAc–LiClO<sub>4</sub> solid polymer electrolytes" Journal of Physics and Chemistry of Solids 68 (2007) 407–412

Bassiouni M. E., Al-Shamy M. E. F., Madi N. K., Kassem M. E" Temperature and electric field effects on the dielectric dispersion of modified polyvinyl chloride" Mater. Lett, 57 (2003) 1595-1603

Belamie E., Domard A., Chanzy H., Giraud-Guille M.-M., "Spherulitic Crystallization of Chitosan Oligomers" Langmuir 15 (1999) 1549–1555

Benavente J., Jose M. G., Riley R., Lozano A. E., Abajo J., "Sulfonated poly(ether sulfones) Characterization and study of dielectrical properties by impedance spectroscopy" Journal of Membrane Science 175 (2000) 43–52

Benavente J., Zhang X., Valls R. G., "Modification of polysulfone membranes with polyethylene glycol and lignosulfate: electrical characterization by impedance spectroscopy measurements" Journal of Colloid and Interface Science 285 (2005) 273–280

Bhargav P. B., Mohan V. M., Sharma A. K., Rao V. V. R. N., "Investigations on electrical properties of (PVA:NaF) Polymer electrolytes for electrochemical cell applications" Current Applied Physics 9 (2009) 165–171

Bobade R. S., Pakade (Yawale) S. V., Yawale S. P., "Electrical investigation of polythiophene–poly (vinyl acetate) composite films via VTF and impedance spectroscopy" Journal of Non-Crystalline Solids 355 (2009) 2410–2414

Borgohain M. M., Joykumar T., Bhat S.V., "Studies on a nanocomposite solid polymer electrolyte with hydrotalcite as filler" Solid State Ionics 181 (2010) 964–970

Buraidah M. H., Teo L. P., Majid S. R., Arof A. K., "Ionic conductivity by correlated barrier hopping in NH<sub>4</sub>I doped chitosan solid electrolyte" Physica B 404 (2009) 1373–1379

Carvalho L. M., Gueágan P., Cheradame H., Gomes A. S., "Variation of the mesh size of PEO-based networks filled with TFSILi: from an Arrhenius to WLF type conductivity behavior " European Polymer Journal 36 (2000) 401-409

Chanal C. V., Jog J. P., "Dielectric relaxations in PVDF/BaTiO<sub>3</sub> nanocomposites" eXPRESS Polymer Letters 2 (2008) 294-301

---

---

---

---

## References

- Chávez E. P., Oviedo-Roa R., Contreras-Pérez G., Martínez-Magadán J. M., Castillo-Alvarado F. L., “Theoretical studies of ionic conductivity of crosslinked chitosan membranes” International Journal of Hydrogen Energy 35 (2010) 12141–12146
- Cheng M., Deng J., Yang F., Gong Y., Zhao N., Zhang X., “Study on physical properties and nerve cell affinity of composite films from chitosan and gelatin solutions” Biomaterials 24 (2003) 2871– 2880
- Costa M. M., Terezo A.J., Matos A. L., Moura W. A., Giacometti J. A., Sombra A. S. B., “Impedance spectroscopy study of dehydrated chitosan and chitosan containing LiClO<sub>4</sub>” Physica B 405 (2010) 4439–4444
- Deka M., Kumar A., “Electrical and electrochemical studies of poly(vinylidene fluoride)-clay nanocomposite gel polymer electrolytes for Li-ion batteries” Journal of Power Sources 196 (2011) 1358–1364
- Deka M., Kumar A., “Enhanced electrical and electrochemical properties of PMMA-clay nanocomposite gel polymer electrolytes” Electrochimica Acta 55 (2010) 1836–1842
- Dissanayake M. A. K. L., Jayathilaka P. A. R. D., Bokalawala R. S. P., Albinssonb I., Mellander B.-E., “Effect of concentration and grain size of alumina filler on the ionic conductivity enhancement of the (PEO)<sub>9</sub>LiCF<sub>3</sub>SO<sub>3</sub>:Al<sub>2</sub>O<sub>3</sub> composite polymer electrolyte” Journal of Power Sources 119–121 (2003) 409–414
- Dutta P., Biswas S., Kumar De S., “Dielectric relaxation in polyaniline-polyvinyl alcohol composites” Materials Research Bulletin 37 (2002) 193-200
- Dutta A., Sinha T.P., “Dielectric relaxation in perovskite BaAl<sub>1/2</sub> Nb<sub>1/2</sub> O<sub>3</sub>” Journal of Physics and Chemistry of Solids 67 (2006) 1484–1491
- Edman L., Doeuff M. M., Ferry A., Kerr J., De Jonghe L. C., “Transport properties of the solid polymer electrolyte system P(EO)<sub>n</sub> LiTFSI” Journal of Physics and Chemistry. B 104 (2000) 3476-3480
- Eid A. H., Mahmoud S., “The A.C. impedance of polycrystalline CuInS<sub>2</sub> thin films” JOURNAL OF MATERIALS SCIENCE: MATERIAL IN ELECTRONICS 8 (1997) 259—264

---

## References

---

- El-Sawy N. M., El-Rehim H. A. A., Elbarbary A. M., Hegazy E. A., “Radiation-induced degradation of chitosan for possible use as a growth promoter in agricultural purposes” Carbohydrate Polymers 79 (2010) 555–562
- Evanoff Jr D. D., Chumanov G., “Synthesis and optical properties of silver nanoparticles and arrays” ChemPhysChem 6 (2005) 1221-1231
- Fadime G., Sevim U, Bozkurt A., “Preparation and the proton conductivity of chitosan/poly (vinyl phosphonic acid) complex polymer electrolytes” Journal of Non-Crystalline Solids 354 (2008) 3637-3642
- Faraga A. A. M., Terrab F. S., Mahmoud G. M., “Structure, DC and AC conductivity of oxazine thin films prepared by thermal evaporation technique” Synthetic Metals 160 (2010) 743-749
- Farid A. F., Bekheet A. E., “AC conductivity and dielectric properties of  $Sb_2S_3$  films” Vacuum, 59 (2000) 932-939
- Fortunato R., Branco L. C., Afonso C. A. M., Benavente J., Crespo J. G., “Electrical impedance spectroscopy characterisation of supported ionic liquid membranes” Journal of Membrane Science 270 (2006) 42–49
- Gautam A., Ram S., “Preparation and thermomechanical properties of Ag-PVA nanocomposite films” Materials Chemistry and Physics 119 (2010) 266-271
- Göktepe F., Çelik S. Ü., Bozkurt A., “Preparation and the proton conductivity of chitosan/poly (vinyl phosphonic acid) complex polymer electrolytes” Journal of Non-Crystalline Solids 354 (2008) 3637–3642
- Guibal E., “Heterogeneous catalysis on chitosan-based materials: a review” Progress in Polymer Science 30 (2005) 71–109
- Hammami H., Arous M., Lagache M., Kallel A., “Study of the interfacial MWS relaxation by dielectric spectroscopy in unidirectional PZT fibres/epoxy resin composites” Journal of Alloys and Compounds 430 (2007) 1–8
- Hashmi S. A., Chandra S., “Experimental investigations on a sodium-ion-conducting polymer electrolyte based on poly (ethylene oxide) complexed with  $NaPF_6$ ” Materials Science Engineering B34 (1995) 18-26

HE B. B., “Two-dimentinal X-ray diffraction” Wiely Interscience, (2009) pp. 13-14

Hema M., Selvasekarapandian S., Hirankumar G., Sakunthala A., Arunkumar D., Nithya H., “Structural and thermal studies of PVA:NH<sub>4</sub>I” Journal of Physics and Chemistry of Solids 70 (2009a) 1098-1103

Hema M., Selvasekarapandian S., Nithya H., Sakunthala A., Arunkumar D., “Structural and ionic conductivity studies on proton conducting polymer electrolyte based on polyvinyl alcohol” Ionics 15 (2009b) 487–491

Hema M., Selvasekarapandian S., ArunkumaD., Sakunthala A., Nithya H., “FTIR, XRD and ac impedance spectroscopic study on PVA based polymer electrolyte doped with NH<sub>4</sub>X (X = Cl, Br, I)” Journal of Non-crystalline Solids 355 (2009c) 84–90

Hema M., Selvasekarapandian S., Sakunthala A., Arunkumar D., Nithya H., “Structural, vibrational and electrical characterization of PVA–NH<sub>4</sub>Br polymer electrolyte system” Physica B 403 (2008) 2740-2747

Henn F., Durand C., Cerepi A., Brosse E., Giuntini J. C., “DC conductivity, cationic exchange capacity, and specific surface area related to chemical composition of pore lining chlorites” Journal of Colloid and Interface Science 311 (2007) 571–578

Hill R. M., Dissado L. A. “Debye and non-Debye relaxation” Journal of Physics C: Solid State Physics 18 (1985) 3829-3836

Hodge I. M., Ngai K. L., Moynihan C. T., “Comments on the electric modulus function” Journal of Non-Crystalline Solids 351 (2005) 104–115

Honary S., Golkar M., “Effect of Polymer Grade and Plasticizer Molecular Weights on Viscoelastic Behavior of Coating Solutions” Iranian Journal of Pharmaceutical Research 2 (2003) 125-127

Hu Z., Kong Ch., Han Y., Zhao H., Yang Y., Wu H., “Large-scale synthesis of defect-free silver nanowires by electrodeless deposition” Materials letters 61 (2007) 3931-3934

Huggins R. A., “Simple Method to Determine Electronic Conductivity in Mixed and Ionic Components of the Conductors” Ionics 8 (2002) 300-313

---

---

- Idris N. H., Senin H. B., Arof A. K., “Dielectric spectra of LiTFSI-doped chitosan/PEO blends” *Ionics* 13 (2007) 213-217
- Itoh T., Mitsuda Y., Ebina T., Uno T., Kubo M., “Solid polymer electrolytes composed of polyanionic lithium salts and polyethers” *Journal of Power Sources* 189 (2009) 531–535
- Jacob M. M. E., Hackett E., Giannelis E. P., “From nanocomposite to nanogel polymer electrolytes” *Journal of Materials Chemistry* 13 (2002) 1–5
- Jacob M. M. E., Prabaharan S. R. S., Radhakrishna S., “Effect of PEO addition on the electrolytic and thermal properties of PVDF-LiClO<sub>4</sub> polymer electrolytes” *Solid State Ionics* 104 (1997) 267–276
- Jiansirisomboon S., Watcharapasorn A., “Effects of alumina nano-particulates addition on mechanical and electrical properties of barium titanate ceramics” *Current Applied Physics* 8 (2008) 48–52
- Kadir M. F. Z., Majid S. R., Arof A. K., “Plasticized chitosan–PVA blend polymer electrolyte based proton battery” *Electrochimica Acta* 55 (2010) 1475–1482
- Karan N. K., Pradhan D. K., Thomas R., Natesan B., Katiyar R. S., “Solid polymer electrolytes based on polyethylene oxide and lithium trifluoro- methane sulfonate (PEO–LiCF<sub>3</sub>SO<sub>3</sub>): Ionic conductivity and dielectric relaxation” *Solid State Ionics* 179 (2008) 689–696
- Karmakar A., Ghosh A., “Dielectric permittivity and electric modulus of poly ethylene oxide (PEO)-LiClO<sub>4</sub> composite electrolytes” *Current Applied Physics* 12 (2012) 539-543
- Khiar A. S. A., Puteh R., Arof A. K., “Conductivity studies of a chitosan-based polymer electrolyte” *Physica B* 373 (2006) 23– 27
- Kim J. H., Kim Ch. K., Won J., Kang Y. S., “Role of anions for the reduction behavior of silver ions in polymer/silver salt complex membranes” *Journal of Membrane Science* 250 (2005) 207-214
- Kim J. H., Won J. and Kang Y. S., “Olefin-induced dissolution of silver salts physically dispersed in inert polymers and their application to olefin/paraffin separation” *Journal of Membrane Science* 241 (2006) 403-407

- Kim J. K., Min B. R., Won J and Kang Y. S., "Correlation between anions of ionic liquids and reduction of silver ions in facilitated olefin transport membranes" Desalination 233 (2008) 327-332
- Kim J. K., Min B. R., Wong J. and Kang Y. S., "Anomalous temperature dependence of facilitated propylene transport in silver polymer electrolyte membranes" Journal of Membrane Science 227 (2003) 197-206
- Kim J. Y., Kim S. H., "Ionic conduction behavior of network polymer electrolytes based on phosphate and polyether copolymers" Solid State Ionics 124 (1999 ) 91 –99
- Kontos G. A., Soulantzis A. L., Karahaliou P. K., Psarras G. C., Georga S. N., Krontiras C. A., Pisanias M. N., "Electrical relaxation dynamics in TiO<sub>2</sub> – polymer matrix composites" eXPRESS Polymer Letters Vol.1, No.12 (2007) 781–789
- Kumar B., S. Rodrigues J., Spry R. J., "Dipoles and their possible effects on conductivity in polymer-ceramic composite electrolytes" Electrochimica Acta 47 (2002) 1275 – 1281
- Kumar K. N., Sreekanth T., Jaipal R. M., Subba R. U. V., "Study of transport and electrochemical cell characteristics of PVP:NaClO<sub>3</sub> polymer electrolyte system" Journal of Power Sources101 (2001) 130-133
- Kumar M. S., Bhat D. K., "Polyvinyl alcohol-polystyrene sulphonic acid blend electrolyte for supercapacitor application" Physica B 404 (2009) 1143-1147
- Kumar K. K., Ravi M., Pavani Y., Bhavani S., Sharma A. K., Rao V. V. R. N., "Investigation on the effect of complexation of NaF salt with polymer blend (PEO/PVP) electrolytes on ionic conductivity" Physica B: Condensed Matter 406 (2011) 1706-1712
- Kuo P.-L., Liang W.-J., Chen T.-Y., "Solid polymer electrolytes V: microstructure and ionic conductivity of epoxide-crosslinked polyether networks doped with LiClO<sub>4</sub>" Polymer 44 (2003) 2957-2964
- Li H., Liu G., Liu B., Chen W., Chen S. "Dielectric properties of polyimide/Al<sub>2</sub>O<sub>3</sub> hybrids synthesized by in-situ polymerization" Materials Letters 61 (2007) 1507-1511
- Li Z., Su G., Wang X., Gao D., "Micro-porous P (VDF-HFP)-based polymer electrolyte filled with Al<sub>2</sub>O<sub>3</sub> nanoparticles" Solid State Ionics 176 (2005) 1903 – 1908

- Liao Y. H., Rao M. M., Li W. S., Yang L. T., Zhu B. K., Xu R., Fu C. H., “Fumed silica-doped poly(butyl methacrylate-styrene)-based gel polymer electrolyte for lithium ion battery” *Journal of Membrane Science* 352 (2010) 95–99
- Lima C. G. A., de Oliveira R. S., Figueiró S. D., Wehmann C. F., Góes J. C., Sombra A. S. B., “DC conductivity and dielectric permittivity of collagen–chitosan films” *Materials Chemistry and Physics* 99 (2006) 284–288
- Linic S., Christopher Ph., Ingram D. B., “Plasmonic-metal nanostructures for efficient conversion of solar to chemical energy” *NATURE MATERIALS*, 10 (2011) 911-921
- Liu Y., Chen S., Zhong L. and Wu G., “Preparation of high-stable silver nanoparticle dispersion by using sodium alginate as a stabilizer under gamma radiation” *Radiation Physics and Chemistry* 78 (2009) 251-255
- López-Chávez E., Martínez-Magadań J. M., Oviedo-Roa R., Guzmán J., Ramírez-Salgado J., Marín-Cruz J., “Molecular modeling and simulation of ion-conductivity in chitosan membranes” *Polymer* 46 (2005) 7519–7527
- Mahato D. K., Dutta A., Sinha T. P., “Impedance spectroscopy analysis of double perovskite  $\text{Ho}_2\text{NiTiO}_6$ ” *Journal of Materials Science* 45 (2010) 6757–6762
- Majid S. R., Arof A. K., “Proton-conducting polymer electrolyte films based on chitosan acetate complexed with  $\text{NH}_4\text{NO}_3$  salt” *Physica B* 355 (2005) 78– 82
- Malathi J., Kumaravadivel M., Brahmanandhan G. M., Hema M., Baskaran R., Selvasekarapandian S., “Structural, thermal and electrical properties of PVA– $\text{LiCF}_3\text{SO}_3$  polymer electrolyte” *Journal of Non-Crystalline Solids* 356 (2010) 2277–2281
- Maoxu Z., Hongsen X., Jie G., Wuming B., Zuming X., “Impedance spectroscopy analysis on electrical properties of serpentine at high pressure and high temperature” *SCIENCE IN CHINA (Series D)* 44 (2001) 337-345
- Mertens I. J. A., Wübbenhorst M., Oosterbaan W. D., Jenneskens L. W., van Turnhout J., “Novel Polymer Electrolytes Based on Amorphous Poly(ether-ester)s Containing 1,4,7-Trioxanonyl Main Chain Units. Ionic Conductivity versus Polymer Chain Mobility” *Macromolecules* 32 (1999) 3314-3324

Migahed M. D., Ishra M., Fahmy T., Barakat A., “Electric modulus and AC conductivity studies in conducting PPy composite films at low temperature” Journal of Physics and Chemistry of Solids 65 (2004) 1121–1125

Mohapatra S. R., Thakur A. K., Choudhary R. N. P., “Effect of nanoscopic confinement on improvement in ion conduction and stability properties of an intercalated polymer nanocomposite electrolyte for energy storage applications” Journal of Power Sources 191 (2009) 601–613

Mohamed K., Gerasimov T.G., Moussy F., Harmon J. P., “Abroad spectrum analysis of the dielectric properties of poly (2-hydroxyethyl methacrylate)” Polymer 46 (2005) 3847–3855

Mohamed K., Moussy F., Harmon J. P., “Dielectric analyses of a series of poly(2-hydroxyethyl methacrylate-co-2,3-dihydroxypropyl methacrylate) copolymers” Polymer 47 (2006) 3856–3865

Morni N. M., Arof A. K., “Chitosan–lithium triflate electrolyte in secondary lithium cells” Journal of Power Sources 77 (1999) 42– 48

Morni N.M., Mohamed N. S., Arof A. K., “Silver nitrate doped chitosan acetate films and electrochemical cell performance” Materials Science and Engineering B 45 (1997) 140-146

Mulmi S., Park C. H., Kim H. K., Lee C. H., Park H. B., Lee Y. M., “Surfactant-assisted polymer electrolyte nanocomposite membranes for fuel cells” Journal of Membrane Science 344 (2009) 288–296

Nagahama H., Maeda H., Kashiki T., Jayakumar R., Furuike T., Tamura H., “ Preparation and characterization of novel chitosan/gelatin membranes using chitosan hydrogel” Carbohydrate Polymers 76 (2009) 255–260

Nahm S. H., “Use of Dielectric Spectroscopy for Real-Time In-situ Reaction Monitoring” JCT Research. 3 (2006) 257-265

Natesan B., Karan N. K., Katiyar R. S., “Ion relaxation dynamics and nearly constant loss behavior in polymer electrolyte” PHYSICAL REVIEW E 74 (2006a) 042801

---

---

Natesan B., Karan N. K., Rivera M.B., Aliev F.M., Katiyar R.S., “Segmental relaxation and ion transport in polymer electrolyte films by dielectric spectroscopy” Journal of Non-Crystalline Solids 352 (2006b) 5205–5209

Ng L. S., Mohamad A. A., “Protonic battery based on a plasticized chitosan-NH<sub>4</sub>NO<sub>3</sub> solid polymer electrolyte” Journal of Power Sources 163 (2006) 382–385

Nicolau A., Nucci A. M., Martini E. M. A., Samios D., “Electrical impedance spectroscopy of epoxy systems II: Molar fraction variation, resistivity, capacitance and relaxation processes of 1,4-butanediol diglycidyl ether/succinic anhydride and triethylamine as initiator” European Polymer Journal 43 (2007) 2708–2717

Nithya H., Selvasekarpandian S., Arun K. D., Sakunthala A., Hema M., Christopherselvin P., Kawamura J., Baskaran R., Sanjeeviraja C., “Thermal and dielectric studies of polymer electrolyte based on P(ECH-EO)” Materials Chemistry and Physics 126 (2011) 404–408

Osińska M., Walkowiaka M., Zalewskab A., Jesionowski T., “Study of the role of ceramic filler in composite gel electrolytes based on microporous polymer membranes” Journal of Membrane Science 326 (2009) 582–588

Osman Z., Arof A. K., “FTIR studies of chitosan acetate based polymer electrolytes” Electrochimica Acta 48 (2003) 993 -999

Osman Z., Ibrahim Z. A., Arof A. K., “Conductivity enhancement due to ion dissociation in plasticized chitosan based polymer electrolytes” Carbohydrate Polymers 44 (2001) 167–173

Osman Z., Md Isa Kh. B., Ahmad A., Othman L., “A comparative study of lithium and sodium salts in PAN-based ion conducting polymer electrolytes” Ionics 16 (2010) 431–435

Osorio-Madrazo A., David L., Trombotto S., Lucas J.-M., Peniche-Covas C., Domard A., “Highly crystalline chitosan produced by multi-steps acid hydrolysis in the solid-state” Carbohydrate Polymers 83 (2011) 1730-1739

Othman L., Chew K. W., Osman Z., “Impedance spectroscopy studies of poly(methyl methacrylate)-lithium salts polymer electrolyte systems” Ionics 13 (2007) 337–342

---

---

- Owen T., “Fundamentals of modern UV-visible spectroscopy” Agilent Technologies, (2000) pp.3
- Patro L. N., Hariharan K., “Frequency dependent conduction characteristics of mechanochemically synthesized NaSn<sub>2</sub>F<sub>5</sub>” Material Science and Engineering 162 (2009b) 173-178
- Patro L. N., Hariharan K., “AC conductivity and scaling studies of polycrystalline SnF<sub>2</sub>” Materials Chemistry and Physics 116 (2009a) 81-87
- Patsidis A., Psarras G. C., “Dielectric behavior and functionality of polymer matrix – ceramic BaTiO<sub>3</sub> composites” eXPRESS Polymer Letters 2 (2008) 718–726
- Pawlicka A., Danczuk M., Wieczorek W., Zygałdo-Monikowska E., “Influence of Plasticizer Type on the Properties of Polymer Electrolytes Based on Chitosan” Journal of Physical Chemistry 112 (2008) 8888–8895
- Perera K., Dissanayake M. A. K. L., Bandaranayake P. W. S. K., “Copper-ion conducting solid-polymer electrolytes based on polyacrylonitrile (PAN)” Electrochimica Acta 45 (2000) 1361–1369
- Petrowsky M., Frech R., “Salt concentration dependence of the compensated Arrhenius equation for alcohol-based electrolytes” Electrochimica Acta 55 (2010) 1285-1288
- Petrowsky M., Frech R., “Temperature dependence of ion transport: the compensated Arrhenius equation” The Journal of Physical Chemistry B (2009) 5996-6000
- Pillai C. K. S., Paul W., Sharma C. P., “Chitin and chitosan polymers: Chemistry, solubility and fiber formation” Progress in Polymer Science 34 (2009) 641–678
- Pitawala H. M. J. C. , Dissanayake M. A. K. L., Seneviratne V. A., “Combined effect of Al<sub>2</sub>O<sub>3</sub> nano-fillers and EC plasticizer on ionic conductivity enhancement in the solid polymer electrolyte (PEO)<sub>9</sub>LiTf ” Solid State Ionics 178 (2007) 885– 888
- Potty S. S. N., Khadar M. A., “Dielectric properties of nanophase Ag<sub>2</sub>HgI<sub>4</sub> and Ag<sub>2</sub>HgI<sub>4</sub>–Al<sub>2</sub>O<sub>3</sub> nanocomposites” Bulletin Material Science 23 (2000) 361–367

- Pradhan D. K., Choudhary R. N. P., Samantaray B. K., "Studies of structural, thermal and electrical behavior of polymer nanocomposite electrolytes" *eXPRESS Polymer Letters* 2 (2008a) 630–638
- Pradhan D. K., Choudhary R. N. P., Samantaray B. K., "Studies of Dielectric Relaxation and AC Conductivity Behavior of Plasticized Polymer Nanocomposite Electrolytes" *International Journal of Electrochemical Science* 3 (2008b) 597 – 608
- Pradhan D. K., Choudhary R. N. P., Samantaray B. K., "Studies of dielectric and electrical properties of plasticized polymer nanocomposite electrolytes" *Materials Chemistry and Physics* 115 (2009) 557–561
- Prajapati G. K., Roshan R., Gupta P. N., "Effect of plasticizer on ionic transport and dielectric properties of PVA–H<sub>3</sub>PO<sub>4</sub> proton conducting polymeric electrolytes" *Journal of Physics and Chemistry of Solids* 71 (2010) 1717–1723
- Raghavan P., Zhao X., Manuel J., Chauhan G. S., Ahn J.-Y., Ryu H.-S., Ahn H.-J. , Kim K.-W., Nah C., "Electrochemical performance of electrospun poly(vinylidene fluoride-co-hexafluoropropylene)-based nanocomposite polymer electrolytes incorporating ceramic fillers and room temperature ionic liquid" *Electrochimica Acta* 55 (2010) 1347–1354
- Rajendran S., Babu R., Sivakumar P., "Investigations on PVC/PAN composite polymer electrolytes" *Journal of Membrane Science* 315 (2008) 67–73
- Raj C. J., K. Varma B. R., "Synthesis and electrical properties of the (PVA)<sub>0.7</sub>(K<sub>I</sub>)<sub>0.3</sub>.xH<sub>2</sub>SO<sub>4</sub> (0≤x≤5) polymer electrolytes and their performance in a primary Zn/MnO<sub>2</sub> battery" *Electrochimica Acta* 56 (2010) 649–656
- Ramesh S., Chai M.F., "Conductivity, dielectric behavior and FTIR studies of high molecular weight poly(vinylchloride)–lithium triflate polymer electrolytes" *Materials Science and Engineering B* 139 (2007) 240–245
- Ramesh S., Liew Ch.-W., Ramesh K., "Evaluation and investigation on the effect of ionic liquid onto PMMA-PVC gel polymer blend electrolytes" *Journal of Non-Crystalline Solids* 357 (2011) 2132-2138
- Ramesh S., Yahaya A. H., Arof A. K., "Dielectric behavior of PVC-based polymer electrolytes" *Solid State Ionics* 152 – 153 (2002) 291– 294

Ramya C. S., Selvasekarapandian S., Hirankumar G., Savitha T., Angelo P. C., "Investigation on dielectric relaxations of PVP–NH<sub>4</sub>SCN polymer electrolyte" Journal of Non-Crystalline Solids 354 (2008) 1494–1502

Rao V., Ashokan P. V., Shridhar M. H., "Studies of dielectric relaxation and a.c. conductivity in cellulose acetate hydrogen phthalate–poly(methyl methacrylate) blends" Materials Science and Engineering A281 (2000) 213 – 220

Ravanchi M. T., Kaghazchi T., Kargari A., "Application of membrane separation processes in petrochemical industry: a review" Desalination 235 (2009) 199–244

Ravi M., Pavani Y., Kumar K. K., Bhavani S., Sharma A. K., Narasimha Rao V. V. R., "Studies on electrical and dielectric properties of PVP:KBrO<sub>4</sub> complexed polymer electrolyte films" Materials Chemistry and Physics 130 (2011) 442–448

Ray S. S., and Okamoto M., "Polymer/layered silicate nanocomposites: a review from preparation to processing" Progress in Polymer Science 28 (2003) 1539-1641

Reddy M. J., Chu P. P., "Ion pair formation and its effect in PEO:Mg solid polymer electrolyte system" Journal of Power Sources 109 (2002) 340–346

Reddy Ch. V. S., Han X., Zhu Q., Mai L., Chen W., "Dielectric spectroscopy studies on (PVP + PVA) polyblend film" Microelectronic Engineering, 83 (2005) 281-285

Reddy M. J., Chu P. P., "Ion pair formation and its effect in PEO:Mg solid polymer electrolyte system" Journal of Power Sources 109 (2002) 340–346

Reimer L., and Koh L., "Transmission electron microscopy" Springer (2008) pp. 1-3

Rinaudo M., "Chitin and chitosan: Properties and applications" Progress in Polymer Science. 31 (2006) 603– 632

Rivas B. L., Pereira E. D., Moreno-Villoslada I., "Water-soluble polymer–metal ion interactions" Progress in Polymer Science 28 (2003) 173–208

Saikia D., Wu H.-Y., Pan Y.-C., Lin C.-P., Huang K.-P., Chen K.-N., Fey G. T. K., Kao H.-M., "Highly conductive and electrochemically stable plasticized blend polymer

---

---

---

## References

---

- electrolytes based on PVdF-HFP and triblock copolymer PPG-PEG-PPG diamine for Li-ion batteries" Journal of Power Sources 196 (2011) 2826–2834
- Saikia D., Chen-Yang Y. W., Chen Y. T., Li Y. K., Lin S. I., "Investigation of ionic conductivity of composite gel polymer electrolyte membranes based on P(VDF-HFP), LiClO<sub>4</sub> and silica aerogel for lithium ion battery" Desalination 234 (2008) 24–32
- Samir M. A. S., Mateos A. M., Alloin F., Sanchez J.-Y., Dufresne A., "Plasticized nanocomposite polymer electrolytes based on poly(oxyethylene) and cellulose whiskers" Electrochimica Acta 49 (2004) 4667–4677
- Sanders R. A., Snow A. G., Frech R., Glatzhofer D. T., "A spectroscopic and conductivity comparison study of linear poly(N-methylethylenimine) with lithium triflate and sodium triflate" Electrochimica Acta, 48 (2003) 2247-2253
- Selvasekarapandian S., Baskaran R., Hema M., "Complex AC impedance, transference number and vibrational spectroscopy studies of proton conducting PVAc–NH<sub>4</sub>SCN polymer electrolytes" Physica B: Condensed Matter 357 (2005) 412-419
- Sengwa R. J., Sankhla S., "Characterization of ionic conduction and electrode polarization relaxation processes in ethylene glycol oligomers" Polymer Bulletin 60 (2008a) 689-700
- Sengwa R. J., Choudhary S., Sankhla S., "low frequency dielectric relaxation processes and ionic conductivity of montmorillonite clay nanoparticles colloidal suspension in poly(vinyl pyrrolidone)-ether glycol blend" eXPRESS Polymer Letters, 2 (2008b) 800-809
- Sengwa R. J., Choudhary S., Sankhla S., "Dielectric properties of montmorillonite clay filled poly(vinyl alcohol)/poly(ethylene oxide) blend nanocomposites" Composites Science and Technology 70 (2010) 1621–1627
- Seo J. A., Koh J. H., Roh D. K. and Kim J. H., "Preparation and characterization of crosslinked proton conducting membranes based on chitosan and PSSA-MA copolymer" Solid State Ionics 180 (2009) 998-1002
- Shanmukaraj D., Wang G. X., Murugan R., Liu H. K., "Ionic conductivity and electrochemical stability of poly(methylmethacrylate)-poly(ethylene oxide) blend-ceramic fillers composites" Journal of Physics and Chemistry of Solids 69 (2008) 243–248

Sheha E., “Ionic conductivity and dielectric properties of plasticized PVA<sub>0.7</sub>(LiBr)<sub>0.3</sub>(H<sub>2</sub>SO<sub>4</sub>)<sub>2.7M</sub> solid acid membrane and its performance in a magnesium battery” Solid State Ionics 180 (2009) 1575–1579

Shi W., Fang Ch., Pan Q., Sun X., Gu Q., Xu D., Yu J., “Dielectric relaxation of poled polymer DCNP/PMMA” Reactive and Functional Polymers 44 (2000) 177-182

Singh K. P., Gupta P. N., “Study of dielectric relaxation in polymer electrolytes” European Polymer Journal 37 (1998) 1023-1029

Singh T. H. J., Bhat S. V., “Morphology and conductivity studies of a new solid polymer electrolyte: (PEG)xLiClO<sub>4</sub>” Bulletin Materials Science 26 (2003) 707–714

Stadtlander C. T. K.-H., “Scanning electron microscopy and transmission electron microscopy of mollicutes: challenges and opportunities” Modern Research and Educational Topics in Microscopy (2007) 122-131

Stephan A. M., Kumar T. P., Kulandainathan M. A., Lakshmi N. A., “Chitin-incorporated poly (ethylene oxide)-based nanocomposite electrolytes for liylium batteries” Journal of Physics Chemistry. B113 (2009) 1963-1971

Stephan A. M., Nahm K. S., Kulandainathan M. A., Ravi G., Wilson J., “Poly (vinylidene fluoride-hexafluoropropylene) (PVdF-HFP) based composite electrolytes for lithium batteries” European Polymer Journal 42 (2006) 1728–1734

Suait M. S., Ahmad A., Hamzah H., Rahman M. Y. A., “Preparation and characterization of PMMA–MG49–LiClO<sub>4</sub> solid polymeric electrolyte” JOURNAL OF PHYSICS D: APPLIED PHYSICS 42 (2009) 055410

Subban R. H. Y., Arof A. K., “Sodium Iodide Added Chitosan Electrolyte Film for Polymer Batteries” Physica Scripta 53 (1996) 382-384

Subban R. H. Y., Arof A. K., Radhakrishnw S., “Polymer batteries with chitosan electrolyte mixed with sodium perchlorate” Materials Science and Engineering B 38 (1996) 156-160

Suman C. K., Prasad K., R. Choudhary N. P., “Complex impedance studies on tungsten-bronze electroceramic: Pb<sub>2</sub>Bi<sub>3</sub>LaTi<sub>5</sub>O<sub>18</sub>” Journal of Materials Science 41 (2006) 369-375

---

---

- Sunkyu P., John O. B., Michael E. H., Philip A. P., David K. J., “Cellulose crystallinity index: measurement techniques and their impact on interpreting cellulose performance” *Biotechnology for Biofuels* 3 (2010) 10
- Tan C. G. , Siew W. O. , Pang W. L., Osman Z., Chew K. W., “The effects of ceramic fillers on the PMMA-based polymer electrolyte systems” *Ionics* (2007) 13:361–364
- Thomas P., Satapathy S., Dwarakanath K., Varma K. B. R., “Dielectric properties of poly(vinylidene fluoride)/CaCu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub> nanocrystal composite thick films” *eXPRESS Polymer Letters* Vol.4, No.10 (2010) 632–643
- Tripathi B. P., Shahi V. K., “Organic–inorganic nanocomposite polymer electrolyte membranes for fuel cell applications” *Progress in Polymer Science* 36 (2011) 945–979
- Uma T., Mahalingam T., Stimming U., “Conductivity studies on poly(methyl methacrylate)–Li<sub>2</sub>SO<sub>4</sub> polymer electrolyte systems” *Materials Chemistry and Physics* 90 (2005a) 245–249
- Uma T., Mahalingam T., Stimming U., “Solid polymer electrolytes based on poly(vinylchloride)–lithium sulfate” *Materials Chemistry and Physics* 90 (2005b) 245–249
- Uno T., Kawaguchi Sh., Kubo M., Itoh T., “Ionic conductivity and thermal property of solid hybrid polymer electrolyte composed of oligo (ethyleneoxide) unit and butyrolactone unit” *Journal of Power Sources* 178 (2008) 716–722
- Vimala K., Mohan Y. M., Sivudu K. S., Varaprasad K., Ravindra S., Reddy N. N., Padma Y., Sreedhar B., Raju K. M., “Fabrication of porous chitosan films impregnated with silver nanoparticles: a facile approach for superior antibacterial application” *Colloids and Surfaces B: Biointerfaces* 76 (2010) 248–258
- Vincent C. A., “Ion transport in polymer electrolytes” *Electrochimica Acta* 40 (1995) 2035–2040
- Wan Y., Creber K. A. M., Peppley B., Bui V. T., “Ionic conductivity of chitosan membranes” *Polymer* 44 (2003) 1057–1065

Wan Y., Creber K. A. M., Peppley B., Bui V. T., “Chitosan-based solid electrolyte composite membranes, I. Preparation and characterization” Journal of Membrane Science 280 (2006) 666–674

Wei D., Sun W., Qian W., Ye Y., Ma X., “The synthesis of chitosan-based silver nanoparticles and their antibacterial activity” Carbohydrate Research 344 (2009) 2375–2382

Weston J. E., Steele B. C. H., “Effects of inert fillers on the mechanical and electrochemical properties of lithium salt-poly(ethylene oxide) polymer electrolytes” Solid State Ionics 7(1982) 75-79

Williams D. B., Carter C. B., “Transmission Electron Microscopy, A Textbook for Materials Science” Springer (2009) pp.7

Xu Zh., Huang X., Wan L., “Surface Engineering of Polymer Membranes” Springer (2007) pp.18

Yahya M. Z. A., Ali A. A. M., Mohammed M. F., Hanafiah M. A. K. M., Mustaffa M., Ibrahim S. C., Darus Z. M., Harun M. K., “Ion conduction model in salted chitosan membranes plasticized with fatty acid” Journal of Applied Sciences 6 (2006) 1287-1291

Yahya M. Z. A., Arof A. K., “Effect of oleic acid plasticizer on chitosan–lithium acetate solid polymer electrolytes” European Polymer Journal 39 (2003) 897–902

Yahya M. Z. A., Arof A. K., “Studies on lithium acetate doped chitosan conducting polymer system” European Polymer Journal 38 (2002) 1191–1197

Yakuphanoglu F., “Electrical conductivity and electrical modulus properties of  $\alpha$ ,  $\omega$ -dihexylhexithiophene organic semiconductor” Physica B 393 (2007) 139-142

Yu D.-G., Lin W.-Ch., Lin Ch.-H., Chang L.-M., Yang M.-Ch., “An in situ reduction method for preparing silver/poly(vinyl alcohol) nanocomposite as surface-enhanced Raman scattering (SERS)-active substrates” Materials Chemistry and Physics 101 (2007) 93-98

Zang L., Luo J., Guo J., Liu H., Ru J., “Preparation and characterization of poly(ethylene glycol)/organoo-vermiculite nanocomposite polymer electrolytes” Polymer Bulletin (2010) 65:669–680

---

---