

REFERENCES

- Abd-El Salam, M.H. & El-Alam, A.H. (1982). Production and properties of yogurt and concentrated yogurt (labneh) from ultrafiltered recombined milk. *Research Bulletin*, 1803, pp. 1-11.
- Afonso, I.M., & Maia, J.M. (1999). Rheological monitoring of structure evolution and development of stirred yoghurt. *Journal of Food Engineering*, 42, 183–190.
- Akın, N. (2006). Modern Yoghurt Science and Technology. Selcuk University Faculty of Agriculture, Food Engineering Department, Konya, Turkey.
- Almeida, K.E., Tamime, A.Y. and Oliveira, M.N. (2008). Acidification rates of probiotic bacteria in minas frescal cheese whey. *LWT – Food Science and Technology*, 41 pp. 311–316.
- Alting, A.C., van der Meulena, E.T., Hugenholtz, J. and Visschers, R.W. (2003). Control of texture of cold-set gels through programmed bacterial acidification. *International Dairy Journal*, 14 (4): 323-329.
- Amatayakul, T., Sherkat, F., & Shah, N. P. (2006). Syneresis in set yogurt as affected by eps starter cultures and levels of solids. *International Journal of Dairy Technology*, 59 (3), 216-221.
- Amatayakul, T., Halmos, A.L., Sherkat, F. and Shah, N.P. (2005). Physical characteristics of yoghurts made using exopolysaccharide producing starter cultures and varying casein to whey protein ratios. *International Dairy Journal*, 1640–5.
- Aminot, A. and Rey, F. (2000) Standard procedure for the determination of chlorophyll *a* by spectroscopic methods. *International Council for the Exploration of the Sea*, ISSN 0903-2606.
- Amirdivani, S. and Baba, A.S. (2011), Changes in yogurt fermentation characteristics, and antioxidant potential and *in vitro* inhibition of angiotensin-1 converting enzyme

upon the inclusion of peppermint, dill and basil, *LWT - Food Science and Technology*, 44:1458-1464.

Amrani FE, Rhallab A, Alaoui T, Badaoui KE, Chakir, S. (2009). Hypoglycaemic effect of *Thymelaea hirsuta* in normal and streptozotocin-induced diabetic rats. *J. Med. Plants Res*, 3(9): 625-629.

Arima, H. and Danno, G. (2002). Isolation of antimicrobial compounds from guava (*Psidium guajava* L.). *Bioscience, Biotechnology and Biochemistry*, 66, 727–1730.

Arletti, R., Benelli, A., Cavazzuti, E., Scarpetta, G. (1999). Stimulating property of *Turnera diffusa* and *Pfaffia paniculata* extracts on the sexual behavior of male rats. *Psychopharmacology*, 143 (1), 15–19.

Aslim, B., Beyatli, Y. and Yuksekdag, Z.N. (2006). Productions and monomer compositions of exopolysaccharides by *Lactobacillus delbrueckii* subsp. *bulgaricus* and *Streptococcus thermophilus* strains isolated from traditional home-made yoghurts and raw milk. *International Journal of Food Science and Technology*, 41:973–979.

Aslim, B., Yu'ksekdag, Z. N., Beyatli, Y., Nazime Mercan, N. (2005). Exopolysaccharide production by *Lactobacillus delbrueckii* subsp. *bulgaricus* and *Streptococcus thermophilus* strains under different growth conditions. *World Journal of Microbiology & Biotechnology*, 21:673–677.

Auclair, J. and Accolas, J. P. (1983). Use of thermophilic lactic starters in the dairy industry. *Antonie van Leeuwenhoek*, (49)3: 313-326.

Axelsson, L. (1998). Lactic acid bacteria: classification and physiology, pp. 1-72. In, Salminen, S. and Von, A. Wright (eds). *Lactic Acid Bacteria: Microbiology and Functional Aspects*, 2nd edition. *Marcel Dekker, Inc, New York*.

Baig, M. I., & Prasad, V. (1996). Effect of incorporation of cottage cheese whey solids and *Bifidobacterium bifidum* in freshly made yogurt. *Journal of Dairy Research*, 63, A61-A13.

Banik, R.M. and Santhiag, U. A. (2002). Extractive fermentation for enhanced gellan-hydrolysing enzyme production by *Bacillus thuringiensis* H14. *World Journal of Microbiology and Biotechnology*, 18 (8): 715-720.

Beal, C., Skokanova, J., Latrille, E., Martin, N. and Corrieu, G. (1999). Combined effects of culture conditions and storage time on acidification and viscosity of stirred yogurt. *J. Dairy Sci.*, 82:673-681.

Begum, S., Hassan, S.I., Siddiqui, B.S., (2002a). Two new triterpenoids from the fresh leaves of *Psidium guajava*. *Planta Medical*, 68: 1149–1152.

Begum, S., Hassan, S.I., Siddiqui, B.S., Shaheen, F., Ghayur, M.N., Gilani, A.H., (2002b). Triterpenoids from the leaves of *Psidium guajava*. *Phytochemistry*, 61: 399–403.

Benksy, D. & Gamble, A. (1993). Chinese Herbal Medicine. *Materia Medica*. Seattle: Eastland Press.

Bhullar, Y. S., Uddin, M. A. & Shah, N. P. (2002). Effects of ingredients supplementation on textural characteristics and microstructure of yoghurt. *Milchwissenschaft*, 57, 328-332.

Bibiloni, R., Fedorak, R.N., Tannock, G.W., Madsen, K.L., Gionchetti, P., Campieri, M., De Simone, C. and Sartor, R.B. (2005). probiotic-mixture induces remission in patients with active ulcerative colitis. *American Journal of Gastroenterology*, **100**: 1539–1546.

- Bin-Nun, A., Bromiker, R., Wilschanski, M., Kaplan, M., Rudensky, B., Caplan, M. and Hammerman, C. (2005). Oral probiotics prevent necrotizing enterocolitis in very low birth weight neonates. *Journal of Pediatrics*, 147: 192–196.
- Birollo, G.A., Reinheimer, J.A. and Vinderol, C.G. (2000). Viability of lactic acid microfora in different types of yogurt. *Food Research International*, 33: 799-80.
- Bouzar, F., Cerning, J. & Desmazeaud, M. (1997) Exopolysaccharide production and texture-promoting abilities of mixed-strain starter cultures in yogurt production. *Journal of Dairy Science*, 80 2310–2317.
- Bouhnik, Y., Pochart, P., Marteau, P., Arlet, G., Goderel, I. & Rambaud, J.C. (1992). Fecal recovery in humans of viable *Bifidobacterium* sp ingested in fermented milk. *Gastroenterology*. 102: 875–878.
- Braga, A.L.M. and Cunha, R.L. (2005) The effect of sucrose on unfrozen water and syneresis of acidified sodium caseinate–xanthan gels, *International Journal of Biological Macromolecules*, 36: 33-38.
- Broadbent, J. R., McMahon, D. J., Welker, D. L., Oberg, C. J. and Moineau, S. (2003). Biochemistry, genetics, and applications of exopolysaccharide production in *Streptococcus thermophilus*: a review. *Journal of Dairy Science*, 86: 407–423.
- Bryan, J.K., Costa, D., Giese, N., Nummy, K., Rapp, C. and Seamon, E. (2008). *Goji (Lycium spp)* in natural standard monograph, *Natural Standard Inc.* www.naturalstandard.com.
- Burkil, H. M. (1994). The useful plants of west Tropical Africa. *Royal Botanical Gardens*, Kew. 21-150.

Busscher et al., 1997 Busscher, H.J., van Hoogmoed, C.G., Geertsema-Doornbusch, G.I., van der Kuijl-Booij, M. and van der Mei, H.C. (1997). *Streptococcus thermophilus* and its biosurfactants inhibit adhesion by *Candida* spp. on silicone rubber. *Applied and Environmental Microbiology*, 63: 3810–3817.

Carro-Juárez, M., Cervantes, E., Cervantes-Méndez, M., Rodríguez-Manzo, G., (2004). Aphrodisiac properties of *Montanoa tomentosa* aqueous crude extract in male rats. *Pharmacology, Biochemistry and Behavior*, 78 (1), 129–134.

Cerning, J. (1990). Exocellular polysaccharides produced by lactic acid bacteria. *FEMS Microbiological Reviews*, 87, 113–130.

Cerning, J., Bouillanne, C., Landon, M. and Desmazeaud, M. (1990) Comparison of exocellular polysaccharides production by thermophilic lactic acid bacteria. *Sci. Aliments*, 10, 443^451.

Chah, K.F., Eze, C.A., Emuelosi, C.E. and Esimone, C.O. (2006). Antibacterial and wound healing properties of methanolic extracts of some Nigerian medicinal plants. *Journal of Ethnopharmacology.*, 104(1-2):164-167.

Chairungsilerd, N., Furukawa, K.I., Ohta, T., Nozoe, S., Ohizumi, Y., (1996a). Pharmacological properties of a-mangostin, a novel histamine H1 receptor antagonist. *Eur. J. Pharmacol*, 314: 351–356.

Chairungrilerd, N., Furukawa, K., Ohta, T., Nozoe, S., Ohizumi, Y., (1996b). Histaminergic and serotonergic receptor blocking substances from the medicinal plant *Garcinia mangostana*. *Planta Med*, 62, 471–472.

Chairungrilerd, N., Furukawa, K., Tadano, T., Kisara, K. and Ohizumi, Y., (1998a). Effect of

c-mangostin through the inhibition of 5-hydroxy-tryptamine_{2A} receptors in 5- fluoro-alpha-methyltryptamine-induced head-twitch responses of mice. *Br. J. Pharmacol*, 123: 855–862.

Chairungrilerd, N., Furukawa, K.I., Ohta, T., Nozoe, S. and Ohizumi, Y., (1998b). CMangostin, a novel type of 5-hydroxytryptamine 2A receptor antagonist. *Naunyn-Schmiedeberg's Arch. Pharmacol*, 357: 25–31.

Chanarat, P., Chanarat, N., Fikojara, M. and Nagumo, T. (1997). "Immunopharmacological activity of polysaccharide from the pericarb of mangosteen garcinia: phagocytic intracellular killing activities." *J Med Assoc Thai*, 80 (1): 149-154.

Chang, H.M. and But, P.P.H. (2001). Gouqizi, Pharmacology and Applications of Chinese Materia Medica, 2: 852–854.

Chang, R.C. and So, K.F. (2008). Use of anti-aging herbal medicine, *Lycium barbarum*, against aging-associated diseases. What do we know so far. *Cellular and Molecular Neurobiology*, 28 (5): 643–652.

Chang, Q. (1996). Isolation and determination of cucurbitane glycosides from fresh fruits of *Siraitia grosvenorii*. *Acta Botan. Sin*, 38: 489– 494.

Chan, H.C, Chang, R. C.C., Ip, A.K.C, Chiu, K., Yuen, W.H, Zee, S.Y. and So, K.F. (2007). Neuroprotective effects of *Lycium barbarum* Lynn on protecting retinal ganglion cells in an ocular hypertension model of glaucoma. *Experimental Neurology*, 269–273.

Chah, K.F., Eze, C.A., Emuelosi, C.E., Esimone, C.O., (2006). Antibacterial and wound healing properties of methanolic extracts of some Nigerian medicinal plants. *Journal of Ethnopharmacology*, 104, 164–167.

- Chen, L.G., Yang, L.L., Wang, C.C., (2008). Anti-inflammatory activity of mangostins from *Garcinia mangostana*. *Food Chem. Toxicol*, 46: 688–693.
- Chen, K.C., Hsieh, C.L., Peng, C.C., Hsieh-Li, H.M., Chiang, H.S., Huang, K.D. and Peng, R.Y., (2007). Brain derived prostate cancer DU-145 cells are effectively inhibited *in vitro* by guava leaf extracts. *Nutrition Cancer*, 58: 93–106.
- Chiang, L.C., Cheng, H.Y., Liu, M.C., Chiang, W., Lin, C.C., (2004). *In-vitro* evaluation of antileukemic activity of 17 commonly used fruits and vegetables in Taiwan. *Lebensm. Wiss. Technol*, 37: 539–544.
- Chyau, C.-C., Tsai, S.Y., Ko, P.T. and Mau, J.-L. (2002). Antioxidant properties of solvent extracts from *Terminalia catappa* leaves. *Food Chemistry*, 78: 483–488.
- Cit'ó, A.M.G.L., Souza, A.A., Lopes, J.A.D., Chaves, M.H., Costa, F.B., Souza, A.S.A. & Amaral, M.P.M., (2003). *Protium heptaphyllum* March (Burceraceae resin) chemical composition of essential oil and cytotoxic evaluation with respect to *Artemia salina* Leach. *Anais da Academia Brasileira de Ciências*, 52: 74–76.
- Comelli, E.M., Guggenheim, B., Stingele, F. and Neeser, J.R. (2002). Selection of dairy bacterial strains as probiotics for oral health. *European Journal of Oral Sciences*, 110: 218–224.
- Conde, G.E.A., Nascimento, V.T., Santiago, S.A.B., (2003). Inotropic effects of extracts of *Psidium guajava* L. (guava) leaves on the guinea pig atrium. *Brazilian Journal of Medical and Biological Research*, 36: 661–668.
- Curry, B. and Crow, V. (2003a). *Lactobacillus casei* group, H. Roginski, J.W. Fuquay, P.F. Fox, Editors *Encyclopedia of dairy sciences*, Academic Press, London, 1488–1493.

Curry, B. and Crow, V. (2003b). *Lactobacillus* spp.: General characteristics, H. Roginski, J.W. Fuquay, P.F. Fox, Editors *Encyclopedia of dairy sciences*, Academic Press, London, 1479–1484.

Dave, R.I. and N.P. Shah, (1998). Ingredient supplementation effects on viability of probiotic bacteria in yogurt. *J. Dairy Sci.*, 81: 2804-2816.

Dave, R.I. and Shah, N.P. (1996). Evaluation of media for selective enumeration of *Streptococcus thermophilus*, *Lactobacillus* ssp. *bulgaricus*, *Lactobacillus acidophilus* and bifidobacteria. *J. Dairy Sci.*, 79: 1529–1536.

Degeest, B. and De Vuyst, L. (2000). Correlation of Activities of the Enzymes α -Phosphoglucomutase, UDP-Galactose 4-Epimerase, and UDP-Glucose Pyrophosphorylase with Exopolysaccharide Biosynthesis by *Streptococcus thermophilus* LY03. *Applied and Environmental Microbiology*, 3519-3527.

Degeest, B., Vaningelgem, F. & De Vuyst, L. (2001). Microbial physiology, fermentation kinetics, and process engineering of heteropolysaccharide production by lactic acid bacteria. *International Dairy Journal* 11, 747–757.

Dellaglio, F. (1988). Starters for fermented milks. *Bulletin IDF*, 227: 27–34.

De Oliveira, A.S. Oliveira, M.R.C. Campos, J.M.S. Lana, R.P. Machado, O.L.T. Retamal, C.A. Detmann, E. & Valadares Filho S.C. (2010). *In vitro* ruminal degradation of ricin and its effect on microbial growth. *Animal Feed Science and Technology*, 157: 41-54.

Deschamps, J.D., Gautschi, J.T., Whitman, S., Johnson, T.A., Gassner, N.C., Crews, P. & Holman, T.R., (2007). Discovery of platelet-type 12-human lipoxygenase selective inhibitors by high-throughput screening of structurally diverse libraries. *Bioorg. Med. Chem*, 15: 6900–6908.

De Vuyst, L., Vanderveken, F., Van De Ven, S. & Degeest, B. (1998). Production by and isolation of exopolysaccharides from *Streptococcus thermophilus* grown in a milk medium and evidence for their growth-associated biosynthesis. *Journal of Applied Microbiology* 84:1059-1068.

De Vuyst, L. and Degeest, B. (1999). Heteropolysaccharide from lactic acid bacteria. *FEMS Microbiology Reviews*, 23 (2): 153-177.

De Vuyst, L., De Vin, F., Vaningelgem, F., and Degeest, B. (2001). Recent developments in the biosynthesis and applications of heteropolysaccharides from lactic acid bacteria. *International Dairy Journal*, 11 (9): 687-707.

Doco, T., Wieruszeski, J.M. and Fournet, B. (1990). Structure of an exocellular polysaccharide produced by *Streptococcus thermophilus*. *Carbohydrate Research*, 198: 313–321.

Doubova, S. V., Morales, H. R., Hernández, S. F., Martínez-García, M. C., Cossío Ortiz, M. G., Chávez Soto, M. A., Erika Rivera Arce, E. R. and Lozoya, X. (2007). Effect of a *Psidium guajavae folium* extract in the treatment of primary dysmenorrhea: A randomized clinical trial. *Journal of Ethnopharmacology*, 305–310.

Du, B., Song, Y., Hu, X., Liao, X., Ni, Y. and Li, Q. (2011). Oligosaccharides prepared by acid hydrolysis of polysaccharides from pumpkin (*Cucurbita moschata*) pulp and their prebiotic activities. *International Journal of Food Science & Technology*, 982–987.

Dutta, B.K. and Das, T.K., (2000). *In vitro* study on antifungal property of common fruit plants. *Biomedicine*, 20: 187–189.

Ellnain-Wojtaszek, M., Kruczynski Z., and Kasprzak, J. (2002). Variations in the free radical scavenging activity of *Ginkgo biloba* L. leaves. *Food Chemistry*, 79: 79–84.

Faber, E. J., Daan J Van Haaster, Kamerling, J.P., Johannes, F. G. (2002). Vliegenthart. Characterization of the exopolysaccharide produced by *Streptococcus thermophilus* 8S containing an open chain nononic acid. *The Federation of European Biochemical Societies Journal*, 269 (22): 5590-5598.

Faber, E.J., Zoon, P., Kamerling, J.P., and Vliegenthart, J.F. (1998). The exopolysaccharides produced by *Streptococcus thermophilus* Rs and Sts have the same repeating unit but differ in viscosity of their milk cultures. *Carbohydr. Res.*, 310: 269–276.

Facklam, R. (2002). What Happened to the Streptococci: Overview of Taxonomic and Nomenclature Changes. *Clin. Microbiol. Rev.*, 15: 613-630.

Faergemand, M., Sørensen, M.V., Jørgensen, U., Budolfsen, G., & Qvist, K. B. (1999). Transglutaminase: effect on instrumental and sensory texture of set style yoghurt. *Milchwissenschaft*, 54, 563–566.

Fernandes, C.F., Chandan, R.C., and Shahani, K.M (1992). Fermented dairy products and health. In: *The Lactic Acid Bacteria. Volume 1. The Lactic Acid Bacteria in Health and Disease* (Ed.: Wood, B.J.B.). *Elsevier Applied Science, London*, 297-339.

FitzGerald, R.J., Murray, B.A. and Walsh, D.J. (2004). Hypotensive peptides from milk proteins. *Journal of Nutrition*, 134: 980S–988S.

Folkenberg, D.M., Dejmek, P., Skriver, A. & Ipsen, R. (2005). The relation between sensory texture properties and exopolysaccharide distribution in set and stirred yoghurts produced with different starter cultures. *Journal of Texture Studies*, 36: 174–189.

Fox, P.F. (2001). Milk proteins as food ingredients. *International Journal of Dairy Technology*, 54: 41–55.

Fry, J. (2001). The future for high-potency sweeteners of natural origin. *Food Ingredients First, November*. Available from:

<http://foodingredientsfirst.com/newsmaker_article.asp?idNewsMaker=40&fSite=AO545&category=22&page=25>.

Gales, L., Damas, A.M., (2005). Xanthones-a structural perspective. *Curr. Med. Chem.* 12: 2499–2515.

Gan et al., 2004 Gan, L., Hua, Z.S., Liang, Y.X. and Bi, X.H. (2004). Immunomodulation and antitumor activity by a polysaccharide-protein complex from *Lycium barbarum*. *International Immunopharmacology*, 4 (4):563–569.

Gao, X.M., Xu, Z.M., Li, Z.W., (2000). Traditional Chinese Medicines. *People's Health Publishing House, Beijing*.

Garcia, S., Araiza, M., Gomez, M. & Heredia, N., (2002). Inhibition of growth, enterotoxin production, and spore formation of *Clostridium perfringens* perfringens by extracts of medicinal plants. *Journal of Food Protection*, 65: 1667–1669.

García, S., Araiza, M., Gómez, M. & Heredia, N. (2002). Inhibition of growth, enterotoxin production, and spore formation of *Clostridium perfringens* by extracts of medicinal plants. *J Food Prot.* 65(10):1667-9.

Gaudichon, C., Roos, N., Mahi, S., Sick, H., Bouley, C. & Tome, D. (1994). Gastric emptying regulates the kinetics of nitrogen absorption from [¹⁵N]-labeled milk and [¹⁵N]-labeled yoghurt in miniature pigs. *Journal of Nutrition*, 124, 197G-1977.

Gerwig, G.J., Sánchez-Medina, I., Urshev, Z.L., Kamerling, J.P. (2007). Structure of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* spp. *bulgaricus* LBB.B26. *Carbohydr Res.*, 342(16):2430-9. Epub 2007 Jun 20.

Girard, M., Schafferlequart, C. (2007). Gelation and resistance to shearing of fermented milk: Role of exopolysaccharides, *International Dairy Journal*, 666-673.

Goldin B. R., Conway, P. L. and Gorbach, S. L. (1986). Survival of lactic acid bacteria in the human stomach and adhesion to intestinal cells. *J. Dairy Sci.*, 70:1-12.

Van Geel-Schutten, G.H., Flesch, F., ten Brink, B., Smith, M.R., and Dijkhuizen, L. (1999). Screening and characterization of *Lactobacillus* strains producing large amounts of exopolysaccharides. *Appl. Microbiol. Biotechnol*, 50, 697-703.

Gong, H., Shen, P., Jin, L., Xing, C. and Tang, F. (2005). Therapeutic effects of *Lycium barbarum* polysaccharide (LBP) on irradiation or chemotherapy-induced myelosuppressive mice. *Cancer Biotherapy and Radiopharmaceuticals*, 20 (2):155–162

Gopalakrishnan, C., Shankaranarayanan, D., Kameswaran, L. & Nazimudeen, S.K., (1980). Effect of mangostin, a xanthone from *Garcinia mangostana* Linn. In immunopathological and inflammatory reactions. *Indian J. Exp. Biol.* 18, 843– 846.

Grobben, G.J., Chin-Joe, I., Kitzen, V.A., Boels, I.C., Boer, F. and Sikkema, J. (1998). Enhancement of exopolysaccharide production by *Lactobacillus delbrueckii* subsp. *bulgaricus* NCFB 2772 with a simplified defined medium. *Applied and Environmental Microbiology*, 64: 1333–1337.

Grobben, G. J., Sikkema, J., Smith, M. R., and de Bont, J. A. M. (1995). Production of extracellular polysaccharides by *Lactobacillus delbrueckii* ssp. *bulgaricus* NCFB 2772 grown in a chemically defined medium. *J. Appl. Bacteriol.*, 79: 103-107.

Grobben, G. J., Sikkema, J., Smith, M. R., and de Bont, J. A. M (1996). Influence of fructose and glucose on the production of exopolysaccharides and the activities of enzymes involved in the sugar metabolism and the synthesis of sugar nucleotides in *Lactobacillus delbrueckii* subsp. *bulgaricus* NCFB 2772. *Appl. Microbiol. Biotechnol.*, 46: 279-284.

Grobben, G. J., Van Casteren, W. H. M., Schls, H. A., Oosterveld, A., Sala, G., Smith, M. R., Sikkema, J. and Bont, J. A. M. (1997). Analysis of the exopolysaccharides produced by *Lactobacillus delbrueckii* subsp. *bulgaricus* NCFB 2772. *Appl. Microbiol. Biotechnol.*, 48: 516-521.

Gruter, M., Lee-flang, B.R., Kuiper, J., Kammerling, J.P. and Vliegthart, J.F.G. (1993). Structural characterisation of the exopolysaccharide produced by *Lactobacillus delbrueckii* subspecies *bulgaricus* rr grown in skimmed milk. *Carbohydrate Research*, 239: 209±226.

Gruter, M., Leeflang, B.R., Kuiper, J., Kamerling, J.P., and Vliegthart, J.F.G. (1992). Structure of the exopolysaccharide produced by *Lactococcus lactis* subspecies *cremoris* H414 grown in a defined medium or skimmed milk. *Carbohydr. Res.*, 231: 273-291.

Gurr, M.I. (1987): Nutritional aspects of fermented milk products. *FEMS Microbiol. Rev.* 46:337-342.

Guzmán-González, M., Morais, F. & Amigo, L. (2000). Influence of skimmed milk concentrate replacement by dry dairy products in a low-fat set-type yoghurt model system. Use of caseinates, co-precipitate and blended dairy powders. *Journal of the Science of Food and Agriculture*, 80(4): 433-438.

Guzman-Gonzalez, M., Morales, F., Ramos, M., & Amigo, L. (1999). Influence of skimmed milk concentrate replacement by dry dairy products in a low fatset-type yoghurt model system. I: Use of whey protein concentrates, milk protein concentrates and skimmed milk powder. *Journal of the Science of Food and Agriculture*, 79: 1117-1122.

Haertlé, T., Pantev, A., Kabadjova, P., Dalgarrondo, M., Ivanova, I., Dousset, X., Prévost, H. and Chobert, J.M. (2002). Isolation and partial characterization of an antibacterial substance produced by *Enterococcus faecium*. *Folia Microbiologica*, 47(4): 391-400.

Hammes, W.P. and R.F. Vogel. (1995). The genus *Lactobacillus*, pp. 19-54. In, B.J.B. Wood and W.H. Holzapfel (eds). *The Genera of Lactic Acid Bacteria*. Chapman & Hall, London.

- Hassan, A.N., Corredig, M. and Frank, J.F. (2001). Viscoelastic properties of yohurt made with ropy and non-ropy exopolysaccharides producing cultures. *Milchwissenschaft*, 56: 684-687.
- Hassan, A. N., Frank, J. F., & Qvist, K. B. (2002). Direct observation of bacterial exopolysaccharide in dairy products using confocal scanning laser microscopy. *Journal of Dairy Science*, 85, 1705–1708.
- Hassan, A. N., Ipsen, R., Janzen, T. and Qvist, K. B. (2003). Microstructure and rheology of yogurt made with cultures differing only in their ability to produce exopolysaccharides. *Journal Dairy Science*, 86(5):1632-1638.
- Harbourne, N., Jacquier, J.C., O’Riordan, D. (2011). Effects of addition of phenolic compounds on the acid gelation of milk. Original Research Article *International Dairy Journal*, 21(3) 185-191.
- Hartley DL, Denariáz G. (1993). The role of lactic acid bacteria in yogurt fermentation. *Int J Immunother*, 9:3–17.
- Harwalkar, V. R. and M. Kalab. (1986). Relationship between microstructure and susceptibility to syneresis in yoghurt made from reconstituted nonfat dry milk. *Food Microstruct.* 5:287- 29.
- Heinrich, M., Ankli, A., Frei, B., Weimann, C., Sticher, O., 1998. Medicinal plants in Mexico: healers consensus and cultural importance. *Social Science and Medicine*, 47, 1859–1871.
- Hess, S. J., Roberts, R. F., & Ziegler, G. R. (1997). Rheological properties of nonfat yogurt stabilized using *Lactobacillus delbrueckii* ssp. *bulgaricus* producing exopolysaccharide or using commercial stabilizer systems. *Journal of Dairy Science*, 80: 252–263.

He, J., Zhou, W. and Qiu, Y. (1998). The changes in immunologic functions of red blood cell in the patients with diabetic retinopathy and the effect of *Lycium barbarum* L. in the treatment. *Journal of Chinese Traditional Medical Ophthalmology*, 8: 70–73.

Hols, P., Hancy, F., Fontaine, L., Grossiord, B., Prozzi, D., Leblond-Bourget, N. (2005). New insights in the molecular biology and physiology of *Streptococcus thermophilus* revealed by comparative genomics. *FEMS Microbiol Rev*, 29:435-463.

Hooi, R., Barbano, D.m., Bradley, R.L., Budde, D., Bulthaus, m., Chettiar, m., Lynch, J. and Reddy, R. (2004). Chemical and physical methods. In Wehr HM; Frank J.F. (Eds), Standard Methods for the Examination of Dairy Products. *American Public health Association*, Washington DC, 363-532.

Huang, Y. Lu, J., Shen, Y. and Lu, J. (1999). The protective effects of total flavonoids from *LyciumBarbarum* L. on lipid peroxidation of liver mitochondria and red blood cell in rats. *Wei Sheng Yan Jiu (Journal of Hygiene Research)*, 28 (2): 115–116.

Huffman, L., West, D.S. (2007). Readiness to change sugar sweetened beverage intake among college students. *Eat. Behav.*, 8: 10–4. Epub.

Huie and Di, 2004 Huie, C.W. and Di, X. (2004). Chromatographic and electrophoretic methods for Lingzhi pharmacologically active components. *Journal of Chromatography B*, 812: 241–257.

Huang, L.J., Lin, Y., Tian, G.Y. (1998). Isolation, purification and physico-chemical properties of immunoactive constituents from the fruit of *Lycium barbarum* L. *Acta Pharm Sin*, 33: 512–516.

Iinuma, M., Tosa, H., Tanaka, T., Asai, F., Kobayashi, Y., Shimano, R. and Miyauchi, K.I., (1996). Antibacterial activity of xanthenes from guttiferaceous plants against methicillin-resistant *Staphylococcus aureus*. *J. Pharm. Pharmacol.* 48, 861–865.

- Iwu, M.M., (1993). Handbook of African Medicinal Plants. CRC Press, pp. 786–789.
- Jaiarj, P., Khoohaswan, P., Wongkrajang, Y., Peungvicha, P., Suriyawong, P., Saraya, M.L., Ruangsomboon, O., (1999). Anticough and antimicrobial activities of *Psidium guajava* Linn. leaf extract. *Journal of Ethnopharmacology*, 67: 203–212.
- Jaros, D., Rohm, H., Haque, A., Bonaparte and Kneifel, W. (2002). Influence of the starter cultures on the relationship between dry matter content and physical properties of set-style yogurt. *Milchwissenschaft*, 57: 325–326
- Jiang, D.J., Dai, Z., Li, Y.J., (2004). Pharmacological effects of xanthenes as cardiovascular protective agents. *Cardiovasc. Drug. Rev.*, 22: 91–102.
- Jimenez, E.A., Rincon, M., Pulido, R. & Saura, C.F. (2001). Guava fruit (*Psidium guajava*) as a new source of antioxidant dietary fiber. *Journal of Agricultural and Food Chemistry*, 49, 5489–5493.
- Jiménez-Escrig, A., Rincón, M., Pulido, R. & Saura-Calixto, F. (2001). Guava fruit (*Psidium guajava* L.) as a new source of antioxidant dietary fiber. *J Agric Food Chem.*, 49(11):5489-93.
- Jung, H.A., Su, B.N., Keller, W.J., Mehta, R.G., Kinghorn, D. (2006). Antioxidant Xanthenes from pericarp of *Garcinia mangostana* (Mangosteen). *J. Agric. Food. Chem.*, 54: 2077–2082.
- Kabanova, N., Kazarjan, A., Stulova, I., and Vilu, R. (2009) Microcalorimetric study of growth of *Lactococcus lactis* IL1403 at different glucose concentrations in broth. *Thermochimica Acta*, 496 (1-2):87-92.
- Kailasapathy, K., Harmstorf, I., Philips, M. (2008). Survival of *Lactobacillus acidophilus* and *Bifidobacterium animalis* spp. *Lactis* in stirred fruit yogurts. *Journal of LWT-Food Science and Technology*, 41 (2008), pp. 1317–1322.

Kandler, O., and N. Weiss. (1986). Genus *Lactobacillus*, pp. 1063-1065. In, P. H. A. Sneath, N. S. Mair, M. E. Sharpe, and J. G. Holt (eds.), *Bergey's Manual of Systematic Bacteriology*, vol 2, 9th ed. Williams and Wilkins, Baltimore.

Kavimani, S., Karpagam, R. I. and Jaykar, B. (1997). Anti-Inflammatory Activity Of Volatile Oil Of *Psidium Guajava*. *Indian journal of pharmaceutical sciences*, 59 (3): 142-144.

Keun, W.O., Lee, C.H., Lee, M. S., Young, E.B., Sohn, C.B., Hyuncheol, O., Kim, B.Y. and Ahn, J.S. (2005). Antidiabetic effects of extracts from *Psidium guajava*. *Journal of Ethnopharmacology*, 96 (3):411-415.

Khan, M.I.H and Ahmad, J. (1985). A pharmacognostic study of *psidium guajava*, L. *Int J Crude Drug Res*, 23: 95-103.

Kılıç, S. (2001). Lactic Acid Bacteria in Dairy Industry. No: 542 İzmir: Aegean University Faculty of Agriculture Publications.

Koch, A.L., (1981). Growth measurement. In: Gerhardt, P., Murray, R.G.E., Costilow, R.N., Nester, E.W., Wood, W.A., Krieg, N.R., Phillips, G.B. (Eds.), *Manual of Methods for General Bacteriology*. *American Society for Microbiology, Washington*, pp. 179–207.

Kong, S. and Davison, A.J. (1980). The role of interactions between O_2 , H_2O_2 , $\bullet OH^-$, e^- and O_2^- in free radical damage to biological system. *Arch. Biochem. Biophys.*, 204: 18–29.

Kumar, A. and Singh, H. (2007). Recent advances in microencapsulation of probiotics for industrial applications and targeted delivery. *Trends in Food Science and Technology*, 18: 240-251.

- Kurman, J. A., Rasic, J. L. (1991). The health potential of products containing *bifidobacteria*. In: *Therapeutic Properties of Fermented Milks* (edited by R.K Robinson). London: Elsevier Applied Food Sciences. pp. 117-158.
- Lam, K.W., But, P., (1999). The content of zeaxanthin in Gou Qi Zi, a potential health benefit to improve visual acuity. *Food Chem.* 67, 173–176.
- Lee, C.H., (1975). Intense sweetener from Lo Han Kuo. *Experientia*, 31: 533–534.
- Lee, S.Y., Morr, C.V., Seo, A. (1990). Comparison of Milk-Based and Soymilk- Based Yoghurt. *J. Food Sci*, 55(2): 532-536.
- Lee, W. J. and Lucey, J. A. (2010), Formation and Physical Properties of Yogurt, *Asian-Aust. J. Anim. Sc*, 9 : 1127 – 1136.
- Lee, W. J. and Lucey, J. A. (2006). Impact of gelation conditions and structural breakdown on the physical and sensory properties of stirred yogurts. *J. Dairy Sci.* 89:2374-2385.
- Lee, W. J. and Lucey, J. A. (2004), Structure and physical properties of yoghurt gels: effect of inoculation rate and incubation temperature. *Journal of Dairy Science*, 87 3153–3164.
- Lemoine, J., Chirat, F., Wieruszeski, J.-M., Strecker, G., Favre, N., and Neeser, J.-R. (1997).
Structural characterization of the exocellular polysaccharides produced by *Streptococcus thermophilus* SFi39 and SFi12. *Appl. Environ. Microbiol.*, 63: 3512-3518.
- Leung, I., Tso, M.L.W., Lam, T., (2001). Absorption and tissue distribution of zeaxanthin and lutein in rhesus monkeys after taking *Fructus lycii* (Gou Qi Zi) extract. *Invest. Ophthalmol. Visual Sci.* 42, 466–471.

- Li, J., Chen, F., Luo, J., (1999). GC–MS analysis of essential oil from the leaves of *Psidium guajava*. *Zhong Yao Cai*, 22: 78–80.
- Lin, T.Y., M.F. Chang Chien. 2007. Exopolysaccharides production as affected by lactic acid bacteria and fermentation time. *Food Chemistry*, 100:1419-1423.
- Lin, F.M., Chiu, C.H. and Pan, T.M. (2004). Fermentation of a milk-soymilk and *Lycium chinense* Miller mixture using a new isolate of *Lactobacillus paracasei* subsp. *paracasei* NTU101 and *Bifidobacterium longum*. *J Ind Microbiol Biotechnol.*, 31(12):559-64.
- Lourens-Hattingh A. and Viljoen, B.C. (2001). Yoghurt as probiotic carrier food. *International Dairy Journal*, 11: 1–17.
- Li, Q.Y., (2001). Healthy Functions and Medicinal Prescriptions of *Lycium barbarum* (Gou Ji Zi). Jindun Press, Beijing, pp. 1–205
- Li, W., Wang, L Deng, XJiang, .L. Zhang, C.and C. Zhang, (2000). Study of the fragility and abnormality rate of red blood cells in patients with type-2 diabetes and the effects of *Lycium barbarum* polysaccharides. *Hebei Journal of Traditional Chinese Medicine*, 22 (8): 585–586.
- Lindhorst, T. K. (2007). In *Essential of carbohydrate chemistry and biochemistry*; Wiley- VCH: Weinheim; Chichester.
- Lindhorst ,Thisbe K. (2007). *Essentials of Carbohydrate Chemistry and Biochemistry* (1 ed ed.). Wiley-VCH.ISBN 3527315284.
- Lindgreen S.E. and Dobrogosz W.J., (1990) Antagonistic activities of lactic bacteria in food and feed fermentations. *FEMS Microbiol, Rev.*, 87: 149–161.

Liu, N., Li, Z., and Tso, M. (1995). The effect of Gou Qi Zi's protective effects on light-induced damages to rats' retina. *China Journal of Eyeground Disease*, 11(1):31-33.

Liu, X.-S., Kim, C.N., Pohl, J., and Wang, X. (1996). Purification and characterization of an interleukin-1b converting enzyme family of protease that activates cysteine protease p32 (CPP32). *J. Biol. Chem.*, 271, 13371–13376.

Li, X.M. , Ma,Y.L. and Liu, X.J. (2007). Effect of the *Lycium barbarum* polysaccharides on age-related oxidative stress in aged mice. *Journal of Ethnopharmacology*, 111 (3): 504–511.

Li, X.M. (2007). Protective effect of *Lycium barbarum* polysaccharides on streptozotocin-induced oxidative stress in rats. *International Journal of Biological Macromolecules*, 40 (5): 461–465.

Looijesteijn, P. J., van Casteren, W. H. M., Tuinier, R., Doeswijk-Voragen, C. H. L. and Hugenholtz, J. (2000). Influence of different substrate limitations on the yield, composition and molecular mass of exopolysaccharides produced by *Lactococcus lactis* subsp. *cremoris* in continuous cultures. *J. Appl. Microbiol.*,89: 116-122.

Lucey, J.A., Munro, P.A. and Singh, H. (1999). Effects of heat treatment and whey protein addition on the rheological properties and structure of acid skim milk gels. *International Dairy Journal*, 275–279.

Lucey, J. A., Munro, P. A., & Singh, H. (1998). Whey separation in acid milk gels made with glucono-delta-lactone: effects of heat treatment and gelation temperature. *Journal of Texture Studies*, 29: 413-426.

Lucey J. A., van Vliet T.b., Grolleb, K., Geurtsb, T. and Walstrab P. (1997). Properties of Acid Casein Gels Made by Acidification with glucono- δ -lactone. II Syneresis, Permeability and Microstructural Properties *Int. Dairy Journal*, 7:389-397.

Luo, Q. Li, Z., Huang, X. Yan, J., Zhang , S. and Cai, Y.Z. (2006). *Lycium barbarum* polysaccharides: Protective effects against heat-induced damage of rat testes and H₂O₂-induced DNA damage in mouse testicular cells and beneficial effect on sexual behavior and reproductive function of hemicastrated rats. *Life Science*, 79(7): 613–621.

Lutterodt, G.D. (1992). Inhibition of Microlax-induced experimental diarrhea with narcotic-like extracts of *Psidium guajava* leaf in rats. *Journal of Ethnopharmacology*, 37 (2): 151–7.

Mahabusarakam, W., Wiriyaachtra, P., Taylor, W., (1987). Chemical constituents of *Garcinia mangostana*. *J. Nat. Prod.*, 50: 474–478.

Mahdian, E. and Tehrani, M. M. (2007). Evaluation the Effect of Milk Total Solids on the Relationship Between Growth and Activity of Starter Cultures and Quality of Concentrated Yoghurt. *J. Agric. & Environ. Sci.*, 2 (5): 587-59.

Majumder A. and Goyal A. (2009) Rheological and gelling properties of a novel glucan from *Leuconostoc dextranicum* NRRL B-1146. *Food Research International*, 42: 525–528.

Makapugay, H.C., Dhammika Nanayakkara, N.P., Soejarto, D.D., Kinghorn, A.D. (1985). High-performance liquid chromatographic analysis of the major sweet principle of Lo Han Kuo fruits. *J. Agric. Food Chem.*, 33: 348–350.

Manosroi, J., Dhumtanom, P., Manosroi, A. (2006). Anti-proliferative activity of essential oil extracted from Thai medicinal plants on KB and P388 cell lines. *Cancer Letter*, 235: 114–120.

- Mao, R., Tang, J. and Swanson, B.G. (2001). Water holding capacity and microstructure of gellan gels. *Carbohydrate Polymers*, 46: 365–371.
- Marshall, V.M. and Rawson, H.L. (1999). Effects of exopolysaccharide producing strains of thermophilic lactic acid bacteria on the texture of stirred yoghurt. *Int. J. Food Sci.*, 34, 137–143.
- Marshall, V.M., Cowie, E.N. and Moreton, R.S. (1995). Analysis and production of 2 exopolysaccharides from *Lactococcus lactis* subsp *cremoris* LC330. *The Journal of Dairy Research*, 62: 621–626.
- Martensson, O., Duenas-Chasco, M., Irastorza, A., Oste, R. & Holst, O. (2003). Comparison of growth characteristics and exopolysaccharide formation of two lactic acid bacteria strains, *Pediococcus damnosus* 2.6 and *Lactobacillus brevis* G-77. *Lebensmittel Wissenschaftund –Technologie*, 36: 353–357.
- Marteau, P., Vesa, T. & Rambaud, J.C. (1997) Lactose maldigestion. *In Probiotics*, 65–88 [R Fuller, editor]. London: Chapman & Hall.
- Maruyama, Y., Matsuda, H., Matsuda, R., Kubo, M., Hatano, T. and Okuda, T. (1985). Study on *Psidium guajava* L. (I). Anti-diabetic effect and effective components of the leaf of *Psidium guajava* L. (Part I). *Shoyakugaku Zasshi*, 39 : 261–269.
- Matsumoto, K., Kasai, R., Ohtani, K., Tanaka, O. (1990). Minor cucurbitane glycosides from fruits of *Momordica grosvenori* (Cucurbitaceae). *Chem. Pharm. Bull.*, 38: 2030–2032.
- Matsumoto, K. Akao, Y., Yi, H., Ohguchi, K., Ito, T. and Tanaka, T. (2004). *Bioorg Med Chem*, 12: 5799–5806.
- Matsumoto, K., Akao, Y., Kobayashi, E., Ohguchi, K., Ito, T. and Tanaka, T. (2003). *J Nat Prod*, 66: 1124–1127.

Matsumoto, K., Akao, Y., Ohguchi, K., Ito, T., Tanaka, T., Inuma, M., Nozawa, Y. (2005).

Xanthones induce cell-cycle arrest and apoptosis in human colon cancer DLD-1 cells. *Bioorg. Med. Chem.*, 13: 6064–6069.

Mazaro, R., Di Stasi, L.C., Kempinas, W.D. (2002). Effects of the hydromethanolic extract of *Austroplenckia populnea* (Celastraceae) on reproductive parameters of male rats. *Contraception*, 66 (3): 205–209.

McKinley, M.C. (2005). The nutrition and health benefits of yoghurt. *Society of Dairy Technology*, 58(1):1-12.

Mezadri, T., Villano, D., Fernandez-Pachon, M. S., Garcia-Parrilla, M. C. and Troncoso, A. M. (2008). Antioxidant compounds and antioxidant activity in acerola (*Malpighia emarginata* DC.) fruits and derivatives. *Journal of Food Composition and Analysis*, 21: 282-290.

Minto, M., Randall, K. P. and Karen, A. (2010). Impact of a plant extract on the viability of *Lactobacillus delbrueckii* ssp. *bulgaricus* and *Streptococcus thermophilus* in nonfat yogurt. Schmidt in *International Dairy Journal*, 665-672.

Michaylova, M., Isawa, K. & Vlachkova, L. (2002). Study on yogurt bacteria isolated from plants in Bulgaria. Poster (abstract A40) at the 7th Symposium on Lactic Acid Bacteria held at Egmond aan Zee, the Netherlands.

Min-Hsiung Pan, Yang, J-R., Mei-Ling, T., Sang, S. and Ho C-T. (2009). Anti-inflammatory effect of *Momordica grosvenori* Swingle extract through suppressed LPS-induced upregulation of iNOS and COX-2 in murine macrophages. *Journal of Functional Foods*, 145-152.

Mirnezami, Z.H. (1999). What do you know about milk? (Milk Chemistry and Technology). Tehran: Agricultural Sciences Publishing.

- Miyoshi, A. Rochat, T. Gratadoux, J. Le Loir, Y., Costa Oliveira S., Langella P. and Azeredo, V. (2003) Oxidative stress in *Lactococcus lactis*. *Genet Mol. Res.*, 2: 348–359.
- Modler, H.M., Larmond, M.E., Lin, C.S., Froehlich, D. and Emmons, D.B. (1983). Physical and sensory properties of yogurt stabilized with milk proteins. *Journal of Dairy Science*, 66: 422–429.
- Morton, J. (1987). Guava. *In*: J.F. Morton. Fruits of warm climates. FL. p. 356-363.
- Moschetti, G., Blaiotta, G., Aponte, M., Catzeddu, P., Villani, F., Deiana, P. & Coppola, S. (1998): Random amplified polymorphic DNA and amplified ribosomal DNA spacer polymorphism: powerful methods to differentiate *Streptococcus thermophilus* strains. *J. Appl. Microbiol.*, 85, 25–36.
- Mozzi, F., Vaningelgem, F., Hebert, E.M., Van der Melulem, Foulquie Moreno, M.R., Font de Valdez, G. and Luc De Vuyst. (2006). Diversity of heteropolysaccharide-production lactic acid bacterium strains and their biopolymers. *Applied and Environmental Microbiology*, 72(6): 4431-4435.
- Mugranganandan, S., Srinivasan, K., Tandan, S.K., Jawahar, L., Suresh, C. and Raviprakash, V. (2001). Anti-inflammatory and analgesic activities of some medicinal plants. *Journal of medicinal and aromatic plant sciences*, 22/23, 4A/ 1A, 56-58.
- Moongkarndi, P., Kosem, N., Kaslunga, S., Luanratana, O., Pongpan, N., Neungton, N. (2004a). Antiproliferation, antioxidation and induction of apoptosis by *Garcinia mangostana* (mangosteen) on SKBR3 human breast cancer cell line. *J. Ethnopharmacol.*, 90: 161–166.
- Moongkarndi, P., Kosem, N., Luanratana, O., Jongsomboonkusol, S., Pongpan, N. (2004b). Antiproliferative activity of Thai medicinal plant. 75: 375-7.

- Nabandith, V., Suzui, M., Morioka, T., Kaneshiro, T., Kinjo, T., Matsumoto, K., Akao, Y., Iinuma, M., Yoshimi, N. (2004). Inhibitory effects of crude a-mangostin, a xanthone derivative, on two different categories of colon preneoplastic lesions induced by 1, 2-dimethylhydrazine in the rat. *Asian Pac. J. Cancer Prev.*, 5: 433– 438.
- Naczki, M., Amarowicz, R., Zadernowski, R., Pegg, R. and Shahidi, F. (2003). Antioxidant activity of crude phenolic extracts from wild blueberry leaves. *Polish Journal of Food and Nutrition*, 53: 170S–173S.
- Nadkarni, K.M., Nadkarni, A.K. (1999). Indian Materia Medica with Ayurvedic, Unani-Tibbi, Siddha, allopathic, homeopathic, naturopathic and home remedies, vol. 1. Popular Prakashan Private Ltd., Bombay, India, pp. 142–149.
- Nair, R. and Chanda, S. (2007). *In-vitro* antimicrobial activity of *psidium guajava* L. leaf extracts against clinically important pathogenic microbial strains. *Brazilian Journal of Microbiology*, 38:452-458.
- Nakajima, H., Hirota, T., Toba, T., Itoh, T., and Adachi, S. (1992a). Structure of the extracellular polysaccharide from slime-forming *Lactococcus lactis* subsp. *cremoris* SBT 0495. *Carbohydr. Res.*, 224: 245-253.
- Nakagawa, Y., Iinuma, M., Naoe, T., Nozawa, Y., Akao, Y. (2007). Characterized mechanism of a-mangostin-induced cell death: Caspase-independent apoptosis with release of endonuclease-G from mitochondria and increased miRNA-143 expression in human colorectal cancer DLD-1 cells. *Bioorg. Med. Chem.*, 15: 5620–5628.
- Nakatani, K., Atsumi, M., Arakawa, T., Oosawa, K., Shimura, S., Nakahata, N., Ohizumi, Y., (2002b). Inhibitions of histamine release and prostaglandin E2 synthesis by mangosteen, a Thai medicinal plant. *Biol. Pharm. Bull.*, 25: 1137– 1141.

- Nakatani, K., Nakahata, N., Arakawa, T., Yasuda, H., Ohizumi, Y., (2002a). Inhibition of cyclooxygenase and prostaglandin E2 synthesis by c-mangostin, a xanthone derivative in mangosteen, in C6 rat glioma cells. *Biochem. Pharmacol.*, 63: 73–79.
- Nakatani, K., Yamakuni, T., Kondo, N., Arakawa, T., Oosawa, K., Shimura, S., Inoue, H., Ohizumi, Y. (2004). c-Mangostin inhibits inhibitor-kappaB kinase activity and decreases lipopolysaccharide-induced cyclooxygenase-2 gene expression in C6 rat glioma cells. *Mol. Pharmacol.*, 66: 667–674.
- Nance, D.M., Amagase, H. and Luczy-Bachman, G. (2009). Abstract 94. Effects of *Lycium barbarum* on basal and lps-induced cytokine production, *Brain, Behavior, and Immunity*, 23(Suppl 2) *PNIRS 2009, PsychoNeuroImmunology Research Society Annual Meeting*, S51.
- Oh,W.K., Lee, C.H., Lee, M.S., Bae, E.Y., Sohn, C.B., Oh, H., Kim, B.Y., Ahn, J.S. (2005). Antidiabetic effects of extracts from *Psidium guajava*. *Journal of Ethnopharmacology*, 96: 411–415.
- Ojan, H., Nihorimbere, V. (2004). Antioxidant power of phytochemicals from *Psidium guajava*. *Journal of Zhejiang University of Science*, 5: 676–683.
- Ojewole, J.A. (2005). Hypoglycemic and hypotensive effects of *Psidium guajava* Linn. (Myrtaceae) leaf aqueous extract. *Methods Find Exp Clin Pharmacol*, 27(10):689-95.
- Ojewole, J.A. (2006). Antiinflammatory and analgesic effects of *Psidium guajava* Linn. (Myrtaceae) leaf aqueous extract in rats and mice. *Methods Find Exp Clin Pharmacol*, 28(7):441-6.
- Oliver, B.B. (1986). Medicinal Plants in tropical West Africa. Cambridge University Press, *Cambridge*, pp. 457–461.
- Oliveira, M.N., Sodini, I., Remeuf, F. and Corrieu, G. (2001).Effect of milk supplementation and culture composition on acidification, textural properties and

microbiological stability of fermented milks containing probiotic bacteria. *International Dairy Journal*, 11: 935–942.

Ozer, B.H. and Robinson, R.K. (1999). The behaviour of starter cultures in concentrated yoghurt (labneh) produced by different techniques. *Lebensmittel- Wissenschaft und- Technologie*, 32: 391-395.

Ozer, B. H., Bell, A. E., Grandison, A. S., & Robinson, R. K. (1998a). Rheological properties of concentrated yoghurt (labneh). *Journal of Texture Studies*, 29: 67–79.

Parnell-Clunies, E.M., Kakuda, Y., Mullen, K., Arnot, D.R. and DeMan, J.M. (1986). Physical properties of yogurt: A comparison of vat versus continuous heating systems of milk, *Journal of Dairy Science*, 69(9): 2593-2603.

Patocka, G., Cervenkova, R., Narine, S., Jelen, P. (2006). Rheological behaviour of dairy products as affected by soluble whey protein isolate. *Int. Dairy J.*, 16: 399-405.

Parvez, S., Malik, K.A., A.h. Kang, S. and Kim, H.Y. (2006) Probiotics and their fermented food products are beneficial for health. *Journal of Applied Microbiology*, 100 (6): 1171–1185.

Pazur, J. H. (1970). *The Carbohydrates: Chemistry and Biochemistry*, 2nd Edition, Academic Press.

Pedraza-Chaverri, J., Cardenas-Rodriguez, N., Orozco- Ibarra, M. and Perez-Rojas, J. M. (2008). Medicinal properties of mangosteen (*Garcinia mangostana*). *Food Chemistry and Toxicology*, 46: 3227-3239.

Peng, X. and Tian, G. (2001). Structural characterization of the glycan part of glycoconjugate LbGp2 from *Lycium barbarum* L. *Carbohydrate Research*, 331 (1): 95–99.

Penna A.L.B., Converti, A. and Oliveira, M.N. (2006). Simultaneous effects of total solids content, milk base, heat treatment temperature and sample temperature on the

rheological properties of plain stirred yogurt. *Food Technology and Biotechnology*, 44: 515–518.

Petry, S., Furlan, S., Waghorne, E., Saulnier, L., Cerning, J. and Maguin, E. (2003). Comparison of the thickening properties of four *Lactobacillus delbrueckii* subsp.

Picerno, P., Mencherini, T., Lauro, M.R., Barbato, F. and. Aquino, R. (2003). Phenolic constituents and antioxidant properties of *Xanthosoma violaceum* leaves. *Journal of Agricultural and Food Chemistry*, 51: 6423–6428.

Pinto, M.M., Sousa, M.E., Nascimento, M.S. (2005). Xanthone derivatives: new insights in biological activities. *Curr. Med. Chem.*, 12: 2517–2538.

Pons, M. and Fiszman, S.M. (1996). Instrumental texture profile analysis with particular reference to gelled systems. *Journal of Texture Studies*, 27: 597–624.

Pothitirat Werayut , M.T, Supabphol, R., Gritsanapan, W. (2011). Comparison of ioactive compounds content, freeradical scavenging and anti-acne inducing bacteria activities of extracts from the mangosteen fruit rind at two stages of maturity. *Food Chemistry*, 128 (2): 292-298

Potterat, O. (2010). Goji (*Lycium barbarum* and *L. chinense*): Phytochemistry, pharmacology and safety in the perspective of traditional uses and recent popularity, . *Planta Medica*, 76: 17–19 Epub.

Puvanenthiran, A., Williams, R. P. W., & Augustin, M. A. (2002). Stmcture and visco-elastic properties of set yoghurt with altered casein to whey protein ratios. *International Dairy Journal*, 12, 383-391.

Puvanenthiran,. A. Williams,R.P.W and Augustin, M.A. (2002). Structure and visco-elastic properties of set yoghurt with altered casein to whey protein ratios. *International Dairy Journal*, 12: 383–391.

- Qiong Luo, Yizhong Cai, Jun Yan, Mei Sun, Harold Corke (2004). Hypoglycemic and hypolipidemic effects and antioxidant activity of fruit extracts from *Lycium barbarum*. *Life Sciences*, 76: 137–149.
- Reeve, V. and Reeve, V. (2008). Mice drinking goji berry juice are protected against photoimmune suppression via haem oxygenase induction *The American Society for Photobiology 34th Meeting in Burlingame, California on June 20–25* (2008).
- Reeve, V.E., Allanson, M., Arun, S.J., Domanski, D. and Painter, N. (2010). Mice drinking goji berry juice (*Lycium barbarum*) are protected from UV radiation-induced skin damage via antioxidant pathways. *Photochemical and Photobiological Sciences*, 9: 601–607.
- Remuef, F., Mohammed, S., Sodini, I., & Tissier, J. P. (2003). Preliminary observations on the effects of milk fortification and heating on microstructure and physical properties of stirred yogurt. *International Dairy Journal*, 13: 773-782.
- Ricciardi A, Clement, F. (2000). Exopolysaccharides from lactic acid bacteria: structure, production and technological application. *Ital J Food Sci.*, 12:23–45.
- Rios, C.D., Salazar, C.R., Cardona, C., Victoria, K. and Torres, M. (1977). Guava. In: Colombian Agricultural Institute. Bogotá (Colombia), second ed. *Fruit. Technical Assistance Manual*, 221-248.
- Robijn, G.W Gutiérrez Gallego, R. van den Berg, D.J.C Haas, H. Kamerling, J.P and J.F.G Vliegthart, (1996). *Carbohydr. Res.*, 203–218.
- Robitaille, G. Tremblay, A. Moineau, S. St-Gelais, D. Vadeboncoeur C. and Britten, M. (2009) Fat-free yoghurt made using a galactose-positive exopolysaccharide-producing recombinant strain of *Streptococcus thermophilus*. *Journal of Dairy Science*, 92: 477–482.
- Robinson, R.K. (1999). “*Fermented Milks: Yoghurt*” ” in *Encyclopedia of Dairy Science*, edited by H. Roginski, J. Fuquay, P. Fox (Academic Press, United Kingdom).

- Rosa, M. P. G., Sylvia, M. and Rosario, V. S. (2008). *Psidium guajava*: A review of its traditional uses, phytochemistry and pharmacology. *Journal of Ethnopharmacology*, 117: 1-27.
- Rowland, I.R. & Tanaka, R. (1993). The effect of transgalactosylated oligosaccharide on gut flora metabolism in rats associated with a human fecal microflora. *J. Appl. Bacteriol.*, 74:667-674.
- Ruas-Madiedo, P., Arno, C., Alting, Pieternella Zoon. (2005). Effect of exopolysaccharides and proteolytic activity of *Lactococcus lactis* subsp. *cremoris* strains on the viscosity and structure of fermented milks. *International Dairy Journal*, 155-164.
- Saavedra, J.M., Bauman, N.A., Oung, I., Perman, J.A. and Yolken, R.H. (1994). Feeding of *Bifidobacterium bifidum* and *Streptococcus thermophilus* to infants in hospital for prevention of diarrhoea and shedding of rotavirus. *The Lancet*, 344: 1046–1049.
- Sahan, N., Yasar, K. and Hayaloglu, A.A. (2008). Physical, chemical and flavour quality of non-fat yogurt as affected by a β glucan hydrocolloidal composite during storage. *Food Hydrocolloids*, 1291–1297.
- Salib, J.Y., Michael, H.N. (2004). Cytotoxic phenylethanol glycosides from *Psidium guajava* seeds. *Phytochemistry*, 65: 2091-2093.
- Salji, J. (1991). Concentrated yogurt: a challenge to our industry. *Food science and Technology today*, 5(1): 18-19.
- Samona, A. and Robinson, R. K. (1991). Enumeration of bifidobacteria in dairy products. *J Soc Dairy Technol.* 44: 64-66.
- Sanders, M. E. (1994). Lactic acid bacteria and human health. Old Herborn University Seminar, Herborn, Germany.

Schaafsma, G. (1996). State of the art concerning probiotic strains in milk products. *IDF Nutrition Newsletter*, 5:23 – 24.

Seo, N., Ito, T., Wang, N., Yao, X., Tokura, Y., Furukawa, F., Takigawa, M. and Kinataka, S. (2005). Anti-allergic *Psidium guajava* extracts exert an antitumor effect inhibition of Tregulatory cells and resultant augmentation of Th1 cells. *Anticancer Research*, 25: 3763–3770.

Shah, N. P. (2003). Yogurt: The product and its manufacture. In *Encyclopedia of Food Science and Nutrition*, Vol. 10, 2nd edn. Caballero B, Trugo L C and Finglas P M, eds. London: Academic Press.

Shah N P (2003) Yoghurt: the product and its manufacture. In *The Encyclopedia of Food Science and Nutrition*, 6252–6260.

Shaker, R. R., Jumah, R.Y. and Abu-Jdayil, B. (2000). Rheological properties of plain yoghurt during coagulation process: impact of fat content and preheat treatment of milk. *Journal of Food Engineering*, 44: 175-180.

Shamir, R., Makhoul, I.R., Etzioni A., and Shehadeh, N. (2005). Evaluation of a diet containing probiotics and zinc for the treatment of mild diarrheal illness in children younger than one year of age. *Journal of the American College of Nutrition*, 370–375.

Shankaranarayan, D., Gopalakrishnan, C., Kameswaran, L. (1979). Pharmacological profile of mangostin and its derivatives. *Arch. Int. Pharmacodyn. Ther.*, 239, 257–269.

Shao-Ping Lu and Pin-Ting Zhao, (2010). Chemical characterization of *Lycium barbarum* polysaccharides and their reducing myocardial injury in ischemia/reperfusion of rat heart. *Int. J. International journal of biological macromolecules*, 47: 1879-0003.

Shi, Y., Wang, Y-F., Jayaraman, L., Yang, H., Massagué, J. and Pavletich, N. (1998). Crystal structure of a Smad MH1 domain bound to DNA: Insights on DNA-binding in TGF- β signaling. *Cell*, 94: 585–594.

Simova, E. D.; Beshkova, D. M.; Angelov, M. P.; Dimitrov, Zh. P. (2008). "Bacteriocin production by strain *Lactobacillus delbrueckii* spp. *Bulgaricus* BB18 during continuous prefermentation of yogurt starter culture and subsequent batch coagulation of milk". *Journal of Industrial Microbiology & Biotechnology*, 35 (6): 559–567.

Singh, M. (2009), Starch-lipid composites eliminate syneresis in yogurt. *Food Technology Intelligence*, Inc USDA-ARS National Center for Agricultural Utilization Research.

Smulders, F.J.M Barendsen, P. van Logtestijn, J.G. Mossel D.A.A. and. van de Marel, G.M, (1986) Lactic acid; consideration in favour of its acceptance as a meat decontaminant. *J. Food Technol.*, 21: 419–436.

Sodini, J., Montella and Tong, P.S. (2005). Physical properties of yogurt fortified with various commercial whey protein concentrates. *Journal of Science Food and Agriculture*, 85: 853–859.

Sodini, I. Remeuf, F. Haddad, S. and Corrieu, G. (2004). The relative effect of milk base, starter, and process on yogurt texture: a review. *Critical Reviews in Food Science and Nutrition*, 44: 113–137.

Sommerburg, O.G., Siems, W.G., Hurst, J.S., Lewis, J.W., Kliger, D.S. (1999). Lutein and zeaxanthin are associated with photoreceptors in the human retina. *Curr. Eye Res.* 19: 491–495.

Song, F., Chen, W., Jia, W., Yao, P., Nussler, A.K., Sun, X., Liu, L. (2006). A natural sweetener, *Momordica grosvenori*, attenuates the imbalance of cellular immune functions in alloxan-induced diabetic mice. *Phytother. Res.*, 20: 552–560.

Song, F., Qi, X., Chen, W., Jia, W., Yao, P., Nussler, A.K., Sun, X., Liu, L. (2007). Effect of *Momordica grosvenori* on oxidative stress pathways in renal mitochondria of

normal and alloxan-induced diabetic mice: involvement of heme oxygenase-1. *Eur. J. Nutr. Epub.*

Soukoulis, C., Panagiotidis, P., Koureli, R. and Tzia, C. (2007). Industrial Yogurt Manufacture: Monitoring of Fermentation Process and Improvement of Final Product Quality. *Journal of dairy science*, 2641-2654.

Staaf, M., Widmalm, G., Yang, Z. & Huttunen, E. (1996) *Carbohydr. Res.*, 291: 155–164.

Stahly, G.L., Sesler, C.L. and Brode, W.R., (1941). A method for measuring bacterial pigments by the use of the spectrophotometer and the photoelectric colorimeter. *Journal of bacteriology*, 43(2):149-154.

Stingele, F., Nesser, J.R. and Mollet, B. (1996). Identification and characterization of the eps (exopolysaccharide) gene cluster from *Streptococcus thermophilus* sfi6. *Journal of Bacteriology*, 178: 1680–1690

Stingele, F., Lemoine, J., and Neeser, J.-R. (1997). *Lactobacillus helveticus* Lh59 secretes an exopolysaccharide that is identical to the one produced by *Lactobacillus helveticus* TN-4, a presumed spontaneous mutant of *Lactobacillus helveticus* TY1-2. *Carbohydr. Res.*, 302: 197- 202.

Stone, B., 1970. The flora of Guam. *Micronesica*, 6: 454–455.

Sultanbawa, M.U.S. (1980). Xanthonoids of tropical plants. *Tetrahedron*, 36: 1465–1506.

Sutherland, I. W. 1998. *Trends Biotechnol.*, 16: 41–46.

Suzuki, Y.A., Murata, Y., Inui, H., Sugiura, M., Nakano, Y. (2005). Triterpene glycosides of *Siraitia grosvenori* inhibit rat intestinal maltase and suppress the rise in blood glucose level after a single oral administration of maltose in rats. *J. Agric. Food Chem.*, 53: 2941–2946.

- Suksamrarn, S., Komutiban, O., Ratananukul, P., Chimnoi, N., Lartpornmatulee, N. & Suksamrarn, A. (2006). Cytotoxic prenylated xanthenes from the young fruit of *Garcinia mangostana*. *Chem. Pharm. Bull.*, 54: 301–305.
- Sundaram, B.M., Gopalakrishnan, C., Subramanian, S., Shankaranarayanan, D. & Kameswaran, L. (1983). Antimicrobial activities of *Garcinia mangostana*. *Planta Med.* 48: 59–60.
- Sun, Y. Tang, J. Gu, X. and Li, D. (2005). Water-soluble polysaccharides from *Angelica sinensis* (Oliv.) Diels: preparation, characterization and bioactivity. *International Journal of Biological Macromolecules*, 36: 283–289.
- Takasaki, M., Konoshima, T., Murata, Y., Sugaira, M., Nishino, H., Tokuda, H., Matsumoto, K., Kasai, R., Yamasaki, K. (2003). Anticarcinogenic activity of natural sweeteners, cucurbitane glycosides, from *Momordica grosvenori*. *Cancer Lett.*, 198: 37–42.
- Takeo, E., Yoshida, H., Tada, N., Shingu, T., Matsuura, H., Murata, Y., Yoshikawa, S., Ishikawa, T., Nakamura, H., Ohsuzu, F., Kohda, H. (2002). Sweet elements of *Siraitia grosvenori* inhibit oxidative modification of low-density lipoprotein. *J. Atheroscler. Thromb.*, 9: 114–120.
- Takemoto, T., Arihara, S., Nakajima, T., Okuhira, M. (1983). The constituents of *Fructus momordicae* 2. structure of sapogenin. *Yakugaku Zasshi*, 103, 1151–1154, 1155–1166, 1167–1173.
- Tamime, A.Y. and Robinson, R.K. (1985). *Yoghurt Science and Technology*. UK: Pergamon Press.
- Tamime, A.Y., Robinson, R.K. & Latrielle, E. (2001). Yogurt and other fermented milks. In: *Mechanisation and Automation in Dairy Technology*, 152-203.

- Tamime, A.Y., Kalab, M. and Davies, G. (1989). Rheology and microstructure of strained yoghurt (Labneh) made from cow's milk three different methods. *Food microstructure*, 8:125- 135.
- Tamime, A.Y., Marshall, V.M.E., eds. (1997). *Microbiology and Biochemistry of Cheeses and Fermented Milks*. London:Blackie Academic.
- Tamime, A. Y. and Deeth, H. C. (1980). Yogurt: technology and biochemistry. *Journal of Food Protection*, 43: 939–977.
- Tamime, A. Y. and Robinson, R. K. (1999). *Yoghurt: Science and Technology*. 2nd edn. *CRC Press, Boca Raton, FL*.
- Tamime, A.Y., Kalab, M., and Davies, G. (1984). Microstructure of set- style yogurt manufactured from cow's milk fortified by various methods. *Food Microstructure*, 3: 83-92.
- Teh, S. S., Ahmad, R., Wan-Abdullah, W. N. and Liong, M. T. (2009). Evaluation of agrowastes as immobilizers for probiotics in soy milk. *J Agric Food Chem*, 57, 10187.
- Telefoncu, A. (1992). *Science and technology for medicine and biochemistry*. Kırklareli: Sermet Press.
- Thaipong, K., Boonprakob, U., Cisneros-Zevallos, L., Byrne, D.H. (2005). Hydrophilic and lipophilic antioxidant activities of guava fruits. *SoutheastAsian Journal of Tropical Medicine Public Health*, 36: 254–257.
- Tona, L., Kambu, K., Mesia, K., Cimanga, K., Apers, S., de Bruyne, T., Pieters, L., Totte, J., Vlietinck, A.J. (2000). Biological screening of traditional preparations from some medicinal plants used as antidiarrhoeal in Kinshasa, Congo. *Phytomedicine*, 6: 59–66.
- Tona, L., Ngimbi, N. P., Tsakala, M., Mesia, K., Cimanga, K., Apers, S., De Bruyne, T., Pieters, L., Totte, J. and Vlietinck, A. J. (1999), Antimalarial activity of 20 crude

- extracts from nine African medicinal plants used in Kinshasa, Congo. *J Ethnopharmacol.*, 68(1-3): 193-203.
- Vanhaverbeke, C., Bosso, C., Colin-Morel, P., Gey, C., Gamar-Nourani, L., Blondeau, K., Simonet, J. M., and Heyraud, A. (1998). Structure of an extracellular polysaccharide produced by *Lactobacillus rhamnosus* strain C83. *Carbohydr. Res.* 314: 211-220.
- Vaningelgem, F., Zamfir, M., Adriany, T., De Vuyst, L. (2004). Fermentation conditions affecting the bacterial growth and exopolysaccharide production by *Streptococcus thermophilus* ST 111 in milk-based medium. *J. Appl. Microbiol.*, 97: 1257-1273.
- Varki, A., Cummings, R., Esko, J., Freeze, H., Stanley, P., Bertozzi, C., Hart, G. and Etzler, M. (2008). *Essentials of glycobiology*. Cold Spring Harbor Laboratory Press; 2nd edition. ISBN 0-87969-770-9.
- Varki, A., Cummings, R., Esko, J., Freeze, J., Hart, G. and Marth, J. (1999). *Essentials of glycobiology*. Cold Spring Harbor Laboratory Press. ISBN 0-87969-560-9.
- Verheij, E. W. M. (1992) *Garcinia mangostana*. In: E. W. M. Verheij and R. E. Coronel (eds.). Edible Fruits and Nuts. PROSEA No. 2, Bogor, Indonesia: 175-181.
- Vieira, L.M., Kijjoa, A. (2005). Naturally-occurring xanthones: recent developments. *Curr. Med. Chem.*, 12: 2413–2446.
- Viljoen, B.C. and Lourens-Hattingh (2001). A. Review: yoghurt as probiotic carrier food. *International Dairy Journal*, 11: 1–17
- Wacher-Rodarte, C., M. V. Galvin, A. Farres, F. Gallardo, V. M. E. Marshall, M. and Garcia-Garibay, (1993). Yogurt production from reconstituted skim milk powders using different polymer and non-polymer forming starter cultures. *J. Dairy Res.*, 60:247–254.

Walzem, R. L., Dillard, C. J., & German, J. B. (2002). Whey components: millennia of evolution create functionalities for mammalian nutrition: what we know and what we may be overlooking. *Critical Reviews in Food Science and Nutrition*, 42: 354-375.

Wang, Y.R., Zhao, H., Sheng, X.H., Gambino, P.E., Costello, B., Bojanowski, K. (2002). Protective effect of *Fructus lycii* polysaccharides against time and hyperthermia-induced damage in cultured seminiferous epithelium. *Journal of Ethnopharmacology*, 82 (2–3): 169–175.

Welman, A.D. and Maddox, I.S. (2003), **Exopolysaccharides** from lactic acid bacteria: perspectives and challenges. *Trends in Biotechnology*, 21 (6): 269–274.

Yamakuni, T., Aoki, K., Nakatani, K., Kondo, N., Oku, H., Ishiguro, K., Ohizumi, Y. (2006). Garcinone B reduces prostaglandin E2 release and NF-kappaB-mediated transcription in C6 rat glioma cells. *Neurosci. Lett.*, 394: 206–210.

Yang, A., Staaf, M., Huttunen, E. and Widmalm, G. (2000). Structure of a viscous exopolysaccharide produced by *Lactobacillus helveticus* K16. *Carbohydrate Research*, 329: 465–469.

Yoshikawa, S., Murata, Y., Sugiura, M., Kiso, T., Shizuma, M., Kitahata, S., Nakano, H. (2005). Transglycosylation of mogrosin V, a teriterpene glycoside in *Siraitia grosvenori*, by cyclodextrin glucoanotransferase and improvement of the qualities of sweetness. *J. Appl. Glycosci.*, 52: 247–252.

Yukuchi, H. Goto, T. and Okonogi, Sh. (1992). The nutritional and physiological value of fermented milks and lactic milk drinks, Y. Nakazawa, A. Hosono, Editors, *Functions of fermented milk: challenges for the health sciences*, Elsevier Applied Sciences, 217–244.

Yuksekdag' Z. N., Aslim, B. (2008). Influence of different carbon sources on exopolysaccharide production by *Lactobacillus delbrueckii* subsp. *bulgaricus* (B3, G12) and *Streptococcus thermophilus* (W22). *Brazilia Archives of Biology and Technology*, P.1516-8913.

Yu, L. Zhao, M. Yang, B. Zhao, Q. and Jiang, Y. (2007). *Food Chem*, 104: 176–181.

Yasunaka, K., Abe, F., Nagayama, A., Okabe, H., Lozada-Pérez, L., López-Villafranco, E., Estrada Muñiz, E., Aguilar, A. and Reyes-Chilpa, R. (2005). Antibacterial activity of crude extracts from Mexican medicinal plants and purified coumarins and xanthenes. *Journal of Ethnopharmacology*, 293–299.

Zadernowski, R., Czaplicki, S. and Naczki, M. (2009). Phenolic acid profiles of mangosteen fruits (*Garcinia mangostana*). *Food Chemistry*, 112: 685-689.

Zakaria, M., Mohd, M.A. (1994). Traditional Malay medicinal plants. *Penerbit Fajar Bakti Sudan Bernhard*, 129–132.

Zhang, W.J., Chen, B.T., Wang, C.Y., Zhu, Q.H., Mo, Z. (2003). Mechanism of quercetin as an antidiarrheal agent. *Di Yi Jun Yi Xue Xue Bao*, 23: 1029–1031.

Zhu, Y.P., Gou Q.Z. (1998). *Chinese Materia Medica Chemistry, Pharmacology and Applications*, Harwood Academic Publishers, Amsterdam, Netherlands, 642–646.

Zisu, B. and Shah, N.P. (2003). **Effects** of pH, temperature, supplementation with whey protein concentrate, and adjunct cultures on the production of exopolysaccharides by ***Streptococcus thermophilus*** 1275. *Journal of Dairy Science*, 86: 3405–3415.

Zourari, A., Accolas J.P. and Desmazeaud M.J. (1992). Metabolism and biochemical characteristics of yogurt bacteria. *A review.*, *Lait* 72: 1-34.