

References

- ADEN, A. & FOUST, T. 2009. Technoeconomic analysis of the dilute sulfuric acid and enzymatic hydrolysis process for the conversion of corn stover to ethanol. *Cellulose*, 16, 535-545.
- ANTONI, D., ZVERLOV, V. V. & SCHWARZ, W. H. 2007. Biofuels from microbes. *Applied Microbiology and Biotechnology*, 77, 23-35.
- BADGER, P. 2002. Ethanol from cellulose: A general review. *Trends in new crops and new uses. ASHS Press, Alexandria, VA*, 17-21.
- BALLESTEROS, M., OLIVA, J., NEGRO, M., MANZANARES, P. & BALLESTEROS, I. 2004. Ethanol from lignocellulosic materials by a simultaneous saccharification and fermentation process (SFS) with *Kluyveromyces marxianus* CECT 10875. *Process Biochemistry*, 39, 1843-1848.
- BOHÓRQUEZ, C. & HERRERA, S. 2005. Determinación de las mejores condiciones de hidrólisis del banano verde de rechazo. *Facultad de Minas. Universidad Nacional de Colombia sede Medellín: Medellín*, 120.
- BRYAN, W. L. 1990. Solid-state fermentation of sugars in sweet sorghum. *Enzyme and microbial technology*, 12, 437-442.
- BULEN, W., VARNER, J. & BURRELL, R. 1952. Separation of organic acids from plant tissues. *Analytical Chemistry*, 24, 187-190.
- BULLOCK, J. 1979. Industrial alcohol. In: BULL, A., ELLWOOD, D. & RATLEDGE, C. (eds.) *Microbial Technology: Current Status and Future Prospect*. United Kingdom: Cambridge University Press.
- BURBANK, N. & KUMAGAI, J. 1965. Alcohol production from pineapple waste. *World Journal of Microbiology and Biotechnology*, 6, 281-284.
- CHINHO, L., CHYNCHING, C., SUBHADRABANDHU, S. & CHAIRIDCHAI, P. Pineapple production and industry in Taiwan. 2000. International Society for Horticultural Science (ISHS), 93-97.
- CLAASSEN, P., VAN LIER, J., LOPEZ CONTRERAS, A., VAN NIEL, E., SIJTSMA, L., STAMS, A., DE VRIES, S. & WEUSTHUIS, R. 1999. Utilisation of biomass for the supply of energy carriers. *Applied Microbiology and Biotechnology*, 52, 741-755.

- CORREA, J. & LEVAZA, S. 2006. *Identificación de Grupos de Compuestos Químicos Inhibitorios en Jarabe de la Planta de Banano para la Producción de Alcohol con Saccharomyces Cerevisiae*,. Universidad Nacional de Colombia- sede Medellín.
- CUZENS, J. C. & MILLER, J. R. 1997. Acid hydrolysis of bagasse for ethanol production. *Renewable energy*, 10, 285-290.
- D'AMORE, T., PANCHAL, C. J., RUSSEIL, I. & STEWART, G. G. 1988. Osmotic pressure effects and intracellular accumulation of ethanol in yeast during fermentation. *Journal of Industrial Microbiology and Biotechnology*, 2, 365-372.
- DAS, L. 1996. On-board hydrogen storage systems for automotive application. *International journal of hydrogen energy*, 21, 789-800.
- FARRELL, A. E., PLEVIN, R. J., TURNER, B. T., JONES, A. D., O'HARE, M. & KAMMEN, D. M. 2006. Ethanol can contribute to energy and environmental goals. *Science*, 311, 506.
- FRONE, W. A. & CUZENS, J. E. 1996. METHOD OF STRONG ACID HYDROLYSIS. WO Patent WO/1996/040,970.
- GAO, C. & FLEET, G. 1988. The effects of temperature and pH on the ethanol tolerance of the wine yeasts, *Saccharomyces cerevisiae*, *Candida stellata* and *Kloeckera apiculata*. *Journal of Applied Microbiology*, 65, 405-409.
- GHOSE, T. & TYAGI, R. 1979. Rapid ethanol fermentation of cellulose hydrolysate. II. Product and substrate inhibition and optimization of fermentor design. *Biotechnology and Bioengineering*, 21, 1401-1420.
- GHOSH, P. & GHOSE, T. 2003. Bioethanol in India: recent past and emerging future. *Biotechnology in India II*, 1-27.
- GOLDSCHMIDT, F. 2007. From Cellulose to Ethanol: Engineering Microorganisms to Produce Biofuel.
- GOLDSCHMIDT, F. 2008. From Cellulose to Ethanol: Engineering Microorganisms to Produce Biofuel. *Institute of biogeochemistry and Environment* 1-14.
- GRANATSTEIN, D., KIRBY, E. & WILLER, H. Current world status of organic temperate fruits. 2008. 19-36.

- HAHN-HAGERDAL, B., GALBE, M., GORWA-GRAUSLUND, M. F., LIDÉN, G. & ZACCHI, G. 2006. Bio-ethanol-the fuel of tomorrow from the residues of today. *TRENDS in Biotechnology*, 24, 549-556.
- HAMELINCK, C. N., HOOIJDONK, G. & FAAIJ, A. P. C. 2005. Ethanol from lignocellulosic biomass: techno-economic performance in short-, middle-and long-term. *Biomass and Bioenergy*, 28, 384-410.
- HAN, Y. W., CHO, Y. K. & CIEGLER, A. 1983. Effect of gamma-ray irradiation on alcohol production from corn. *Biotechnology and Bioengineering*, 25, 2631-2640.
- HILL, J. 2007. Environmental costs and benefits of transportation biofuel production from food- and lignocellulose-based energy crops. A review. *Agronomy for Sustainable Development*, 27, 1-12.
- HOSSAIN, A., AHMED, S., AHMED, M., FARIS, M., ANNUAR, M., MUSTAFA, H. & HAMMAD, N. 2011. Bioethanol fuel production from rotten banana as an environmental waste management and sustainable energy. *African Journal of Microbiology Research*, 5, 586-598.
- HOSSAIN, A. & AN, B. 2009. Biodiesel production from waste sunflower cooking oil as an environmental recycling process and renewable energy. *Bulgarian J. Agric. Sci*, 15, 313-318.
- HOSSAIN, A. & FAZLINY, A. 2010. Creation of alternative energy by bio-ethanol production from pineapple waste and the usage of its properties for engine. *Afr. J. Microbiol. Res*, 4, 813-819.
- HOSSAIN, A., NASRULHAQ BOYCE, A., SALLEH, A. & CHANDRAN, S. 2010. Biodiesel production from waste soybean oil biomass as renewable energy and environmental recycled process. *African Journal of Biotechnology*, 9, 4233-4240.
- INGRAM, T., ROGALINSKI, T., BOCKEMÜHL, V., ANTRANIKIAN, G. & BRUNNER, G. 2009. Semi-continuous liquid hot water pretreatment of rye straw. *The Journal of Supercritical Fluids*, 48, 238-246.
- JACOBSEN, S. E. & WYMAN, C. E. 2002. Xylose monomer and oligomer yields for uncatalyzed hydrolysis of sugarcane bagasse hemicellulose at varying solids concentration. *Industrial & engineering chemistry research*, 41, 1454-1461.

- JONES, R., PAMMENT, N. & GREENFIELD, P. 1981. Alcohol fermentation by yeasts--the effect of environmental and other variables. *Process Biochemistry*, 16, 42-9.
- JUNGINGER, M., BOLKESJO, T., BRADLEY, D., DOLZAN, P., FAAIJ, A., HEINIMO, J., HEKTOR, B., LEISTAD, O., LING, E. & PERRY, M. 2008. Developments in international bioenergy trade. *Biomass and Bioenergy*, 32, 717-729.
- KANG, S., PARK, Y., LEE, J., HONG, S. & KIM, S. 2004. Production of cellulases and hemicellulases by *Aspergillus niger* KK2 from lignocellulosic biomass. *Bioresource technology*, 91, 153-156.
- LASER, M., SCHULMAN, D., ALLEN, S. G., LICHWA, J. & ANTAL, M. J. 2002. A comparison of liquid hot water and steam pretreatments of sugar cane bagasse for bioconversion to ethanol. *Bioresource technology*, 81, 33-44.
- LEA, A. G. H. & PIGGOTT, J. R. 2003. *Fermented beverage production*, Plenum Pub Corp.
- LEE, W. G., LEE, J. S., SHIN, C. S., PARK, S. C., CHANG, H. N. & CHANG, Y. K. 1999. Ethanol production using concentrated oak wood hydrolysates and methods to detoxify. *Applied biochemistry and biotechnology*, 78, 547-559.
- LYND, L. R. 1996. Overview and evaluation of fuel ethanol from cellulosic biomass: technology, economics, the environment, and policy. *Annual review of energy and the environment*, 21, 403-465.
- LYND, L. R., WEIMER, P. J., VAN ZYL, W. H. & PRETORIUS, I. S. 2002. Microbial cellulose utilization: fundamentals and biotechnology. *Microbiology and molecular biology reviews*, 66, 506.
- LYND, L. R., WYMAN, C. E. & GERNGROSS, T. U. 1999. Biocommodity engineering. *Biotechnology Progress*, 15, 777-793.
- LYND, L. R., ZYL, W. H., MCBRIDE, J. E. & LASER, M. 2005. Consolidated bioprocessing of cellulosic biomass: an update. *Current Opinion in Biotechnology*, 16, 577-583.
- MOHAMED, S., HASSAN, Z. & ABD HAMID, N. 1994. Antimicrobial Activity of some Tropical Fruit Wastes (Guava, Starfruit, Banana, Papaya, Passionfruit, Langsat, Duku, Rambutan and Rambai). *Pertanika Journal of Tropical Agricultural Science*, 17, 219-227.

- NEGRO, M. J., MANZANARES, P., BALLESTEROS, I., OLIVA, J. M., CABAÑAS, A. & BALLESTEROS, M. 2003. Hydrothermal pretreatment conditions to enhance ethanol production from poplar biomass. *Applied biochemistry and biotechnology*, 105, 87-100.
- OGIER, J., BALLERINI, D., LEYGUE, J., RIGAL, L. & POURQUIÉ, J. 1999. Production d'éthanol à partir de biomasse lignocellulosique. *Oil & Gas Science and Technology- Revue de l'IFP*, 54, 67-94.
- PALANISAMY, U., CHENG, H. M., MASILAMANI, T., SUBRAMANIAM, T., LING, L. T. & RADHAKRISHNAN, A. K. 2008. Rind of the rambutan, *Nephelium lappaceum*, a potential source of natural antioxidants. *Food Chemistry*, 109, 54-63.
- PALMQVIST, E. & HAHN-HÄGERDAL, B. 2000a. Fermentation of lignocellulosic hydrolysates. I: inhibition and detoxification. *Bioresource technology*, 74, 17-24.
- PALMQVIST, E. & HAHN-HÄGERDAL, B. 2000b. Fermentation of lignocellulosic hydrolysates. II: inhibitors and mechanisms of inhibition. *Bioresource technology*, 74, 25-33.
- PATERSON, A., SWANSTON, J. & PIGGOTT, J. 1995. Production of fermentable extracts from cereals and fruits. *Fermented Beverage Production. Lear AGH and Piggott JR (Eds) pp*, 1-30.
- PATLE, S. & LAL, B. 2007. Ethanol production from hydrolysed agricultural wastes using mixed culture of *Zymomonas mobilis* and *Candida tropicalis*. *Biotechnology letters*, 29, 1839-1843.
- PLESSAS, S., BEKATOROU, A., KOUTINAS, A., SOUPIONI, M., BANAT, I. & MARCHANT, R. 2007. Use of *Saccharomyces cerevisiae* cells immobilized on orange peel as biocatalyst for alcoholic fermentation. *Bioresource technology*, 98, 860-865.
- REDDY, L. & REDDY, O. 2007. Production of Ethanol from Mango (*Mangifera indica* L.) Fruit Juice Fermentation. *Research Journal of Microbiology*, 2, 763-769.
- RETAMAL, N., DURÁN, J. M. & FERNÁNDEZ, J. 1987. Ethanol production by fermentation of fruits and cladodes of prickly pear cactus [*Opuntia ficus indica* (L.) Miller]. *Journal of the Science of Food and Agriculture*, 40, 213-218.

- RODRIGUEZ-CHONG, A., ALBERTO RAMIREZ, J., GARROTE, G. & VAZQUEZ, M. 2004. Hydrolysis of sugar cane bagasse using nitric acid: a kinetic assessment. *Journal of food engineering*, 61, 143-152.
- SAHA, B. C., ITEN, L. B., COTTA, M. A. & WU, Y. V. 2005. Dilute acid pretreatment, enzymatic saccharification, and fermentation of rice hulls to ethanol. *Biotechnology Progress*, 21, 816-822.
- SANCHEZ, O. J. & CARDONA, C. A. 2008. Trends in biotechnological production of fuel ethanol from different feedstocks. *Bioresource technology*, 99, 5270-5295.
- SASTRI, B. 1962. The wealth of India, raw materials. *CSIR, New Delhi, India*, 6, 429.
- SCHELL, D. J., FARMER, J., NEWMAN, M. & MCMILLAN, J. D. 2003. Dilute-sulfuric acid pretreatment of corn stover in pilot-scale reactor. *Applied biochemistry and biotechnology*, 105, 69-85.
- SEARCHINGER, T., HEIMLICH, R., HOUGHTON, R. A., DONG, F., ELOBEID, A., FABIOSA, J., TOKGOZ, S., HAYES, D. & YU, T. H. 2008. Use of US croplands for biofuels increases greenhouse gases through emissions from land-use change. *Science*, 319, 1238.
- SHAHBAZI, A., LI, Y. & MIMS, M. R. Application of sequential aqueous steam treatments to the fractionation of softwood. 2005. Springer, 973-987.
- SHEORAIN, V., BANKA, R. & CHAVAN, M. Ethanol production from sorghum. 2000. 18-19.
- SODERSTROM, J., PILCHER, L., GALBE, M. & ZACCHI, G. 2003. Two-step steam pretreatment of softwood by dilute H₂SO₄ impregnation for ethanol production. *Biomass and Bioenergy*, 24, 475-486.
- STUCKEY, D. C. & HAMZA, A. Management of industrial wastewater in developing countries. 1982. Pergamon Press.
- SUN, Y. & CHENG, J. 2002. Hydrolysis of lignocellulosic materials for ethanol production: a review* 1. *Bioresource technology*, 83, 1-11.
- TEIXEIRA, L. 1999. Optimizing peracetic acid pretreatment conditions for improved simultaneous saccharification and co-fermentation (SSCF) of sugar cane bagasse to ethanol fuel. *Renewable energy*, 16, 1070-1073.

- TEIXEIRA, L. C., LINDEN, J. C. & SCHROEDER, H. A. 1999. Alkaline and peracetic acid pretreatments of biomass for ethanol production. *Applied biochemistry and biotechnology*, 77, 19-34.
- TENGERDY, R. & SZAKACS, G. 2003. Bioconversion of lignocellulose in solid substrate fermentation. *Biochemical Engineering Journal*, 13, 169-179.
- TEWARI, H. K., MRWAHA, S. S., RUPAL, K. & KENNEDY, J. F. 1987. Bio-utilization of pineapple waste for ethanol generation. In: KENNEDY, J., PHILLIPS, G. & WILLIAMS, P. (eds.) *Wood and cellulose: industrial utilization biotechnology, structure and properties*
Wiley
- WALTER, A., ROSILLO-CALLE, F., DOLZAN, P., PIACENTE, E. & BORGES DA CUNHA, K. 2008. Perspectives on fuel ethanol consumption and trade. *Biomass and Bioenergy*, 32, 730-748.
- WOOLEY, R. 1999. Lignocellulosic biomass to ethanol process design and economics utilizing co-current dilute acid prehydrolysis and enzymatic hydrolysis current and futuristic scenarios. DTIC Document.
- WOOLEY, R., RUTH, M., GLASSNER, D. & SHEEHAN, J. 1999. Process design and costing of bioethanol technology: a tool for determining the status and direction of research and development. *Biotechnology Progress*, 15, 794-803.
- YACOBUCCI, B. D. & SERVICE, L. O. C. C. R. Fuel ethanol: Background and public policy issues. 2006. Congressional Research Service, Library of Congress.
- ZHANG, B. 2006. Process for preparing fuel ethanol by using straw fiber materials. *Patent CN1880416*.