

CHAPTER SIX

7.1. REFERENCES

- ABDULLA, M. A., AHMED, K. A., AL-BAYATY F.H. & MASOOD, Y. 2010. Gastroprotective effect of *Phyllanthus niruri* leaf extract against ethanol-induced gastric mucosal injury in rats. *African Journal of Pharmacy and Pharmacology* 4, 226-230.
- ADLER, D. G. 2005. Aberrant crypt foci as biomarkers for colonic dysplasia. *Nature Clinical Practice Gastroenterology Hepatology*, 2, 390-391.
- ANJANA, C., DAMANNA, R. R. & BANDARU, S. R. 1997. Interactive suppression of aberrant crypt foci induced by azoxymethane in rat colon by phytic acid and green tea. *Carcinogenesis*, 18, 2023-26.
- BAGALKOTKAR, G., SAGINEEDU, S. R., SAAD, M. S. & STANSLAS, J. 2006. Phytochemicals from *Phyllanthus niruri* Linn. and their pharmacological properties: a review. *Journal of Pharmacy and Pharmacology*, 58, 1559-1570.
- BENZIE, I. & STRAIN, J. 1996. The ferric reducing ability of plasma (FRAP) as a measure of "antioxidant power": the FRAP assay. *Analytical biochemistry*, 239, 70-76.
- BIRD, R. P. 1987. Observation and quantification of aberrant crypts in the murine colon treated with a colon carcinogen: preliminary findings. *Cancer Letters* 37, 147.
- BIRD, R. P. 1995. Role of aberrant crypt foci in understanding the pathogenesis of colon cancer. *Cancer Letters*, 93, 55-71.

- BIRD, R. P., MCLELLAN, E. A. & BRUCE, W. R. 1989. Aberrant crypts, putative precancerous lesions, in the study of the role of diet in the aetiology of colon cancer. *Cancer Survey*, 8, 189-200.
- BOUZOURENE, H., CHAUBERT, P., SEELENTAG, W., BOSMAN, F. T. & SARAGA, E. 1999. Aberrant crypt foci in patients with neoplastic and nonneoplastic colonic disease. *Human pathology*, 30, 66-71.
- BRAND - WILLIAMS, W., CUVELIER, M. E. & BERSSET, C. 1995. Use of a free radical method to evaluate antioxidant activity. *Lebensmittel-Wissenschaft und- Technologie*, 28, 25-30.
- BRUCE, W. R. & CORPET, D. E. 1996. The colonic protein fermentation and insulin resistance hypotheses for colon cancer etiology: experimental tests using precursor lesions. *European Journal of Cancer Prevention*, 5 Suppl 2, 41-7.
- BUIJNSTERS, M., BICANIC, D., CHIRTOC, M., NICOLI, M. C. & MIN-KUO, Y. 2001. Evaluation of anti-oxidative activity of some antioxidants by means of a combined optothermal window and a DPPH free-radical colorimetry. *Journal of Analytic Science and Spectroscopy*, 17, 544-46.
- CADERNI, G., FEMIA, A. P., GIANNINI, A., FAVUZZA, A., LUCERI, C., SALVADORI, M. & DOLARA, P. 2003. Identification of Mucin-depleted Foci in the Unsectioned Colon of Azoxymethane-treated Rats. *Cancer Research*, 63, 2388.
- CHEN, J. & HUANG, X. F. 2009. The signal pathways in azoxymethane-induced colon cancer and preventive implications. *Cancer Biol Ther*, 8, 1313-7.
- CHOPRA, R. N., NAYAR, S. L. & CHOPRA, I. C. (eds.) 1986. *Glossary of Indian medicinal plants*, New Delhi, Ranchi, India: Catholic press.

CORPET, D. E. 2002. Chemoprevention of Colorectal Cancer: Database of agents & diets ranked by efficacy

A systematic review of experimental studies (men, rats, mice).

CORPET, D. E. & TACHE, S. 2002. Most effective colon cancer chemopreventive agents in rats: a systematic review of aberrant crypt foci and tumor data, ranked by potency. *Nutrition and Cancer*, 43.

CORPET, E. D. 2010. ACF, MDF, BCAC: Pre-Cancerous Lesions? *Chemoprevention Database* [Online]. Available: <http://tumor.free.fr/ACF-BCAC-MDF.html>.

COTELLE, N. 2001. Role of Flavonoids in Oxidative Stress. *Current Topics in Medicinal Chemistry*, 1, 569-90.

DI GREGORIO, C., LOSI, L., FANTE, R., MODICA, S., GHIDONI, M., PEDRONI, M., TAMASSIA, M., GAFA, L. & PONZ, L. 1997. Histology of aberrant crypt foci in the human colon. *Histopathology*, 30, 328-334.

FUJIMITSU, Y., NAKANISHI, H., INADA, K., YAMACHIKA, T., ICHINOSE, M., FUKAMI, H. & TATEMATSU, M. 1996. Development of aberrant crypt foci involves a fission mechanism as revealed by isolation of aberrant crypts. *Japanese Journal of Cancer Research* 87, 1199-1203.

GHIRARDI, M., NASCIMBENI, R., VILLANACCI, V., FONTANA, M. G., DI BETTA, E. & SALERNI, B. 1999. Azoxymethane-Induced Aberrant Crypt Foci and Colorectal Tumors in F344 Rats: Sequential Analysis of Growth. *European Surgical Research*, 272-280.

GUPTA, A. K., PINSKY, P., RALL, C., MUTCH, M., DRY, S., SELIGSON, D. & SCHOEN, R. E. 2009. Reliability and accuracy of the endoscopic

appearance in the identification of aberrant crypt foci *Gastrointestinal Endoscopy* 70, 322-330.

GUPTA, A. K., PRETLOW, T. P. & SCHOEN, R. E. 2007. Aberrant crypt foci: What we know and what we need to know. *Clinical Gastroenterology and Hepatology*, 5, 526-33.

JASS, J. R., AJIOKA, Y., RADOJKOVIC, M., ALLISON, L. J. & LANE, M. R. 1997. Failure to detect colonic mucosal hyperproliferation in mutation positive members of a family with hereditary non-polyposis colorectal cancer *Histopathology* 30, 201-07.

JAYADEV, R., JAGAN, M., MALISETTY, V. & RAO, C. 2004. Colon cancer preventive effects of *Trigonella foenum graecum* (fenugreek) seed and its constituent diosgenin in vivo and in vitro. *Cancer Epidemiol Biomarkers Prev*, 13, 1392-8.

KHARE, S., CHAUDHARY, K., BISSONNETTE, M. & CARROLL, R. 2009. Aberrant crypt foci in colon cancer epidemiology. *Methods Molecular Biology*, 472, 373-386.

KONISHI, F. & MORSON, B. 1982. Pathology of colorectal adenomas: a colonoscopic survey. *Journal of Clinical Pathology*, 35, 830.

KUZU, N., METIN, K., DAGLI, A. F., AKDEMIR, F., ORHAN, C., YALNIZ, M., OZERCAN, H. I., SAHIN, K. & BAHCECIOGLU, I. H. 2007. Protective Role of Genistein in Acute Liver Damage Induced by Carbon Tetrachloride. *Mediators of Inflammation*, Article ID 36381.

LANCE, P. & HAMILTON, S. R. 2008. Sporadic aberrant crypt foci are not a surrogate endpoint for colorectal adenoma prevention. *Cancer Prev. Res. (Phila Pa)*, 1, 4-8.

- LEONARD, S. S., WANG, S., SHI, X., JORDAN, B. S., CASTRANOVA, V., DUBICK, M. A. 2000. Wood smoke particles generate free radicals and cause lipid peroxidation, DNA damage, NF κ B activation and TNF- α release in macrophages. *Toxicology*, 150, 147-150.
- MAGNUSON, B. A. & BIRD, R. P. 1993. Reduction of aberrant crypt foci induced in rat colon with azoxymethane or methylnitrosourea by feeding cholic acid. *Cancer Letters*, 68, 15-23.
- MAGNUSON, B. A., SOUTH, E. H., EXON, J. H., DASHWOOD, R. H., XU, M., HENDRIX, K. & HUBELE, S. 2009. Increased susceptibility of adult rats to azoxymethane-induced aberrant crypt foci. *Cancer Lett (2000) 161: 185-93*, 161, 185-93.
- MARKOWITZ, S. & BERTAGNOLLI, M. 2009. Molecular basis of colorectal cancer. *New England Journal of Medicine*, 361, 2449.
- MATEOS, R., LECUMBERRI, E., RAMOS, S., GOYA, L. & BRAVO, L. 2005. Determination of Malondialdehyde (MDA) by high- performance liquid chromatography in serum and liver as a biomarker for oxidative stress application to a rat model for hypercholesteremia and evaluation of the effect of diets rich in phenolic antioxidants from fruits. *Journal of Chromatography B.*, 827, 76-82.
- MESSERSMITH, W., OPPENHEIMER, D., PERALBA, J., SEBASTIANI, V., AMADOR, M. & JIMENO, A. 2005. Assessment of epidermal growth factor receptor (EGFR) signaling in paired colorectal cancer and normal colon tissue samples using computer-aided immunohistochemical analysis. *Cancer Biology and therapeutic*, 4, 1381-6.
- OCHIAI, M., WATANABE, M., NAKANISHI, M., TAGUCHI, A., SUGIMURA, T. & NAKAGAMA, H. 2005. Differential staining of dysplastic aberrant

crypt foci in the colon facilitates prediction of carcinogenic potentials of chemicals in rats. *Cancer Letters*, 220, 67-74.

OTORI, K., SUGIYAMA, K., HASEBE, T., FUKUSHIMA, S. & ESUMI, H. 1995. Emergence of adenomatous aberrant crypt foci (ACF) from hyperplastic ACF with concomitant increase in cell proliferation. *Cancer Research*, 55, 4743.

PAULSEN, J. E., LØBERG, E. M., ØLSTØRN, H. B., KNUTSEN, H., STEFFENSEN, I. L. & ALEXANDER, J. 2005. Flat dysplastic aberrant crypt foci are related to tumorigenesis in the colon of azoxymethane-treated rat. *Cancer Research*, 65, 121.

PEREIRA, M. A., BARNES, L. H., RASSMAN, V. L., KELLOFF, G. V. & STEELE, V. E. 1994. Use of azoxymethane-induced foci of aberrant crypts in rat colon to identify potential cancer chemopreventive agents. *Carcinogenesis*, 15, 1049-1054.

PRETLOW, T. P., BARROW, B. J., ASHTON, W. S., O'RIORDAN, M. A., PRETLOW, T. G., JURCISEK, J. A. & STELLATO, T. A. 1991. Aberrant Crypts: Putative Preneoplastic Foci in Human Colonic Mucosa *Cancer Research*, 51, 1564-67.

RAJESHKUMAR, N. V., JOY, K. L., KUTTAN, G., RAMSEWAK, R. S., NAIR, M. G. & KUTTAN, R. 2002. Antitumour and anticarcinogenic activity of *Phyllanthus amarus* extract. . *Journal of Ethnopharmacology*, 81, 17-22.

RAO, C. V., DESAI, D., SIMI, B., KULKARNI, N., AMIN, S. & REDDY, B. S. 1993. Inhibitory effect of caffeic acid esters on azoxymethane-induced biochemical changes and aberrant crypt foci formation in rat colon. *Cancer Research*, 53, 4182.

- RODERICK, H. D. 1998. *Colorectal Cancer: Early Detection and Prevention* [Online]. Oregon: Linus Pauling Institute. Available: <http://lpi.oregonstate.edu/f-w98/colorectal.html> [Accessed 27 november 2010].
- SHIMPO, K., CHIHARA, T., BEPPU, H., IDA, C., KANEKO, T., NAGATSU, T. & KUZUYA, H. 2001. Inhibition of azoxymethane-induced aberrant crypt foci formation in rat colorectum by whole leaf *Aloe arborescens* Miller var. *natalensis* berger. *Phytotherapy Research*, 15, 705-711.
- SHOKUNBI, O. & ODETOLA, A. 2008. Gastroprotective and antioxidant activities of *Phyllanthus amarus* extracts on absolute ethanol induced ulcer in albino rats. *J. Med. Plants Res.*, 2, 261-267.
- SHPITZ, B., BOMSTEIN, Y., MEKORI, Y., COHEN, R., KAUFMAN, Z., NEUFELD, D., GALKIN, M. & BERNHEIM, J. 1998. Aberrant crypt foci in human colons: Distribution and histomorphologic characteristics* 1,* 2. *Human pathology*, 29, 469-475.
- SHIMADA K, FUJIKAWA K, YAHARA K, NAKAMURA T (1992). Antioxidative properties of xanthan on the autooxidation of soybean oil in cyclodextrin. *J Agric Food Chem* 40:945–948
- SUNKARA, R., VERGHESE, M., PANALA, V., FIELD, R., BOATENG, J., SHACKELFORD, L. A. & WALKER, L. T. 2008. Chemopreventive effect of cranberries on azoxymethane induced aberrant crypt foci in Fisher 344 male rats. *International Journal of Cancer research*.
- TAKAHASHI, M., FUKUTAKE, M., YOKOTA, S., ISHIDA, K., WAKABAYASHI, K. & SUGIMURA, T. 1996. Suppression of

azoxymethane-induced aberrant crypt foci in rat colon by nimesulide, a selective inhibitor of cyclooxygenase 2. *Journal of Cancer Research and Clinical Oncology*, 122, 219-222.

TAKAYAMA, T., MIYANISHI, K., HAYASHI, T., KUKITSU, T., TAKANASHI, K., ISHIWATARI, H., KOGAWA, T., ABE, T. & NIITSU, Y. 2005. Aberrant Crypt Foci: Detection, Gene Abnormalities, and Clinical Usefulness. *Clinical Gastroenterology and Hepatology*, 3, S42-S45.

TANAKA, T., SHIMIZU, M., KOHNO, H., YOSHITANI, S., TSUKIO, Y., MURAKAMI, A., SAFITRI, R., TAKAHASHI, D., YAMAMOTO, K., KOSHIMIZU, K., OHIGASHI, H. & MORI, H. 2001. Chemoprevention of azoxymethane-induced rat aberrant crypt foci by dietary zerumbone isolated from *Zingiber zerumbet*. *Life Sci*, 69, 1935-45.

TIETZ, N.W., RINKER, A.D., SHAW, L.M. (1983). IFCC methods for the measurement of catalytic concentration of enzymes. Part 5. IFCC method for alkaline phosphatase. *Journal of Clinical Chemistry and Clinical Biochemistry* 21, 731-748.

TRIVEDI, N. P. & RAWAL, U. M. 2001. Hepatoprotective and antioxidant property of *Andrographis paniculata* (Nees) in BHC induced liver damage in mice. *Ind. J. Exp. Biol.*, 39, 41-46.

VACCINA, F., SCORCIONI, F., PEDRONI, M., TAMASSIA, M., DE LEON, M. P., DE POL, A., MARZONA, L. & RONCUCCI, L. 1998. Scanning electron microscopy of aberrant crypt foci in human colorectal mucosa. *Anticancer research*, 18, 3451-3456.

- VELMURUGAN, B., SINGH, R. P., TYAGI, A. & AGARWAL, R. 2008. Inhibition of azoxymethane-induced colonic aberrant crypt foci formation by silibinin in male Fisher 344 rats. *Cancer Prev Res (Phila)*, 1, 376-84.
- VERGHESE, M., RAO, D. R., CHAWAN, C. B., WILLIAMS, L. L. & SHACKELFORD, L. 2002. Dietary inulin suppresses azoxymethane-induced aberrant crypt foci and colon tumors at the promotion stage in young Fisher 344 rats. *Journal of Nutrition*, 132, 2809-13.
- WANG, B. E. 2000. Treatment of chronic liver diseases with traditional Chinese medicine. *Journal of Gastroenterology and Hepatology*, 15, E67-70.
- WARGOVICH, M. J., BROWN, V. R. & MORRIS, J. 2010. Aberrant Crypt Foci: The Case for Inclusion as a Biomarker for Colon Cancer. *Cancers*, 2, 1705-1716.
- WHO. 2006. Cancer. Available: <http://www.cancer.gov/cancertopics/commoncancers> [Accessed 24 May 2007.].
- WIKIPEDIA 2010. http://en.wikipedia.org/wiki/File:Lipid_peroxidation.svg.
- YAMADA, Y., YOSHIMI, N., HIROSE, Y., MATSUNAGA, K., KATAYAMA, M., SAKATA, K., SHIMIZU, M., KUNO, T. & MORI, H. 2001. Sequential analysis of morphological and biological properties of -catenin-accumulated crypts, provable premalignant lesions independent of aberrant crypt foci in rat colon carcinogenesis. *Cancer Research*, 61, 1874.