

References

- Alkan, U., Cindoruk, S., Tasdemir , Y., Colby, C., 2002. Influence of an aerobic selector on copper and hexavalent chromium biosorption by activated sludge. *Journal of Chemical Technology and Biotechnology* 77 (10), 1141–1148.
- Almeida, W.I., Vieira, R.P., Cardoso, A.M., Silveira, C.B., Costa, R.G., Gonzalez, A.M., Paranhos, R., Medeiros, J.A., Freitas, F.A., Albano, R.M., Martins, O.B., 2009. Archaeal and bacterial communities of heavy metals contaminated acidic waters from zink mine residues in Sepetiba Bay. *Extremophiles* 13, 263–271
- Altschul, S.F., Gish, W., Miller, W., Myers, E.W., Lipman, D.J., 1990. Basic local alignment search tool. *Journal of Molecular Biology* 215, 403–410.
- Amann, R.I., Ludwig, W., Schleifer, K.H., 1995. Phylogenetic identification and *in situ* detection of individual microbial cells without cultivation. *Microbiological Reviews* 59, 143–169.
- American Public Health Association (APHA), 2005. Standard Methods for the Examination of Water and Wastewater, 21st ed., APHA, Washington, DC.
- Anyanwu, C.U., Ugwu, C.E., 2010. Incidence of arsenic resistant bacteria isolated from a sewage treatment plant. *International Journal of Basic and Applied Sciences* 10 (6), 64–78.
- Arceivala, S., Asolekar, S.R., 2008. Some physico-chemical methods and membrane technologies. *Wastewater Treatment for Pollution Control and Reuse*. McGraw-Hill, New Delhi, pp. 336–365.
- Beer, M., Seviour, E.M., Kong, Y., Cunningham, M.A., Blackall, L.L., Seviour, R.J., 2002. Phylogeny of the filamentous bacterium Eikelboom type 1851, and design and application of a 16S rRNA targeted oligonucleotide for its *in situ* identification in activated sludge. *FEMS Microbiology Letters* 207, 179–183.
- Bibby, K., Viau, E., Peccia, J., 2010. Pyrosequencing of the 16S rRNA gene to reveal bacterial pathogen diversity in biosolids. *Water Research* 44 (14), 4252–4260.
- Binkley, J., Simpson, J.A., 2003. Heavy metals in wastewater treatment processes. In: Mara, D., Horan, N. (Eds.), *The Handbook of Water and Wastewater Microbiology*. Elsevier ,UK, pp. 597–610.
- Björnsson, L., Hugenholtz, P., Tyson, G.W., Blackall, L.L., 2002. Filamentous *Chloroflexi* (green non-sulfur bacteria) are abundant in wastewater treatment processes with biological nutrient removal. *Microbiology* 148, 2309–2318.
- Bossier, P., Verstraete, W., 1996. Triggers for microbial aggregation in activated sludge. *Applied Microbiology and Biotechnology* 45, 1–6.
- Branco, R., Chung, A.P., Veríssimo, A., Morais, P.V., 2006. Impact of chromium contaminated wastewaters on the microbial community of a river. *FEMS Microbiology Ecology* 54 (1), 35–46.
- Bridges, V., 1922. Raw water processing and wastewater treatment. In Hocking, M. (Eds.), *Handbook of Chemical Technology and Pollution Control*. Elsevier, USA, pp. 139–171.

- Britschgi, T.B., Giovannoni, S.J., 1991. Phylogenetic analysis of a natural marine bacterioplankton population by rRNA gene cloning and sequencing. *Applied Environmental Microbiology* 57 (6), 1707–1713.
- Cardenas, E., Tiedje, J.M., 2008. New tools for discovering and characterizing microbial diversity. *Current Opinion in Biotechnology* 19 (6), 544–549.
- Chipasa, K.B., 2003. Accumulation and fate of selected heavy metals in a biological wastewater treatment system. *Waste Management* 23, 135–143.
- Cole, J.R., Wang, Q., Cardenas, E., Fish, J., Chai, B., Farris, R.J., Kulam-Syed-Mohideen, A.S., McGarrell, D.M., Marsh, T., Garrity, G.M., Tiedje, J.M., 2009. The Ribosomal Database Project: improved alignments and new tools for rRNA analysis. *Nucleic Acids Research* 37, D141–D145.
- Davis, M., L., 2010. Water and Wastewater Engineering. McGraw-Hill, Ney York.
- Dias, F.F., Bhat, J.V., 1964. Microbial ecology of activated sludge. *Applied Microbiology* 12, 412–17.
- Díez, B., Pedrós-Alió, C., Marsh, T.L., Massana, R., 2001. Application of denaturing gradient gel electrophoresis (DGGE) to study the diversity of marine picoeukaryotic assemblages and comparison of DGGE with other molecular techniques. *Applied And Environmental Microbiology* 67 (7), 2942–2951.
- Drysdale, D.G., Kasan, H.C., Bux, F., 1999. Denitrification by heterotrophic bacteria during activated sludge treatment. *Water SA* 25 (3), 357–362.
- Dunbar, J., Takala, S., Barns, S.M., Davis, J.A., Kuske, C. R., 1999. Levels of bacterial community diversity in four arid soils compared by cultivation and 16S rRNA gene cloning. *Applied and Environmental Microbiology* 65 (4), 1662–1669.
- Eckenfelder, W.W., Grau, P., 1998. Activated sludge process design and control: theory and practice. Volume 1 of Water Quality Management Library. CRC Press, UK.
- Edgar, R.C., 2004. MUSCLE: a multiple sequence alignment method with reduced time and space complexity. *BMC Bioinformatics* 5, 113.
- Environmental Protection Agency. 2001. 6010B. USEPA, Washington, DC.
- Environmental Quality Act, 1974. Environmental Quality (Sewage and Industrial Effluents) Regulations.
- Felske, A., Wolterink, A., Lis, R., Akkermans, A.D.L., 1998. Phylogeny of the main bacterial 16S rRNA sequences in Drentse A grassland soils (The Netherlands). *Applied and Environmental Microbiology* 64 (3), 871–879.
- Focht, D.D., Chang A.C., 1975. Nitrification and denitrification processes related to wastewater treatment. *Advance Applied Microbiology* 19, 153–186.
- Forster, C., 2003. Tertiary treatment. *Wastewater Treatment and Technology*. Thomas Telford, London, pp. 183–191.
- Frostegard, A., Baath, E., Tunlio, A., 1993. Shifts in the structure of soil microbial communities in limed forests as revealed by phospholipid fatty acid analysis. *Soil Biology and Biochemistry* 25 (6), 723–730.

- Gerardi, M.H., 2002. Settleability problems and loss of solids in the activated sludge process. Volume 2 of Wastewater microbiology series. Environmental Protection magazine series. John Wiley and Sons, USA.
- Godfree, A., 2003. Health constraints on the agricultural recycling of wastewater sludges. In: Mara, D., Horan, N. (Eds.), *The Handbook of Water and Wastewater Microbiology*. Elsevier, UK, pp. 281–299.
- Gray, N.F., 2004. Biology of Wastewater Treatment. Volume 4 of Series on environmental science and management. Edition 2. Imperial College Press, UK.
- Guindon, S., Gascuel, O., 2002. Efficient biased estimation of evolutionary distances when substitution rates vary across sites. *Molecular Biology and Evolution* 19, 534–543.
- Gurtner, C., Heyrman, J., Piñar, Guadalupe, Lubitz, W., Swings, J., Rölleke, S., 2000. Comparative analyses of the bacterial diversity on two different biodeteriorated wall painting by DGGE and 16S rDNA sequence analysis. *International Biodeterioration and Biodegradation* 46 (3), 229–239.
- Hammer, Ø., Harper, D.A.T., Ryan, P.D., 2001. PAST: Paleontological Statistics Software Package for Education and Data Analysis. *Palaeontologia Electronica* 4 (1), 9.
- Heuer, H., Hartung, K., Wieland, G., Kramer, I., Smalla, K., 1999. Polynucleotide probes that target a hypervariable region of 16S rRNA genes to identify bacterial isolates corresponding to bands of community fingerprints. *Applied and Environmental Microbiology* 65 (3), 1045–1049.
- Institute of Water Pollution Control (1987) *Tertiary Treatment and Advanced Wastewater Treatment*. Institute of Water Pollution Control, Maidstone.
- Izbicki, J.A., Swarzenski, P.W., Reich, C.D., Rollins, C., Holden, P.A., 2009. Sources of fecal indicator bacteria in urban streams and ocean beaches, Santa Barbara, California. *Annals of Environmental Science* 3, 139–178.
- Jenkins, D., Richard, M.G., Daigger, G.T. (Eds.), 2004. Manual on the causes and control of activated sludge bulking, foaming and other solids separation problems. IWA Publishing, UK, pp 127–129.
- Johnson, M., Zaretskaya, I., Raytselis, Y., Merezhuk, Y., McGinnis, S., Madden, T.L., 2008. NCBI BLAST: a better web interface. *Nucleic Acid Research* 36, W5–W9.
- Jukes, T.H., Cantor, C.R., 1969. Evolution of protein molecules. In: Munro, H.N. (Eds.), *Mammalian Protein Metabolism*. Academic Press, New York, pp. 21–132.
- Kawamura, S., 2000. Design of basic treatment process units. *Integrated design and operation of water treatment facilities*. John Wiley and Sons, USA, pp. 61–73.
- Korner, S., Das, S.K., Veenstra, S., Vermaat, J.E., 2001. The effect of variation at the ammonium/ammonia equilibrium in wastewater and its toxicity to *Lemna gibba*. *Aquatic Botany* 71, 71–78.

- Kragelund, C., Levantesi, C., Borger, A., Thelen, K., Eikelboom, D., Tandoi, V., Kong, Y., Waarde, J.V.D., Krooneman, J., Rossetti, S., Thomsen, T.R., Nielsen, P.H., 2006. Identity, abundance and ecophysiology of filamentous *Chloroflexi* species present in activated sludge treatment plants. *FEMS Microbiology Ecology* 59 (3), 671–682.
- Krul J.M., 1976. The relationship between dissimilatory nitrate reduction and oxygen uptake by cells of an *Alcaligenes* strain in flocs and in suspension and by activated sludge flocs. *Water Research* 10 (4), 337–341.
- Kunin, V., Engelbrektson, A., Ochman, H., Hugenholtz, P., 2010. Wrinkles in the rare biosphere: pyrosequencing errors can lead to artificial inflation of diversity estimates. *Environmental Microbiology* 12, 118–123.
- Lacko, N., Bux, F., Kasan, H.C., 1999. Survey of filamentous bacteria in activated sludge plants in KwaZulu-Natal. *Water SA* 25, 63–68.
- Li, C.L., Fang, H.H.P., 2007. Inhibition of heavy metals on fermentative hydrogen production by granular sludge. *Chemosphere* 67, 668–673.
- Lin, C.Y., Shei, S.H., 2008. Heavy metal effects on fermentative hydrogen production using natural mixed microflora. *International Journal of Hydrogen Energy* 33, 587–593.
- Lin, Y.M., Tay, J.H., Liu, Y., Hung, Y.T., 2009. Biological nitrification and denitrification processes. In Wang, L.K., Pereira, N.C., Hung, Y.T. (Eds.), *Handbook of Environmental Engineering: Biological Treatment Processes*. Humana Press, USA, 539–588.
- Lindeburg, M.R., 2009. Wastewater resources No.2: Water and wastewater treatment. Environmental Engineering Reference Manual. Professional Publications Inc., USA, 22–28.
- Loaec, M., Oliver, R., Guezenner, J., 1997. Uptake of lead, cadmium and zinc by a novel bacterial exopolysaccharide. *Water Research* 31 (5), 1171–1179.
- Loffhagen, N., Hartig, C., Babel, W., 2004. *Pseudomonas putida* NCTC 1093 balance membrane fluidity in response to physical and chemical stress by changing the saturation degree and the trans/cis ratio of fatty acids. *Bioscience, Biotechnology and Biochemistry* 68 (2), 317–323.
- Ludwig, W., Schleifer, K.H., 1994. Bacterial phylogeny based on 16S and 23S rRNA sequence analysis. *FEMS Microbiology Reviews* 15, 155–173.
- Lui, C., Yang, L.J., Wu, G., Zhang, S., Li, Z.X., Guo, J.B., 2010. Estimation of dominant microbial population sizes in the anaerobic granular sludge of a full scale UASB treating streptomycin wastewater by PCR-DGGE. *World journal of Microbial Biotechnology* 26, 375–379.
- Lukow, T., Dunfield, P.F., Liesack, W., 2000. Use of the T-RFLP technique to assess spatial and temporal changes in the bacterial community structure within an agricultural soil planted with transgenic and no transgenic potato plants. *FEMS Microbiology Ecology* 32, 241–247.
- Maidak, B.L., Cole, J.R., Lilburn, T.G., Parker Jr, C.T., Saxman, P.L., Farris, R.J., Garrity, G.M., Olsen, G.J., Schmidt, T.M., Tiedje, L.M., 2000. The RDP (Ribosomal Database Project) continues. *Nucleic Acids Research* 28, 173–174.

- Mao, Y., Zhang, X., Yan, X., Lui, B., Zhao, L., 2008. Development of group specific PCR-DGGE fingerprinting for monitoring structural changes of *Thauera* spp. in an industrial wastewater treatment plant responding to operational perturbations. *Journal of Microbiological Methods* 75, 231–236.
- Mineta, R., Salehi, Z., Yoshikawa, H., Kawase, Y., 2011. Oxygen transfer during aerobic biodegradation of pollutants in a dense activated sludge slurry bubble column: actual volumetric oxygen transfer coefficient and oxygen uptake rate in p-nitrophenol degradation by acclimated waste activated sludge. *Biochemical Engineering Journal* 53, 266–274.
- Miura, Y., Watanabe, Y., Okabe, S., 2007. Significance of *Chloroflexi* in performance of submerged membrane bioreactors (MBR) treating municipal wastewater. *Environmental Science and Technology* 41 (22), 7787–7794.
- Muyzer, G., 1999. DGGE/TGGE a method for identifying genes from natural ecosystems. *Current Opinion in Microbiology* 2 (3), 317–322.
- Muyzer, G., Smalla, K., 1998. Application of denaturing gradient gel electrophoresis (DGGE) and temperature gradient gel electrophoresis (TGGE) in microbial ecology. *Antonie Leeuwenhoek* 73, 127–141.
- Muyzer, G., Wawer, C., 1995. Genetic diversity of *Desulfovibrio* spp. in environmental samples analyzed by denaturing gradient gel electrophoresis of [NiFe] hydrogenase gene fragments. *Applied and Environmental Microbiology* 61, 2203–2210.
- Muyzer, G., Waal, E.C., Uitterlinden, A.G., 1993. Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. *Applied Environmental Microbiology* 59, 695–700.
- Myers, R.M., Fischer, G.S., Lerman, L.S., Maniatis, T., 1985. Nearly all single base substitutions in DNA fragments joined to a GC-clamp can be detected by denaturing gradient gel electrophoresis. *Nucleic Acid Research* 13 (9), 3131–3145.
- Nocker, A., Burr, M., Camper, A.K., 2007. Genotypic microbial community profiling: a critical technical review. *Microbial Ecology* 54, 276–289.
- Nocker, A., Heitmann, T.R., Montijn, R., Schuren, F., Kort, R., 2010. Discrimination between live and dead cells in bacterial communities from environmental water samples analyzed by 454 pyrosequencing. *International Microbiology* 13 (2), 59–65.
- Ogino, A., Koshikawa, H., Nakahara, T., Uchiyama, H., 2008. Succession of microbial communities during a biostimulation process as evaluated by DGGE and clone library analyses. *Journal of Applied Microbiology* 91 (4), 625–635.
- Osborn, A.M., Moore, E.R.B., Timmis, K.N., 2000. An evaluation of terminal-restriction fragment length polymorphism (T-RFLP) analysis for the study of microbial community structure and dynamics. *Environmental Microbiology* 2, 39–50.

- Pennanen, T., Frostegard, A., Fritze, H., Baath, E., 1996. Phospholipid fatty acid composition and heavy metal tolerance of soil microbial communities along two heavy metal-polluted gradients in coniferous forests. *Applied and Environmental Microbiology* 62 (2), 420–428.
- Pike, E.B., Carrington, E.G., Ashburner, P.A., 1972. An evaluation of procedures for enumerating bacteria in activated sludge. *Journal of Applied Bacteriology* 35, 309–21.
- Principi, P., Villa, F., Giussani, B., Zanardini, E., Cappitelli, F., Sorlini, C., 2009. The effect of copper on the structure of the ammonia oxidizing microbial community in an activated sludge wastewater treatment plant. *Microbial Ecology* 57, 215–220.
- Quince, C., Curtis, T.P., Sloan, W.T., 2008. The rational exploration of microbial diversity. *International Society for Microbial Ecology Journal* 2, 997–1006.
- Ramalho, R.S., 1977. Introduction to Wastewater Treatment Processes. Academic Press, London, 70–125.
- Ramírez-Flandes, S., Ulloa, O., 2008. Bosque: integrated phylogenetic analysis software. *Bioinformatics* 24 (21), 2539–2541.
- Reay, D., Ratcliff, A., 1973. Removal of fine particles from water by dispersed air flotation: effects of bubble size and particle size on collection efficiency. *The Canadian Journal of Chemical Engineering* 51, 178–185.
- Reichenbach, H., 1992. The genus *Herpetosiphon*. In: Balows, A., Trüper, H.G., Dworkin, M., Harder, W., Schleifer, K.H. (Eds.), *The Prokaryotes - A Handbook on the Biology of Bacteria: Ecophysiology, Isolation, Identification, Applications*. Springer, New York, pp. 3785–3805.
- Richard, M., 2003. Activated Sludge Microbiology Problems and Their Control. Presented at the 20th Annual USEPA National Operator Trainers Conference Buffalo, New York, June 8, 2003.
- Roesch, L.F.W., Fulthorpe, R.R., Riva, A., Casella, G., Hadwin, A.K.M., Kent, A.D., Daroub, S.H., Camargo, F.A.O., Farmerie, W.G., Triplett, E.W., 2007. Pyrosequencing enumerates and contrasts soil microbial diversity. *Journal of International Society for Microbial Ecology* 1, 283–290.
- Schloss, P.D., Handelsman, J., 2006. Toward a census of bacteria in soil. *PLOS Computational Biology* 2, 786–793.
- Selivanovskaya, S.Y., Zaripova, S.K., Latypova, V.Z., Hung, Y.T., 2010. Treatment and disposal of biosolids. In Wang, L.K., Tay, J.H., Tay, S.T.L., Hung, Y.T. (Eds.), *Handbook of Environmental Engineering: Environmental Bioengineering*. Humana Press, USA, pp. 1–52.
- Sezgin, M., 1982. Variation of sludge volume index with activated sludge characteristics. *Water Research* 16, 83–88.
- Shammas, N.K., Kumar, I.J., Chang, S.Y., Hung, Y.T., 2005. Sedimentation. In: Wang, L., K., Hung, Y., T., Shammas, N., K. (Eds.), *Handbook of Environmental Engineering: Physicochemical Treatment Processes*. Human press, USA, pp. 393–399.
- Shin, S.G., Han, G., Lim, J., Lee, C., Hwang, S., 2010. A comprehensive microbial insight into two-stage anaerobic digestion of food waste-recycling wastewater. *Water Research* 1–12.

- Skirnisdottir, S., Hreggvidsson, G.O., Hjörleifsdottir, S., Marteinsson, V.T., Petursdottir, S.K., Holst, O., Kristjansson, J.K., 2000. Influence of sulfide and temperature on species composition and community structure of hot spring microbial mats. *Applied Environmental Microbiology* 66 (7), 2835–2841.
- Sogin, M.L., Morrison, H.G., Huber, J.A., Welch, D.M., Huse, S.M., Neal, P.R., Arrieta, J.M., Herndl, G.J., 2006. Microbial diversity in the deep sea and the unexplored “rare biosphere”. *Proceedings of the National Academy of Sciences of the United State of America* 103 (32), 12115–12120.
- Sonune, A., Ghate, R., 2004. Developments in wastewater treatment methods, *Desalination* 167, 55–63.
- Spellman, F.R., 2011. Secondary treatment. *Spellman’s Standard Handbook for Wastewater Operators*. Taylor and Francis Group, USA, pp. 259–264.
- Sperling, M.V., 2007. Wastewater characteristics. Volume 5 of Biological wastewater treatment series. IWA publishing, UK, pp. 9–76.
- Srinivasan, D., 2009. The chemistry of waste water. In *Environmental Engineering*. PHI Learning Private Limited. New Delhi 27–47.
- Staley, J.T., Konopka, A., 1985. Measurements of in situ activities of nonphotosynthetic microorganisms in aquatic and terrestrial habitats. *Annual Review of Microbiology* 39, 321–346.
- Steer, D., Fraser, L., Boddy, J., Seibert, B., 2002. Efficiency of small constructed wetlands for subsurface domestic effluent. *Ecological Engineering* 18 (4), 429–440.
- Stypka, A., 1998. Advanced wastewater treatment. Report4. Factor influencing sludge settling parameters and solids flux in the activated sludge process. Royal Institute of Technology, Stockholm, Sweden. 2–3.
- Sukreeyapongse, O., Holm, P.E., Strobel, B.W., Panichsakpatana, S., Magid, J., Hansen, H.C.B., 2002. pH-Dependent release of cadmium, copper and lead from natural and sludge-amended soils. *Journal of Environmental Quality* 31, 1901–1909.
- Sun, L.N., Zhang, Y.F., He, L.Y., Chen, Z.J., Wang, Q.Y., Qian, M., Sheng, X.F., 2009. Genetic diversity and characterization of heavy metal-resistant-endophytic bacteria from two copper-tolerant plant species on copper mine wasteland. *Bioresource Technology* 101 (2), 501–509.
- Szczepanowski, R., Linke, B., Krahn, I., Gartemann, K.H., Gützkow, T., Eichler, W., Pühler, A., Schlüter, A., 2009. Detection of 140 clinically relevant antibiotic-resistance genes in the plasmid metagenomic of wastewater treatment plant bacteria showing reduced susceptibility to selected antibiotics. *Microbiology* 155 (7), 2306–2319.
- Tarlera, S., Denner, E.B.M., 2003. *Sterolibacterium denitrificans* gen. nov., sp. nov., a novel cholesterol-oxidizing, denitrifying member of the β -Proteobacteria. *International Journal of Systematic and Evolutionary Microbiology* 53, 1085–1091.
- Tchobanoglous, G., Burton, F.L., Stensel, H.D., 2002. *Wastewater Engineering: Treatment and Reuse*. Metcalf & Eddy Inc., McGraw-Hill Science Engineering, NY, USA.

- Tebbutt, T.H.Y., 1998. Tertiary treatment, water reclamation and re-use. Principles of Water Quality Control. Butterworth-Heinemann, Britain, pp. 238–243.
- Vesilind, P.A., 2003. Suspended-Growth Biological Treatment. Wastewater Treatment Plant Design. Water Environment Federation, USA.
- Wang, J., Shi, H., Qian, Y., 2000. Wastewater treatment in a hybrid biological reactor (HBR): effect of organic loading rates. *Process Biochemistry* 36 (4), 297–303.
- Wang, L.K., Pereira, N.C., Hung, Y.T., Shammas, N.K., 2008. Biological Treatment Processes. Handbook of Environmental Engineering, Volume 8. Springer, Netherland.
- Ward, D.M., Weller, R., Bateson, M.M., 1990. 16S rRNA sequences reveal numerous uncultured microorganisms in a natural community. *Nature* 345, 63–65.
- Wetzel, R.G., 2001. Limnology: Lake and River Ecosystems, 3rd ed. Academic Press, San Francisco.
- Winter, C., Hein, T., Kavka, G., Mach, R.L., Farnleitner, A.H., 2007. Longitudinal changes in the bacterial community composition of the Danube river: a whole-river approach. *Applied and Environmental Microbiology* 73 (2), 421–431.
- Woodside, G., Kocurek, D., 1997. Waste treatment and disposal technologies. Environmental, Safety and Health Engineering. John Wiley and Sons, USA.
- Xia, S., Shi, Y., Fu, Y., Ma, X., 2005. DGGE analysis of 16S rRNA of ammonia-oxidizing bacteria in chemical-biological flocculation and chemical coagulation systems. *Applied Microbial Biotechnology* 69, 99–105.
- Xia, Y., Kong, Y., Thomsen, T.R., Nielsen, P.H., 2008. Identification and ecophysiological characterization of epiphytic protein-hydrolyzing Saprospiraceae (“*Candidatus Epiflobacter*” spp.) in activated sludge. *Applied and Environmental Microbiology* 74 (7), 2229–2238.
- Yeates, C., Gillings, M.R., Davison, A.D., Altavilla, N., Veal, D.A., 1998. Methods for microbial DNA extraction from soil for PCR amplification. *Biological Procedures Online* 1 (1), 40–47.
- Yoon, H.S., Aslam, Z., Song, G.C., Kim, S.W., Jeon, C.O., Chon, T.S., Chung, Y.R., 2009. *Flavobacterium sasangense* sp. nov., isolated from a wastewater stream polluted with heavy metals. *International Journal of Systematic and Evolutionary Microbiology* 59, 1162–1166.
- You, S.J., Tsai, Y.P., Huang, R.Y., 2009. Effect of heavy metals on nitrification performance in different activated sludge processes. *Journal of Hazardous Materials* 165, 987–994.
- Youssef, N., Sheik, C.S., Krumholz, L.R., Najar, F.Z., Roe, B.A., Elshahed, M.S., 2009. Comparison of species richness estimates obtained using nearly complete fragments and simulated pyrosequencing-generated fragments in 16S rRNA gene-based environmental surveys. *Applied Environmental Microbiology* 75 (16), 5227–5236.
- Zelles, L., 1999. Fatty acid patterns of phospholipids and lipopolysaccharides in the characterization of microbial communities in soil: A review. *Biology and Fertility of Soils* 29, 111–129.

Zita, A., Hermansson, M., 1994. Effects of ionic strength on bacterial adhesion and stability of flocs in a wastewater activated sludge system. *Applied and Environmental Microbiology* 60 (9), 3041–3048.