
REFERENCES

- Aquadro, C.F. and Greenberg, B.D. (1983): "Human Mitochondrial DNA Variation and Evolution: Analysis of Nucleotide Sequences from Seven Individuals," *Genetics*, 103: 287–312.
- Agren, Erik O., Nordenberg, L. and Morner, T., (2000): "Surgical Implantation of Radiotelemetry Transmitters in European Badgers (*Meles meles*)," *Journal of Zoo and Wildlife Medicine*, 31 (1): 52-55.
- Aldrich-Blake, F.P.G. (1970): "Problems of Social Structure in Forest Monkeys," in Crook, J.H. (ed.): **Social Behaviour in Birds and Mammals** (Academic Press, New York): 79-101.
- Alexander, R.D. (1974): "The Evolution of Social Behavior," *Annual Review of Ecology and Systematics*, 5: 325-383.
- Alterman, L., Doyle, G. and Izard M.K. (1995): "Toxins and Toothcombs: Potential Allospecific Chemical Defense in *Nycticebus* and *Perodicticus*," in Alterman, L.G., Doyle, G.A. and Izard, M.K. (eds.): **Creatures of the Dark: The Nocturnal Prosimians** (Plenum Press, New York): 413-424.
- Altmann, J. (1974): "Observational Study of Behavior: Sampling Methods," *Behaviour*, 49: 227-267.
- Altmann, S.A. and Altmann, J. (1970): **Baboon Ecology** (Karger, Basel).
- Altmann, S. A. (1998): **Foraging For Survival: Yearling Baboons in Africa** (University of Chicago Press, Chicago).
- Alvarez Garcia, A., Munoz, I., Pestoni, C., Lareu, M.V., Rodriguez-Amlaner, C.J. and Macdonald, D.W. (1980): **A Handbook on Biotelemetry and Radio Tracking** (Pergamon Press, Oxford).
- Amos B., Schlötterer, C. and Tautz, D. (1993): "Social Structure of Pilot Whales Revealed by Analytical DNA Profiling," *Science*, 260: 670–672.
- Andersen, Douglas C., Wilson, K.R., Miller, M.S. and Falck, M. (2000): "Movement Patterns of Riparian Small Mammals during Predictable Floodplain Inundation," *Journal of Mammalogy*, 81 (4): 1087-1099.
- Anderson, E. and de Moor, P. P. (1971): "A System for Radio Tracking Monkeys in Dense Bush and Forest," *Journal of Wildlife Management*, 53: 636-643.
- Anderson, S., Bankier, A.T., Barell, B.G., de Bruijn, M.H., Coulson, A.R., Drouin, J. and Eperon, I.C. (1981): "Sequence and Organization of the Human Mitochondrial Genome," *Nature*, 290: 457-465.

-
- Anderson, C. O. (1982): "Baboons Below the Tropic of Capricorn," *Journal Human Evolution*, 11: 205-217.
- Anderson, J. R., Williamson, E.A. and Carter, J. (1983): "Chimpanzees of Sapo Forest Liberia: Density, Nests, Tools and Meat-Eating," *Primates*, 24: 594–601.
- Anderson, J.R. and McGrew, W.C. (1984): "Guinea Baboons (*Papiopapia*) at a Sleeping Site," *American Journal of Primatology*, 6: 1-14.
- Anderson, J.R. (1984): "Ethology and Ecology of Sleep in Monkeys and Apes," *Advances in the Study of Behavior*, 14: 156–229.
- Ankel, S.F. and Cummins, J.M. (1996): "Misconception about Mitochondria and Mammalian Fertilization: Implications for Theories on Human Evolution," *Proceedings National Academy of Science (USA)*, 93: 13859–13863.
- Anonymous (1997): "Troubleshooting DNA Agarose Gel Electrophoresis," *Focus*, 19 (3): 66.
- Arnason, U., Adegoke, J.A., Bodin, K., Born, E.W., Esa, Y.B., Gullberg, A., Nilsson, M., Short, R.V., Xu, X., and Janke, A. (2002): "Mammalian Mitogenomic Relationships and the Root of the Eutherian Tree," *National Academic of Sciences (U.S.A.)*, 99: 8151-8156.
- Asley, M.V, and Dow, B. D. (1994): "The Use of Microsatellite Analysis in Population Biology: Background, Methods and Potential Applications," *Medline*, 69: 185-201.
- Attardi, G., Chomyn, A., Doolittle, R.F., Mariottini, P. and Ragan, C.I. (1994): "Seven Unidentified Reading Frames of Human Mitochondrial DNA Encode Subunits of the Respiratory Chain NADH Dehydrogenase," *Cold Spring Harbor Symposia on Quantitative Biology*, 51: 103-114.
- Aubry, K.B, Harrison, D.J., Fuller, A.K. and Gilbert P. (2004): **Martens and Fishers (Martes) in Human-Altered Environments: An International Perspective** (Springer, United States of America): 201-220.
- Avise, J.C., Arnold, J., Ball, R.M., Bermingham, E., Lamb, T., Neigel, J.E., Reeb, C.A. and Saunders, N.C. (1987): "Intraspecific Phylogeography: The Mitochondrial DNA Bridge between Population Genetics and Systematics," *Annual Review of Ecology, Evolution, and Systematics*, 18: 489–522.
- Avise, J.C. (1993): "The Evolutionary Biology of Aging, Sexual Reproduction, and DNA Repair," *Evolution*, 47: 1293-1301.
- Avise, J.C. (1994): **Molecular Markers, Natural History and Evolution** (Chapman & Hall, New York).

-
- Avise, J.C. (2000): **Phylogeography: The History and Formation of Species** (Harvard University Press, Cambridge, MA).
- Avise, J.C. (2001): **Captivating Life: A Naturalist in the Age of Genetics** (Smithsonian Institution Press, Washington, D.C.).
- Avise, J.C. (2004): **Molecular Markers, Natural History, and Evolution** (Second Edition, Sinauer Press, Sunderland, Massachusetts).
- Avital, E. and Jablonka, E. (1994): "Social Learning and the Evolution of Behaviour," *Animal Behavior*, 48: 1195–1199.
- Baker, A.J. (1991): **Evolution of the Social System of Golden Lion Tamarins (*Leontopithecus rosalia*): Mating System, Group Dynamics, and Cooperative Breeding** (Ph.D. Dissertation, University of Maryland).
- Baker, A. J. (2000): **Molecular Methods in Ecology** (Blackwell Science, Oxford, U.K.).
- Ballard, J.W.O. and Whitlock, M.C. (2004): "The Incomplete Natural History of Mitochondria," *Molecular Ecology*, 13: 729–744.
- Baldwin, J.D. and Baldwin, J.I. (1973): "Interactions between Adult Female and Infant Howling Monkeys (*Afouurtu pulliutu*)," *Folia Primatologica*, 20: 27-71.
- Bardi, M. and Huffman, M.A (2002): "Effects of Maternal Style on Infant Behavior in Japanese Macaques (*Macaca fuscata*)," *Developmental Psychobiology*, 41: 364–372.
- Barg, J., Jones, J. and Robertson, R.J. (2005): "Describing Breeding Territories of Migratory Passerines: Suggestions for Sampling, Choice of Estimator, and Delineation of Core Areas," *Journal of Animal Ecology*, 74: 139–149.
- Barrell, B.G., Anderson, S., Bankier, A.T., de Bruijn, M.H., Chen, E., Coulson, A.R. and Drouin, J. (1980): "Different Pattern of Codon Recognition by Mammalian Mitochondrial tRNAs," *National Academy of Sciences (U.S.A)*, 77: 164-166.
- Barrett, E. (1981): "The Present Distribution and Status of the Slow Loris in Peninsular Malaysia," *Malaysian Applied Biology*, 10 (2): 205-211.
- Barrett, E. (1984): **The Ecology of some Nocturnal Arboreal Mammals in the Rain Forest of Peninsular Malaysia** (Unpublished. Ph.D. Thesis, University of Cambridge).
- Bassam, B.J., Anolles, G.C. and Gresshoff, P.M. (1991): "Fast and Sensitive Silver Staining of DNA in Polyacrylamide Gel," *Analytical Biochemistry*, 196: 80-83.
- Bearder, S.K. and Martin, R.D. (1980): "The Social Organization of a Nocturnal Primate revealed by Radio Tracking" in Amlaner, J., and MacDonald, D.W. (eds.): **A**

-
- Handbook on Biotelemetry and Radio Tracking** (Pergamon Press, Oxford): 633-648.
- Beaumont, M.W. and Bruford, M.W. (1999): "Microsatellites in Conservation Genetics," in Goldstein, D.B and Schlötterer, C. (eds.): **Microsatellites: Evolution and Applications**, (Oxford University Press, Oxford, United Kingdom): 165-182.
- Beier, P. and Noss, R.F. (1998): "Do Habitat Corridors provide Connectivity?" *Conservation Biology*, 12: 1241-1252.
- Benecke, M., Schmitt, C. and Staak, M. (1996): **Proceedings of the First European Symposium on Human Identification** (Promega Corporation, Madison, Wisconsin).
- Berg, J. M., Stryer, L. and Tymoczko, J. L. (2002): **Biochemistry** (5th ed., W.H. Freeman, New York).
- Biegler, R. and Morris, R. G. M. (1996): "Landmark Stability: Studies Exploring whether the Perceived Stability of the Environment Influences Spatial Representation," *Journal of Experimental Molecular*, 199: 187–193.
- Birkhead, T.R., Burke, T., Zann, R., Hunter, F.M. and Krupa, A.P. (1990): "Extra-pair Paternity and Intraspecific Brood Parasitism in Wild Zebra Finches (*Taeniopygia guttata*), revealed by DNA Fingerprinting," *Behavioural Ecology and Sociobiology*, 27: 315–324.
- Blaffer, H.S. (1977): **The Langurs of Abu: Female and Male Strategies of Reproduction** (Harvard University Press, Cambridge, MA).
- Bock, M. (2003): "Remote Sensing and GIS-based Techniques for the Classification and Monitoring of Biotopes," *Journal for Nature Conservation*, 11 (3): 145-155.
- Börger, L., Franconi, N., De Michele, G., Gantz, A., Meschi, F., Manica, A., Lovari, S. and Coulson, T. (2006): "Effects of Sampling Regime on the Mean and Variance of Home Range Size Estimates," *Journal of Animal Ecology*, 75: 1393–1405.
- Bourlière, F. (1985): "Primate Communities: Their Structure and Role in Tropical Ecosystems," *International Journal of Primatology*, 6: 1-26.
- Bowling, A.T, Del Valle, A. and Bowling, M. (2000): "A Pedigree Based Study of Mitochondrial D-loop DNA Sequence Variation among Arabian Horses," *Animal Genetics*, 31: 1–7.
- Bradley, B.J., Boesch, C. and Vigilant, L. (2000): "Identification and Redesign of Human Microsatellite Markers for Genotyping Wild Chimpanzee (*Pan troglodytes verus*) and Gorilla DNA from Faeces," *Conservation Genetics*, 3: 289 - 292.

-
- Breen, M., Downs, P., Irvin, Z. and Bell, K. (2000): "Intragenomic Amplification of Horse Microsatellite Markers with Emphasis on the Przewalski's Horse (*E. przewalskii*)," *Animal Genetics*, 25 (6): 401-405.
- Briner, T., Jean-Pierre, A., Fritz, D., Simon, E. and Wolfgang, N. (2003): "A New System for Automatic Radiotracking of Small Mammals," *Journal of Mammalogy*, 84 (2): 571-578.
- Brown, G.G., Gadaleta, G., Pepe, G., Saccone, C. and Sbisà, E. (1986): "Structural Conservation and Variation in the D-loop-containing Region of Vertebrate Mitochondrial DNA," *Journal Molecular Biology*, 192: 503 - 511.
- Brown, W.M., George, M. and Wilson, A.C. (1979): "Rapid Evolution of Animal Mitochondrial DNA," *Proceedings National Academy of Science USA*, 76: 1967-1971.
- Brown, W.M., Prager, E.M., Wang, A. and Wilson, A.C. (1982): "Mitochondrial DNA Sequences of Primates: Tempo and Mode of Evolution," *Journal of Molecular Evolution*, 18: 225-239.
- Brown, J.R. and Doolittle, W.F. (1997): "Archaea and the Prokaryote-to-Eukaryote Transition," *Microbiology and Molecular Biology Reviews*, 61: 456–502.
- Bruford, M. and Wayne, R.K. (1993): "Microsatellites and their Application to Population Genetic Studies," *Current Opinion in Genetics and Development*, 3: 939–943.
- Brumfield, R.T., Beerli, P., Nickerson, D.A. and Edwards, S.V. (2003): "The Utility of Single Nucleotide Polymorphisms in Inferences of Population History," *Trends in Ecology and Evolution*, 18: 249–256.
- Buchanan-Smith, H.M. (1991): "A Field Study of the Red-bellied Tamarin, (*Saguinus labiatus*) in Bolivia," *International Journal of Primatology*, 12 (3): 259-276.
- Budowle, B., Baechtel, F.S., Comey, C.T., Giusti, A.M. and Klevan, L. (1995): "Simple Protocols for Typing Forensic Biological Evidence: Chemiluminescent Detection for Human DNA Quantification and Restriction Fragment Length Polymorphism (RFLP) Analyses and Manual Typing of Polymerase Chain Reaction (PCR) Amplified Polymorphisms," *Electrophoresis*, 16: 1559-1567.
- Burgoyne, L., Kijas, J., Hallsworth, P. and Turner, J. (1994): **Safe Collection, Storage and Analysis of DNA from Blood** (Proceedings of the 5th International Symposium on Human Identification, Promega Corporation, Madison, Wisconsin (October 8-11. Scottsdale, Arizona).
- Burgoyne, L.A. (1996): **Solid Medium and Method for DNA Storage** (U.S Patent 5496562).

-
- Burgoyne, L.A. (1997): **Solid Medium and Method for DNA Storage** (Proceedings of the Eighth International Symposium on Human Identification, Promega Corporation, Madison, Wisconsin): 153.
- Burke, T. and Bruford, M.W (1987): "DNA Fingerprinting in Birds," *Nature*, 327: 149–152.
- Burt, W.H. (1943): **Territorial Behavior and Populations of some Small Mammals in Southern Michigan** (Miscellaneous Publications, Museum of Zoology, University of Michigan, Michigan U.S.A): 45.
- Butler, J.M. (2005): **Forensic DNA Typing** (2nd Edition, Elsevier Academic Press, New York).
- Calvo, M. S, Munoz, I., Pestoni, C., Lareu, M. V. and Carracedo, A. (1996): "Effects of Environmental Factors on PCR-DNA Analysis from Dental Pulp," *Journal of Legal Medicine*, 109: 125-129.
- Cann, R.L., Brown, W.M. and Wilson, A.C. (1984): "Polymorphic Sites and the Mechanism of Evolution in Human Mitochondrial DNA," *Genetics*, 106: 479–499.
- Caraco, T. and Wolf, L. L. (1975): "Ecological Determinants of Group Sizes of Foraging Lions," *American Naturalist*, 109: 343-352.
- Caro, T.M. (1994): **Cheetahs of the Serengeti Plains, Group Living in an Asocial Species**, (University of Chicago Press, Chicago and London).
- Chambers, G.K. and Macavoy, E.S. (2000): "Microsatellites: Consensus and Controversy," *Comparative Biochemistry and Physiology*, 126: 455–476.
- Chang, D. and Clayton, D. (1986): "Identification of Primary Transcription Start Sites of Mouse Mitochondrial DNA: Accurate In Vitro Initiation of both Heavy- and Light-Strand Transcriptions", *Molecular and Cellular Biology*, 6: 1446–1453.
- Chapman, C.A. (1989): "Spider Monkey Sleeping Sites: Use and Availability," *American Journal of Primatology*, 18: 53–60.
- Chapman, C. A., Wrangham, R. W. and Chapman, L. J. (1995): "Ecological Constraints on Group-Size - An Analysis of Spider Monkey and Chimpanzee Subgroups," *Behavioral Ecology and Sociobiology*, 36: 59-70.
- Charles, D.P. and Martin, R.D. (1970): "Evolution of Lorises and Lemurs," *Nature*, 227: 257-260.
- Charles, D.P. (1971): "Eco-éthologie des Prosimiens du Gabon," *Biological. Gabonica*, 7: 121-228.
- Charles, D.P. (1977): **Ecology and Behaviour of Nocturnal Primates, Prosimians of Equatorial West Africa** (Columbia University Press, New York).

-
- Charles, D.P. (1979): "Ecology and Feeding Behaviour of Five Sympatric Lorises in Gabon," in Sussman, R.W. (ed.): **Primate Ecology, Problem-Oriented Field Studies** (Wiley, Chichester & New York): 1-22.
- Cheeseman, C.L. and Mitson, R.B. (1982): "Telemetric Studies of Vertebrates," *Symposium of the Zoological Society of London*, 49: 1-368.
- Choudhury, A.U. (1992): "The Slow Loris (*Nycticebus coucang*) in North-East India," *Primate Report*, 34: 77-83.
- Chynnerly, P.F. and Samuels, D.C. (1999): "Relaxed Replication of mtDNA: A Model with Implications for the Expression of Disease," *American Journal of Human Genetics*, 64: 1158-1165.
- Clark, D.B. (1996): "Abolishing Virginity," *Journal of Tropical Ecology*, 12: 735-739.
- Clayton, D.A. (1982): "Replication of Animal Mitochondrial DNA," *Cell*, 28: 693-705.
- Clayton, D. A. (1991): "Replication and Transcription of Vertebrate Mitochondrial DNA," *Annual Review of Cell and Developmental Biology*, 7: 453-478.
- Clifford, S.L., Anthony, N.M., Bawe, J.M., Abernethy, K.A., Tutin, C.E., White, L.J., Bermejo, M., Goldsmith, M.L., McFarland, K., JeVery, K.J., Bruford, M.W. and Wickings, E.J. (2004): "Mitochondrial DNA Phylogeography of Western Lowland Gorillas (*Gorilla gorilla gorilla*)," *Molecular Ecology*, 13: 1551-1565.
- Cochran, W.W. and Lord, R.D. (1963): "A Radio-Tracking System for Wild Animals," *Journal of Wildlife Management*, 27: 9-24.
- Coffman, C.J., Nichols, J.D. and Pollock, K. H. (2001): "Population Dynamics of *Microtus pennsylvanicus* in Corridor-linked Patches," *Oikos*, 93: 3-21.
- Collins, R.J. and Barrett, G.W. (1997): "Effects of Habitat Fragmentation on Meadow Vole (*Microtus pennsylvanicus*) Population Dynamics in Experimental Landscape Patches," *Landscape Ecology*, 12: 63-76.
- Coltman, D.W., Bancroft, D.R., Robertson, A., Smith, J.A., Clutton-Brock, T.H. and Pemberton, J.M. (1999): "Male Reproductive Success in a Promiscuous Mammal: Behavioural Estimates compared with Genetic Paternity," *Molecular Ecology*, 8: 1199-1209.
- Comey, C.T., Koons, B.W., Presley, K.W. and Smerick, J.B. (1994): "DNA Extraction Strategies for Amplified Fragment Length Polymorphism Analysis," *Journal Forensic Sciences*, 39: 1254-1269.
- Constable, J.J., Packer, C., Collins, D.A. and Pusey, A.E. (1995): "Nuclear DNA from Primate Dung," *Nature*, Vol. 373: 393.

-
- Cooper, G., Burroughs, N.J., Rand, D.A., Rubiniszstein, D.C. and Amos, W. (1999): "Markov Chain Monte Carlo Analysis of Human Y-Chromosome Microsatellites provides evidence of Biased Mutation," *Proceedings National Academy of Science (USA)*, 96: 11916-11921.
- Coote, T., Bruford, M.W. and Hered, J. (1996): "Human Microsatellites applicable for Analysis of Genetic Variation in Apes and Old World Monkeys," *Journal Herald*, 87: 406–410.
- Corbin, G.D. and Schmid, J. (1995): "Insect Secretions determine Habitat Use Patterns by Female Lesser Mouse Lemur (*Microcebus murinus*)," *American Journal of Primatology*, 37: 317-324.
- Cowgill, U.M. (1972): "Death in Perodicticus," *Primates*, 13 (3): 251-256.
- Crandall, L. S. (1964): **Management of Wild Animals in Captivity** (University of Chicago Press, Chicago).
- Cresswell, W.J., and Smith, G.C. (1992): "The Effects of Temporally Autocorrelated Data on Methods of Home Range Analysis," in Priede, I.G. and Swift, S.M. (eds.): **Remote Telemetry: Remote Monitoring and Tracking of Animals** (Ellis Horwood, London): 272–284.
- Crompton, R.H. and Andau, P.M. (1987): "Ranging, Activity Rhythms, and Sociality in Free-Ranging (*Tarsius bancanus*): A Preliminary Report," *International Journal of Primatology*, 8 (1): 43-71.
- Crouse, C.A. and Schumm, J. (1995): "Investigation of Species Specificity using Nine PCR-Based Human STR Systems," *Journal of Forensic Science*, 40: 952-956.
- Dawson, G.A. (1979): "The Use of Time and Space by the Panamanian Tamarin, *Saguinus oedipus*," *Folia Primatologica*, 31: 253-284.
- Dawson, D.A., Hanotte, O., Greig, C., Stewart, I.R.K. and Burke, T. (2000): "Polymorphic Microsatellites in the Blue Tit *Parus caeruleus* and their Cross-Species Utility in 20 Songbird Families," *Molecular Ecology*, 11: 1941-1944.
- Dayong, Li., Baoguo, Li. and Ming, Li. (2010): "Nocturnal Sleeping Habits of the Yunnan Snub-Nosed Monkey in Xiangguqing, China," *American Journal of Primatology*, 72: 1092–1099.
- Dayanandan, S., Rajora, O.P. and Bawa, K.S. (1998): "Isolation and Characterization of Microsatellites in Trembling Aspen (*Populus tremuloides*)," *Theoretical and Applied Genetics*, 96: 950-956.

-
- De Jong G., De Ruiter J.R. and Haring, R. (1994): "Genetic Structure of a Population with Social Structure and Migration," *Conservation Genetics Proceedings* (Brickhauser Verlag, Basel, Switzerland): 147–164.
- De Lamballerie, X., Zandotti, C. and Vignoli, C. (1992): "A One Step Microbial DNA Extraction Method using "Chelex 100" Suitable for Gene Amplification," *Research in Microbiology*, 143: 785–790.
- De Ruiter, J.R. (2004): "Genetic Markers in Primate Studies: Elucidating Behaviour and its Evolution," *International Journal of Primatology*, 25 (5): 1173-1189.
- Debrauwere, H., Gendrel, C.G., Lechat, S. and Dutreix, M. (1997): "Differences and Similarities between various Tandem Repeat Sequences: Minisatellites and Microsatellites," *Biochemistry*, 79: 577-586.
- Deka, R., Shrive, M.D. and Yu, L.M. (1994): "Conservation of Human Chromosome 13 Polymorphic Microsatellite (CA), Repeats in Chimpanzees," *Genomics*, 22: 226-230.
- DeLaune, M.G. 2003: **XTools ArcView Extension, Version 9/15/2003** (Oregon Department of Forestry, Salem).
- Devaraj Sarkar, H.B., Murali, S., Prasad, D.T., Shekarappa, B.M. and Vijayalakshmi, V. (1981): "The Population and Distribution of the Slender Loris (*Loris tardigradus*) in Karnataka State," *Tigerpaper VIII. Bangkok*, (1): 7-10.
- DeYoung, R. W. and Honeycutt, R.L. (2005): "The Molecular Toolbox: Genetic Techniques in Wildlife Ecology and Management," *Journal of Wildlife Management*, 69: 1362–1384.
- Di Fiore, A. (2003): "Molecular Genetic Approaches to the Study of Primate Behavior, Social Organization and Reproduction," *Yearbook of Physical Anthropology*, 46: 62–99.
- Di Fiore, A. and Fleischer, R.C. (2004): "Microsatellite Markers for Woolly Monkeys (*Lagothrix lagotricha*) and their Amplification in other New World Primates (*Primates platyrrhini*)," *Molecular Ecology*, 4: 246-249.
- Downs, J. A., Gates, R.J. and Murray, A.T. (2008): "Estimating Carrying Capacity for Sandhill Cranes Using Habitat Suitability and Spatial Optimization Models," *Ecological Modelling*, 214: 284–292.
- Downes, S. and Hoefler, A.M. (2004): "Antipredatory Behaviour in Lizards: Interactions between Group Size and Predation Risk," *Animal Behaviour*, 67: 485-492.
- Duckworth, J. (1994): "Field Sightings of the Pygmy Loris, *Nycticebus pygmaeus*, in Laos," *Folia Primatologica*, 63: 99-101.

-
- Duewer, D.L., Kline, M.C., Redman, J.W. and Butler, J.M. (2004): "NIST Mixed Stain Study #3: Signal Intensity Balance in Commercial Short Tandem Repeat Multiplexes," *Analytical Chemistry*, 76: 6928-6934.
- Dunbar, R.I.M. (1992): "Neocortex Size as a Constraint on Group Size in Primates," *Journal of Human Evolution*, 20: 469-493.
- Egozcue, J. and Vilarasau de Egozcue, M., (1966): "The Chromosome Complement of the Slow Loris (*Nycticebus coucang*) Boddaert, 1785," *Primates* 7: 423-432.
- Eguchi, T. and Eguchi, Y. (2000): "High Yield DNA Extraction from the Snake Cast-off Skin or Bird Feathers Using Collagenase," *Biotechnology Letters*, 22: 1097-1100.
- Eisenberg, J.F. and Lockhart, M. (1972): "An Ecological Reconnaissance of Wilpattu National Park, Ceylon," *Smithsonian Contributions to Zoology*, 101: 1-119.
- Eisenberg, J.F. (1981): **The Mammalian Radiations** (University of Chicago Press, Chicago).
- Ellegren, H. (2000): "Microsatellite Mutations in the Germline: Implications for Evolutionary Inference," *Trends of Genetics*, 16: 551-558.
- Elliot, O. and Elliot, M. (1967): "Field Notes on the Slow Loris in Malaya," *Journal of Mammalogy*, 48 (3): 497-498.
- Erhart, E.M. and Overdorff, D.J. (2008): "Spatial Memory during Foraging in Prosimian Primates: *Propithecus edwardsi* and *Eulemur fulvus rufus*," *Folia Primatologica*, 79: 185-196.
- Erlich, H.A. and Arnheim, N. (1992): "Genetic Analysis using the Polymerase Chain Reaction," *Annual Review of Genetics*, 26: 479-506.
- Estoup, A., Presa, P., Krieg, F., Vaiman, D. and Guyomard, R. (1993): "(CT)_n and (AC)_n Microsatellites: A New Class of Genetic Markers for *Salmo trutta* L. (Brown Trout)," *Heredity*, 71: 488-496.
- Estoup, A., Sdignac, M., Harry, M. and Comuet, J.M. (1993): "Characterization of (GT) and (CT), Microsatellites in two Insect Species: *Apis melia* and *Bombus fewestrus*," *Nucleic Acids Research*, 21: 1427-1431.
- Etienne, A.S. (1980): "The Orientation of the Golden Hamster to its Nest-Site after Elimination of Various Sensory Cues," *Experientia*, 36: 1048-1050.
- Etienne, A.S., Maurer, R. and Séguinot, V. (1996): "Path Integration in Mammals and its Interaction with Visual Landmarks," *Journal of Experimental Biology*, 199: 201-209.

-
- Eudey, A. (1987): **Action Plan for Asian Primate Conservation: 1987-1991** (IUCN/SSC, Primate Specialist Group).
- ExcoYer, L., Laval, G. and Schneider, S. (2005): "Arlequin Ver. 3.0: An Integrated Software Package for Population Genetics Data Analysis," *Evolutionary Bioinformatics Online*, 1: 47–50.
- Fahrig, L. and Merriam, G. (1985): "Habitat Patch Connectivity and Population Survival," *Ecology*, 66: 1762-1768.
- Fancy, S.G., Pank, L.F., Douglas, D.C., Curby, C.H., Garner, G.W., Amstrup, S.C. and Regelin, W.L. (1988): "Satellite Telemetry: A New Tool for Wildlife Research and Management," *Resource Publication No. 172*. (U.S. Fish and Wildlife Service, Washington, D.C.): 54.
- Favre, L., Balloux, F., Goudet, J. and Perrin, N. (1997): "Female-biased Dispersal in the Monogamous Mammal *Crocidura russula*: Evidence from Field Data and Microsatellite Patterns," *Proceedings Royal Society London*, 264: 127-132.
- Fedigan, L.M., Fedigan, L., Chapman, C. and Glander, K.E. (1988): "Spider Monkey Home Ranges: A Comparison of Radio Telemetry and Direct Observation," *American Journal of Primatology*, 16: 16-29.
- Felsenstein, J. (1985): "Confidence Limits on Phylogenies: An Approach using the Bootstrap," *Evolution*, 39: 783-791.
- Ferraris, J.D. and Palumbi, S.R. (eds.) (1996): **Molecular Zoology: Advances, Strategies, and Protocols** (Wiley-Liss, Inc. New York).
- Fieberg, J. (2007): "Kernel Density Estimators of Home Range: Smoothing and the Autocorrelation Red Herring," *Ecology*, 88: 1059–1066.
- Fitch-Snyder, H. (1989): "Behavioural and Reproductive Studies of the Slow Loris," *Zoonoz*, 62 (2): 16-17.
- Fitch-Snyder, H. (1995): "The Role of Studbooks in Conservation and Captive Management of Nocturnal Prosimians," in Alterman, L., Doyle, M. and Izard, K. (eds.): **Creatures of the Dark: The Nocturnal Prosimians** (Plenum Press, New York): 75-92.
- Fitch-Snyder, H. and Thanh, V.N. (2001): "Survey of Lorises (*Nycticebus pygmaeus* and *N. coucang*) in Ben En National Park, Northern Vietnam," *American Journal of Primatology*, 54, Sup. 1.
- Fitch-Snyder, H. and Ehrlich, A. (2003): "Mother-infant Interactions in Slow Lorises (*Nycticebus coucang*) and Pygmy Lorises (*Nycticebus pygmaeus*)," *Folia Primatologica*, 74: 259-271.

-
- Fisher, H., Swaisgood, R. and Fitch-Snyder, H. (2003): "Countermarking by Male Pygmy Lorises (*Nycticebus pygmaeus*): Do Females use Odor Cues to Select Mates with High Competitive Ability?" *Behavior Ecology Society*, 53: 123-130.
- Fittinghoff, J. and Lindburg, D.G. (1980): "Riverine Refuging in East Bornean *Maraca fuscicularis*," in Lindburg, D.G. (ed.): **The Macaques: Studies in Ecology, Behavior and Evolution** (Van Nostrand. New York): 182-218.
- Fitzgerald, M., Shine, R. and Lemckert, F. (2002): "Radiotelemetric study of Habitat Use by the Aboreal Snake *Hoplocephalus stephensii* (Elapidae) in Eastern Australia," *Copeia*, 2: 321-332.
- Fleagle, J.G. and Mittermeier, R.A. (1980): "Locomotor Behavior, Body Size, and Comparative Ecology of Seven Surinam Monkeys," *American Journal of Physical Anthropology*, 52: 301–314.
- Fleagle, J.G. (1988): **Primate Adaptation and Evolution** (Academic Press, New York).
- Fooden, J. (1991): "Eastern Limit of Distribution of the Slow Loris, *Nycticebus coucang*," *International Journal of Primatology*, 12 (3): 287-290.
- Fox, J.C., Sangha, J. and Schumm, J.W. (2002): "An Improved Process for Buccal Cell Collection Analysis," *Thirteenth International Symposium on Human Identification*, (Oral Presentation).
- Fragaszy, D., Boinski, S. and Whipple, J. (1992): "Behavioral Sampling in the Field: Comparison of Individual and Group Sampling Methods," *American Journal of Primatology*, 26: 259-275.
- Fredholm, M. and Winter, A.K. (1995): "Variation of Short Tandem Repeats within and between Species belonging to the *Cunidae* family," *Mammalian Genome*, 6: 11-18.
- Freeman, C. and Buck, O. (2003): "Development of an Ecological Mapping Methodology for Urban Areas in New Zealand," *Landscape Urban Planning*, 63: 161-173.
- Fuller, R.M. (1987): "Applications and Considerations for Wildlife Telemetry," *Journal of Raptor Research*, 21 (4): 126-128.
- Galbusera, P., Van Dongen, S. and Matthysen, E. (2000): "Cross-Species Amplification of Microsatellite Primers in Passerine Birds," *Conservation Genetics*, 1: 163-168.
- Gallistel, C.R. (1989): "Animal Cognition: The Representation of Space, Time, and Number," *Annual Review of Psychology*, 40: 155–189.
- Gallistel, C.R. (1990): **The Organization of Learning** (MIT Press, Cambridge).

-
- Gallistel, C.R. and Cramer, A.E. (1996): "Computations on Metric Maps in Mammals: Getting Oriented and Choosing a Multi-Destination Route," *Journal of Experimental Biology*, 199: 211–217.
- Garber, P.A. (1988): "Foraging Decisions during Nectar Feeding by Tamarin Monkeys (*Saguinus mystax* and *Saguinus fuscicollis*, *Callitrichidae*, Primates) in Amazonian Peru," *Biotropica*, 20: 100-106.
- Garber, P.A. (1989): "Role of Spatial Memory in Primate Foraging Patterns: *Saguinus mystax* and *Saguinus fuscicollis*," *American Journal of Primatology*, 19: 203–216.
- Garber, P.A., Encarnacih, F., Moya, L. and Pruett, J.D. (1993): "Demographic and Reproductive Patterns in Moustached Tamarin Monkeys (*Saguinus mystax*)," *Implications for Reconstructing Platyrrhine Mating Systems*, 29: 235-254.
- Garber, P.A. (2000): "Evidence for the use of Spatial, Temporal, and Social Information by Primate Foragers," in Boinski, S. and Garber, P.A. (eds.): **On the Move** (Chicago University Press, Chicago): 261–298.
- Gastier, J.M., Pulido, J.C., Sunden, S., Brody, T., Buetow, K.H., Murray, J.C., Weber, J.L., Hudson, T.J., Sheffield, V.C. and Duyk, G.M. (1995): "Survey of Trinucleotide Repeats in the Human Genome: Assessment of their Utility as Genetic Markers," *Human Molecular Genetics*, 4: 1829–1836.
- Gehrt, S.D, Fritzell, E.K. (1998a): "Resource Distribution, Female Home Range Dispersion and Male Spatial Interactions: Group Structure in a Solitary Carnivore," *Animal Behavior*, 55: 1211-1227.
- Gelfand, D., Stoffer, S., Saiki, R., Chang, S., Landre, P., Abramson, R. and Lawyer, F. (1993): "High-Level Expression, Purification, and Enzymatic Characterization of Full-Length *Thermus Aquaticus* DNA Polymerase and a Truncated Form Deficient in 5' to 3' Exonuclease Activity," *PCR Methods and Applications*, 2: 275-87.
- Gerloff, U., Schlotterer, C., Rassmann, K., Rambold, I., Hohmann, G., Fruth, B. and Tautz, D. (1995): "Amplification of Hypervariable Simple Sequence Repeats (Microsatellites) from Excremental DNA of Wild Living Bonobos (*Pan paniscus*)," *Molecular Ecology*, 4: 515–518.
- Gilbert, W. and Maxam, A. (1973): "The Nucleotide Sequence of the Lac Operator," *Proceedings of the National Academy of Sciences. U.S.A.*, 70 (12): 3581–3584.
- Gilbert, W. (1980): **DNA Sequencing and Gene Structure**, Nobel Lecture, December 8, 1980: Source: http://www.nobelprize.org/nobel_prizes/chemistry/laureates/1980/gilbert-lecture.pdf.

-
- Gilbert, D.A., Packer, C., Pusey, A.E., Stephens, J.C. and O'Brien, S.J. (1991): "Analytical DNA Fingerprinting in Lions: Parentage, Genetic Diversity and Kinship," *Journal of Heredity*, 82: 378–386.
- Giles R.E., Blanc H., Cann, H.M., Wallace, D.C. (1980): "Maternal Inheritance of Human Mitochondrial DNA," *Proceedings of the National Academy of Sciences of the USA*, 77: 6715 – 6719.
- Gill, P., Ivanov P.L., Kimpton, C., Piercy, R., Benson, N., Tully, G, Evett, I., Hagelberg, E. and Sullivan K. (1994): "Identification of the Remains of the Romanov Family by DNA Analysis," *Nature Genetics*, 6: 130-135.
- Goldstein, D.B., Schlötterer, C. (1999): **Microsatellites: Evolution and Applications** (Oxford University Press, Oxford, United Kingdom).
- Gray, M.W., Burger, G. and Lang, B.F. (1999): "Mitochondrial Evolution," *Science*, 283: 1476-1481.
- Griffith, S.C., Owens, I.P.F. and Thuman, K.A. (2002): "Extra Pair Paternity in Birds: A Review of Interspecific Variation and Adaptive Function," *Molecular Ecology*, 11: 2195–2212.
- Groves, C.P. (1971): "Systematics of the Genus *Nycticebus*," *Proceedings of the 3rd International Congress of Primatology held in Zürich*, 1: 44-53.
- Groves, C. (1998): "Systematics of *Tarsiers* and *Lorises*," *Primates*, 39: 13-27.
- Groves, C. (2001): **Primate Taxonomy** (Smithsonian Institution Press, Washington, D.C.).
- Groves, C., Wilson, D.E. and Reeder, D.M. (2005): **Mammal Species of the World** (3rd edition, Johns Hopkins University Press, Baltimore U.S.A).
- Gupta, K. (1995): "Slender Loris, *Loris tardigradus*, Distribution and Habitat Use in Kalakad-Mundanthurai Tiger Reserve, India," *Folia Primatologica*, 69: 401-402.
- Haddad, N.M. and Baum, K.A. (1999): "An Experimental Test of Corridor Effects on Butterfly Densities," *Ecological Applications*, 9: 623-633.
- Haddow, A.J. (1952): "Field and Laboratory Studies on an African Monkey, *Cercopithecus uscanius schmidri* Matschie," *Proceedings of the Society of Zoology, London*, 122: 297-394.
- Haig, S.M. (1998): "Molecular Contributions to Conservation," *Ecology*, 79: 413–425.
- Haines-Young, R., Green, D.R. and Cousins, S.H. (1993): **Landscape Ecology and Geographic Information Systems** (Taylor & Francis, London, UK).

-
- Hall, K.R.L. (1965): "Ecology and Behavior of Baboons, Patas, and Vervet Monkeys in Uganda," in Vagtborg, H. (ed.): **The Baboon in Medical Research** (University of Texas Press, Austin, TX): 43-61.
- Hamada, H., Petrino, M.G. and Kagunaga, T. (1982): "A Novel Repeated Element with Z-DNA-Forming Potential Is Widely Found in Evolutionarily Diverse Eukaryotic Genomes," *Proceedings National Academy of Sciences*, 79: 6465-6469.
- Hamilton, W.J. (1982): "Baboon Sleeping Site Preferences and Relationships to Primate Grouping Patterns," *American Journal of Primatology*, 3: 41-53.
- Hammond, H.A., Jin, L., Zhong, Y., Caskey, C.T. and Chakraborty, R. (1994): "Evaluation of 13 Short Tandem Repeat Loci for use in Personal Identification Applications," *American Journal of Human Genetics*, 55: 175-189.
- Harcourt, C.S. and Nash, L.T. (1986): "Social Organization of Galagos in Kenyan Coastal Forest. *Galago zanzibaricus*," *American Journal of Primatology*, 10: 339-355.
- Harcourt, C. (1991): "Diet and Behaviour of a Nocturnal Lemur, *Avahi laniger*, in the Wild," *Journal of Zoology*, 223: 667-674.
- Harris, M.A. and Murie, J.O. (1984): "Inheritance of Nest Sites in Female Columbian Ground Squirrels," *Behavior of Ecology and Sociobiology*, 15: 97-102.
- Harris, S., Cresswell, W.J., Forde, P.G., Trehwella, W.J, Woollard, T. and Wray, S. (1990): "Home-Range Analysis using Radio-Tracking Data - A Review of Problems and Techniques Particularly as applied to the Study of Mammals," *Mammals Review*, 30: 97-123.
- Harrison, R.G. (1989): "Animal Mitochondrial DNA as a Genetic Marker in Population and Evolutionary Biology," *Trends Ecology and Evolution*, 4: 6-11.
- Haslett, J.R. (1990): "Geographic Information Systems: A New Approach to Habitat Definition and the Study of Distributions," *Trends in Ecology and Evolution*, 5: 214-218.
- Hass, C.C. and Valenzuela, D. (2002): "Anti-Predator Benefits of Group Living in Whitenosed Coatis (*Nasua narica*)," *Behavioral Ecology and Sociobiology*, 51: 570-578.
- Hayasaka, K., Horai, S., Gojobori, T., Shotake, T., Nozawa, K. and Matsunaga, E. (1988): "Phylogenetic Relationships among Japanese, Rhesus, Formosan, and Crab-Eating Monkeys, inferred from Restriction Enzyme Analysis of Mitochondrial DNAs," *Molecular Biology Evolution*, 5: 270-281.
- Hemson, G., Johnson, P., South, A., Kenward, R., Ripley, R. and Macdonald, D. (2005): "Are Kernels the Mustard? Data from Global Positioning System (GPS) Collars

- suggests Problems for Kernel Home-Range Analyses with Least-Squares Cross-Validation," *Journal of Animal Ecology*, 74: 455– 463.
- Herber, B. and Herold, K. (1998): "DNA Typing of Human Dandruff," *Journal of Forensic Sciences*, 43: 648-656.
- Hewitt, G.M. (2000): "The Genetic Legacy of the Quaternary Ice Ages," *Nature*, 405: 907–913.
- Higuchi, R., von Beroldingen, C.H., Sensabaugh, G.F. and Erlich, H.A. (1998): "DNA Typing from Single Hairs," *Nature*, 332: 543-546.
- Hill, W.C. and Phillips, W.A. (1932): "A New Race of Slender Loris from The Highlands of Ceylon," *Ceylon Journal of Science (Spolia Zeylanica)*, 2: 109-123.
- Hill, W.C. (1933): "A Monograph on the Genus Loris," *Ceylon Journal of Sciences (Spolia Zeylanica)*, 18 (1): 89-129.
- Hill, W. C. (1937): "Treatment of the Slender Loris in Captivity," *Nature*, 136: 85-88.
- Hill, W.C. (1953): ***Primates, Comparative Anatomy and Taxonomy, Strepsirhini***. (Edinburgh University Press, Edinburgh).
- Hillis, D.M., Moritz, C. and Mable, B.K. (1996): ***Molecular Systematics*** (2nd ed., Sinauer Associates, Sunderland).
- Hladik, C.M., Doyle, G.A. and Martin R.D. (1979): "Diet and Ecology of Prosimians," in Doyle, G.A and Martin, R.D. (eds.): ***The Study of Prosimian Behavior*** (Academic Press, New York).
- Hochmeister, M.N., Budowle, B. and Baechtel, F.S. (1991): "Effects of Presumptive Test Reagents On The Ability to Obtain RFLP Patterns from Human Blood and Semen Stains," *Journal of Forensic Sciences*, 36 (3): 656–61.
- Hochmeister, M.N., Rudin, O. and Ambach, E. (1998): "PCR Analysis from Cigarette Butts, Postage Stamps, Envelope Seal Flaps, and Other Saliva Stained Material," *Methods in Molecular Biology*, 98: 27-32.
- Hodgkinson, R. (2001): ***The Ecology of Fruit Bats (Chiroptera pteropodidae) in a Malaysian Lowland Dipterocarp Forest, with Particular Reference to the Spotted-Winged Fruit Bat (Balionycteris maculata)***, (Ph.D. Dissertation, University of Aberdeen, Scotland).
- Holt, I.J., Lorimer, H.E. and Jacobs, H.T. (2000): "Coupled Leading- and Lagging – Strand Synthesis of Mammalian Mitochondrial DNA," *Cell*, 100: 515-24.
- Hood, L.E., Aebersold, R.H., Teplow, D.B. and Kent, S.B. (1986): "Electroblotting onto Activated Glass. High Efficiency Preparation of Proteins from Analytical Sodium

-
- Dodecyl Sulfate-Polyacrylamide Gels for Direct Sequence Analysis," *Journal of Biology and Chemistry*, 261(9):4229-38.
- Hooge, P.N., Eichenlaub, W.M. and Solomon, E.K. (1999): **Using GIS to Analyze Animal Movements in the Marine Environment** (Unpublished manuscript and online documentation. Source: http://www.absc.usgs.gov/glba/gistools/animal_mvmt.htm).
- Hooge, P.N. and Eichenlaub, B. (2000): **Animal Movement Analyst Extension to ArcView. Version 2.0** (Alaska Science Center Biological Science Office, U.S. Geological Survey, Anchorage).
- Hooge, P.N. and Eichenlaub, B. (Access date 28 November 2000): **Animal Movement Extension to Arcview, Version 2.04** (Alaska Biological Science Center, U.S. Geological Survey, Anchorage, AK. Source: <http://www.absc.usgs.gov/glba/gistools>).
- Hooper, D. Burkill, L.H. and Haniff, M. (1960): **Papers on Chinese Pharmacy Drugs and Malay Village Medicine**, (The Gardens Bulletin Straits Settlements).
- Hopkins, B., Williams, N. J., Webb, M. B. T., Debenham P.G. and Jeffreys, A.J. (1994): "The Use of Minisatellite variant Repeat-Polymerase Chain Reaction (MVR-PCR) to determine the Source of Saliva on a Used Postage Stamp," *Journal of Forensic Sciences*, 39:526–531.
- Hopwood, A.J., Mannucci, A. and Sullivan K.M. (1996): "DNA Typing from Human Faeces," *International Journal of Legal Medicine*, 108: 237-243.
- Howe, C. (1995): **Gene Cloning and Manipulation** (Cambridge University Press, Cambridge).
- Hardy, S.B. (1976): "Care and Exploitation of Nonhuman Primate Infants by Conspecifics other than the Mother," *Advances in the Study of Behavior*, 6: 101-158.
- <http://www.absc.usgs.gov/glba/gistools/index.htm>.
- <http://www.clarklabs.org/products/cartalinx.cfm>.
- Huang, W., Ciochon, R., Gu, Y., Larick, R., Fang, Q., Schwarcz, H., Yonge, C., de Vos J. and Rink, W. (1995): "Early Homo and Associated Artifacts from Asia," *Nature*, 378: 275–278.
- Huffman, M.A., Spiezio, C., Sgaravatti, A. and Leca, J.B. (2010): "Leaf Swallowing Behavior in Chimpanzees (*Pan troglodytes*): Biased Learning and the Emergence of Group-Level Cultural Differences," *Animal Cognition*, 13: 871-880.

-
- Hughes, C. (1998): "Integrating Molecular Techniques with Field Methods in Studies of Social Behavior: A Revolution Results," *Ecology*, 79: 383–399.
- Innis, M.A., Myambo, K.B, Gelfand, D.H. and Brow, M.A.D. (1988): "DNA Sequencing with *Thermus Aquaticus* DNA Polymerase and Direct Sequencing of Polymerase Chain Reaction-Simplified DNA," *Proceedings of National Sciences*, 85: 9436-9440.
- Izard, M.K., Weisenseel, K.A. and Ange, R.L. (1988): "Reproduction in the Slow Loris (*Nycticebus coucang*)," *American Journal of Primatology*, 16 (4): 331-339.
- Janson, C. H. and Goldsmith, M.L. (1995): "Predicting Group Size in Primates: Foraging Costs and Predation Risks," *Behavior Ecology Sociobiology*, 36: 326-336.
- Janson, C.H. (1998): "Experimental Evidence for Spatial Memory in Foraging Wild Capuchin Monkeys, *Cebus apella*," *Animal Behavior*, 55: 1229–1243.
- Janson, C.H. (2000): "Spatial Movement Strategies: Theory, Evidence, and Challenges," in Boinski, S. and Garber, P.A. (eds.): **On the Move: How and Why Animals Travel in Groups** (University of Chicago Press, Chicago): 165–203.
- Janson, C.H. and Byrne, R. (2007): "What Wild Primates Know about Resources: Opening up the Black Box," *Animal Cognition*, 10 (3): 357– 367.
- Jarne, P. and Lagoda, P.J.L (1996): "Microsatellites, from Molecules to Populations and Back," *Trends in Ecology and Evolution*, 11: 424-429.
- Jeffreys, A.J., Brookfield, J.F.Y. and Semeonoff, R. (1985): "Positive Identification of an Immigration Test-case Using Human DNA Fingerprints," *Nature*, 317: 818-819.
- Jenkins, P.D. (1987): **Catalogue of Primates in the British Museum (Natural History) Part IV: Suborder Strepsirrhini** (British Museum of Natural History, London).
- Jennrich, R.I. and Turner, G.B. (1969): "Measurement of Non-Circular Home Range," *Theoretical Journal of Biology*, 22: 227-237.
- Jensen-Seaman, M.I. and Kidd, K.K. (2001): "Mitochondrial DNA Variation and Biogeography of Eastern Gorillas," *Molecular Ecology*, 10: 2241–2247.
- Johnson, J.M. (1984): "Diurnal Activities of the Slender Loris (*Loris tardigradus*) in the Mundanthurai Sanctuary, Tamil Nadu (India)," in Roonwal, M.L, Hohnot, S.M. and Rathore, N.S. (eds.): **Current Primate Researches** (Jodhpur, India): 389-395.
- Jolly, A. (1972): **The Evolution of Primate Behavior** (Macmillan, New York).
- Kadam, K.M. and Swaya, M.S. (1980): "Parturition in the Slender Loris (*Loris tardigradus lydekkerianus*)," *Primates*, 21 (4): 567-571.

- Kain, K.C. and Lanar, D.E. (1991): "Determination of Genetic Variation within *Plasmodium falciparum* by using Enzymatically amplified DNA from Filter Paper Disks impregnated with Whole Blood," *Journal of Clinical Microbiology*, 29: 1171–1174.
- Kalpers, J., Palata, K., Clotuche, E., Baras, E., Libois, R.M., Philippart, J.C. and Ruwet, J.V.C. (1988): "Application of Radio Tracking to the Survey of Wild Populations of Vertebrate Species (Mammals, Birds, and Fishes) in Belgium," in Amlaner Jr, C.J. (ed.): **Biotelemetry X** (University of Arkansas Press, Fayetteville): 1-35.
- Karp, R.M. and Rabin, M.O. (1987): "Efficient Randomized Pattern-matching Algorithms," *IBM Journal Research Development*, 31: 249–260.
- Kavar, T., Habe, F., Brem, G. and Dovc, P. (1999): "Mitochondrial D-loop Sequence Variation among the 16 Maternal Lines of the Lipizzan Horse Breed," *Animal Genetics*, 30: 423-430.
- Kawai, M., Yoshiba, K., Ando, S. and Azuma, S. (1968): "Some Observations on the Solitary Male among Japanese Monkeys: A Pilot Report for a Socio-Telemetrical Study," *Primates*, 9: 1-12.
- Kawamoto, Y., Aimi, M. and Wangchuk, T. (2006): "Distribution of Assamese Macaques (*Macaca assamensis*) in The Inner Himalayan Region of Bhutan and their mtDNA Diversity," *Primates*, 47: 388–392.
- Kays, R.W. and Gittleman, J.L (2001): "The Social Organization of The Kinkajou (*Potos flavus*, *Procyonidae*)," *Journal of Zoology London*, 253: 491-504.
- Kayser, M., Ritter, H., Bercovitch, F., Mrug, M., Roewer, L. and Nurnberg, P. (1996): "Identification of Highly Polymorphic Microsatellites in the Rhesus Macaque *Macaca mulatta* by Cross-Species Amplification," *Molecular Ecology*, 5: 157–159.
- Kenward, R. (1987): **Wildlife Radio Tagging. Field Techniques and Data Analysis** (Academic Press, London).
- Kenward, R. (2001): **A Manual for Wildlife Radio Tagging** (2nd edition, Academic Press, New York).
- Kernohan, B.J., Gitzen, R.A. and Millspaugh, J.J. (2001): "Analysis of Animal Space Use and Movements," in Millspaugh, J.J. and Marzluff, J.M. (eds.): **Radio Tracking Animal Populations** (Academic Press, San Diego): 125-166.
- Kie J. G., Burton T.S. and Manke J. W. (1984): "Comparative Condition of Black-tailed Deer, *Odocoileus hemionus columbianus*, in Two Herds in Trinity County, California," *California Fish and Game*, 70: 78-88.

-
- Kim, K.I., Yang, Y.H., Lee, S.S., Park, C., Ma, R., Bouzat, J.L. and Lewin, H.A. (1999): "Phylogenetic Relationships of Cheju Horses to other Horse Breeds as Determined by mtDNA D-loop Sequence Polymorphism," *Animal Genetics*, 30: 102-108.
- Kleppe, K., Ohtsuka, E., Kleppe, R., Molineux, I. and Khorana, H.G. (1971): "Studies on Polynucleotides, XCVI. Repair Replications of Short Synthetic DNA's as Catalyzed by DNA Polymerases," *Journal of Molecular Biology*, 56: 341-361.
- Knoth, K., Roberts, S., Poteet, C. and Tamkun, M. (1988): "Highly Degenerate, Inosine Containing Primers Specifically Amplify Rare DNA Using the Polymerase Chain Reaction," *Nucleic Acids Research*, 16: 109-112.
- Kocher, T.D., Thomas, W.K., Meyer, A., Edwards, S.V., Paabo, S., Villablanca, F.X. and Wilson, A.C. (1989): "Dynamics of Mitochondrial DNA Evolution in Animals: Amplification and Sequencing with Conserved Primers," *Proceedings of the National Academy of Sciences*, 16: 6196-6200.
- Koyama, N. (1973): "Dominance, Grooming, and Clasped-Sleeping Relationships among Bonnet Monkeys in India," *Primates*, 14: 225-244.
- Krane, S., Yasuhiro, I. and Koji, N. (2003): "Venom of the Slow Loris: Sequence Similarity of Prosimian Skin Gland Protein and Fel-d-1 Cat Allergen," *Naturwissenschaften*, 90: 60-62.
- Krausman, P.R., Bleich, V.C., Cain III, J.W., Stephenson, T.R., DeYoung, D.W., McGrath, P.W., Swift, P.K., Pierce, B.M. and Brian D. (2004): "From the Field: Neck Lesions in Ungulates from Collars incorporating Satellite Technology," *Wildlife Society Bulletin*, 32 (3): 987-991.
- Kuechle, V.B. (1982): "State of the Art of Biotelemetry in North America," in Cheeseman, C.L. and Mitson, R.B. (eds.): **Telemetric Studies of Vertebrates** (Academic Press, London, U.K): 1-18.
- Kumar, S., Tamura, K., Jakobsen, I.B. and Nei, M. (2001): "MEGA2: Molecular Evolutionary Genetics Analysis Ver. 2 (Computer Software)," *Bioinformatics*, 17, 1244-1245.
- Kumara, H.N., Mewa, S. and Shanthala, K. (2006): "Distribution, Habitat Correlates, and Conservation of *Loris lydekkerianus* in Karnataka, India," *International Journal of Primatology*, 27, No. 4: 941-969.
- Kummer, H., Banaja, A.A., Abo-Khatwa, A.N., and Ghandour, A.M. (1981): "Mammals of Saudi Arabia: Primates, A Survey of Hamadryas Baboons in Saudi Arabia," *Fauna Saudi Arabia*, 3: 441-471.

-
- Kurland, J.A. (1973): "A Natural History of Kra Macaques (*Macaca fascicularis*. Raffles, 1821) at the Kutai Reserve, Kalimantan Timur, Indonesia," *Primates*, 14, 245-262.
- Lanar, D.E. and Kain, K.C. (1991): "Determination of Genetic Variation within *Plasmodium falciparum* by Using Enzymatically Amplified DNA from Filter Paper Disks Impregnated with Whole Blood," *Journal of Clinical Microbiology*, 29: 1171–1174.
- Lang, B.F., Gray, M.W. and Burger, G. (1999): "Molecular Genetic Evolution and the Origin of Eukaryotes Aspect of Human Mitochondrial Disorders," *Annual Review of Genetics*, 33: 351-397.
- Lapolla, V.N. and Barrett, G.W. (1993): "Effects of Corridor Width and Presence on the Population Dynamics of the Meadow Vole (*Microtus pennsylvanicus*)," *Landscape Ecology*, 8: 25-37.
- Larsson, N.G. and Clayton, D.A. (1995): "Molecular Genetic Aspects of Human Mitochondrial Disorders," *Annual Review of Genetics*, 29: 151-178.
- Launhardt, K., Epplen, C., Epplen, J.T. and Winkler, P. (1998): "Amplification of Microsatellites Adapted from Human Systems in Faecal DNA of Wild Hunuman Langurs (*Presbytis entellus*)," *Electrophoresis*, 19: 1356–1361.
- Lawler, M., Humphries, P., and McCann, S.R. (1991): "Evaluation of Mixed Chimerism by In Vitro Amplification of Dinucleotide Repeat Sequences Using the Polymerase Chain Reaction," *Blood*, 77: 2504-2514.
- Lawyer, F.C., Stoffel, S., Saiki, R.K., Myambo, K., Drummond, R. and Gelfand, D.H. (1999): "Isolation, Characterization, and Expression in *Escherichia coli* of the DNA Polymerase Gene from *Thermus aquaticus*," *Journal of Biology and Chemistry*, 11: 6427-6437.
- Lee, P.C., Thornback, J. and Bennet, E.L. (1988): **Threatened Primates of Africa**. (IUCN, Gland - Switzerland, and Cambridge, UK).
- Lehner, P.N. (1979): **Handbook of Ethological Methods** (Garland, New York).
- Levinson, G. and Gutman, G.A. (1987): "Slipped-Strand Mismatching: A Major Mechanism for DNA Sequence Evolution," *Molecular Biology and Evolution*, 4: 203-221.
- Lightowers, R.N., Chinnery, P.F., Turnbull, D.M. and Howell, N. (1997): "Mammalian Mitochondrial Genetics: Heredity, Heteroplasmy and Disease," *Trends in Genetics*, 13: 450-455.
- Ling Qiu, Tian Gao, Gunnarsson, A., Hammer, M. and Bothmer, R. (2010): "A Methodological Study of Biotope Mapping in Nature," *Conservation Urban Forestry & Urban Greening*, 2: 161-166.

-
- Linnaeus, C. (1758): **Systema Naturae per Regna Tria Naturae, Secundum Classes, Ordines, Genera, Species, cum Characteribus et Differentiis** (10th ed. Holmiae: Salvii L.).
- Lins, A.M., Sprecher, C.J., Puers, C. and Schumm, J.W. (1996): "Multiplex Sets for the Amplification of Polymorphic Short Tandem Repeat Loci – Silver Stain and Fluorescence Detection," *Biotechniques*, 20 (5): 882-889.
- Litt, M. and Luty, J.A. (1989): "A Hypervariable Microsatellite revealed by In Vitro Amplification of a Dinucleotide Repeat within a Cardiac Muscle Actin Gene," *American Journal of Human Genetics*, 44: 397–401.
- Lodish, H., Berk, A. and Matsudaira, P. (2004): **Molecular Cell Biology** (5th ed, W.H. Freeman, New York).
- Long, F.M and Richard, W. (1983): "Wildlife Biotelemetry," *Engineering in Medicine and Biology Magazine*, 2 (1): 42-46.
- Lorenz, G.C. and Barrett, G.W. (1990): "Influence of Simulated Landscape Corridors on House Mouse (*Mus musculus*) Dispersal," *American Midland Naturalist*, 123: 348-356.
- Lydekker, R. (1901): "Proceedings of the Zoological Society of London," *Midland Naturalist*, 63: 152-161.
- Margulis, L. (1970): **Origin of Eukaryotic Cells** (Yale University Press, London).
- Margulis, L. (1981): **Symbiosis in Cell Evolution: Life and its Environment in the Early Earth** (W. H. Freeman, San Francisco, California).
- Mariottini, P., Chomyn, A., Attardi, G., Trovato, D., Strong, D.D. and Doolittle, R.F. (1983): "Antibodies against Synthetic Peptides Reveal that the Unidentified Reading Frame A6L, Overlapping the ATPase 6 Gene, as Expressed in Human Mitochondria," *Cell*, 32: 1269-1277.
- Marivaux, L. (2001): "A Fossil Lemur from the Oligocene of Pakistan," *Science*, 294: 587-591.
- Marsh, C.W. and Wilson, W.L. (1981): **A Survey of Primates in Peninsular Malaysian Forests. Final Report of the Malaysian Primates Research Program, July 1981** (University Kebangsaan Malaysia. Kuala Lumpur, Malaysia):
- Martin, R.D (1972): "Adaptive Radiation and Behaviour of the Malagasy Lemurs," *Royal Society of London*, 264: 295-352.
- Martin, R.D. (1990): **Primate Origins and Evolution: A Phylogenetic Reconstruction** (Princeton University Press, Princeton).

-
- Martin, R.D. (2000): "Origins, Diversity, and Relationships of Lemurs," *International Journal of Primatology*, 21: 1021-1049.
- Masibay, A. (2000): "Promega Corporation Reveals Primer Sequences in its Testing Kits," A Letter published in the *Journal of Forensic Sciences*, 45: 1360-1362.
- Maestriperi, D. (2001): "Is there Mother–Infant Bonding in Primates?" *Developmental Review*, 21: 93–120.
- Masters, J.C., Anthony, N.M., de Wit, M.J. and Mitchell, A. (2005): "Reconstructing the Evolutionary History of the Lorisidae using Morphological, Molecular, and Geological Data," *American Journal of Physical Anthropology*, 127: 465–480.
- Maxam, A.M. and Gilbert, W. (1977): "A New Method for Sequencing DNA," *Proceedings of National Academy of Science. U.S.A.*, 74 (2): 560–564.
- MacDonald, D. W. (1982): "Notes on the Size and Composition of Groups of Proboscis Monkey, *Nusalis lawatus*," *Folia of Primatology*, 37: 95-98.
- McCall, R.A. (1997): "Implications of Recent Geological Investigations of the Mozambique Channel for the Mammalian Colonization of Madagascar," *Proceedings of Royal Society of London*, 264: 663-665.
- McFarland, D. (ed.) (1987): **The Oxford Companion to Animal Behaviour** (University Press, Oxford).
- McCluckie, A.M., Lamb, T., Schwalbe, C.R. and McCord, R.D. (1999): "Genetic and Morphometric Assessment of an Unusual Tortoise (*Gopherus agassizii*) Population in the Black Mountains of Arizona," *Journal of Herpetology*, 33: 36–44.
- McNeely, J.A. and Boonsong, L. (1988): **Mammals of Thailand** (Darnsutha Press, Bangkok): 758.
- Mech, L.D. and Shannon, M.B. (2002): **A Critique of Wildlife Radio Tracking and its Use in National Parks: A Report to the U.S. National Park Service** (Northern Prairie Publication 1164).
- Mech, L.D. (1983): **A Handbook of Animal Radio-Tracking** (University of Minnesota Press, Minnesota).
- Mech, L.D. (1974): "Current Techniques in the Study of Elusive Wilderness Carnivores," *Proceedings of the International Congress of Game Biologists* (Stockholm, Sweden): 315-322.

-
- Mech, L.D. (1992): "Field Testing a New Generation of Radio-Telemetry Equipment," *Transactions, 20th Congress of the International Union of Game Biologists* (Godollo, Hungary): 593-597.
- Mech, L.D. (1980): "Making the Most of Radio-Tracking," in Amlaner, J., C.J. and MacDonald, D.W. (eds.): **A Handbook on Biotelemetry and Radio-Tracking** (Perga Press, Oxford, England): 85-95.
- Menzel, C.R., Savage-Rumbaugh, E.S. and Menzel, E.W.J. (2002): "Bonobo (*Pan paniscus*) Spatial Memory and Communication in a 20-hectare Forest," *International Journal of Primatology*, 23: 601–619.
- Menzel, C.R. (1997): "Primates Knowledge of the Natural Habitat," in Whiten, A. and Byrne, R.W. (eds.): **Machiavellian Intelligence II: Extensions and Evaluations** (Cambridge University Press, Cambridge): 207-239.
- Merrill, S. B. (2002): **An Evaluation of the Use of Global Position System Telemetry in Studying Wolf Biology** (Ph.D. Thesis, University of Minnesota, Minneapolis-St. Paul, MN).
- Mewa Singh, Anand Kumar, M., Kumara, H.N. and Mohnot, S.M. (2000): "Distribution and Conservation of Slender Lorises (*Loris tardigradus lydekkerianus*) in Southern Andhra Pradesh, South India," *International Journal of Primatology*, 21: 4.721-730.
- Milan, B. (1959): **Electrophoresis. Theory, Methods and Applications** (Academic Press, New York): 225.
- Millspaugh, J.J. and Marzluff, J.M. (2001): "Radio-Tracking and Animal Populations: Past Trends and Future Needs," in Millspaugh, J.J. and Marzluff, J.M. (eds.): **Radio Tracking and Animal Populations** (Academic Press, San Diego): 383–393.
- Milton, K. (2000): "Quo vadis? Tactics of Food Search and Group Movement in Primates and Other Animals," in Boinski, S. and Garber, P.A. (eds.): **On the Move** (University of Chicago Press, Chicago): 375–417.
- Mittermeier, R.A. and van Roosmalen, M.G.M. (1981): "Preliminary Observations on Habitat Utilization and Diet in Eight Surinam Monkeys," *Folia Primatology*, 36: 1 – 39.
- Mitchell, B.R. (2006): "Comparison of Programs for Fixed Kernel Home Range Analysis," Accessed from <http://www.wildlife.org/wg/gis/newsletter/jun06/hrcompar.htm>.

- Miyakawa, I., Fumoto, S., Kuroiwa, T. and Sando, N. (1995): "Characterization of DNA-Binding Proteins involved in the Assembly of Mitochondrial Nucleoids in the Yeast (*Saccharomyces cerevisiae*)," *Plant Cell Physiology*, 36: 1179-78.
- Miyakawa, I., Sando, N., Kawano, S., Nakamura, S. and Kuroiwa, T. (1987): "Isolation of Morphologically Intact Mitochondrial Nucleoids from the Yeast, *Saccharomyces cerevisiae*," *Journal of Cell Science*, 88: 431-439.
- Mohr, C.O. (1947): "Table of Equivalent Populations of North American Small Mammals," *American Midland Naturalist*, 37: 223-249.
- Montagna, W., Machida, H. and Perkins, E.M. (1966): "The Skin of Primates XXXIII: The Skin of the Angwantibo," *American Journal of Physical Anthropology*, 25: 277-290.
- Moore, S.S., Sargeant, L.L., King, T.J., Mattick, J.S., Georges, M. and Hetzel, D.J.S. (1991): "The Conservation of Dinucleotide Microsatellites among Mammalian Genomes Allows the Use of Heterologous PCR Primer Pairs in Closely Related Species," *Genomics*, 10: 654-660.
- Morin, P.A., Moore, J.J., Chakraborty, R., Jin, L., Goodall, J. and Woodruff, D.S. (1994): "Kin Selection, Social Structure, Gene Flow, and the Evolution of Chimpanzees," *Science*, 265: 1193-1201.
- Morin, P.A., Wallis, J., Moore, J.J. and Woodruff, D.S. (1994): "Paternity Exclusion in a Community of Wild Chimpanzees Using Hypervariable Simple Sequence Repeat," *Molecular Ecology*, 3: 469-478.
- Morin, P.A. and Woodruff, D.S. (1992): "Paternity Exclusion using Multiple Hypervariable Microsatellite Loci amplified from Nuclear DNA of Hair Cells," in Martin, R.D., Dixon, A.F. and Wickings, E.J., (eds.): **Paternity in Primates: Genetic Tests and Theories** (Karger, Basel): 63-81.
- Mossman, C.A. and Waser, P.M. (1999): "Genetic Detection of Sex-Biased Dispersal," *Molecular Ecology*, 8: 1063-1067.
- Mudry de Pargament, M.D., Brioux de Salum, S., and Colillas, O. (1981): "Citogenética en *Alouatta caraya*," *Physics*, 40: 63-70.
- Mullis, K., Faloona, F., Scharf, S., Saiki, R., Horn, G. and Erlich, H. (1986): "Specific Enzymatic Amplification of DNA In Vitro: The Polymerase Chain Reaction", *Cold Spring Harbor Symposium in Quantitative Biology*, 51: 263-273.
- Mullis, K. and Faloona, F. (1987): "Specific Synthesis of DNA in Vitro via a Polymerase-Catalyzed Chain Reaction," *Methods in Enzymology*, 155: 335-350.
- Mullis, K. (1990): "The Unusual Origin of the Polymerase Chain-Reaction," *Scientific American*, 4: 56-65.

-
- Müller, E. F., Nieschalk, U. and Meier, B. (1985): "Thermoregulation in the Slender Loris (*Loris tardigradus*)," *Folia Primatologica*, 44: 216-226.
- Munz, F. (1935): "Polyamino Carboxylic Acids," *Farbenindustrie*, 2: 130-505.
- Narayan Rao, C.R. (1927): "Observations on the Habits of the Slow Loris *Lydekkerianus*," *Journal of the Bombay Natural History Society*, 32: 206-208.
- Nei, M. (1987): **Molecular Evolutionary Genetics** (Columbia University Press, New York).
- Nekaris, K.A.I. (2000): **The Socio-Ecology of the Mysore Slender Loris (*Loris tardigradus lydekkerianus*) in Dindigul, Tamil Nadu, South India** (PhD. Dissertation, Washington University, St Louis).
- Nekaris, K.A.I. (2001): "Activity Budget and Positional Behaviour of the Mysore Slender Loris: Implications for Slow Climbing Locomotion," *Folia Primatologica*, 72: 228-241.
- Nekaris, K.A.I. and Nijman, V. (2007): "CITES Proposal Highlights Rarity of Asian Nocturnal Primates (*Lorisidae: Nycticebus*)," *Folia Primatologica*, 78 (4): 211-214.
- Neyman, P.E. (1977): "Aspects of the Ecology and Social Organization of Free-ranging Cotton-Top Tamarins (*Saguinus oedipus*) and the Conservation Status of the Species," in Kleiman, D.G (ed.): **Biology and Conservation of the Callitrichidae** (Smithsonian Press, Washington D.C): 23-28.
- Niemela, J. (2001): "The Utility of Movement Corridors in Forested Landscapes," *Scandinavian Journal of Forest Research Supplement*, 3: 70-78.
- Nowak, R.M. (1999): **Walker's Primates of the World** (Johns Hopkins University Press, Baltimore).
- Oakenfull, E.A. and Ryder, A.O. (1998): "Mitochondrial Control Region and 12S rRNA Variation in Przewalski's Horse (*Equus przewalskii*)," *Animal Genetics*, 29: 456-459.
- Oakenfull, E.A., Lim, H.N. and Ryder, A.O. (2000): "A Survey of Equid Mitochondrial DNA: Implications for the Evolution, Genetic Diversity and Conservation of Equus," *Conservation Genetics*, 1: 341-355.
- Oates, J.F. (1996): **African Primates Status Survey and Conservation Action Plan** (IUCN/SSC Primate Specialist Group).

-
- Parker, P.G., Snow, A.A., Schug, M.D., Booton, G.C. and Fuerst, P.A. (1998): "What Molecules Can Tell Us About Populations: Choosing and Using a Molecular Marker," *Ecology*, 79: 361-382.
- Pemberton, J.M., Albon, S.D., Guinness, F.E. and Clutton-Brock, T.H. (1992): "Behavioural Estimates of Male Mating Success Tested by DNA Fingerprinting in a Polygynous Mammal," *Behavioural Ecology*, 3: 66-75.
- Pepin, L., Amigues, Y., Lepingle, A. (1995): "Sequence Conservation of Microsatellites between *Bos faurus* (cattle), *Capra hircus* (goat) and Related Species. Examples Use of Parentage Testing and Phylogenetic Analysis," *Heredity*, 74: 53-61.
- Perelygin, A.A., Kammerer, C.M., Stowell, N.C. and Rogers, J. (1996): "Conservation of Human Chromosome 18 in Baboons (*Papio hamadryas*): A Linkage Map of Eight Microsatellites," *Cytogenetics and Cell Genetics*, 75: 207-209.
- Peres, C.A. (1989): "Costs and Benefits of Territorial Defense in Wild Golden Lion Tamarins, *Leontopithecus rosalia*," *Behavioral Ecology and Sociobiology*, 25: 227-233.
- Perhilitan and Danced (2005): **Landuse Annexes for Krau Wildlife Reserve** (Department of Wildlife (Perhilitan) Peninsular Malaysia).
- Phillips, E.M. and Walker, A. (2002): Fossil Lorisoids," in Hartwig, W.C. (ed.): **The Primate Fossil Record** (Cambridge University Press, New York): 83-95.
- Phillips, R. A., Xavier, J.C. and Croxall, J.P. (2003): "Effects of Satellite Transmitters on Albatrosses and Petrels," *The Auk*, 120 (4): 1082-1090.
- Pimley, E.R., Bearder, S.K. and Dixon, A.F. (2005): "Home Range Analysis of *Perodicticus potto* and *Sciurocheirus cameronensis*," *International Journal of Primatology*, 26 (1): 191-205.
- Pocock, R.I. (1939): **The Fauna of British India, Including Ceylon and Burma Mammalia Vol. 1, Primates and Carnivora, Families Felidae and Viverridae** (Taylor and Francis, London).
- Pope, T.R. (1992): "The Influence of Dispersal Patterns and Mating System on Genetic Differentiation Within and Between Populations of the Red Howler Monkey (*Alouatta seniculus*)," *Evolution*, 46: 1112-1128.
- Porter, C.A. et al. (1997): "Phylogeny and Evolution of Selected Primates as Determined by Sequences of the ϵ -Globin Locus and 5' Flanking Regions," *International Journal of Primatology*, 18: 261-295.
- Pournelle, G.H. (1955): "The Bashful Clown," *Zoonoos*, 28(2): 23-25.

-
- Priede, I.G. and Swift, S.M. (1992): **Wildlife Telemetry: Remote Monitoring and Tracking of Animals** (Ellis Horwood, New York).
- Primmer, C.R., Moller, A.P. and Ellegren, H. (1995): "Resolving Genetic Relationships with Microsatellite Markers: A Parentage Testing System for the Swallow *Hirundo rustica*," *Molecular Ecology*, 4: 493-498.
- Primmer, C.R., Møller, A.P. and Ellegren, H. (1996): "A Wide-Range Survey of Cross-Species Microsatellite Amplification in Birds," *Molecular Ecology*, 5: 365-378.
- Primmer, C.R., Painter, J.N., Koskinen, M.T., Palo, J.U. and Merilä, J. (2005): "Factors Affecting Avian Cross-Species Microsatellite Amplification," *Journal of Avian Biology*, 36: 348-360.
- Promega Corporation (2001): **GenePrint(R) STR System (Silver Stain Detection): Technical Manual** (Woods Hollow Road, Madison, USA).
- Prugnotte, F. and De Meeus, T. (2002): "Inferring Sex-biased Dispersal from Population Genetic Tools: A Review," *Heredity*, 88: 161-165.
- Pschyrembel, W. (1995): **Klinisches Wörterbuch (Medicinal dictionary)** (Aufl Walter de Gruyter, Berlin, Germany).
- Pulliam, H.R. and Caraco, T. (1984): "Living In Groups: Is there an Optimal Group Size?" in Krebs. J.R. and Davies, N.B. (eds.): **Behavioural Ecology: An Evolutionary Approach** (Blackwell Scientific Publications, Oxford): 122-147.
- Queller, D.C. and Goodnight, K.F. (1989): "Estimating Relatedness Using Genetic Markers," *Evolution*, 43: 258-275.
- Queller, D.C., Strassmann, J.E. and Hughes, C.R. (1993): "Microsatellite and Kinship," *Trends in Ecology and Evolution*, 8: 285-288.
- Rabinow, P. (1996): **Making PCR: A Story of Biotechnology** (University of Chicago Press).
- Radespiel, U. (2000): "Sociality in the Gray Mouse Lemur (*Microcebus murinus*) in Northwestern Madagascar," *American Journal of Primatology*, 51: 21-40.
- Raemaekers, J.J., Aldrich-Blake, F.P.G. and Payne, J. (1980): "The Forest," in Chivers, D.J. (ed.): **Malayan Forest Primates: Ten Years' Study in Tropical Rain Forest** (Plenum Press, New York): 29-62.
- Rashid, N. and Andrew, R.J. (1989): "Right Hemisphere Advantages for Topographical Orientation in the Domestic Chick," *Neuropsychologia*, 27: 937-948.
- Raje-Der, A. (1962): "A New Species of *Trichomona* S. (Protozoa: Mastigophora) Parasitic in the Slender Loris," *Parasitenkunde*, 21: 202-206.

-
- Rasmussen, D.T. (1986): **Life History And Behavior of Slow Loris and Slender Loris: Implications for the Lorisine-Galagine Divergence** (Unpublished Ph.D. Thesis, Duke University, Durham).
- Ren, B.P., Li, M., Long, Y.C. and Wei, F.W. (2009): "Influence of Day Length, Ambient Temperature, and Seasonality on Daily Travel Distance in the Yunnan Snub-Nosed Monkey at Jinsichang, Yunnan, China," *American Journal of Primatology*, 71: 233–241.
- Reynolds, R., Sensabaugh, G. and Blake, E. (1991): "Analysis of Genetic Markers in Forensic DNA Samples using the Polymerase Chain Reaction," *Analytical Chemistry*, 63: 1-15.
- Riedman, M.L. (1982): "The Evolution of Alloparental Care and Adoption in Mammals and Birds," *Quarterly Review of Biology*, 57: 405-429.
- Righton, D. and Mills, C. (2006): "Application of GIS to Investigate the use of Space in Coral Reef Fish: A Comparison of Territorial Behaviour in two Red Sea Butterfly Fishes," *International Journal of Geographical Information Science*, 20: 215–232.
- Robin, E.D. and Wong, R. (1988): "Mitochondrial DNA Molecules and Virtual Number of Mitochondria Per Cell in Mammalian Cells," *Journal of Cellular Physiology*, 136: 507–511.
- Robyt, J.F. and White, B.J. (1990): **Biochemical Techniques Theory And Practice** (Waveland Press, Illinois, U.S.A).
- Rogers, J. (1992): "Nuclear DNA Polymorphisms in Hominoids and Cercopithecoids: Applications to Paternity Testing," in Martin, R.D., Dixson, A.F. and Wickings, E.J. (eds.): **Paternity in Primates: Genetic Tests and Theories** (Karger, Basel): 82–97.
- Rogers, J., Mahaney, M.C., Witte, S.M., Nair, S., Newman, D., Wedel, S., Rodriguez, L.A., Rice, K.S., Slifer, S.H., Perelygin, A., Slifer, M., Palladino-Negro, P., Newman, T., Chambers, K.E., Joslyn, G., Parry, P. and Morin, P.A. (2000): "A Genetic Linkage Map of the Baboon (*Papio hamadryas*) Genome based on Human Microsatellite Polymorphisms," *Genomics*, 67: 237–247.
- Rolands, A.B. (1981): "Preliminary Field Observations on the Marmoset, *Callithrix humeralifer inrermedius* (Hershkovitz, 1977) at Dardanelos Rio Aripuana, Mato Grosso," *Primates*, 22: 46-59.
- Roques, S., Duchesne, P. and Bernatchez, L. (1999): "Potential of Microsatellites for Individual Assignment: The North Atlantic Redfish (genus *Sebastes*) Species Complex as a Case Study," *Molecular Ecology*, 8: 1703-1717.

-
- Rose, K. D. Godinot, M. and Brown, T.M. (1994): "The Early Radiation of Euprimates and the Initial Diversification of Omomyidae," in Fleagle, J.G. and Kay, R.F. (eds.): **Anthropoid Origins** (Plenum Press, New York): 1 – 28.
- Rowe, N. (1996): **The Pictorial Guide of Living Primates** (Pogonias Press, New York).
- Roy, M.S., Geffen, E. and Smith D. (1994): "Patterns of Differentiation and Hybridization in North American Wolf like Canids, Revealed by Analysis of Microsatellite Loci," *Molecular Biology and Evolution*, 11: 55-570.
- Rubio, M.A., Liu, X., Yuzawa, H., Alfonzo, J.D. and Simpson, L. (2000): "Selective Importation of RNA into Isolated Mitochondria from *Leishmania tarentolae*," *European Molecular Biology Organization*, 6: 988-1003.
- Saiki, R.K., Gelfand, D.H., Stoffel, S., Scharf, S.J., Higuchi, R., Horn, G.T., Mullis, K.B. and Erlich, H.A. (1988): "Primer-Directed Enzymatic Amplification of DNA with a Thermostable DNA Polymerase," *Science*, 239: 487-491.
- Saiki, R.K., Scharf, S., Faloona, F., Mullis, K.B., Horn, G.T., Erlich, H.A. and Arnheim, N. (1985): "Enzymatic Amplification of Beta-Globin Genomic Sequences and Restriction Site Analysis for Diagnosis of Sickle Cell Anemia," *Science*, 230: 1350-1354.
- Saitou, N. and Nei, M. (1987): "The Neighbor-Joining Method: A New Method for Reconstructing Phylogenetic Trees," *Molecular Biology and Evolution*, 4: 406-425.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. (2001): **Molecular Cloning: A Laboratory Manual (Volume 3)** (Cold Spring Harbor Laboratory, New York).
- Samuel, M. D. and Fuller, M.R. (1996): "Wildlife Radiotelemetry," in Bookhout, T.A. (ed.): **Research and Management Techniques for Wildlife and Habitats** (5th ed. rev., The Wildlife Society, Bethesda, MD): 370-418.
- Sanger, F., Nicklen, S. and Coulson, A.R. (1977): "DNA Sequencing with Chain-Terminating Inhibitors," *Proceedings of the National Academy of Sciences. U.S.A.*, 74 (12): 5463–5467.
- Sanger F. (1980): **Determination of Nucleotide Sequences in DNA** (Nobel Lecture, delivered on 8 December, 1980; and sourced from [www.nobelprize.org /.../ laureates / 1980 / sanger-lecture.pdf](http://www.nobelprize.org/.../laureates/1980/sanger-lecture.pdf)).
- Schichman, S.A., Suess, P., Vertino, A.M. and Gray, P.S. (2002): "Comparison of Short Tandem Repeat and Variable Number Tandem Repeat Genetic Markers for Quantitative Determination of Allogeneic Bone Marrow Engraftment," *Bone Marrow Transplantation*, 29: 243–248.

-
- Schlotterer, C., Amos, B. and Tauk, D. (1991): "Conservation of Polymorphic Simple Sequence Loci in Cetacean Species," *Nature*, 354: 63-65.
- Schlotterer, C. Hauser, M. Von Haeseler, A. and Tautz, D. (1994): "Comparative Evolutionary Analysis of rDNA ITS Regions in Drosophila," *Molecular Biology and Evolution*, 11: 513-522.
- Schmiegelow, F.K.A., Matchans, C.S. and Hannon, S.J. (1997): "Are Boreal Birds Resilient to Fragmentation? An Experimental Study of Short-term Community Responses," *Ecology*, 78: 1914-1932.
- Schumm, J.W. (1997): **Why Use a Size Marker and Allelic Ladders in STR Analysis? Geneprint™ Products Profile in DNA** (Source: [http:// www.promega.com / profiles/102/ProfilesinDNA_102_11.pdf](http://www.promega.com/profiles/102/ProfilesinDNA_102_11.pdf)).
- Schumm, J.W., Song, E.Y., Burger, M. and Sangha, J. (2004): "Collecting and Processing Buccal Cell Samples," *International Congress Series*, 1261: 550-552.
- Schwartz, J. (1996): "*Pseudopotto Martini*: A New Genus and Species of Extant Loriform Primate," *Anthropological Papers of the American Museum of Natural History*, 78: 1-14.
- Seaman, D.E. and Powell, R.A. (1996): "An Evaluation of the Accuracy of Kernel Density Estimators for Home Range Analysis," *Ecology*, 77: 2075–2085.
- Seaman, D.E., Griffith, B. and Powell, R.A. (1998): "KERNELHR: A Program for Estimating Animal Home Ranges," *Wildlife Society Bulletin*, 26 (1): 95-100.
- Seaman, D.E., Millsaugh, J.J., Kernohan, B.J., Brundige, G.C., Raedeke, K.J. and Gitzen, R.A. (1999): "Effects of Sample Size on Kernel Home Range Estimates," *Journal of Wildlife Management*, 63: 739–747.
- Seiffert, E.R., Simons, E.L. and Attia, Y. (2003): "Fossil Evidence for an Ancient Divergence of Lorises and Galagos," *Nature*, 422: 421-424.
- Selkirk, S.W. and Bishop, I.D. (2002): "Improving and Extending Home Range and Habitat Analysis by Integration with a Geographic Information System," *Transactions in GIS*, 6 (2): 151-159.
- Sepp, R., Szabo, I. and Uda, H. (1994): "Rapid Techniques for DNA Extraction from routinely processed Archival Tissue for use in PCR," *Journal of Clinical Pathology*, 47: 318–323.
- Setz, E.Z.F. (1993): **Ecologia Alimentar de um Grupo de Parauacus (*Pithecia pithecia chrysocephala*) em um Fragmento Florestal na Amazônia Central** (Tese de Doutorado, Universidade Estadual de Campinas, Sao Paulo, Brazil).

-
- Silverman, B.W. (1986): **Density Estimation for Statistics and Data Analysis** (Chapman & Hall, London).
- Simberloff, D. and Cox, J. (1987): "Consequences and Costs of Conservation Corridors," *Conservation Biology*, 1: 63-70.
- Simpson, G.G. (1967): "The Tertiary *Lorisiform* Primates of Africa," *Bulletin of the Museum of Comparative Zoology*, 136: 39-62.
- Simons, E.L. (1997): "Discovery of the Smallest Fayum Egyptian Primates (*Anchomomyini*, *Adapidae*)," *Proceedings of the National Academy of Sciences*, 94: 180-184.
- Sindhu, R., Arup, B.G. and Anindya, S. (2006): "Distribution and Conservation of *Nycticebus bengalensis* in Northeastern India," *International Journal of Primatology*, 27: 971-982.
- Skelly, P.J. and Maleszka, R. (1991): "Distribution of Mitochondrial Intron Sequences among 21 Yeast Species," *Current Genetics*, 19: 89-94.
- Slater, L.E. (1963): **Biotelemetry: The Use Of Telemetry In Animal Behavior and Physiology In Relation To Ecological Problems** (Pergamon, Oxford).
- Slonecker, E.T. and Carter, J.A. (1990): "GIS Applications of Global Positioning System Technology," *GPS World*, 1: 50-55.
- Smith, D.G., Kanthaswamy, S., Viray, J. and Cody, L. (2000): "Additional Highly Polymorphic Microsatellite (STR) Loci for Estimating Kinship in Rhesus Macaques (*Macaca mulatta*)," *American Journal of Primatology*, 50: 1-7.
- Smith, D.G. and McDonough, J. (2005): "Mitochondrial DNA Variation in Chinese and Indian Rhesus Macaques (*Macaca mulatta*)," *American Journal of Primatology*, 65: 1-25.
- Smith, L.M., Fung, S., Hunkapiller, M.W, Hunkapiller, T.J. and Hood, L.E. (1985): "The Synthesis of Oligonucleotides Containing an Aliphatic Amino Group at the 5' Terminus: Synthesis of Fluorescent DNA Primers for Usage in DNA Sequence Analysis," *Nucleic Acids Research*, 13 (7): 2399-2412.
- Smith, T.B. and Wayne, R.K. (1996): **Molecular Genetic Approaches in Conservation** (Oxford University Press, New York).
- Sneath, P.H.A. and Sokal, R.R. (1973): **Numerical Taxonomy** (Freeman, San Francisco).
- Soini, P. (1982): "Ecology and Population Dynamics of the Pygmy Marmoset, *Cebuella pygmaea*," *Folia Primatologica*, 39: 1-21.

-
- Spelbrink, J.N., Li, F.Y., Tiranti, V., Nikali, K., Yuan, Q.P., Tariq, M., Wanrooij, S., Garrido, N., Comi, G., Morandi, L., Santoro, L., Toscano, A., Fabrizi, G.M., Somer, H., Croxen, R., Beeson, D., Poulton, J., Suomalainen, A., Jacobs, H.T., Zeviani, M. and Larsson, C. (Jun 2001): "Human Mitochondrial DNA Deletions associated with Mutations in the Gene Encoding Twinkle, a Phage T7 Gene 4-like Protein Localized in Mitochondria," *Nature Genetics*, 28 (3): 223–231.
- Sprecher, C.J., Puers, C., Lins, A.M. and Schumm, J.W. (1996): "A General Approach to Analysis of Polymorphic Short Tandem Repeat Loci," *Biotechniques*, 20: 266-276.
- Sterling, E.J. and Richard, A.F (1995): "Social Organization in the Aye-Aye (*Daubentonia madagascariensis*) and the Perceived Distinctiveness of Nocturnal Primates," in Alterman, L, Doyle, G.A. and Izzard, M.K (eds.): **Creatures of the Dark: The Nocturnal Prosimians** (Plenum Publishing, New York): 439-452.
- Stockley, P., Searle, J.B., Macdonald, D.W. and Jones, C.S. (1994): "Alternative Reproductive Tactics in Male Common Shrew - Relationships between Mate-Searching Behavior, Sperm Production, and Reproductive Success as Revealed by DNA Fingerprinting," *Behavior Ecology and Sociobiology*, 34: 71-78.
- Strand, M., Prolla, T.A., Liskay, R.M. and Petes, T.D. (1993): "Destabilization of Tracts of Simple Repetitive DNA in Yeast by Mutations affecting DNA Mismatch Repair," *Nature*, 365: 274-276.
- Szapkievich, V. and Mudry, M.D. (2003): "Estudios de Polimorfismos en el mono Aullador Negro de Argentina (*Alouatta caraya*)," *Historia Natural* (2da. Serie), 2: 737–751.
- Sunnucks, P. (2000): "Efficient Genetic Markers for Population Biology," *Trends in Ecology and Evolution*, 15: 199–203.
- Sweet, D., Lorente, M., Lorente, J.A., Valenzuela, A. and Villanueva, E. (1997): "PCR based DNA Typing of Saliva Stains Recovered from Human Skin," *Journal of Forensic Sciences*, 42: 320-322.
- Swofford, D.L. (2001): **PAUP*. Phylogenetic Analysis Using Parsimony (and Other Methods) Version 4** (Sinauer Associates, Sunderland, Massachusetts).
- Tahir, M.A., Sovinski, S.M. and Novick, G.E (1996): **Proceedings of the Seventh International Symposium on Human Identification** (Promega Corporation, Madison, Wisconsin).
- Tamura, K., Dudley, J., Nei, M. and Kumar, S. (2007): "MEGA4: Molecular Evolutionary Genetics Analysis (MEGA) Software Version 4.0," *Molecular Biology and Evolution*, 24: 1596-1599.

-
- Tamura, K., Nei, M. and Kumar, S. (2004): "Prospects for Inferring Very Large Phylogenies By Using the Neighbor-joining Method," *Proceedings of the National Academy of Sciences (USA)*, 101: 11030-11035.
- Tanaka, M., Yoshimoto, T., Nozawa, H., Ohtaki, H., Kato, Y., Sato, K., Yamamoto, T., Tamaki, K. and Katsumata, Y. (2000): "Usefulness of a Toothbrush as a Source of Evidential DNA for Typing," *Journal of Forensic Sciences*, 45 (3): 674-676.
- Tattersall, I. and Sussman, R.W. (1985): "Homing Behavior In an Artificially Released Female Mauritian Long-tailed Macaque," *Mammalia*, 49 (3): 325-328.
- Tautz, D. and Renz, M. (1984): "Simple Sequences are Ubiquitous Repetitive Components of Eukaryotic Genomes," *Nucleic Acids Research*, 12: 4127-4138.
- Tautz, D. (1989): "Hypervariability of Simple Sequences as a General Source for Polymorphic DNA Markers," *Nucleic Acids Research*, 17: 6463-6471.
- Terborgh, J. and Goldizen, A.W. (1985): "On the Mating System of the Cooperatively Breeding Saddle-backed Tamarin (*Saguinus fuscicollis*)," *Behavioral Ecology and Sociobiology*, 16: 293-299.
- Terkel, J. (1996): "Cultural Transmission of Feeding Behaviour in the Black Rat (*Rattus rattus*)," in Heyes, C.M and Galef, B.G. (eds.): **Social Learning in Animals: The Roots of Culture**, (Academic Press, San Diego): 17-47.
- Thierry, B. and Anderson, J.R. (1986): "Adoption in Anthropoid Primates," *Journal of Primatology*, 7: 191 - 215.
- Timm, R.M. and Birney, E.C. (1992): "Systematic Notes on the Philippine Slow Loris, *Nycticebus coucang menagensis* (Lydekker, 1893) (Primates: *Lorisidae*)," *International Journal of Primatology*, 13: 679-686.
- Tosi, A.J., Morales, J.C. and Melnick, D.J. (2003): "Paternal, Maternal, and Biparental Molecular Markers provide unique Windows into the Evolutionary History of Macaque Monkeys," *Evolution*, 57: 1419-1435.
- Uda, H., Sepp, R. and Szabo, I. (1994): "Rapid Techniques for DNA Extraction from Routinely Processed Archival Tissue for Use in PCR," *Journal of Clinical Pathology*, 47: 318-323.
- Van Oorschot, R. A. and Jones, M. K. (1997): "DNA Fingerprints from Fingerprints," *Nature*, 387: 555-556.
- Van, C.P. and Van, H.J. (1983): "On the Ultimate Causes of Primate Social Systems," *Behaviour*, 85: 91-117.

-
- Vie, J.C., Richard-Hansen, C. and Fournier-Chambrillon, C. (2001): "Abundance, Use of Space, and Activity Patterns of White-Faced Sakis (*Pithecia pithecia*) in French Guiana," *American Journal of Primatology*, 55: 203-221.
- Vigilant, L., Hofreiter, M., Siedel, H. and Boesch, C. (2001): "Paternity and Relatedness in Wild Chimpanzee Communities," *Proceedings National Academy of Sciences U.S.A.*, 98: 12890–12895.
- Vigilant, L., Pennington, R., Harpending, H., Kocher, T.D. and Wilson, A.C. (1989): "Mitochondrial DNA Sequences in Single Hairs from a Southern African Population," *Proceedings National Academy of Sciences U.S.A.*, 86: 9350–9354.
- Vignoly, C., de Lamballerie, X. and Zandotti, C. (1992): "A One Step Microbial DNA Extraction Method using "Chelex 100" Suitable for Gene Amplification," *Research in Microbiology*, 143: 785–790.
- Vilà, C., Leonard, J.A., Götherström, A., Marklund, S., Sandberg, K., Lidén, K., Wayne, R.K. and Ellegren, H. (2001): "Widespread Origins of Domestic Horse Lineages," *Science*, 291: 474-477.
- Von Segesser, F., Menard, N., Gaci, B. and Martin, R.D. (1999): "Genetic Differentiation within and between Isolated Algerian Subpopulations of Barbary Macaques (*Macaca sylvanus*): Evidence from Microsatellites," *Molecular Ecology*, 8: 433b–442.
- Walsh, P.S., Metzger, D.A. and Higuchi, R. (1991): "Chelex 100 as a Medium for Simple Extraction of DNA for PCR-based Typing from Forensic Material," *BioTechniques*, 10: 506-513.
- Wang, L.J., Chou, P., Gonzalez, R.L., Huang, W., Haut, P.R. and Kletzel, M. (2002): "Evaluation of Mixed Hematopoietic Chimerism in Pediatric Patients with Leukemia after Allogeneic Stem Cell Transplantation by Quantitative PCR Analysis of Variable Number of Tandem Repeat and Testis Determination Gene," *Bone Marrow Transplantation*, 29: 51-56.
- Warnock, N. and Takekawa, J.Y. (2003): "Use of Radio Telemetry Studies of Shorebirds: Past Contribution and Future Directions," *Wader Study Group Bulletin*, 100: 138-150.
- Warren, K.S., Verschoor, E.J., Langenhuijzen, S., Heriyanto, Swan, R.A., Vigilant, L. and Heeney, J.L. (2001): "Speciation and Intra-subspecific Variation of Bornean Orangutans, *Pongo pygmaeus pygmaeus*," *Molecular Biology and Evolution*, 18: 472–480.
- Waser, P.M., Keane, B., Creel, S.C., Elliott, L.F. and Minchella, D.J. (1994): "Possible Male Coalitions in a Solitary Mongoose," *Animal Behavior*, 47: 289-294.

- Washio, K. (1992): "Genetic Identification of Nonhuman Primates Using Tandem-Repetitive DNA Sequence," in Martin, R.D., Dixon, A.F. and Wickings, E.J. (eds.): **Paternity in Primates: Genetic Tests and Theories** (Karger, Basel): 53–62.
- Watanabe, Y., Sakazume, T., Kurosaki, K., Oota, H., Watanabe, K.W. and Ueda, S. (1996): "Short Tandem Repeat Polymorphisms in Japanese Macaques: Their Short Repeat Lengths and Low Informativeness," *Mammalian Genome*, 5: 383–385.
- Watman© FTA Cards Corporation (2008).
- Webb, N., Ibrahim, K.M., Bell, D.J. and Hewitt, G.M. (1995): "Natal Dispersal and Genetic Structure in a Population of the European Wild Rabbit (*Oryctolagus cuniculus*)," *Molecular Ecology*, 4: 239–247.
- Weber, J.L. and May, P.E. (1989): "Abundant Class of Human DNA Polymorphisms which can be Typed using the Polymerase Chain Reaction," *American Journal of Genetics*, 44: 388–396.
- Weins, J.A. (1969): "An Approach to the Study of Ecological Relationships among Grassland Birds," *Ornithological Monographs*, 8: 1–93.
- Weins, J.A. (1973): "Interterritorial Habitat Variation in Grasshopper and Savannah Sparrows," *Ecology*, 54: 877–884.
- Whitaker, P.B. and Shine, R. (2002): "Thermal Biology and Activity Patterns of the Eastern Brown Snake (*Pseudonaja textiles*): A Radio-telemetric Study," *Herpetologica*, 58 (4): 436–452.
- White, G.C. and Garrott, R.A. (1990): **Analysis of Wildlife Radiotracking Data** (Academic Press, San Diego, CA).
- Whittow, G.C., Lim, B.L and Rand, D. (1977): "Body Temperature and Oxygen Consumption of Two Malaysian Prosimians," *Primates*, 18 (2): 471–474.
- Whitmore, T.C. (1973): **Tree Flora of Malaya, A Manual for Foresters**, Volumes 1 & 2 (Forest Research Institute, Kepong, Malaysia, Longman).
- Wiegand, P., Bajanowski, T. and Brinkmann, B. (1993): "DNA Typing of Debris from Fingernails," *International Journal of Legal Medicine*, 106: 81–83.
- Wiens F. (1995): **Verhaltenbeobachtungen am Plumplori, *Nycticebus coucang* (Primates: Lorisidae) im Freiland (Translation: Behavioural Observation of the Slow Loris, *N. coucang* (Primates: Lorisidae) in the Wild)** (Diplomarbeit in Fachbereich Biologie der Johann Wolfgang Goethe-Universität, Frankfurt am Main, Germany).

-
- Wiens, F. (2002): **Behavior and Ecology of Wild Slow Lorises (*Nycticebus Coucang*): Social Organization, Infant Care System, and Diet** (PhD. Dissertation presented to the Faculty of Biology, Chemistry and Geosciences of Bayreuth University, Bayreuth, Germany).
- Wiens, F. and Zitzmann, A. (2003): "Social Dependence of Infant Slow Lorises to Learn Diet," *International Journal of Primatology*, 24 (5): 1007-1021.
- Wilde, H. (1972): "Anaphylactic Shock following Bite by a Slow Loris, *Nycticebus coucang*," *American Journal of Tropical Medicine and Hygiene*, 21 (5): 592-594.
- Wilson, E.O. (1974): "*Leptothorax duloticus* and the Beginnings of Slavery in Ants," *Evolution*, 29: 108-119.
- Wilson, E.O. and Willis, E.O. (1975): "Applied Biogeography," in Cody, M.L. and Diamond, J.M. (eds.): **Ecology and Evolution of Communities** (Harvard University Press, Cambridge, Massachusetts): 522-534.
- Wilson, D.E. and Reeder, D.M. (1993): **Mammal Species of the World: A Taxonomic and Geographic Reference** (2nd ed. Smithsonian Institution Press, Washington D.C).
- Wilson, M.R., Polansky, D., Butler, J., DiZinno, J.A., Replogle, J. and Budowle, B. (1995): "Extraction, PCR Amplification, and Sequencing of Mitochondrial DNA from Human Hair Shafts," *BioTechniques*, 18: 662-669.
- Wingberg, G. (1991): "A Rapid Method for Preparing DNA from Blood, Suited for PCR Screening of Transgenes in Mice," *PCR Methods and Applications*, 1: 72-74.
- Witte, S.M. and Rogers, J. (1999): "Microsatellite Polymorphisms in Bolivian Squirrel Monkeys (*Saimiri boliviensis*)," *American Journal of Primatology*, 47: 75-84.
- Wright, P.C. and Martin, L.B. (1995): "Predation, Pollination and Torpor in Two Nocturnal Prosimians: *Cheirogaleus major* and *Microcebus rufus* in the Rain Forest of Madagascar," in Alterman, L., Doyle, G.A. and Izard, M.K. (eds.): **Creatures of the Dark: The Nocturnal Prosimians** (Plenum Press, New York): 45-60.
- Wolfheim, J. (1983): **Primates of the World: Distribution, Abundance and Conservation** (University of Washington Press: Seattle).
- Word, C.J. and Gregory, S. (1997): **Proceedings from the Eighth International Symposium on Human Identification** (Promega Corporation, Madison, Wisconsin).
- Worton, B.J. (1987): "A Review of Models of Home Range for Animal Movement," *Ecological Modeling*, 38: 277-298.

-
- Worton, B.J. (1989): "Kernel Methods for Estimating the Utilization Distribution in Home-Range Studies," *Ecology*, 70: 164–168.
- Worthington, W., Hall, J.L., Barratt, E. and Moritz, C. (1999): "Genetic Structure and Male-Mediated Gene Flow in the Ghost Bat (*Macroderma gigas*)," *Evolution*, 53: 1582–1591.
- Wray, S., Cresswell, W.J. and Rogers, D. (1992): "Dirichlet Tessellations: A New, Non-Parametric Approach to Home Range Analysis," in Priede, I.G. and Swift, S.M. (eds.): **Wildlife Telemetry; Remote Monitoring and Tracking of Animals** (Ellis Horwood, London): 247–255.
- Wyatt-Smith, J. (1952): **Malayan Forest Records Check List of Timber Trees**, Volumes 5 and 17 (Forest Research Institute Kepong, Selangor Malaysia).
- Wu, R. (1993): "Recombinant DNA, Part 1," *Methods in Enzymology*, 218: 3-306.
- Yilmaz, T. (1997): "Importance of Biotope Inventory on Protection of Urban Ecosystem," **Proceedings of the Urban and Ecology for Nature Protection Symposium** (Istanbul, Turkey): 190-198.
- Yoder, A.D., Cartmill, M., Ruvolo, M., Smith, K. and Vilgalys, R. (1996): "Ancient Single Origin for Malagasy Primates," *Proceedings National Academy of Sciences. U.S.A.*, 93: 5122 - 5126.
- Yoder, A.D. (1997): "Back to the Future: A Synthesis of Strepsirrhine Systematics," *Evolutionary Anthropology*, 6: 11 - 22.
- Zane, L., Bargelloni, L. and Patarnello, T. (2002): "Strategies for Microsatellite Isolation: A Review," *Molecular Ecology*, 11: 1 – 16.
- Zenuto, R.R., Lacey, E.A. and Busch, C. (1999): "DNA Fingerprinting Reveals Polygamy in the Subterranean Rodent *Ctenomys talarum*," *Molecular Ecology*, 8: 1529 - 1532.
- Zhang, Y.P., Chen, Z. P. and Shi, L.M. (1993): "Phylogeny of the Slow Lorises (genus *Nycticebus*): An Approach Using Mitochondrial DNA Restriction Enzyme Analysis," *International Journal of Primatology*, 14 (1): 167-175.
- Zhang, Z. and Usher, M.B. (1991): "Dispersal of Wood Mice and Bank Voles In an Agricultural Landscape," *Acta Theriologica*, 36: 239-245.
- Zhang, Y.P. (2006): "Molecular Phylogeny of *Nycticebus* Inferred from Mitochondrial Genes," *International Journal of Primatology*, 27 (4): 1187-1200.
- Zimmermann, E., Zimmermann, P. and Zimmermann, A. (1977): **Vergleichende Untersuchungen zur Akustischen Kommunikation bei Primaten** (Unpublished).

-
- Zimmermann, E., Zimmermann, P. and Zimmermann, A. (1979): "Soziale Kommunikation bei Plumploris (*Nycticebus coucang*)," *Z. Kölner Zoo*, 22: 25-36.
- Zimmermann, E., Zimmermann, P. and Zimmermann, A. (1980): "Vergleich einiger Kommunikationsformen fünf Nonhumaner Primatenarten (*Galago senegalensis*, *Nycticebus coucang*, *Callithrix jacchus*, *Saimiri sciureus*, *Miopithecus talapoin*)," *Z. Kölner Zoo*, 23: 2-20.
- Zimmermann, E. (1981): "First Record of Ultrasound in two Prosimian Species," *Naturwissenschaften*, 68: 531-532.
- Zimmermann, E. (1983): "Entwohnungsprorep? Bei Senegal-Buschbabies und Plumploris," Abstract in **Deutsche Anthropologentagung** (Munster).
- Zimmermann, E. (1984): "Zur Sozialen Organisation von Plumplorigruppen" in *Gefangenschaft* (Abstract in *Ethologentreffen*, Göttingen): 136.
- Zimmermann, E. (1985): "Vocalizations and Associated Behaviors in Adult Slow Loris (*Nycticebus coucang*)," *Folia of Primatology*, 44: 52-64.
- Zimmermann, E. (1989): "Reproduction, Physical Growth and Behavioral Development in Slow Loris (*Nycticebus coucang*, *Lorisidae*)," *Human Evolution*, 4: 171-179.