ANALYSIS RANGING INDIVIDUAL INFANT MALE "ADOPT"

Satellite Image and Individual Home Range MCP %

MCP %



Satellite Image and Individual Home Range (Without considering place of releasing)

Waypoints and MCP 100% = 1.7978 ha



Areas of probability contours KDE with h_{ref} 95 % and 50 %, Waypoints and Biotope map



KDE with h_{ref} From 95 % To 50 % "Core Area"



KDE with h_{lscv} (LSCV) analysis From 95% To 50 % Core Area



KDE with h_{lscv} Analysis and Polyline from point file



KDE with h_{lscv} from 95% to 50 % and Spider Distance analysis



Home Range MCP % and Sleeping Sites (Green Point)



Sleeping sites(Green P) & Corridor used within Home Range MCP %



KDE with h_{ref} From 95 % To 50 % and Corridors used



Home Range; Sleeping sites, Corridors & Biotopes used.



Biotope used, waypoint & polyline



Satellite Image Showing the Actual Movement of individual "ADOPT" and Home Range MCP %



Actual Movement of the "ADOPT Ind
Ranging during study (cumulative night range limits);
Sleeping sites;
Main arboreal and Corridor pathways used & MPC %



ANALYSIS RANGING INDIVIDUAL MALE "COP "

Satellite Image and Individual Home Range MCP %



Waypoints and MCP 100 % = 36.4614 ha



Areas of probability contours KDE with h_{ref} 95 % and 50 %, Waypoints and Biotope map



KDE with h_{ref} From 95 % To 50 % "Core Area"



KDE with h_{lscv} (LSCV) analysis From 95% To 50 % Core Area



KDE with h_{lscv} Analysis and Polyline from point file



KDE with h_{ref} Analysis 95% & 50 % and Spider Distance analysis



Home Range MCP % and Sleeping Sites (Green Point)



Sleeping sites (Green P.) and Corridor used within the Home Range



KDE with h_{ref} From 95 % To 50 % and Corridors used



Within Home Range; Sleeping sites, Corridors & Biotopes used.



Biotope used, waypoint & polyline



Satellite Image Showing the Actual Movement of individual Male "COP" and Home Range MPC %



Actual Movement of the male "COP"
Ranging during study (cumulative night range limits);
Sleeping sites;
Main arboreal and Corridor pathways used & MCP %



ANALYSIS RANGING INDIVIDUAL MALE "GENT "

Satellite Image and Individual Home Range MPC %

Waypoints and MCP 100% = 6.1536 ha



Areas of probability contours KDE with h_{ref} 95 % and 50 %, Waypoints and Biotope map

KDE with h_{ref} From 95 % To 50 % "Core Area"



KDE with h_{lscv} (LSCV) analysis From 95% To 50 % Core Area



KDE with h_{lscv} Analysis and Polyline from point file



KDE with h_{ref} Analysis 95% & 50 % and Spider Distance analysis



Home Range MCP % and Sleeping Sites (Green Point)



Sleeping sites (Green P) and Corridor used within the Home Range



KDE with h_{ref} From 95 % To 50 % and Corridors used



Within Home Range; Sleeping sites, Corridors & Biotopes used.



Biotope used, waypoint & polyline



Satellite Image Showing the Actual Movement of individual
Male "GENT" AND Home Range MPC%



Actual Movement of the male "GENT"
Ranging during study (cumulative night range limits);
Sleeping sites;
Main arboreal and Corridor pathways used & MCP %

ANALYSIS RANGING INDIVIDUAL FEMALE "FALA "

Satellite Image and Individual Home Range MCP %



Waypoints and MCP 100% = 11.33 m



Areas of probability contours KDE with h_{ref} 95 % and 50 %, Waypoints and Biotope map



KDE with h_{ref} From 95 % To 50 % "Core Area"



KDE with h_{lscv} (LSCV) analysis From 95% To 50 % Core Area



KDE with h_{lscv} Analysis and Polyline from point file



KDE with h_{ref} Analysis 95% & 50 % and Spider Distance analysis



Home Range MCP % and Sleeping Sites (Green Point)



Sleeping sites(Green P) & Corridor used within the Home Range



KDE with h_{ref} From 95 % To 50 % and Corridors used



Within Home Range; Sleeping sites, Corridors & Biotopes used.



Biotope used, waypoint & polyline



Satellite Image Showing the Actual Movement of individual
Male "FALA" and Home Range MCP %



Actual Movement of the male "FALA"
Ranging during study (cumulative night range limits);
Sleeping sites;
Main arboreal and Corridor pathways used

ANALYSIS RANGING INDIVIDUAL FEMALE "BONITA "

Satellite Image and Individual Home Range MCP %



MCP 100% = 14.11



Areas of probability contours KDE with h_{ref} 95 % and 50 %, Waypoints and Biotope map



KDE with h_{ref} From 95 % To 50 % "Core Area"



KDE with h_{lscv} (LSCV) analysis From 95% To 50 % Core Area



KDE with h_{lscv} Analysis and Polyline from point file



KDE with h_{ref} Analysis 95% & 50 % and Spider Distance analysis



Home Range MCP % and Sleeping Sites (Green Point)



Sleeping sites (Green P.) & Corridor used within the Home Range

KDE with h_{ref} From 95 % To 50 % and Corridors used

Within Home Range; Sleeping sites, Corridors & Biotopes used.



Biotope used, waypoint & polyline



Satellite Image Showing the Actual Movement of individual
Male "Bonita" and Home Range MPC %



Actual Movement of the male "Bonita"
Ranging during study (cumulative night range limits);
Sleeping sites;
Main arboreal and Corridor pathways used & MPC %



ANALYSIS RANGING INDIVIDUAL MALE "ECA "

Satellite Image and Individual Home Range MCP %



MCP 100% = 53.96 ha



Areas of probability contours KDE with h_{ref} 95 % and 50 %, Waypoints and Biotope map



KDE with h_{ref} From 95 % To 50 % "Core Area"



KDE with h_{lscv} (LSCV) analysis From 95% To 50 % Core Area



KDE with h_{lscv} Analysis and Polyline from point file



KDE with h_{ref} Analysis 95% & 50 % and Spider Distance analysis



Home Range MCP % and Sleeping Sites (Green Point)



Sleeping sites (Green P) & Corridor used within the Home Range



KDE with h_{ref} From 95 % To 50 % and Corridors used



Within Home Range; Sleeping sites, Corridors & Biotopes used.



Biotope used, waypoint & polyline



Satellite Image Showing the Actual Movement of individual Male “ECA” and Home Range MPC %



Actual Movement of the male “ECA”
Ranging during study (cumulative night range limits);
Sleeping sites;
Main arboreal and Corridor pathways used & MCP %



ANALYSIS RANGING INDIVIDUAL MALE "KRO "

Satellite Image and Individual Home Range MCP %

MCP 100% = 4.44 ha



Areas of probability contours KDE with h_{ref} 95 % and 50 %, Waypoints and Biotope map

KDE with h_{ref} From 95 % To 50 % "Core Area"



KDE with h_{lscv} (LSCV) analysis From 95% To 50 % Core Area



KDE with h_{lscv} Analysis and Polyline from point file



KDE with h_{ref} Analysis 95% & 50 % and Spider Distance analysis



Home Range MCP % and Sleeping Sites (Green Point)



Sleeping sites (Green P) & Corridor used within the Home Range



KDE with h_{ref} From 95 % To 50 % and Corridors used



Within Home Range; Sleeping sites, Corridors & Biotopes used.



Biotope used, waypoint & polyline



Satellite Image Showing the Actual Movement of individual Male "KRO"



Actual Movement of the male "KRO"
Ranging during study (cumulative night range limits);
Sleeping sites;
Main arboreal and Corridor pathways used