

## REFERENCES

- Ahmad, N., and Mukhtar, H. (2001). Cutaneous photochemoprotection by green tea: a brief review. *Skin Pharmacology and Applied Skin Physiology*, **14**, 69-76.
- Ajith, T. A., and Janardhanan, K. K. (2003). Cytotoxic and antitumour activities of a polypore macrofungus, *Phellinus rimosus* (Berk) Pilat. *Journal of Ethnopharmacology*, **84**, 157-162.
- Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K. and Walter, P. (2002). Peroxisomes. *Molecular Biology of the Cell* (4<sup>th</sup> ed.). New York: Garland Science.
- Alexopoulos, C.J., Mims, C.W. and Blackwell, M. (1996). Introductory Mycology. John Wiley & Sons, Inc.
- Aljadi, A. M., and Kamaruddin, M Y. (2004). Evaluation of the phenolic contents and antioxidant capacities of two Malaysian floral honeys. *Food Chemistry*, **85**, 513–518.
- Almela, L., Sanchez-Munoz, B., Fernandez-Lopez, J.A., Roca, M.J. and Rabe, V. (2006). Liquid chromatographic –mass spectrometric analysis of phenolics and free radical scavenging activity of rosemary extract from different raw material. *Journal of Chromatography A*, **1120**, 221-229.
- Amarowicz, R., Nacz, M. and Shahidi, F. (2000). Antioxidant activity of crude tannins of canola and rapeseed hulls. *Journal of the American Oil Chemist Society*, **77**, 957–961.
- Amarowicz, R., Pegg, R.B., Moghaddam, P.R., Barl, B. and Weil, J.A. (2004). Free radical scavenging capacity and antioxidant activity of selected plant species from the Canadian Prairies. *Food Chemistry*, **84**, 551-562.
- Ames, B. M., Shigena, M. K. and Hagen, T. M. (1993). Oxidants, antioxidants and the degenerative diseases of aging. *Proceedings of the National Academy of Science U.S.A.*, **90**, 7915-7922.
- Anne, S., Tsao, MD., Edward, S., Kim, MD. and Waun, K.H. (2004). Chemoprevention of Cancer. *Cancer Journal for Clinicians*, **54**, 150 –180.
- Antonín, V. and Noordeloos, M.E. (1993). A Monograph of *Marasmius*, *Collybia* and related genera in Europe. Part 1. *Marasmius*, *Setulipes* and *Marasmiellus*. (pp. 229), Libri Botanici. Vol 8. IHW-Verlag.
- Aruoma, O.I. (2003). Methodological consideration for characterizing potential antioxidant actions of bioactive components in plant foods. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, **523**, 9-20.
- Babich, H. and Borenfreund, E. (1992). Cytotoxic and morphologic effects of phenylpropanolamine, caffeine, nicotine, and some of their metabolites studied *in vitro*. *Toxicology In Vitro*, **6**,493-502.

- Bahorun, T., Soobrattee, MA., Luximon-Ramma, V., and Aruoma, OI. (2006). Free radicals and antioxidants in cardiovascular health and disease. *Internet Journal of Medical Update*, **1**, 1-17.
- Baumann, J., Wurn, G., and Bruchlausen, V. (2002). Prostaglandin synthetase inhibiting O<sub>2</sub><sup>-</sup>. radical scavenging properties of some flavanoids and related phenolic compounds. *Naunyn-Schmiedebergs Archives of Pharmacology*, **308**, 27-32.
- Beckman, J.S. and Koppenol, W.H. (1996). Nitric oxide superoxide and peroxynitrite: The good the bad the ugly. *American Journal of Physiology*, **271**, 1424-1437.
- Benzie, I.F.F. and Strain, J.J. (1996). The reducing ability of plasma as a measure of 'antioxidant power' - the FRAP assay. *Analytical Biochemistry*, **239**, 70-76.
- Blokhina, O., Virolainen, E., and Fagerstedt, K.V. (2003). Antioxidants, oxidative damage and oxygen deprivation stress: A review. *Annals of Botany*, **91**, 179.
- Boots, A.W., Haenen, G.R.M.M. and Bast, A. (2008). Health effects of quercetin: From antioxidant to nutraceutical. *European Journal of Pharmacology*, **585**, 325-337.
- Borenfreund, E. and Puerner, J.A., (1984). Simple Quantitative Procedure Using Monolayer Cultures for Cytotoxicity Assay (HTD/NR-90). *Journal of Tissue Culture Methods*, **9**, 7-9.
- Borenfreund, E. and Puerner, J.A. (1985). Toxicity determined in vitro by morphological alterations and neutral red absorption. *Toxicology Letters*, **24**, 119-124.
- Borenfreund, E. and Puerner, J. A. (1986) "Cytotoxicity of metals, metal-metal and metal-chelator combinations assayed in vitro ". *Toxicology*, **39**, 121-134.
- Bower, M. and Waxman, J. (2006). *Oncology*. United States of America: Blackwell Publishing.
- Brand-Williams, W., Cuvelier, M. E. and Berset, C. (1995). Use of a free radical method to evaluate antioxidant activity. *Lebensmittel-Wissenschaft and-Technologie/Food Science and Technology*, **28**, 25-30
- Breene, W. M., (1990). Nutritional and medicinal value of specially mushrooms. *Journal of Food Protection*, **53**, 883-894.
- Britton, G., Liaaen-Jensen, S. and Pfander, H. (2008). Special molecules, special properties. *Carotenoids Volume 4 Natural Functions* (pp 1-6). Basel, Switzerland: Birkhauser Verlag Basel.
- Burgess, H. (1991). The use of chelating agents in conservation treatments. *The Paper Conservator*, **15**, 36-44.
- Butterfield, DA. (2002). Amyloid beta-peptide (1-42)-induced oxidative stress and neurotoxicity: implications for neurodegeneration in Alzheimer's disease brain. A review. *Free Radical Research*, **36**, 1307-13.

- Cazzi, R., Ricardy, R., Aglitti, T., Gatta, V., Petricone, P., and De Salvia, R. (1997). Ascorbic acid and  $\beta$ -carotene as modulators of oxidative damage. *Carcinogenesis*, **18**, 223-228.
- Chang, ST. (2006). The need for scientific validation of culinary- medicinal mushroom products. *International Journal of Medicinal Mushrooms*, **8**, 187–195.
- Chelikani, P., Fita, I. and Loewen, P.C. (2004). Diversity of structures and properties among catalases. *Cellular and Molecular Life Sciences*, **61**, 192–208.
- Cheung, PC. (2008). *Mushrooms as functional food*, John Wiley and Sons, New York.
- Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T. and Lin, C.C. (2003). Antileukemic activity of selected natural products in Taiwan. *The American Journal of Chinese Medicine*, **31**, 37- 46.
- Chihara, G. (1993). Medical aspects of lentinan isolated from *Lentinus edodes* (Berk.) Sing. In: Chang ST, Buswell JA, Chiu SW (Eds.), *Mushroom Biology and Mushroom Products*. (pp 261-266). Hong Kong: The Chinese University Press.
- Chihara, G., Maeda, Y., Hamuro, J., Sasaki, T. and Fukuoka, F. (1969). Inhibition of mouse sarcoma 180 by polysaccharides from *Lentinus edodes* (Berk.) Sing. *Nature*, **222**, 687-688.
- Choi, Y., Lee, S.M., Chun, J., Lee, H.B. and Lee, J. (2006). Influence of heat treatment on the antioxidant activities and polyphenolic compounds of Shiitake (*Lentinus edodes*) mushroom. *Food Chemistry*, **99**, 381-387.
- Christen, Y. (2000). Oxidative stress and Alzheimer disease. *The American Journal of Clinical Nutrition*, **71**, 621-629.
- Ciapetti, G., Granchi, D., Verri, E., Savarino, L., Cavedagna, D., Pizzoferrato, A. (1996). Application of a combination of neural red and amino black staining for rapid, reliable cytotoxicity testing of biomaterials. *Biomaterials*, **17**, 1259–1264.
- Cimerman, N.G. (1999). Medicinal value of the genus *Pleurotus* (Fr.) P. Karst. (Agaricales s.l., Basidiomycetes) *International Journal of Medicinal Mushrooms*, **1**, 69-80.
- Corner, E.J.H. (1996). The agaric genera *Marasmius*, *Chaetocalathus*, *Crinipellis*, *Heimiomyces*, *Resupinatus*, *Xerula* and *Xerulina* in Malesia. *Beiheft Nova Hedwigia*, **111**, 1-175.
- Cui, J and Chisti, Y. (2003). Polysaccharopeptides of *Coriolus versicolor*: physiological activity, uses, and production. *Biotechnology Advances*, **21**, 109–122.
- Dedeyan, B., Klonowska, A., Tagger, S., Tron, T., Iacazio, G., Gil, G., and Le Petit, J. (2000). Biochemical and molecular characterization of a laccase from *Marasmius quercophilus*. *Applied and Environmental Microbiology*, **66**, 925-929.

- Desjardin, D.E. (2000). *Strobilurus diminutivus*: a new species from Montane California, USA. In Micologia 2000 (Eds.), *Associazione Micologica Bresadola* (pp. 137-142). Grafica Sette: Brescia, Italy.
- Desjardin, D.E. and Ovrebo, C.L. (2006). New species and new records of *Marasmius* from Panama. *Fungal Diversity*, **21**, 19-39.
- Devasagayam, TPA., Tilak, J.C., Boloor, K.K., Sane, Ketaki. S, Ghaskadbi, Saroj S, Lele, RD. (2004). "Free Radicals and Antioxidants in Human Health: Current Status and Future Prospects". *Journal of Association of Physicians of India (JAPI)*, **52**, 796.
- Di Matteo, V., and Esposito, E. (2003). Biochemical and therapeutic effects of antioxidants in the treatment of Alzheimer's disease, Parkinson's disease, and amyotrophic lateral sclerosis. *Current Drug Target CNS and Neurological Disorder*, **2**, 95-107.
- Dinis, T.C.P., Madeira, V.M.C., and Almeida, L.M. (1994). Action of phenolic derivatives (acetoaminophen, salicylate and 5-aminosalicylate) as inhibitors of membrane lipid peroxidation and as peroxy radical scavengers. *Archives of Biochemistry and Biophysics*, **315**, 161-169.
- Diplock, A.T. (1997). Will the good fairies please prove us that vitamin E lessens human degenerative diseases?. *Free Radical Research*, **27**, 511-532.
- Diplock, A.T., Charleux, J.L., Crozier-Willi, G., Kok, F.J., Rice-Evans, C., Roberfroid, M., Stahl, W. and Vina-Ribes, J. (1998). Functional food science and defence against reactive oxidative species. *British Journal of Nutrition*, **80**, 77-112.
- Dorman, H.J.D., Peltoketo, A., Hiltunen, R. and Tikkanen, M.J., (2003). Characterization of the antioxidant properties of deodourised aqueous extracts from selected *Lamiaceae* Herbs. *Food Chemistry*, **83**, 255-262.
- Droge, W. (2002). Free radicals in the physiological control of cell function. *Physiology Review*, **82**, 47-95.
- Dube, H.C. (1978). A textbook of Fungi, Bacteria and Viruses. Vikas publishing House PVT LTD.
- Duh, P.D., (1998). Antioxidant activity of burdock (*Arctium lappa* Linne): Its scavenging effect on free-radical and active oxygen. *Journal of the American Oil Chemist's Society*, **75**, 455-461.
- Duh, P.D., Tu, Y.Y. and Yen, G.C. (1999). Antioxidant activity of water extract of Harnng Jyur (*Chrysanthemum morifolium* Ramat). *Lebensm.-Wiss. u-Technology*, **32**, 269 - 277.
- Elmastas, M and Gulcin, I. (2006). Radical scavenging activity and antioxidant capacity of bay leaf extracts. *Journal of the Iranian Chemical Society*, **3**, 258 - 266.
- Eisenbrand, G. (2002). Methods of *in vitro* toxicology. *Food and Chemical Toxicology*, **40**, 193-236.

- Fabian, K., Anke, T and Sterner, O. (1999). 6,9-dihydroxy-3(15)-caryophyllen-4,8-dione-a new antibiotic from a *Marasmius* species. *Zeitschrift für Naturforschung*, **54**, 469 - 473.
- Fautz, R., Husein, B. and Hechenberger, C. (1991). Application of the neutral red assay (NR assay) to monolayer cultures of primary hepatocytes: Rapid colorimetric viability determination for the unscheduled DNA synthesis test (UDS). *Mutation Research*, **253**, 173-179.
- Flora, S.D. and Ferguson, L.R. (2005). Overview of mechanism of cancer chemopreventive agents. *Mutations Research/Fundamental and Molecular Mechanisms of Mutagenesis*, **591**, 8-15.
- Fotakis, G. and Timbrell, J.A. (2006). *In vitro* cytotoxicity assays: Comparison of LDH, neutral red, MTT and protein assay in hepatome cell lines following exposure to cadmium chloride. *Toxicology Letters*, **160**, 171-177.
- Frankel, E.N. (1991). Recent advances in lipid oxidation. *Journal of Science of Food and Agriculture*, **54**, 495–511.
- Frenkel, E.P. (2003). Overview of cancer. In Beers, M.H., Fletcher, A.J., Jones, T.V., Porter, R., Berkwits, M. and Kaplan, J.L. (Eds.), *The Merck Manual of Medical Information (2<sup>nd</sup> Home Edition)* (pp. 1031-1034). United States of America: Merck Research Laboratories.
- Galli, F., Piroddi, M., Annetti, C., Aisa, C., Floridi, E. and Floridi, A. (2005). Oxidative stress and reactive oxygen species. *Contribution on Nephrology*, **149**, 240-260.
- Gazzani, G., Papetti, A., Massolini, G., Daglia, M. (1998). Anti- and prooxidant activity of water soluble components of some common diet vegetables and the effect of thermal treatment. *Journal of Agricultural and Food Chemistry*, **46**, 4118-4122.
- Geran, R.I., Greenberg, N.H., Macdonald, M.M., Schumacher, A.M. and Abbott, B.J. (1972). Protocols for screening chemical agents and natural products against animal tumors and other biological systems. *Cancer Chemotherapy Reports*, **3**, 1-103.
- Gilliam, M.S. (1975). *Marasmius* section *Chordales* in the Northeastern United States and Canada. *Contributions from the University of Michigan Herbarium*, **11**, 25-40.
- Goli, A.M., Barzegar, M. and Sahari, M. (2005). Antioxidant activity and total phenolic compounds of pistachio (*Pistachia vera*) hull extracts. *Food Chemistry*, **92**, 521-525.
- Gordon, M.H. (1990). The mechanism of the antioxidant action in vitro. In B.J.F. Hudson (Eds.), *Food Antioxidants* (pp. 1-8). London/New York: Elsevier Applied Science.
- Gray, D.A., Clarke, M.J., Baux, C., Bunting, J.P. and Salter, A.M. (2002). Antioxidant activity of oat extracts added to human LDL particles and in free radical trapping assays. *Journal of Cereal Science*, **36**, 209–218.

- Gulcin, I., Kufrevioglu, O.I., Oktay, M. and Buyukokuroglu, M.E. (2004). Antioxidant, anti-microbial, anti-ulcer and analgesic activities of nettle (*Urtica dioica* L.). *Journal of Ethnopharmacology*, **90**, 205-215.
- Gulcin, I. (2006a). Antioxidant activity of caffeic acid (3,4-dihydroxycinnamic acid). *Toxicology*, **217**, 213-220.
- Halliwell, B. (1991). The biological activity of free radicals and other reactive oxygen species. In O.I. Aruoma, & B. Halliwell (Eds.), *Free radicals and food additives* (pp. 37-57). London: Taylor & Francis Ltd.
- Halliwell, B. (2007). Biochemistry of oxidative stress. *Biochemical Society Transactions*, **35**, 1147-50.
- Hawksworth, D.L. (2001). Mushrooms: the extent of the unexplored potential. *International Journal of Medicinal Mushrooms*, **3**, 333–340.
- Hazama, S., Oka, M., Yoshino, S., Iizuka, N., Wadamori, K., Yamamoto, K., Hirazawa, K., Wang, F., Ogura, Y., Masaki, Y., Gan, To Kagaku, Ryoho. (1995). Clinical effects and immunological analysis of intraabdominal and intrapleural injection of lentinan for malignant ascites and pleural effusion of gastric carcinoma, *Cancer Chemotherapy*, **22**, 1595-1597.
- Hobbs, C. (1995). *Medicinal Mushrooms: An Exploration of Tradition, Healing and Culture*. California: Botanica Press. Medicinal mushrooms as a source of antitumour.
- Hou, Zang., Sang, S., You, H., Lee, M.J., Hong, J., Chin, K.V. and Yang, C.S. (2005). Mechanism of action of (-)-epigallocatechin-3-gallate: auto-oxidation-dependent inactivation of epidermal growth factor receptor and direct effects on growth inhibition in human esophageal cancer KYSE 150 cells. *Cancer Research*, **65**, 8049-8056.
- Houghton, P.J. and Raman, A. (1998). *Laboratory handbook for the fractionation of natural extracts*. London: Chapman and Hall.
- Hsu, C.L. and Chen, W. (2003). Chemical composition, physical properties, and antioxidant activities of yam flours as affected by different drying methods. *Food Chemistry*, **83**, 85–92.
- Huang, L.C., Chen, C.-C. and Mau, J.-L. (1999). Antioxidant properties of *Agaricus blazei*. In *Proceedings of the third international conference on mushroom biology and mushroom products*, 266–274.
- Huang, L.C. (2000). Antioxidant properties and polysaccharide composition analysis of *Antrodia camphorata* and *Agaricus blazei*. Master's thesis, National Chung-Hsing University, Taichung, Taiwan.
- Huang, G.W. (2003). Taste quality and antioxidant and antimutagenic properties of *Pleurotus citrinopileatus*. Master's Thesis, National Chung-Hsing University, Taichung, Taiwan.
- Ingold, C.T. and Hudson, H.J. (1995). *The Biology of Fungi*. 6<sup>th</sup> edition. London: Chapman and Hall.

- Jin, Y., Zhang, L., Zhang, M., Chen, L., Cheung, P.C. KC Oi, V.E.C., Lin, Y. (2003). Antitumour activities of heteropolysaccharides of *Poria cocos* mycelia from different strains and culture media. *Carbohydrate Research*, **338**, 1517-1521.
- Jose, N., and Janardhanan, KK. (2000) Antioxidant and antitumor activity of *Pleurotus florida*. *Current Science*, **79**, 941-943.
- Jung, C.H., Maeder, V., Funk, F., Frey, B., Sticher, H., Frosserd, E. (2003). Release of phenols from *Lupinus albus l.* roots exposed to Cu and their possible role in Cu detoxification. *Plant Soil*, **252**, 301.
- Kaul, R., WuBo., Goluszko, E. and Christadoss, P. (1997). Experimental autoimmune myasthenia gravis induction in B10.BV8S2 transgenic mice: Preferential usage of TCR AV1 gene by lymphocytes responding to acetylcholine receptor. *Journal of Immunology*, **158**, 600-612.
- Kaul, T.N. (2002). *Biology and conservation of Mushrooms*. USA: Science Publishers, Inc.
- Kavanagh, F., Hervey, A., and Robbins, W.J. (1949). Antibiotic substances from basidiomycetes. IV. *Maramius conigenus*. *Proceedings of the National Academy of Science U.S.A*, **35**, 343-349.
- Kehrer, J.P. (2000). The Haber-Weiss reaction and mechanism of toxicity. *Toxicology*, **149**, 43-50.
- Kitzbeiger, C.S.G., Artur, Smania, Jr., Rozangela, C.P. and Sandra Regina S.F. (2007). Antioxidant and antimicrobial activities of Shiitake (*lentinus edodes*) extracts obtained by organics solvents and supercritical fluids. *Journal of Food Engineering*, **80**, 631-638.
- Kleinsmith, L.J. (2006). Principles of cancer biology. United States of America: Pearson Education Inc.
- Kupka, J., Anke, T., Giannetti, B-M. and Steglich, W. (1983). Antibiotics from basidiomycetes. *Archives of Microbiology*, 223-227.
- Kuzuhara, T., Suganuma, M. and Fujiki, H. (2008). Green tea catechin as a chemical chaperone in cancer prevention. *Cancer Letters*, **261**, 12-20.
- Lavi, I., Friesem, D., Garesh, S., Hadar, Y. and Schwartz., B. (2006). An aqueous polysaccharides extracts from edible mushrooms *Pleurotus ostreatus* induces anti-proliferative and pro-apoptotic effects on HT-29 colon cancer cells. *Cancer Letters*, **244**, 61-70.
- Lee, I.K., Kim, Y.S., Jang, Y.W., Jung, J.Y. and Yun, B.S. (2007). New antioxidant polyphenols from the medicinal mushroom *Inonotus obliquus*. *Bioorganic and Medicinal Chemistry Letters*, **17**, 6678-6681.
- Li, J., W.-H. and Vederas, J.C. (2009). Drug Discovery and Natural Products: End of An Era or An Endless Frontier?. *Science*, **325**, 161-165.

- Lin, H.C. (1999). *Evaluation of taste quality and antioxidant properties of edible and medicinal mushrooms*. Master's thesis, National Chung-Hsing University, Taichung, Taiwan.
- Lin, Z.B. and Zhang, H.N. (2004). Anti-tumour and immunoregulatory activities of *Ganoderma lucidum* and its possible mechanisms. *Acta Pharmacologica Sinica*, **25**, 1387-95.
- Liochev, S.I. and Fridovich, I. (1999). Superoxide and iron: Partners in crime, *IUBMB life*, **48**, 157-161.
- Lo, S.-H. (2005). Quality evaluation of *Agaricus bisporus*, *Pleurotus eryngii*, *Pleurotus ferulae* and *Pleurotus ostreatus* and their antioxidant properties during postharvest storage. Master's Thesis, National Chung-Hsing University, Taichung, Taiwan.
- Lodge, J.D., Chapela, I., Samuels, G., Uecker, F.A., Desjardin, D., Horak, E., Miller, Jr. O.K., Hennebert, G.L., Decock, C.A., Ammirati, J., Burdsall, Jr., H.H., Krik, P.M., Minter, D.W., Hailing, R., Laessoe, T., Mueller, G., Huhndorf, S., Oberwinkler, F., Pegler, D.N., Spooner, B., Peterson, R.H., Rogers, J.D., Ryvarden, L., Watling, R., Turnbull, E. and Whalley, A.J.S. (1995). A Survey of Patterns of Diversity in Non-Lichenized Fungi. *Mitt. Eidgenöss. Forsch. anst. Wald Schnee Landsch*, **70**, 157-173.
- Lopez, B.E., Shinyashiki, M., Han, T.H. and Fukuto, J.M. (2007). Antioxidant actions of nitroxyl (HNO). *Free Radical Biology and Medicine*, **42**, 482-291.
- Lim, G.C.C. and Halimah, Y. (2004). Second report of the National Cancer of Registry. Cancer Incidence in Malaysia 2003. National Cancer of Registry. Kuala Lumpur
- Lindequist, U., Niedermayer, T.H.J., and Jülich, W.-D., (2005). The pharmacological potential of mushrooms. *Evidence-based Complementary and Alternative Medicine*, **2**, 285–299.
- Lippard S.J. and Berg, J.M. (1994). “Principles of Bioinorganic Chemistry” University Science Books: Mill Valley, CA.
- Lullman-Rauch, R., (1979). Drug induced lysosomal storage disorders. In; Dingle, J.T., Jaques, P.J., Shaw, I.H. (Eds.), *Lysosomes in Applied Biology and Therapeutics*, vol 6. (pp. 49-130). Amsterdam: North-Holland Publications.
- Marinova E. M. and Yanishlieva N. V. (1997), Antioxidative activity of extracts from selected species of the family Lamiaceae in sunflower oil. *Food Chemistry*, **58**, 245-248.
- Martin-Moreno, J.M., Soerjomataram, I. and Magnusson, G. (2008). Cancer causes and prevention: A condensed appraisal in Europe in 2008. *European Journal of Cancer*, **44**, 1390-403.
- Matheny, P. B., Curtis, J. M., Hofstetter, V., Aime, M. C., Moncalvo, J. M., Ge, Z. W., Yang, Z. L., Slot, J. C., Ammirati, J. F., Baroni, T. J., Bougher, N. L., Hughes, K. W., Lodge, D. J., Kerrigan, R. W., Seidl, M. T., Aanen, D. K., DeNitis, M., Daniele, G. M., Desjardin, D. E., Kropp, B. R., Norvel, L. L., Parker, A., Vellinga, E. C., Vilgalys, R.



- and Hibbett, D. S. (2006). Major clades of Agaricales: a multilocus phylogenetic overview. *Mycologia*, **98**, 982-995.
- Matthew, S., and Abraham, E.T. (2006). Studies on the antioxidant activities of cinnamon (*Cinnamin verum*) bark extracts, through various in vitro models. *Food Chemistry*, **94**, 520-528.
- Mau, J.-L., Lin, H.C. & Song, S.F. (2002). Antioxidant properties of several specialty mushrooms. *Food Research International*, **35**, 519-526.
- Mau, J.-L., Chang CN, Huang SJ, Chen CC. (2004). Antioxidant properties of methanolic extracts from *Grifola frondosa*, *Morchella esculenta* and *Termitomyces albuminosus* mycelia. *Food Chemistry*, **87**, 111-8.
- Miles, P.G., and Chang, S.T. (1997). Mushroom Biology: *Concise Basics and Current Developments*. (pp. 161-175). World Scientific Press.
- Miller, B. (2005). Antioxidants. Malaysia: Oak Publication.
- Mizuno, T. (1999). The extraction and development of antitumour-active polysaccharides from medicinal mushrooms in Japan. *International Journal of Medicinal Mushrooms*, **1**, 9-29.
- Mizuno, T. and Zhuang, C. (1995). Houbitake, *Pleurotus sajor-caju*: Antitumor activity and utilization. *Food Reviews International*, **11**, 185-187.
- Mueller, H., Kassack, M. U. and Wiese, M. (2004). Comparison of the usefulness of the MTT, ATP, and calcein assays to predict the potency of cytotoxic agents in various human cancer cell lines. *Journal of Biomolecular Screening*, **9**, 506-515.
- Mujic, I., Zekovic, Z., Lepojevic, Z., Vidovic, S. and Zivkovic, J. (2010). Antioxidant properties of selected edible mushroom species/antioksidativne osobine odabranih jestivih gljiva. *Journal of Central European Agriculture*, **4**, 387-392.
- Moncalvo, J.M., Vilgalys, R., Redhead, S.A., Johnson, J.E., James, T.Y., Aime, M.C., Horstetter, V., Verduin, S.J.W., Larsson, E., Baroni, T.J., Thorn, R.G., Jacobsson, S., Cléménçon, H. and Miller, Jr. O.K. (2002). One hundred and seventeen clades of eugarics. *Molecular Phylogenetics and Evolution*, **23**, 357-400.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin Journal of Science. Technology*, **26**, 211-219.
- Noguchi, N. and Niki, E. (1999). Chemistry of active oxygen species and antioxidants. In Papas, A.M, (Eds.), *Antioxidant status, diet, nutrition, and health*. (pp. 3-20). Boca Raton, Florida: CRC Press.
- Oyaizu, M. (1986). Studies on product of browning reaction prepared from glucose amine. *Japanese Journal of Nutrition*, **44**, 307-315.
- Ooi, V.E.C. & Liu, F. (2000). Immunomodulating and anticancer activity of polysaccharide-protein complexes. *Current Medicinal Chemistry*, **7**, 715-729.

- Pappa, A., Franco, R., Schoneveld, O., Galanis, A., Sandaltzopoulos, R. and Panayiotidis, M.I. (2007). Sulfur containing compounds in protecting against oxidant mediated lung diseases. *Current Medicinal Chemistry*, **14**, 2590-2596.
- Parkin, D.M., Bray, F., Ferlay, J. and Pisani, P. (2001). Estimating the world cancer burden: Globocan 2000. *International Journal of Cancer*, **94**, 153-6.
- Patel, R. M. and Patel, N. J. (2010). *In vitro* cytotoxicity screening of coumarin compounds on Hep2 cancer cell line. *International Journal of Pharmaceutical Research*, **2**, 88-99.
- Pitot, H.C. (2002). Fundamentals of oncology (4<sup>th</sup> Ed.). New York; Marcel Dekker Inc.
- Prior, R.L., Wu, X. and Schaich, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*, **53**, 4290-4302.
- Radi, R., Cassina, A., Hodara, R., Quijano, C. and Castro, L. (2002b). Peroxynitrite reactions and formation in mitochondria. *Free Radical Biology Medical* **33**, 1451–1464.
- Reddivari, L., Vanamala, J., Chintharlapalli, S., Safe, S. H. & Miller Jr, J. C. (2007). Anthocyanin fraction from potato extracts is cytotoxic to prostate cancer cells through activation of caspase-dependent and caspase independent pathways. *Carcinogenesis*, **28**, 2227-2235.
- Reddy, L., Odhav, B. and Bhoola, K.D. (2003). Natural products for cancerprevention: A global perspective. *Pharmacology & Therapeutics*, **99**, 1-13.
- Reshetnikov, S.V., Wasser, S.P. and Tan, K.K. (2001). Higher Basidiomycetes as a source of antitumour and immunostimulating polysaccharides (Review). *International Journal of Medicinal Mushrooms*, **3**, 361-394.
- Riddell, R. J., Panacer, D.S., Wilde, S.M., Clothier, R.H. and Balls, M. (1986). The importance of exposure period and cell type in *in vitro* cytotoxicity tests. *Alternatives to Laboratory Animals*, **14**, 86-92.
- Ross, R. (1999). Atherosclerosis – An inflammatory disease. *New England Journal of Medicine*, **340**, 115-126.
- Sakanaka, S., Tachibana, Y., Ishihara, N. and Juneja, L.R. (2004). Antioxidants activity of egg yolk protein hydrolysates in a linoleic acid oxidation system. *Food Chemistry*, **86**, 99-103.
- Schyman, P., Eriksson, L.A., Zhang, R.B. and Laaksonen, A. (2008). Hydroxyl radical thymine adduct induced DNA damages. *Chemical Physics Letters*, **458**, 186-189.
- Serafini, M. (2006). The role of antioxidants in disease prevention. *Medicine*, **34**, 533-535.
- Silva Sueli Oliveira, Costa Sandra Maria Gomes da, Clemente Edmar. (2002). Chemical composition of *Pleurotus pulmonarius* (Fr.) Quél., substrates and residue after cultivation. *Brazilian Archives of Biology and Technology*, **45**, 531-535.

- Singer, R. (1986). *The Agaricales in modern taxonomy*. Koeltz Scientific Books, Germany.
- Singh, N., and Rajini, P. S. (2003). Free radical scavenging activity of an aqueous extract of potato peel. *Food Chemistry*, **85**, 611-616.
- Simic, M.G. (1998). Mechanism of inhibition of free radical processed in mutagenesis and carcinogenesis. *Mutation Research*, **202**, 377-386.
- Souri, E., Amin, G., Sharifabadi, A.D., Nazifi, A. and Farsam, H. (2004). Antioxidative activity of sixty plants from Iran. *Journal Pharmacology of Respiratory*, **3**, 55-59.
- Sporring, S., Bøwadt, S., Svensmark, B., and Björklund, E. (2005). Comprehensive comparison of classic soxhlet extraction with soxtec extraction, ultrasonication extraction, supercritical fluid extraction, microwave assisted extraction and accelerated solvent extraction for the determination of polychlorinated biphenyls in soil. *Journal of Chromatography A*, **1090**, 1-9.
- Steele, VE. (2003). Current mechanistic approaches to the chemoprevention of cancer. *Journal of Biochemistry and Molecular Biology*, **36**, 78-81.
- Suay, I., F. Arenal, F.J., Asensio, A. Basilio M.A., Cabello, M.T. Diez, J.B. Garcia, A.G. del Val, J. Gorrochategui, P. Hernandez, F. Pelaez and M.F. Vicente. (2000). Screening of basidiomycetes for antimicrobial activities, *Antonie Van Leeuwenhoek*, **78**, 129-139.
- Suffness M., Pezzuto J. M. (1991). *Methods in Plant Biochemistry*, R. Hostetmann. Academic Press, New York, **6**, 71-133.
- Tsai, S.-Y., Huang, S.-J., & Mau, J.-L.. (2006). Antioxidant properties of hot water extracts from *Agrocybe cylindracea*. *Food Chemistry*, **98**, 868-875.
- Tsao, AS., Kim, ES. and Hong, WK. (2004). Chemoprevention of cancer. *Cancer Journal for Clinicians*, **54**, 150-80.
- Tshinyangu, K.K., (1996). Effect of grass hay substrate on nutritional value of pleurotus ostreatus var. colombinus. *Die Nahrung*, **40**, 79-83.
- Yee-Shin Tan, Dennis E. Desjardin, S. Vikineswary and Noorlidah Abdullah. (2007). New species and mating studies of *Marasmius* from Malaysia. *Fungal Diversity*, **25**, 187 - 217.
- Yen G, C. and Duh, P. D., (1994). Scavenging effect of methanolic extracts of peanut hulls on free-radical and active-oxygen species. *Journal of Agricultural and Food Chemistry*, **42**, 629.
- Yang, QY., Jong, SC., Li, XY., Zhou, JX., Chen, RT., Xu, LZ.(1992). Antitumor and immunomodulating activities of the Polysaccharide-Peptide (Psp) of *Coriolus versicolor*. *Eos-Riv Immunol*. **12**, 29-34.
- Yildirim A., Mavi A., Oktay M., Kara A.A., Algur O.F., Bilaloglu V. (2000). Comparison of antioxidant and antimicrobial activities of *Tilia* (*Tilia argentea* Desf ex

- DC), sage (*Salvia triloba* L.), and Black tea (*Camellia sinensis*) extracts. *Journal of Agricultural and Food Chemistry*, **48**, 5030-5034.
- Wang, L. and Weller, C.L. (2006). Recent advances in extraction of nutraceuticals from plants. *Trends in Food Science & Technology*, **17**, 300-312.
- Wang, S. Y. and Zheng, W. (2001). Effect of plant growth temperature on antioxidant capacity in strawberry. *Journal of Agricultural and Food Chemistry*, **49**, 4977-4982.
- Waris, G., Ahsan, H. (2006). Reactive oxygen species: Role in the development of cancer and various chronic conditions. *Journal of Carcinogenesis*, **5**, 14.
- Wasser, S.P. & Weis A.L. (1999). Therapeutic effects of substances occurring in higher basidiomycetes mushrooms: A modern perspective. *Critical Reviews in Immunology*, **19**, 65-96.
- Wasser, S. P. and Weis A.L. (1999c). Therapeutic effects of substances occurring in Higher Basidiomycete mushrooms: a modern prespective. *Critical Review Immunology*, **19**, 65-96.
- Wasser, S.P. and Weis, A.L. (1999). General description of the most important medicinal higher Basidiomycetes mushroom. *International Journal of Medicinal Mushrooms*, **1**, 351-370.
- Wasser, S. P., Nevo, E., Sokolov, D., Reshetnikov, S.V. and Timor-Tismenetsky, M. (2000). Dietary supplement from medicinal mushrooms: Diversity of types and variety of regulations. *International Journal of Medicinal Mushroom*, **2**, 1-20.
- Wasser, S.P. (2002). Medicinal mushrooms as a source of antitumour and immunomodulating polysaccharides. *Applied Microbiology Biotechnology*, **60**, 258-274.
- Wasser, SP., Akavia, E. (2008). Regulatory issues of mushrooms as functional foods and dietary supplements: safety and efficacy. In: Cheung PCK (Eds.), *Mushrooms as functional foods*. (pp. 199-221). New York: Wiley
- Wei, H. (1992). Activation of oncogenes and/or inactivation of anti-oncogenes by reactive oxygen species. *Medical Hypotheses*, **39**, 267-277.
- Weinstein, B. (1988). The Origins of Human Cancer: Molecular Mechanisms of Carcinogenesis and Their Implications for Cancer Prevention and Treatment. *Cancer Research*, **48**, 4135-4143.
- Weston, A. and Harris, C.C. (2000). Chemical Carcinogenesis. *Cancer Medicine* (pp. 185-194). BC Decker, Hamilton
- Weyermann, J., Lochmann, D., and Zimmer, A. (2005). A practical note on the use of cytotoxicity assays. *International Journal of Pharmaceutical*, **288**, 369-376.
- Wilson, A.W. and Desjardin, D.E. (2005). Phylogenetic relationships in the gymnopoid and marasmiod fungi (Basidiomycota, euagarics clade). *Mycologia*, **97**, 667-679.

Valko, M., Izakovic, M., Mazur, M., Rhodes, C.J. and Telser J. (2004). Role of oxygen radicals in DNA damage and cancer incidence. *Molecular and Cellular Biochemistry*, **266**, 37-56.

Valko, M., Leibtritz D., Moncol J., Crono M.T.D Maizur M. and Telser J., (2007). Free radicals and antioxidants in normal physiological functions and human disease. *International Journal of Biochemistry and Cell Biology*, **39**, 44-84.

Velioglu, Y.S., Mazza, G., L. Gao, and B. D. Oomah., (1998). Antioxidant activity and total phenolics in selected fruits, vegetables and grain products. *Journal Agricultural Food Chemistry*, **46**, 4113–4117.

Vimala, S., Adenan, M.I., Ahmad, A.R. and Shahdan, R. (2003). Nature's choice to wellness: Antioxidant vegetables /ulam (Siri Alam dan Rimba No. 7). Kuala Lumpur: *Forest Research Institute Malaysia*.

Vimala, S. (2008). Antioxidant activity in *Piper sarmentosum* and *Morinda elliptica*. Unpublished Phd thesis, University of Malaya, Kuala Lumpur.