

REFERENCES

- Arbouzova, N., MP., Z. and JAK/STAT. (2006). signalling in *Drosophila*: insights into conserved regulatory and cellular functions. *Development*, 133: 2605-2616.
- Arockiaraja, J., Vanarajaa, P., Easwvarana, S., Singhb, A., Alinejaid, T., Othmana, R., Yasmin. and Bhassu, S. (2011). Gene profiling and characterization of arginine kinase-1 (MrAK-1) from freshwater giant prawn (*Macrobrachium rosenbergii*). *Fish & Shellfish Immunology*, 31.
- Bell, T.A, Lightner and D.V. (1984). IHHN virus: infectivity and pathogenicity studies in *Penaeus styliostris* and *Penaeus vannamei*. . *Aquaculture*, 38: 185–194.
- Bessman, S. P. and Carpenter, C. L. (1985). The creatine-creatine phosphate energy shuttle. *Annu. Rev. Biochem*, 54: 831-862.
- Bonami, J.-R., Trumper, B., Marl, J., Brehelin, M. and Lightner, D. V. (1990). Purification and characterization of the infectious hypodermal and haematopoietic necrosis virus of penaeid shrimps. *Journal of General Virology*, 71: 2657--2664.
- Califord, H. C. (1998). In Book of Abstracts: Aquaculture '98. World Aquaculture Society.
- Candiano, G., Bruschi, M., Musante, L., Santucci, L., Ghiggeri, G., Carnemolla B and Orecchia P, Z. L., Righetti PG. (2004). Blue silver: a very sensitive colloidal coomassie G-250 staining for proteome analysis. *Electrophoresis.*, 25(9): 1327-1333.
- Carpenter, N. and Brock, J. A. (1992). Growth and survival of virus-infected and SPF *Penaeus vannamei* on a shrimp farm in Hawaii. . 285-293.
- Chayaburakul, K., Lightner, D. V., Sriurairattana, S., Tang, K. F. and Withyachumnarnkul, B. (2005). Different responses to infectious hypodermal and hematopoietic necrosis virus (IHHNV) in *Penaeus monodon* and *Penaeus vannamei*. *Disease of Aquatic Organisms*, 67: 191-200.
- Chen, C.-H. and Lehnisger, A. (1973). Respiration and Phosphorylation by Mitochondria from the Hepatopancreas of the Blue Crab (*Callinectes sapidus*). *Archives of Biochemistry and Hiophysics*, 154: 449-459.
- Chia, Y. H., Po C. Chuang, Li C. Chen, Chien Tu, Maw S. Chien, Kwo C. Huang, Hui F. Kao, Ming C. Tung and Shinn S. Tsai. (2006). Infectious hypodermal and haematopoietic necrosis virus (IHHNV) infections in giant freshwater prawn, *Macrobrachium rosenbergii*. *Aquaculture*, 258: 73–79.

- Chongsatja, P.-O., Bourchokarn, A., Lo, C. F., Thongboonkerd, V. and Krittanai, C. (2007). Proteomic analysis of differentially expressed proteins in *Penaeus vannamei* hemocytes upon Taura syndrome virus infection. *Proteomics*, 7: 3592-3601.
- Cotmore, S. F. and Tattersall, P. (1987). The autonomously replicating parvoviruses of vertebrates. *Advances in Virus Research* 33: 91-174.
- Cox, J. A. (1990). Calcium vector protein and sarcoplasmic calcium binding proteins from invertebrate muscle. In: Dedman, J.R., Smith, V.L. (Eds.), *Stimulus-Response Coupling: The Role of Intracellular Calcium*. 83-107.
- Decker, Schweikardt T and F, T. (2006). The first crystal structure of tyrosinase: all questions answered? *Angewandte Chemie International Edition*, 45: 4546-4550.
- Decker H, Ryan M, Jaenicke E and Terwilliger N. (2001). SDS induced phenoloxidase activity of hemocyanins from *Limulus polyphemus*, *Eurypelma californicum* and *Cancer magister*. *The Journal of Biological Chemistry*, 276: 17796-17799
- Dhar, A. K., Dettori, A., Roux, M. M., Klimpel, K. R. and Read, B. (2003). Identification of differentially expressed genes in shrimp (*Penaeus stylirostris*) infected with White spot syndrome virus by cDNA microarrays. *Arch Virology*, 148: 2381-2396.
- FAO/NACA/UNEP/WB/WWF. (2006). *Thailand*, 20 pp: Bangkok.
- Fenn, J., Mann, M., Meng, C., Wong, S. and CM., W. (1989). Electrospray ionization for mass spectrometry of large biomolecules. *Science*, 246(4926): 64-71.
- Flegel, T. W. (1997). Special topic review: Major viral diseases of the black tiger prawn (*Penaeus monodon*) in Thailand. *World Journal of Microbiology & Biotechnology*, 13: 433-442.
- Gabriel, A. and Felipe, A. (2000). Infectious disease in shrimp species with aquaculture potential. *Recent development in microbiology*, 4: 333-348.
- Gao, Y., MGillen, C. and Wheatly, M. G. (2006). Molecular characterization of the sarcoplasmic calcium-binding protein (SCP) from crayfish *Procambarus clarkii*. *Comparative Biochemistry and Physiology*, 144(B): 478-487.
- Garfin, D. (2005). Two-dimensional gel electrophoresis: an overview. *Trends in Analytical Chemistry* 22(5): 263-272.
- Görg, A., Obermaier, C., Boguth, G., Harder A, Scheibe B, wildgruber R and W., W. (2002). The current state of two-dimensional electrophoresis with immobilized pH gradients. *Electrophoresis*, 21(6): 1037-1053.

- Hazreen Nita, M. K., Kua, B. C., Bhassu, S. and Rofina, Y. O. (2011). Detection and genetic profiling of infectious hypodermal and hematopoietic necrosis virus (IHHNV) infections in wild berried freshwater prawn, *Macrobrachium rosenbergii* collected for hatchery production. . *Molecular Biology Reports*, In Press.
- Henry, R. P. (1984). The role of carbonic anhydrase in blood ion and acid-base regulation. *Am. Zool*, 24: 241-253.
- Henry, R. P. (1988a). Subcellular distribution of carbonic anhydrase activity in the gills of the blue crab, *Callinectes sapidus*. *Journal of experimental Zoology*, 245: 1-8.
- Heukeshoven, J. and Dernick, R. (1985). Simplified method for silver staining of proteins in polyacrylamide and the mechanism of silver staining. *Electrophoresis*, 6: 103-112.
- Hoffmann, J. A. (2003). The immune response of *Drosophila*. *Nature America Inc*, 426: 33-38.
- Imler, J. and Hoffmann, J. (2000). Signaling mechanisms in the antimicrobial host defence of *Drosophila*. *Current Opinion in Microbiology*, 3: 16-22
- Jaenicke and Decker. (2004). Functional changes in the family of type 3 copper proteins during evolution. *Chem Bio Chem*, 5: 163-176
- Jimenez, R., Barniol, R., De Barniol, L. and Machuca, M. (1999). Infection of IHHN virus in two species species of cultured penaeoid shrimp *Litopenaeus vannamei* (Boone) and *Liopenaeus stylirostris* (Stimpson) in Ecuador during El Nino 1997-98. *Aquaculture Research*, 30: 695-705.
- Jinkang Zhang, Fuhua Li, Hao Jiang, YangYu, ChengzhangLiu, Shihao Li, Bing Wang and Jianhai Xiang. (2010). Proteomic analysis of differentially expressed proteins in lymphoid organ of *Fenneropenaeus chinensis* response to *Vibrio anguillarum* stimulation. *Fish & Shellfish Immunology*, 29: 186-194.
- Kalagayan, G., Godin, D., Kanna, R., Hagino, G., Sweeney, J., Wyban, J., Brock, J. and Rommelaere. (1991). IHHN virus as an etiological factor in runt-deformity syndrome of juvenile *Penaeus vannamei* cultured in Hawaii. *Journal of World Aquaculture*, 22: 235-243.
- Kanchanapum, Wongteerasupaya, Sitidilokratana, Boonsaeng, Panyim, Tassanakajon, Withyachumnarnkul and TW, F. (1998). Experimental transmission of white spot syndrome virus (WSSV) from crabs to shrimp *Penaeus monodon*. *disease in aquatic organisms*, 34(1): 1-7.
- Karas, M. and Hillenkamp, F. (1988). Laser desorption ionization of proteins with molecular masses exceeding 10,000 daltons. . *Analytical Chemistry*, 60(20): 2299-2301.

- Kawai, T. and Akira, S. (2006). Innate immune recognition of viral infection. *Natural Immunology*, 7: 131-137.
- Klose, J. (1975). Protein mapping by combined isoelectric focusing and electrophoresis of mouse tissues. A novel approach to testing for induced point mutations in mammals. *Humangenetik*, 26(3): 231-243.
- Kumar, S., Ahamed VPI, Sarathi M, Basha AN and S., H. A. (2008). Immunological responses of *Penaeus monodon* to DNA vaccine and its efficacy to protect shrimp against white spot syndrome virus (WSSV). *Fish and Shellfish Immunology*, 24: 467-478.
- Kwong Qi Bin, Liu Hang, Nita Hazreen and Bhassu., S. (2011). Global Differential Transcriptomics Expression Analysis in IHHNV-infected *Macrobrachium rosenbergii* using High-throughput Sequencing. *Fish & Shellfish Immunology*.
- Lan, Y., Xu, X., Yang, F. and Zhang, X. (2006). Transcriptional profile of shrimp white spot syndrome virus (WSSV) genes with DNA microarray. *Arch of Virology*, 151: 1723-1733.
- Leulier, F., Parquet, C., Pili-Floury, S, Ryu, J, Caroff, M, Lee, W, Mengin-Lecreulx D and Lemaitre, B. (2003). The *Drosophila* immune system detects bacteria through specific peptidoglycan recognition. *Nat Immunol*, 4: 478-484.
- Levy, F., Bulet, P. and Ehret-Sabatier, L. (2004). Peptidomic and Proteomic analysis of the systemic immune response of *Drosophila*. *Mol Cell Proteomics*, 3: 156-166.
- Lightner. (1996a). A Handbook of Pathology and Diagnostic Procedures for Diseases of Penaeid Shrimp. *World Aquaculture Society*. Baton Rouge, LO(Baton Rouge USA).
- Lightner, A. V., Redman, E. M. and Bell, T. A. (1983a). Infectious Hypodermal and Hematopoietic Necrosis, a newly recognized virus of Penaeid shrimp. *Journal of Invertebrate pathology*, 42: 62-70.
- Lightner, D. V. (1996b). Epizootiology, distribution and the impact on international trade of two penaeid shrimp viruses in the Americas. *Revue scientifique et technique journal* 15: 579-601.
- Lightner, D. V., Redman, R. M. and Bell, T. A. (1983b). Infectious hypodermal and hematopoietic necrosis: a newly recognized virus disease of penaeid shrimp. *J. Invertebr. Pathol*, 42: 62-80.
- Ling., S. W. and Merican., A. B. O. (1961). Notes on the life and habits of the adult and larval stages of *Macrobrachium rosenbergii* (De Man). *Proceeding of the Indo-Pacific Fisheries council*, 9(2): 55-60.

- Liu, H., Jiravanichpaisal, P., Soöderha, I., Cerenius, L. and Soderha, K. (2006). Antilipopolsaccharide Factor interferes with white spot syndrome virus replication in vitro and in vivo in the crayfish *Pacifastacus leniusculus*. *Journal of Virological Methods*, 80: 10365-10371.
- Liu, H., Soöderha, K. and Jiravanichpaisal, P. (2009). Antiviral immunity in crustaceans. *Fish & Shellfish Immunology*.
- Liu, W., Chang YS, Wang AH, Kou GH and CF., L. (2007). White spot syndrome virus annexes a shrimp STAT to enhance expression of the immediate-early gene ie1. *Journal of Virology*, 81: 1461-1471.
- Loh, p., Tapay, L., Lu, Y. and Nadala, E. (1997). Viral pathogens of the penaeid shrimp. *Advances in Virus Research*, 48: 263-312.
- Lotz, J. M. (1997). Special topic review: viruses, biosecurity and specific pathogenfree stocks in shrimp aquaculture. *World Journal of microbiology and biotechnology*, 13: 405-413.
- Macarthur, D. and Jacques, N. (2003). Proteome analysis of oral pathogen. *J Dent Res*, 82(11): 870-876.
- Mantel, L. H. and Farmer, L. L. (1983). Osmotic and ionic regulation. In: Mantel, L.H. (Ed.), *The Biology of Crustacea. Internal Anatomy and Physiological Regulation*, 5: 54-162.
- Matoba, Y., Kumagai T, Yamamoto A, Yoshitsu H and M, S. (2006). Crystallographic evidence that the dinuclear copper center of tyrosinase is flexible during catalysis. *J Biol Chem*, 281: 8981-8990
- McDonald, W. and Yates, J. (2000). Proteomic tools for cell biology. *Traffic*, 1(10): 747-754.
- Medzhitov, R. and Janeway , J. (2002). Decoding the patterns of self and nonself by the innate immune system. *Science* 296: 298-300.
- Morales-Covarrubias, M. S., Nunan, L. M., Lightner, D. V., Mota-Urbina, J. C., Garza-Aguirre, M. C. and Chaves-Sanchez. (1999). Prevalence of infectious hypodermal and hematopoietic necrosis virus (IHHNV) in wild adult blue shrimp *Penaeus stylirostris* from the northern Gulf of California, Mexico. *Journal of Aquatic Animal Health* 11: 296-301.
- Nägele, E., M, V., P, H. and C, V. (2004). 2D-LC/MS techniques for the identification of proteins in highly complex mixtures. *Expert Rev Proteomics*, 1(1): 37-46.
- Nunan, L., Poulos, B. and Lightner, D. (2000). Use of Polymerase Chain Reaction for the Detection of Infectious Hypodermal and Hematopoietic Necrosis Virus in Penaeid Shrimp. *Marin Biotechnology*, 2(4): 319-328.

- O'Farrell PH. (1975). High resolution two-dimensional electrophoresis of proteins. *Journal of Biological Chemistry*, 250(10): 4007-4021.
- Obalino, J., Browdy CL, Prior S, Metz A, Parnell P and Gross P, e. a. (2004). RInduction of antiviral immunity by double-stranded RNA in a marine invertebrate. . *Journal of Virology*, 78: 10442-10448.
- Pan, J., Kurosky A, Xu B, Chopra AK, Coppenhaver DH and Singh IP. (2000). Broad antiviral activity in tissues of crustaceans. *Antiviral Research*, 48: 39-47.
- Panicker RC and Chattopadhaya S, Y. S. (2006). Advanced analytical tools in proteomics. *Anal Chim Acta*, 556(1): 69-79.
- Patricia Palagi, Patricia Hernandez, DanielWalther and Appel., R. D. (2006). Proteome informatics I: Bioinformatics tools for processing experimental data. *Proteomics*, 6: 5435-5444.
- Patterson, S. and RH, A. (2003). Proteomics: the first decade and beyond. *NatGenet.*, 33: 311-323.
- Pineda, A., Jr. and Ellington, W. R. (1998). Immunogold transmission electron microscopic localization of arginine kinase in arthropod mitochondria. *Journal of experimental zoology*, 281: 73-79.
- Prayno, S. and Latchford, J. (1995). Experimental infectious of crustaceans with luminious bacteria resulted to Photobacterium and Vibrio. Effect of salinity and pH on infectiousity. *Aquaculture*, 132: 105-112.
- Primavera, J. H. and Quintio, E. T. (2000). Runt-deformity syndrome in cultured giant tiger prawn *Penaeus monodon*. *Journal of Crustaceab Biology*, 20: 769-802.
- Rattanarojpong, T., Wang, H.-C., Lo, C.-F. and Flegel, T. W. (2007). Analysis of differently expressed proteins and transcripts in gills of *Penaeus vannamei* after yellow head virus infection. *Proteomics*, 7: 3809-3814.
- Reddy, P. S. and Sainath, S. B. (2009). Hyperglycemic hormone in freshwater prawn *Macrobrachium rosenbergii*: Purification from eyestalk nervous tissue and quantification by ELISA in hemolymph following various stresses. *Aquaculture*, 286: 290-295.
- Regenmortel, M. V. (2000). *Virus Taxonomy: Seventh Report Of The International Committee On Taxonomy Of Viruses (Hardcover)*: Academic Press.
- Roeking, S., Nielsen, L., Owens, L., pattanakitsakul, S., Malasit, P. and Flegel, T. W. (2002). Comparison of penaeid shrimp and insect parvoviruses suggests that viral transfers may occur between two distantly related arthropod groups. . *virus research*, 87: 79-89.

- Rojtinnakorn, J., Hirono I, Itami T, Takahashi Y and T., A. (2002). Gene expression in haemocytes of kuruma prawn, *Penaeus japonicus*, in response to infection with WSSV by EST approach. *Fish and Shellfish Immunology*, 13: 69-83.
- Ronnie Tan and Toh, Y. K. (2011). FishMall(Malaysian Fisheries Society). 19.
- Rosenfield, J., capdevielle, J. and Guillemot JC, F. P. (1992). In-gel digestion of proteins for internal sequence analysis after one or two-dimensional gel electrophoresis. *Analytical Biochemistry* 203(1): 173-179.
- Roy, L. A., Davis, D. A., Saoud, I. P. and Henry, R. P. (2007). Branchial carbonic anhydrase activity and ninhydrin positive substances in the Pacific white shrimp, *Litopenaeus vannamei*, acclimated to low and high salinities. *Comparative Biochemistry and Physiology*, 147(Part A): 404-411.
- Samulski, R. J., Srivastava, A., Berns, K. I., and Muzyczka, N. (1983). Rescue of adeno-associated virus from recombinant plasmids: Gene correction within the terminal repeats of AAV. *Cell*, 33: 135-143.
- Shevchenko, A., Wilm, M., Vorm O and Mann, M. (1996). Mass spectrometric sequencing of proteins silver-stained polyacrylamide gels. *Analytical Chemistry*, 68(5): 850-858.
- Shike, H., Dhar, A. K., Burns, J. C., Shimizu, C., Jousset, F. X., Klimpel, K. R. and Bergoin, M. (2000). Infectious Hypodermal and Hematopoietic Necrosis Virus of Shrimp Is Related to Mosquito Brevdensoviruses. *Virology*, 277: 167±177.
- Söderhäll, K. and Cerenius, L. (1998). Role of prophenoloxidase-activating system in invertebrate immunity. *Current Opinion Immunology*, 10: 23-28.
- Somboonwiwat, K., Chaikerasitak, V., Wang, H.-C., Lo, C. F. and Tassanakajon¹, A. (2010). Proteomic analysis of differentially expressed proteins in *Penaeus monodon* hemocytes after *Vibrio harveyi* infection. *Proteome Science*.
- Steinberg, T., Chernokalskaya, E., Berggren K, L. M., Diwu Z, Haugland RP, and WF., P. (2000). Ultrasensitive fluorescence protein detection in isoelectric focusing gels using a ruthenium metal chelate stain. *Electrophoresis*, 21(3): 486-496.
- Steven Cockrill, Kelly L. Foster and Justin Wildsmith. (2010). MALDI-TOF MS Analysis of Proteins by an Enhanced, Rapid Guanidination Procedure. *Sigma-Aldrich Biotechnology*.
- Sudhakaran, R., Parameswaran, V. and Hameed, A. S. S. (2007). In vitro replication of *Macrobrachium rosenbergii* nodavirus and extra small virus in C6/36 mosquito cell line. *Journal of Virological Methods*, 146: 112-118.

- Sung, H.-H. and Ye, Y.-Z. (2009). Effect of nonylphenol on giant freshwater prawn (*Macrobrachium rosenbergii*) via oral treatment: Toxicity and messenger RNA expression of hemocyte genes. *Aquatic Toxicology*, 91: 270-277.
- Susan, C. F. and attersall, P. (1989). A genome-linked copy of the NS-1 polypeptide is located on the outside of infectious parvovirus particles. *Journal of Virology*, 63: 3902-3911.
- Suzuki, T., Kawasaki, Y., Furukohri, T. and Ellington, W. R. (1997). Evolution of phosphagen kinase. VI. Isolation, characterization and cDNA-derived amino acid sequence of lombricine kinase from the earthworm *Eisenia foetida*, and identification of a possible candidate for the guanidine substrate recognition site. *Biochimica et Biophysica Acta*, 1348: 152-159.
- Switzer, R., Merril, C. and S, S. (1979). A highly sensitive silver stain for detection of proteins and peptides in polyacrylamide gels. *Anal Biochem*, 76(6): 1223- 1243.
- Takagi, T. and Konishi, K. (1984a). Amino acid sequence of alpha chain of sarcoplasmic calcium binding protein obtained from shrimp tail muscle. *Biochem Biophys Res Commun*, 95: 1603-1615.
- Takagi, T. and Konishi, K. (1984b). Amino acid sequence of the beta chain of sarcoplasmic calcium binding protein (SCP) obtained from shrimp tail muscle. *Journal of Biochemistry*, 96: 59-67.
- Tang, K. F., Durand, S., White, B. L., Redman, R. M., Pantoja, C. R. and Lightner, D. V. (2000). Postlarvae and juveniles of a selected line of *Penaeus stylirostris* are resistant to infectious hypodermal and hematopoietic necrosis virus infection. *Aquaculture*, 190: 203-210.
- Tattersall, P. and Ward, D. C. (1976). Rolling hairpin model for replication of parvovirus and linear chromosomal DNA. *Nature America Inc*, 263: 106-109.
- Terrier, B., Degand, N., Guilpain, P., Servettaz, A., Guillevin, L. and Mouthon, L. (2007). Alpha-enolase: A target of antibodies in infectious and autoimmune diseases. *Autoimmunity*, 6: 176-182.
- Terwilliger, N. (1999). Hemolymph proteins and molting in crustaceans and insects. *Amer Zool*, 39: 589-599.
- Terwilliger, N. B. (2011). Hemocyanins and the immune response: defense against the dark arts. *oxfordjournals*.
- Vago, C., Meynardier, G. and Duthoit, J. L. (1964). Etude d'un nouveau type de maladie a virus chez les lepidopteres. *Ann. Epiphyties*, 15: 475-479.

- Vanacker, J. M. and Rommelaere, J. (1995). Non-structural proteins of autonomous parvoviruses: From cellular effects to molecular mechanisms. *Seminars in Virology*, 6: 291-297.
- Vierstraete., E., Cerstiaens., A., Baggerman., G., G Van den Bergh, Loof., A. D. and Schoofs., L. (2003). Proteomics in *Drosophila melanogaster*: first 2D database of larval hemolymph proteins. *Biochem Biophys Res Commun* 304(4): 831-838
- Walker, J. M. (2002). The Protein Protocols Handbook. *University of Hertfordshire, Hatfield, UK*.
- Walliman, T., WYSS, M., BRDICZKA, D., NICOLAY, K. and EPPENBERGER, H. M. (1992). Intracellular compartmentation, structure and function of creatine kinase isoenzymes in tissues with high and fluctuating energy demands: the 'phosphocreatine circuit' for cellular energy homeostasis. *Biochem. Journal*, 281: 21-40.
- Wang, H.-C., Wang, H.-C., Leu, J.-H., Kou, G.-H., Wang, A. H.-J. and Lo, C.-F. (2007). Protein expression profiling of the shrimp cellular response to white spot syndrome virus infection. *Developmental and Comparative Immunology*, 31: 672-686.
- Weber , F., Wagner V, Rasmussen SB, Hartmann R and SR., P. (2006). Doublestranded RNA is produced by positive-strand RNA viruses and DNA viruses but not in detectable amounts by negative-strand RNA viruses. *Journal of Virology*, 80: 5059-5064.
- Weimin, M. and Xianping, G. (2002). Freshwater prawn culture in China: an overview. *Freshwater Fisheries Research Centre, Chinese Academy of Fishery Sciences, Wuxi, China 21408*.
- Wilkins , M., Sanchez JC, Gooley AA, A. R., Humphery-smith I, Hochstrasser DF and KL., W. (1996). Progress with proteome projects: why all proteins expressed by a genome should be identified and how to do it. *Biotechnol Genet Eng Rev*, 13: 19-50.
- Withyachumnarnkul, B., Chayaburakul, K., Lao-Aroon, S., Plodpai, P., Sritunyalucksana and K. and Nash, G. (2006). Low impact of infectious hypodermal and hematopoietic necrosis virus (IHHNV) on growth and reproductive performance of *Penaeus monodon*. *Disease of Aquatic Organisms*, 69: 129-136.
- Wnuk, W. and Jauregai-Adell, J. (1983). Polymorphism in high affinity calcium binding proteins from crustacean sarcoplasm. *European Journal Biochemistry*, 131: 177-182.
- Yates, J. (1998). Mass spectrometry and the age of proteome. *J Mass Spectrum*, 33(1): 1-19.

- Yeh, S.-P., Liu, K.-F., Chiu, S.-T., Jian, S.-J., Cheng, W. and Liu, C.-H. (2009). Identification and cloning of a selenium dependent glutathione peroxidase from giant freshwater prawn, *Macrobrachium rosenbergii*. *Fish & Shellfish Immunology*, 27: 181-191.
- Zhao, Z., Yin ZX, Weng SP, Guan HJ, Li SD and Xing K. (2007). Profiling of differentially expressed genes in hepatopancreas of white spot syndrome virusresistant shrimp (*Litopenaeus vannamei*) by suppression subtractive hybridisation. *Fish and Shellfish Immunology*, 22: 520-534.