

REFERENCES:

- Adam, C.G., 1965. The foraminifera and stratigraphy of the Melianu Limestone, Sarawak, and its importance in Tertiary correlation. *Quart. J. Geol. Soc. London*, **121**. pp. 283-338.
- Adams, A.E., Mackenzie, W.S., Guilford, C., 1984. Atlas of sedimentary rock under the microscope. Longman Scintific & Technical. 104pp.
- Allen, J.R.L., 1964, Primary current lineation in the Lower Old Red Sandstone (Devonian), Anglo-Welsh Basin: *Sedimentology*, v. 3, p. 89-108.
- Agostinelli, E., Raisuddin bin Ahmad Tajuddin, M., Antonielli, E. and bin Mohd. Aris, M., 1990. Miocene–Pliocene palaeogeographic evolution of a tract of Sarawak offshore between Bintulu and Miri. *Bull. Geol. Soc. Malays.* **27**, pp. 117–135
- Aguirre et al., 2000 J. Aguirre, R. Riding and J.C. Braga, Diversity of coralline red algae: origination and extinction patterns from the Early Cretaceous to the Pleistocene, *Paleobiology* **26** (2000), pp. 651–667.
- Azman A. Ghani, 1997. Rapid quenched texture in granite porphyry from the Susu Dara Island, Besut, Terengganu. *Warta Geologi*, Vol. **23**, no.6. pp.341-344.
- Bann, K., and Fielding, C.R., 2004. An intergrated Ichnological and sedimentological comparison of non-deltaic shoreface and subaqueous delta deposits in Permian reservoir unites of Australia. In: The application of Ichonology to palaeoenvironmental and stratigraphic analysis. Geological Society London, Special Publications, 228. pp.273-310.
- Barbeito, M. P. (2008). Field note: Field Seminar in West Sarawak, introduction and geology.
- Barker, C. E. & Pawlewicz, M.J., 1994. Calculation of vitrinite-reflectance from thermal histories and peak temperature: a comparison of methods. In: Mukhopadhyay, P.K., Dow, W.G. (Editors), *Vitrinite-Reflectance as a Maturity Parameter*. Am. Chem. Soc. Symp. Ser. 570, pp. 216-229.
- Beavington-Penney, S.J., Racey, A., 2004. Ecology of extant nummulitids and other larger benthic foraminifera: applications in paleoenvironmental analyses. *Earth Science Reviews*, 67, pp. 219-265.
- Berggren, W.A., Kent, D.V., Swisher, C.C., and Aubry, M.P., 1995. A revised Cenozoic geochronology and chronostratigraphy. In: Berggren, W.A., Kent,

- D.V., Aubry, M.P., and Hardenbol, Y. (editors), Geochronology, time scales and stratigraphy correlation. SEPM Special Publications, no, 54.pp.129-212.
- Berggren, W.A. and Pearson, P.N., 2005. A revised tropical to subtropical Paleogene planktonic foraminiferal zonation. *Journal of Foraminiferal Research* 35:279-298.
- Blatt, H., Middleton, G., Murray, R., 1972. Origin of sedimentary rocks. Prentice-Hall Inc, Eaglewood Cliff, 634pp.
- Boggs, S., 1992. Petrology of sedimentology and stratigraphy. Blackwell Science, 355pp.
- Bolli, H.M., Saunders, J.B., and Perch-Nielsen, K., 1985. Plankton stratigraphy. Vol. 1. Cambridge Press. pp. 599.
- Bouma, Arnold H. (1962) Sedimentology of some Flysch deposits: A graphic approach to facies interpretation, Elsevier, Amsterdam, 168 pp.
- Boudagher-Fedel, M.K., 2008. Evolution and geological significance of Larger Benthic Foraminifera. Elsevier Publication. 540pp.
- Brönnimann, P. (1952). Globigerinoita and Globigerinatheka, new genera from the Tertiary of Trinidad., B.W.I. Contrib. Cush. Found. Foram. Res., vol. 3, Part.1.
- Buatois, L.A., and Mangano, M.G., 2004. Animal-substrate interactions in freshwater environments: applications of ichnology in facies and sequence stratigraphic analysis of fluvio-lacustrine successions. In: McIlroy, D. (editor), The application of Ichnology to palaeoenvironmental and stratigraphic analysis. Geological Society London, Special Publications, 228.pp.311-333.
- Carozzi, A.V., and Von-Bergen, D., 1987. Stylolitic porosity in carbonates: a critical factor in deep hydrocarbon production. *Jounal of Petroleum Geology*, 10.pp. 267-282.
- Chappell, B.W., and White, A.J.R., 1974, Two contrasting granite types: Pacific Geology, v. 8, pp. 173-174.
- Dewey J. F.(1982) Plate tectonics and the evolution of the British Isles. *Journal of the Geological Society, London* 139, pp371–412.
- Dodd, J.R., Stanton, R.J., 1990. Paleoecology, Concepts and Applications. Wiley, New York, 502 pp.
- Doornink, H.W., 1932. Tertiary Nummulitidas from Java Verh Geologigy, Mijnb. Gen. Geol. Seve. D1, IX, 267pp.

- Dunham, R. J., 1962, Classification of Carbonate rocks according to their depositional texture. In: W. E. Ham (editor), Classification of Carbonate Rocks: Tulsa. OK, AAPG Memoir 1, p. 108-121.
- Eames et al., 1962 F.E. Eames, F.T. Banner, W.H. Blow and W.J. Clarke, Fundamentals of Mid-Tertiary Stratigraphical Correlation, Cambridge Univ. Press (1962), p. 163.
- El-ghali, M.A.K., H., S. Morad, G. Ajdanlijsky, N. Oleg and I.S. Al-Aasm, 2009. Distribution of diagenetic alterations in fluvial sandstones within depositional facies and sequence stratigraphic framework: evidence from the Petrohan terrigenous group, lower Triassic, NW Bulgaria, Marine and Petroleum Geology **26** (2009), pp. 1212–1227.
- Ellis, B.F., and Messina, A.R., 1966. Catalogue of index foraminifera. The American Museum of Natural History, 180pp.
- Flint et al., 1960 R.F. Flint, J.E. Sanders and J. Rodgers, Symmictite: A name for nonsorted terrigenous sedimentary rocks that contain a wide range of particle sizes, Bulletin Geological Society America **71** (1960), pp. 507–510
- Folk, R. L., 1959, Practical petrographic classification of limestones: American Association of Petroleum Geologists Bulletin, v. 43, pp. 1-38.
- Folk, R. L., 1962, Spectral subdivision of limestone types: Classification of carbonate Rocks. AAPG. Memoir 1, pp. 62-84
- Frey et al., 1978 R.W. Frey, J.D. Howard and W.A. Pryor, Ophiomorpha: its morphologic, taxonomic, and environmental significance, Palaeogeography, Palaeoclimatology, Palaeoecology **23** (1978), pp. 199–229.
- Friedman, G.M., and Sander, J.E., 1978. Principles of sedimentology. New York: Wiley & Sons, 702pp.
- Frondel, C., and Klein, C. (1965) Exsolution in franklinite. American Mineralogist, 50, I 67f 1 680.
- Fuller, M., Ali, J.R., Moss, S.J., Frost, G.M., Richter, B., and Mahti, A., 1999. Paleomagnetism of Borneo. Journal Asian Earth Science, **17**, pp. 3-24.
- Ghosh, A.K., 2002. Cenozoic coralline algal assemblage from southwestery Kutch and its importance in palaeoenvironment and palaeobathymetry. Current Science, Vol. 83, no.2. pp.153-158.

- Goldring, R. & Pollard, J.E. 1995. A re-evaluation of Ophiomorpha burrows in the Wealden Group (Lower Cretaceous) of southern England. *Cretaceous Research* **16**, 665-80.
- Haber, F.C., 1959, The Age of the World: Moses to Darwin. Johns Hopkins University Press.
- Haile, N.S., 1974. Borneo. In: Spencer, A.M. (editor), Mesozoic – Cenozoic orogenic belts: Data for Orogenic studies. Geological Society of London, Special Publication, **4**, pp. 333-347.
- Haq, B.U. and A. Boersma, (eds.). 1978. Introduction to Marine Micropaleontology. Elsevier, New York. 376 pp.
- Hazebroek, H.P., and Tan, D.N.K., 1993. Tertiary tectonic evolution of the NW sabah continental margin. *Tectonic Framework and Energy Resources of the Western Margin of the Pasific Masin*. Geological Society Malaysia, Bulletin, **33**, b pp.195-210.
- Hazebroek, H.P., Tan, D.N.K., Swinburn, P., 1994. Tertiary evolution of the offshore Sarawak and Sabah Basins, NW Borneo (Abstract). In: AAPG Int. Conf. Ex., Kuala Lumpur, 21–24 August 1994. AAPG Bull., vol. 78, pp. 1144–1145.
- Hallock, P., and Glenn, E.C., 1986. Larger foraminifera: a tool for paleoenvironmental analysis of Cenozoic depositional facies. *Palaios*, 1.pp. 55-64.
- Hottinger, L., Romeoro, J., Caus, E., 2001. Architecture and revision of the Pellatispirines, Planispiral cancelliferous foraminifera from the Late Eocene Tethys. *Micropaloentology*, Vol. **47**, supplement no.**2**. pp.35-77.
- Hutchison, C.S., 1989. Geological evolution of South-East Asia. Oxford University Press, England. 368pp.
- Hutchison, C.S., 2005. Geology of North-West Borneo – Sarawak, Brunei and Sabah. Oxford University Press, England. 421pp.
- Hutchison, C.S. (2007). Geological Evolution of South-East Asia (second edition). Geological Society of Malaysia, Kuala Lumpur, 433p.
- Ismail Che Mat Zin, 1999. Tertiary tectonic model of North-West Borneo. Geological Society Malaysia, Bulletin, **45**. pp.411-442.
- Ismail Che Mat Zin, 2000. Stratigraphic Position of the Rangsi Conglomerate in Sarawak. *Warta geologi*, **26**(5), pp.174-175.

- Ismail Che Mat Zin, 1996. Tectonic evolution and sedimentation history of Sarawak Basin. Bulletin of the Geological Society of Malaysia, 41, pp.41-52.
- James, N. P., 1984, Reefs in Facies Models, Ed. R.G. Walker, Geological Association of Canada, p. 229-244.
- Jarke, J., 1960. Beitrag zur kenntnis der Foraminiferenfauna der mittleren und westlichen Bavents-see: internat, Rev. Gesamten Hydrobiologie, Vol.45, no.4, pp. 581-654.
- Kamaludin Hassan, 2004. Cenozoic. In: Lee, C. P., Mohd. Shafeea Leman, Kamaludin Hassan, Bohari Md. Nasib & Rashidah Karim (Editor), Stratigraphic Lexicon of Malaysia, pp.124-125. Geological Society of Malyasia.
- Keighley, D. G. & Pickerill, R. K. 1994. The ichnogenus Beaconites and its distinction from Ancorichnus and Taenidium. Palaeontology 37,p. 305–337.
- Keith, H.D., and Padden, F.J., 1963. A phenomenological theory of spherulitic crystallization, J. Appl. Phys. 34, pp. 2409–2421.
- Kirk, H.J.C., 1957. The geology and mineral resources of the Upper Rajang and adjacent areas. Geological Survey Department, British Territories in Borneo, memoir 8.
- Leake, S.A., 1990. Interbed storage changes and compaction models of regional groundwater flow. Water Resources Research 26, pp. 1939–1950.
- Leong, K. M. (1971). Peridotite-gabbro problems, with special reference to the Segama Valley and Darvel Bay area, Sabah, East Malaysia. GeoI. Soc, Malaysia News lett. 28, 4-13
- Less .G., 1987. Paleontology and stratigraphy of the European Orthophragmina, Geologica Hungarica, Series Paleontologica 51, pp. 49–373.
- Less, G., 1993. Numeric chracterization of “Orhthophragmina” populations. Acta Geologica Hungarica, 35(2).pp. 193-215.
- Liechti, P., Roe, F. W. and Haile, N. S., 1960. The geology of Sarawak, Brunei and the western part of North Borneo. Geol. Suv. Bull.,3 vol.1, 360pp.
- Littler, M.M., Littler, D.S., Blair, S.M., and Norris, J.N., 1986. Deep sea reservoir. Vol.33,pp.881-892.
- Lunt, P., and Allan, T., 2004. A history and application of larger foraminifera in Indonesian biostratigraphy, calibrated to isotopic dating. The Meseum of the GRDC, Bandung,pp.267.

- MacEachem, J.A., Raychauduri, I., And Pemberton, S.G., 1992. Stratigraphic applications of the Glorifungites Ichnofacies:delineating discontinuities in the rock record. In: Pemberton, S.G. (editor), applications of Ichonology to petroleum exploitation. Society of Economic Paleontologists and Mineralogists, Core worshops, 17.p. 169-198.
- Mazlan b. Hj. Madon, 1999. Geological setting of Sarawak. The petroleum geology and resource of malaysian, Petroliam Nasional Berhad (petronas), Kuala Lumpur. p. 413-426.
- McBride, E.F., 1963. A Classification of common sandstones. Journal Sedimentary Petrology , **34**,pp. 665-667.
- McKee, E. D.,1957. Primary structures in some recent sediments, Amer. Assn. Petrol. Geol. Bull., **41**, pp.1704- 1747.
- McIlroy, D., 2004. Some Ichnological concepts, methodologies, applicational frontiers. In: McIlroy, D. (editor), the application of Ichnology to Palaeoenvironmental and stratigraphic analysis. Geological Society London, Special Publication, 228,pp.3-27.
- Mechmeche, R., and Toumarkine, M., 1983. La Formation Sonar dans la region de Bou Arada. Tunisie Premier Congres National des Schince de la Terre Tunism 1981. Actes du Congres (in press).
- Moghazi, A.M., 2003. Geochemistry and petrogenesis of a high-K calc-alkaline Dakhan Vocanic suite, South Safaga area, Egypt: The role of late Neoproterozoic crustal extension. Precambrian Research 125, pp. 161-178.
- Morad, S., Ketzer, J.M., and DeRos, L.F., 2000. Spatial and temporal distribution of diagnosis alteration in siliciclastic rocks: implications for mass transfer in sedimentary basins. Sedimentology, Vol.47,pp. 95-120.
- Murray, J.W., 1991. Ecology and paleoecology of Benthic foraminifera. Longman Scientific & Technical,pp. 397.
- National Mapping Malaysia, 1973. Topography map: Balingian-Tatau and Bintulu area. Scale:1:50,000. Sheet 2/112/3, 2/112/4, 2/112/7, and 2/113/8. Director of National Mapping, Malaysia.
- Nichols, G., 1999. Sedimentology and stratigraphy. Blackwell Science, 355pp.
- Nockolds, S.R., Knox, R.W.O'B, and Chinner, G.A., 1978. Petrology for students. Cambridge University Press, Cambridge. 435pp.

- Orton and Reading, 1993 G.J. Orton and H.G. Reading, Variability of deltaic processes in terms of sediment supply, with particular emphasis on grainsize, *Sedimentology* **40** (1993), pp. 475–512.
- Ozcan, E., Less, G., Baldi-Beke, M., Kollanyi, K., Kertesz and Botond, 2007. Biometric of middle and upper Eocene Discocyclinidae and Orbitoclypeidae (foraminifera) from Turkey and updated Orthophragmone zonation in the Western Tethys. *Micropaleontology*, Vol. **52**, no.6. pp. 485-520.
- Pearce, J.A., Harris, N.B.W., Tindle, A.G., 1984. Trace element discrimination diagrams for the tectonic interpretation of granitic rocks. *Journal Petrology*, 25, pp.956-983.
- Pearce, J.A., 1996. Sources and settings of granitic rocks. *Episodes* 19, pp. 120-125.
- Pebrina Puspa Sari, 2008. Evaluation of petroleum source rock on coals and coaly sediments of Bintulu. Unpublished BSc. Thesis, University of Malaya, 140pp.
- Pemberton, S.G., MacEachern, J.A., and Frey, R.W., 1992. Trace fossil facies models:environmental and allostratigraphic significance. In: Walker, R.G., and James, N. (editors), *Facies models: respond to sea level change*. Geological Association of Canada. pp.47-72.
- Pettijohn, F. J., 1957, *Sedimentary Rocks*, Harper and Row, Second Edition. 78pp.
- Pettijohn, F. J., 1975. *Sedimentary Rocks*, 3rd edition. Harper and Row Publishers, New York. 628 p.
- RACEY, A. (1994): Biostratigraphy and palaeobiogeographic significance of Tertiary Nummulitids (Foraminifera) from Northern Oman. *Micropalaeontology and Hydrocarbon Exploration in the Middle East* (M.D.SIMMONS, Ed.), 343-370, Chapman and Hall.
- RACEY, A. (2001): A review of Eocene Nummulite accumulations: structure, formation and reservoir potential. *Journal of Petroleum Geology*, 24 (1), pp. 79-100.
- Reineck, H.-E. and Singh, I.B., 1975, *Depositional sedimentary environments, with reference to terrigenous clastics*: New York, Springer Verlag, 439 pp.
- Schlanger, S.O., 1964. Petrology of the limestones of Guam. U.S. Geological Survey Professional Paper,430, U.S. Government Printing Office, Washington. 50pp.
- Schmidke, E.A., Fuller, M.D., and Haston, R.B., 1990. Paleomagnetism data from Sarawak, Malaysia (Borneo) and the Late Mesozoic and Cenozoic tectonics of Sundaland. *Tectonics*, **9**, pp. 123-140.

- Scholle, P. A. 1979. A Color Illustrated Guide to Constituents, Textures, Cements, and Porosities of Sandstones and Associated Rocks. Am. Asso. Petrol. Geol. Memoir 28. 201, pp. 360
- Selley, R.C., 1992. Applied sedimentology. Harcourt Brace Jovanovich. 446pp.
- Seiders and Blome, 1988. V.M. Seiders and C.D. Blome, Implications of upper Mesozoic conglomerate for suspect terrane in western California and adjacent areas. Geol. Soc. Am. Bull. **100** (1988), pp. 374–391.
- Sexton, P.F., Wilson, P.A., and Pearson, P.N., 2006. Paleoecology of late middle Eocene planktic foraminifera and evolutionary implications. Marine Micropaleontology, 20.pp. 1-16.
- Shanley, K.W., and McCabe, P.J., 1994. Perspectives on the sequence stratigraphy of continental strata. AAPG bulletin, 78.pp.544-568.
- Shuntaro, H. & Rosoul, H., 2005. Fault seal analysis in Temana Field, offshore Sarawak, Malaysia. Am. Assoc. Petr. Geo., memoir 85.
- Simon, J.B., Kenneth, P., 2001. GRASISTAT: a grain size distribution and statistics package for the analysis of unconsolidated sediments. Earth Science Processes and Landform, Mandeville, Vol. 26, pp.1237-1248.
- Singh, I.B., 1972. On the bedding in the natural leve and the point bar deposits of the Gomti river, UP, India. Sedimentary Geology 7: 309-317.
- SRTM, 2011. Shutter Radar Topographic Mission: The Mission to Map the World. NASA Jet Propulsion Laboratory. <http://geology.um.edu.my/gsmpublic/SRTM/>, assessed, assessed January 2011.
- Swanson, S.E., Naney, M.T., Westrich, H.R., and Eichelberger, J.C., 1989, Crystallization history of Obsidian Dome, Inyo Domes, California, Bull. Volcan., v. 51, p.161-176.
- Tamura, T., Masuda, F., Sakai, T., and Fujiwara, O., 2003. Temporal development of prograding beach-shoreface deposits: the Holocene of Kujukuri coastal plain, eastern Japan. Marine Geology, 198.pp.191-207.
- Tan, D.N.K., 1979. Lumar Valley, west Sarawak Malaysia. Geological survey of Malaysia Report, **13**.
- Van Straaten, L.M.J.U., 1960. Some recent advances in the study of deltaic sedimentation: Liverpool and Manchester. Geological Journal, vol.2.pp.411-442.

- Van der Werft, W. and Johnson, S., 2003. High resolution stratigraphic analysis of a turbidite system, Tanqua Karoo Basin, South Africa. *Marine & Petroleum Geology*, Vol. 20, Issue 1, P. 45-69.
- Wagner, C.W., 1964. Manual of larger foraminifera: Genetic determination and stratigraphic value. Bataafse Internationale Petroleum Maatschappij, 350pp.
- Warmer, J.E., 1971. Paleoecological aspects of a modern coastal lagoon. University California, Publication Geological Science, Vol.87.131pp.
- Whalen, J.B., Currie, K.I. & Chappell, B.W., 1987. A-type granites:geochemical characteristic, discrimination and petrogenesis. *Contribution to Mineralogy and Petrology* 95, pp.407-419.
- William, P.R., and Harahap, B. H., 1987. Preliminary geochemical and age data for postsubduction intrusive rocks, Northwest Borneo. *Australian Journal Earth Science*, **34**, pp. 405-415.
- William, P.R., Johnston, C.R., Almond, R.A., and Simamora, W.H., 1988. Late Cretaceous to Early Tertiary structural elements of west Kalimantan. *Tectonophysics*, **148**. Pp. 279-297.
- Wolfenden, E.B., 1965. Bau mining district, west Sarawak, Malaysia. Part I: Bau. Geological Survey Borneo Region, Malaysia, Bullentin,**7**.
- Wong Yien Lim, 2008. Petrology and organic geochemistry of coals and sedimentology of the Balingian Formation, Mukah-Balingian, Sarawak. Unpublished BSc. Thesis, University of Malaya, 120pp.
- Xia Kan-yuan and Zhou Di, 1993. The geophysical characteristics and evolution of northern and southern margins of the South China Sea. *Geology Society Malaysia, Bulletin* **33**, pp. 223-240.