

BIBLIOGRAPHY

- Aernouts, T., Geens, W., Poortmans, J., Heremans, P., Borghs, S., & Mertens, R. (2002). Extraction of bulk and contact components of the series resistance in organic bulk donor-acceptor-heterojunctions. *Thin Solid Films*, 403-404, 297-301. doi: 10.1016/s0040-6090(01)01584-x
- Afzali, A., Breen, T. L., & Kagan, C. R. (2002). An Efficient Synthesis of Symmetrical Oligothiophenes: Synthesis and Transport Properties of a Soluble Sexithiophene Derivative. *Chemistry of Materials*, 14(4), 1742-1746. doi: 10.1021/cm011528l
- Al-Faleh, R. S., & Zihlif, A. M. (2011). A study on optical absorption and constants of doped poly(ethylene oxide). *Physica B: Condensed Matter*, 406(10), 1919-1925. doi: 10.1016/j.physb.2011.01.076
- Al-Ibrahim, M., Roth, H. K., Schroedner, M., Konkin, A., Zhokhavets, U., Gobsch, G., et al. (2005). The influence of the optoelectronic properties of poly(3-alkylthiophenes) on the device parameters in flexible polymer solar cells. *Organic Electronics*, 6(2), 65-77. doi: 10.1016/j.orgel.2005.02.004
- Al-Ibrahim, M., Sensfuss, S., Uziel, J., Ecke, G., & Ambacher, O. (2005). Comparison of normal and inverse poly(3-hexylthiophene)/fullerene solar cell architectures. *Solar Energy Materials and Solar Cells*, 85(2), 277-283. doi: 10.1016/j.solmat.2004.08.001
- Alexandrou, G. B., Chrissafis, K., Vasiliadis, L. P., Pavlidou, E., & Polychroniadis, E. K. (2006). SEM Observations and Differential Scanning Calorimetric Studies of New and Sterilized Nickel-Titanium Rotary Endodontic Instruments. *Journal of Endodontics*, 32(7), 675-679. doi: 10.1016/j.joen.2006.01.003
- ALS. (2010). MCA Micro Voltammetry Cell, from <http://www.als-japan.com/1025.html>
- Amelinckx, S., Van Dyck, D., Van Landuyt, J., & Van Tendeloo, G. (1997). *Electron Microscopy: Principles and Fundamentals*. Weinheim: VCH Verlagsgesellschaft mbH.
- Anderson, M. E. (2011). Differential Scanning Calorimetry (DSC) Thermal Analysis, from <http://www.andersonmaterials.com/dsc.html>
- Angulo, G., Kapturkiewicz, A., Palmaerts, A., Lutsen, L., Cleij, T. J., & Vanderzande, D. (2009). Cyclic voltammetry studies of n-type polymers with non-alternant fluoranthene units. *Electrochimica Acta*, 54(5), 1584-1588. doi: 10.1016/j.electacta.2008.09.045
- Arranz-Andrés, J., & Blau, W. J. (2008). Enhanced device performance using different carbon nanotube types in polymer photovoltaic devices. *Carbon*, 46(15), 2067-2075. doi: 10.1016/j.carbon.2008.08.027
- Askeland, D. R., & Phulé, P. P. (2006). *The Science and Engineering of Materials* (Fifth ed.). Ontario: Nelson, Thomson Canada Ltd.

- Auzel, F., Baldacchini, G., Baldacchini, T., Chiacchiaretta, P., & Balaji Pode, R. (2006). Rayleigh scattering and luminescence blue shift in tris(8-hydroxyquinoline)aluminum films. *Journal of Luminescence*, 119-120, 111-115. doi: 10.1016/j.jlumin.2005.12.018
- Baek, W.-H., Yang, H., Yoon, T.-S., Kang, C. J., Lee, H. H., & Kim, Y.-S. (2009). Effect of P3HT:PCBM concentration in solvent on performances of organic solar cells. *Solar Energy Materials and Solar Cells*, 93(8), 1263-1267. doi: 10.1016/j.solmat.2009.01.019
- Bagienski, W., & Gupta, M. C. (2011). Temperature dependence of polymer/fullerene organic solar cells. *Solar Energy Materials and Solar Cells*, 95(3), 933-941. doi: 10.1016/j.solmat.2010.11.026
- Baldacchini, G., Baldacchini, T., Chiacchiaretta, P., Pode, R. B., & Wang, Q. M. (2009). Morphological phase transitions in Alq₃ films. *Journal of Luminescence*, 129(12), 1831-1834. doi: 10.1016/j.jlumin.2009.01.035
- Bao, Z., & Lovinger, A. J. (1999). Soluble Regioregular Polythiophene Derivatives as Semiconducting Materials for Field-Effect Transistors. *Chemistry of Materials*, 11(9), 2607-2612. doi: 10.1021/cm990290m
- Barberis, V. P., & Mikroyannidis, J. A. (2006). Synthesis and optical properties of aluminum and zinc quinolates through styryl substituent in 2-position. *Synthetic Metals*, 156(11-13), 865-871. doi: 10.1016/j.synthmet.2006.05.007
- Bard, A. J., & Faulkner, L. R. (2001). *Electrochemical Methods: Fundamentals and Applications* (Second ed.). New York: John Wiley & Sons, Inc.
- Bass, M., Stryland, E. W. V., Williams, D. R., & Wolfe, W. L. (1995). *Handbook of Optics* (Second ed. Vol. Volume II). New York: Mcgraw-Hill Inc.
- Bazylewski, P. F., Kim, K. H., Forrest, J. L., Tada, H., Choi, D. H., & Chang, G. S. (2011). Side-chain effects on electronic structure and molecular stacking arrangement of PCBM spin-coated films. *Chemical Physics Letters*, 508(1-3), 90-94. doi: 10.1016/j.cplett.2011.04.017
- Benanti, T., & Venkataraman, D. (2006). Organic Solar Cells: An Overview Focusing on Active Layer Morphology. *Photosynthesis Research*, 87(1), 73-81. doi: 10.1007/s11120-005-6397-9
- Bernède, J. C., Derouiche, H., & Djara, V. (2005). Organic photovoltaic devices: influence of the cell configuration on its performances. *Solar Energy Materials and Solar Cells*, 87(1-4), 261-270. doi: 10.1016/j.solmat.2004.06.012
- Bhansali, U. S., Quevedo Lopez, M. A., Jia, H., Alshareef, H. N., Cha, D., Kim, M. J., et al. (2009). Characterization of organic thin films using transmission electron microscopy and Fourier Transform Infra Red spectroscopy. *Thin Solid Films*, 517(20), 5825-5829. doi: 10.1016/j.tsf.2009.03.002
- Bhushan, B. (2010). *Scanning Probe Microscopy in Nanoscience and Nanotechnology*. Heidelberg: Springer-Verlag Berlin.

- Birkholz, M. (2006). *Thin Film Analysis by X-Ray Scattering*. Weinheim: Wiley-VCH Verlag GmbH & Co. KGaA.
- Bogner, A., Jouneau, P. H., Thollet, G., Basset, D., & Gauthier, C. (2007). A history of scanning electron microscopy developments: Towards "wet-STEM" imaging. *Micron*, 38(4), 390-401. doi: 10.1016/j.micron.2006.06.008
- Botta, C., Destri, S., Porzio, W., Bongiovanni, G., Loi, M. A., Mura, A., et al. (2001). Optical properties and photoluminescence of tetrahexyl-sexithiophene allotropes. *Synthetic Metals*, 122(2), 395-399. doi: 10.1016/s0379-6779(00)00404-5
- Bouarissa, N. (2007). Pseudopotential calculations of $\text{Cd}_{1-x}\text{Zn}_x\text{Te}$: Energy gaps and dielectric constants. *Physica B: Condensed Matter*, 399(2), 126-131. doi: 10.1016/j.physb.2007.05.034
- Brabec, C. J. (2004). Organic photovoltaics: technology and market. *Solar Energy Materials and Solar Cells*, 83(2-3), 273-292. doi: 10.1016/j.solmat.2004.02.030
- Brinkmann, M., Gadret, G., Muccini, M., Taliani, C., Masciocchi, N., & Sironi, A. (2000). Correlation between Molecular Packing and Optical Properties in Different Crystalline Polymorphs and Amorphous Thin Films of mer-Tris(8-hydroxyquinoline)aluminum(III). *Journal of the American Chemical Society*, 122(21), 5147-5157. doi: 10.1021/ja993608k
- Bronstein, H., Chen, Z., Ashraf, R. S., Zhang, W., Du, J., Durrant, J. R., et al. (2011). Thieno[3,2-b]thiophene–Diketopyrrolopyrrole-Containing Polymers for High-Performance Organic Field-Effect Transistors and Organic Photovoltaic Devices. *Journal of the American Chemical Society*, 133(10), 3272-3275. doi: 10.1021/ja110619k
- Bull, T. A., Pingree, L. S. C., Jenekhe, S. A., Ginger, D. S., & Luscombe, C. K. (2009). The Role of Mesoscopic PCBM Crystallites in Solvent Vapor Annealed Copolymer Solar Cells. *ACS Nano*, 3(3), 627-636. doi: 10.1021/nn800878c
- Bundgaard, E., & Krebs, F. C. (2007). Low band gap polymers for organic photovoltaics. *Solar Energy Materials and Solar Cells*, 91(11), 954-985. doi: 10.1016/j.solmat.2007.01.015
- Caglar, M., Caglar, Y., & Ilican, S. (2006). The determination of the thickness and optical constants of the ZnO crystalline thin film by using envelope method. *Journal of Optoelectronics and Advanced Materials*, 8(4), 1410-1413
- Cai, W., Gong, X., & Cao, Y. (2010). Polymer solar cells: Recent development and possible routes for improvement in the performance. *Solar Energy Materials and Solar Cells*, 94(2), 114-127. doi: 10.1016/j.solmat.2009.10.005
- Callister, W. D. (2007). *Materials Science and Engineering : An Introduction* (Seven ed.). New York: John Wiley & Sons, Inc.

- Campione, M., Borghesi, A., Moret, M., Sassella, A., Lotz, B., & Thierry, A. (2004). Structural characterisation of polycrystalline [alpha],[omega]-dihexyl quaterthiophene thin films by transmission electron microscopy. *Organic Electronics*, 5(1-3), 141-145. doi: 10.1016/j.orgel.2004.01.003
- Casado, J., Ruiz Delgado, M. C., Hernández, V., López Navarrete, J. T., Hotta, S., Carrique, F., et al. (2004). Study of the ac conductivity of [alpha], [alpha]'-dimethyl sexithiophene in pristine and doped states. *Journal of Non-Crystalline Solids*, 342(1-3), 146-151. doi: 10.1016/j.jnoncrysol.2004.07.011
- Cha, H., Kong, H., Chung, D. S., Yun, W. M., An, T. K., Hwang, J., et al. (2010). Thermally stable amorphous polymeric semiconductors containing fluorene and thiophene for use in organic photovoltaic cells. *Organic Electronics*, 11(9), 1534-1542. doi: 10.1016/j.orgel.2010.06.009
- Chabinyc, M. L., & Salleo, A. (2004). Materials Requirements and Fabrication of Active Matrix Arrays of Organic Thin-Film Transistors for Displays. *Chemistry of Materials*, 16(23), 4509-4521. doi: 10.1021/cm049647z
- Chan, H. S. O., & Ng, S. C. (1998). Synthesis, characterization and applications of thiophene-based functional polymers. *Progress in Polymer Science*, 23(7), 1167-1231. doi: 10.1016/s0079-6700(97)00032-4
- Chemistry, M. E. (date unknown). UV-Visible Spectroscopy, from <http://www2.chemistry.msu.edu/faculty/reusch/VirtTxtJml/Spectrpy/UV-Vis/uvspec.htm#uv1>
- Chen, D., Nakahara, A., Wei, D., Nordlund, D., & Russell, T. P. (2010). P3HT/PCBM Bulk Heterojunction Organic Photovoltaics: Correlating Efficiency and Morphology. *Nano Letters*, 11(2), 561-567. doi: 10.1021/nl103482n
- Chen, L.-M., Hong, Z., Li, G., & Yang, Y. (2009). Recent Progress in Polymer Solar Cells: Manipulation of Polymer:Fullerene Morphology and the Formation of Efficient Inverted Polymer Solar Cells. *Advanced Materials*, 21(14-15), 1434-1449. doi: 10.1002/adma.200802854
- Chen, Z., Ikeda, S., & Saiki, K. (2006). Sexithiophene films on cleaved KBr(1 0 0) towards well-ordered semiconducting films. *Materials Science and Engineering: B*, 133(1-3), 195-199. doi: 10.1016/j.mseb.2006.06.039
- Chena, B. J., & Sun, X. W. (2003). Influences of central metal ions on the electroluminescence and transport properties of tris-,8-hydroxyquinoline metal chelates. *Applied Physics Letters*, 82(18), 3017-3019.
- Cheng, W. T., Lin, S. Y., & Wang, S. L. (2008). Differential Scanning Calorimetry with Curve-Fitting Program Used to Quantitatively Analyze the Polymorphic Transformation of Famotidine in the Compressed Compact. *Drug Development and Industrial Pharmacy*, 34(12), 1368-1375. doi: 10.1080/03639040802122951
- Cheyns, D., Poortmans, J., Gommans, H., Genoe, J., & Heremans, P. (2007). Stacked organic solar cells increase efficiency. *SPIE Newsroom*, 1-3.

- Chisaka, J., Lu, M., Nagamatsu, S., Chikamatsu, M., Yoshida, Y., Goto, M., et al. (2007). Structure and Electrical Properties of Unsubstituted Oligothiophenes End-Capped at the β -Position. *Chemistry of Materials*, 19(10), 2694-2701. doi: 10.1021/cm0701658
- Chu, T.-Y., Lu, J., Beaupré, S., Zhang, Y., Pouliot, J.-R. m., Wakim, S., et al. (2011). Bulk Heterojunction Solar Cells Using Thieno[3,4-c]pyrrole-4,6-dione and Dithieno[3,2-b:2',3'-d]silole Copolymer with a Power Conversion Efficiency of 7.3%. *Journal of the American Chemical Society*, 133(12), 4250-4253. doi: 10.1021/ja200314m
- Coakley, K. M., & McGehee, M. D. (2004). Conjugated Polymer Photovoltaic Cells. *Chemistry of Materials*, 16(23), 4533-4542. doi: 10.1021/cm049654n
- Cook, S., Katoh, R., & Furube, A. (2009). Ultrafast Studies of Charge Generation in PCBM:P3HT Blend Films following Excitation of the Fullerene PCBM. *The Journal of Physical Chemistry C*, 113(6), 2547-2552. doi: 10.1021/jp8050774
- Cook, S., Ohkita, H., Kim, Y., Benson-Smith, J. J., Bradley, D. D. C., & Durrant, J. R. (2007). A photophysical study of PCBM thin films. *Chemical Physics Letters*, 445(4-6), 276-280. doi: 10.1016/j.cplett.2007.08.005
- Cravino, A., & Sariciftci, N. S. (2002). Double-cable polymers for fullerene based organic optoelectronic applications. *Journal of Materials Chemistry*, 12(7), 1931-1943.
- Cravino, A., Zerza, G., Maggini, M., Bucella, S., Svensson, M., Andersson, M. R., et al. (2003). A Soluble Donor-Acceptor Double-Cable Polymer: Polythiophene with Pendant Fullerenes. *Monatshefte für Chemie / Chemical Monthly*, 134(4), 519-527. doi: 10.1007/s00706-002-0555-y
- Credo, G. M., Winn, D. L., & Buratto, S. K. (2001). Near-Field Scanning Optical Microscopy of Temperature- and Thickness-Dependent Morphology and Fluorescence in Alq₃ Films. *Chemistry of Materials*, 13(4), 1258-1265. doi: 10.1021/cm000672o
- Cureton, L. T., Beyer, F. L., & Turner, S. R. (2010). Synthesis and characterization of hexafluoroisopropylidene bisphenol poly(arylene ether sulfone) and polydimethylsiloxane segmented block copolymers. *Polymer*, 51(8), 1679-1686. doi: 10.1016/j.polymer.2010.02.010
- Curry, R. J., Gillin, W. P., Clarkson, J., & Batchelder, D. N. (2002). Morphological study of aluminum tris(8-hydroxyquinoline) thin films using infrared and Raman spectroscopy *Journal of Applied Physics*, 92(4), 1902-1905. doi: 10.1063/1.1495527
- Dalasinski, P., Lukasiak, Z., Wojdyla, M., Rebarz, M., & Bala, W. (2006). Study of optical properties of TRIS (8-hydroxyquinoline) aluminum (III). *Optical Materials*, 28(1-2), 98-101. doi: 10.1016/j.optmat.2004.10.031

- David, G. (2004). Surface Profilometer, from <http://mate.calpoly.edu/current/surface/techniques/profilometer.html>
- Dennler, G., & Sariciftci, N. S. (2005). Flexible Conjugated Polymer-Based Plastic Solar Cells: From Basics to Applications. *Proceedings of the IEEE*, 93(8), 1429-1439.
- Dick, D., Wei, X., Jeglinski, S., Benner, R. E., Vardeny, Z. V., Moses, D., et al. (1994). Transient Spectroscopy of Excitons and Polarons in C₆₀ Films from Femtoseconds to Milliseconds. *Physical Review Letters*, 73(20), 2760.
- Djara, V., & Bernède, J. C. (2005). Effect of the interface morphology on the fill factor of plastic solar cells. *Thin Solid Films*, 493(1-2), 273-277. doi: 10.1016/j.tsf.2005.06.098
- Djurišić, A. B., Lau, T. W., Lam, L. S. M., & Chan, W. K. (2004). Influence of atmospheric exposure of tris (8-hydroxyquinoline) aluminum (Alq₃): a photoluminescence and absorption study. *Applied Physics A: Materials Science and Processing*, 78(3), 375-380. doi: 10.1007/s00339-002-1915-5
- Dongjuan, X., Chenjun, S., Yan, Y., Yang, Y., & Qibing, P. (2008). *Nanostructured polymer solar cells*. Paper presented at the IEEE International Reliability Physics Symposium, 2008. IRPS 2008. .
- Du, H., Deng, Z., Lü, Z., Chen, Z., Zou, Y., Yin, Y., et al. (2011). The effect of small-molecule electron transporting materials on the performance of polymer solar cells. *Thin Solid Films*, 519(13), 4357-4360. doi: 10.1016/j.tsf.2011.02.049
- Duhm, S., Xin, Q., Koch, N., Ueno, N., & Kera, S. (2011). Impact of alkyl side chains at self-assembly, electronic structure and charge arrangement in sexithiophene thin films. *Organic Electronics*, 12(6), 903-910. doi: 10.1016/j.orgel.2011.03.009
- Durisch, W., Tille, D., Würz, A., & Plapp, W. (2000). Characterisation of photovoltaic generators. *Applied Energy*, 65(1-4), 273-284. doi: 10.1016/s0306-2619(99)00115-4
- Dusonchet, L., & Telaretti, E. (2010). Economic analysis of different supporting policies for the production of electrical energy by solar photovoltaics in western European Union countries. *Energy Policy*, 38(7), 3297-3308. doi: 10.1016/j.enpol.2010.01.053
- Dyakonov, V. (2004). Mechanisms controlling the efficiency of polymer solar cells. *Applied Physics A: Materials Science and Processing*, 79(1), 21-25. doi: 10.1007/s00339-003-2496-7
- Farag, A. A. M. (2007). Optical absorption studies of copper phthalocyanine thin films. *Optics and Laser Technology*, 39(4), 728-732. doi: 10.1016/j.optlastec.2006.03.011
- Fewster, P. (2003). *X-Ray Scattering from Semiconductors* (Second ed.). London WC2H 9HE: Imperial College Press.

- Fichou, D. (2000). Structural order in conjugated oligothiophenes and its implications on opto-electronic devices. *Journal of Materials Chemistry*, 10(3), 571-588.
- Foster, R., Ghassemi, M., & Cota, A. (2010). *Energy and the Environment*. Boca Raton, FL 33487-2742: Taylor and Francis Group, LLC.
- Fraboni, B., DiPietro, R., Cavallini, A., Cosseddu, P., Bonfiglio, A., & Vogel, J. (2009). Photocurrent studies of sexythiophene-based OFETs. *Applied Physics A: Materials Science and Processing*, 95(1), 37-41. doi: 10.1007/s00339-008-4998-9
- Franke, R., Maennig, B., Petrich, A., & Pfeiffer, M. (2008). Long-term stability of tandem solar cells containing small organic molecules. *Solar Energy Materials and Solar Cells*, 92(7), 732-735. doi: 10.1016/j.solmat.2007.12.001
- Fthenakis, V. M., & Kim, H. C. (2011). Photovoltaics: Life-cycle analyses. *Solar Energy*, 85(8), 1609-1628. doi: 10.1016/j.solener.2009.10.002
- Gahungu, G., & Zhang, J. (2005). Molecular geometry, electronic structure and optical properties study of meridional tris(8-hydroxyquinolino)gallium(III) with ab initio and DFT methods. *Journal of Molecular Structure: THEOCHEM*, 755(1-3), 19-30. doi: 10.1016/j.theochem.2005.06.017
- Garbuzov, D. Z., Bulovic, V., Burrows, P. E., & Forrest, S. R. (1996). Photoluminescence efficiency and absorption of aluminum-tris-quinolate (Alq₃) thin films. *Chemical Physics Letters*, 249(5-6), 433-437. doi: 10.1016/0009-2614(95)01424-1
- Garnier, F. (1998). Thin-film transistors based on organic conjugated semiconductors. *Chemical Physics*, 227(1-2), 253-262. doi: 10.1016/s0301-0104(97)00308-x
- Ge, Y., & Whitten, J. E. (2007). Energy level alignment between sexithiophene and buckminsterfullerene films. *Chemical Physics Letters*, 448(1-3), 65-69. doi: 10.1016/j.cplett.2007.09.075
- Gebeyehu, D., Maennig, B., Drechsel, J., Leo, K., & Pfeiffer, M. (2003). Bulk-heterojunction photovoltaic devices based on donor-acceptor organic small molecule blends. *Solar Energy Materials and Solar Cells*, 79(1), 81-92. doi: 10.1016/s0927-0248(02)00369-0
- Geiser, A., Fan, B., Benmansour, H., Castro, F., Heier, J., Keller, B., et al. (2008). Poly(3-hexylthiophene)/C₆₀ heterojunction solar cells: Implication of morphology on performance and ambipolar charge collection. *Solar Energy Materials and Solar Cells*, 92(4), 464-473. doi: 10.1016/j.solmat.2007.11.001
- Gibson, T. L., & Kelly, N. A. (2010). Solar photovoltaic charging of lithium-ion batteries. *Journal of Power Sources*, 195(12), 3928-3932. doi: 10.1016/j.jpowsour.2009.12.082

- Goetzberger, A., Luther, J., & Willeke, G. (2002). Solar cells: past, present, future. *Solar Energy Materials and Solar Cells*, 74(1-4), 1-11. doi: 10.1016/s0927-0248(02)00042-9
- Gommans, H., Schols, S., Kadashchuk, A., Heremans, P., & Meskers, S. C. J. (2009). Exciton Diffusion Length and Lifetime in Subphthalocyanine Films. *The Journal of Physical Chemistry C*, 113(7), 2974-2979. doi: 10.1021/jp809802q
- Grieken, R. E. V., & Markowicz, A. A. (2002). *Handbook of X-Ray Spectrometry* (Second ed.). New York, NY 10016: Marcel Dekker, Inc.
- Griffiths, P. R., & De Haseth, J. A. (2007). *Fourier Transform Infrared Spectrometry* (Second ed.). New Jersey: John Wiley & Sons, Inc.
- Guinier, A. (1963). *X-Ray Diffraction in Crystals, Imperfect Crystals, and Amorphous Bodies* (First ed.). San Francisco and London W. H. Freeman and Company.
- Günes, S., Baran, D., Günbas, G., Özyurt, F., Fuchsbaue, A., Sariciftci, N. S., et al. (2008). Photovoltaic and photophysical properties of a novel bis-3-hexylthiophene substituted quinoxaline derivative. *Solar Energy Materials and Solar Cells*, 92(9), 1162-1169. doi: 10.1016/j.solmat.2008.04.004
- Günes, S., Neugebauer, H., & Sariciftci, N. S. (2007). Conjugated Polymer-Based Organic Solar Cells. *Chemical Reviews*, 107(4), 1324-1338. doi: 10.1021/cr050149z
- Guo, T.-F., Wen, T.-C., L'Vovich Pakhomov, G., Chin, X.-G., Liou, S.-H., Yeh, P.-H., et al. (2008). Effects of film treatment on the performance of poly(3-hexylthiophene)/soluble fullerene-based organic solar cells. *Thin Solid Films*, 516(10), 3138-3142. doi: 10.1016/j.tsf.2007.08.066
- Gupta, D., Mukhopadhyay, S., & Narayan, K. S. (2010). Fill factor in organic solar cells. *Solar Energy Materials and Solar Cells*, 94(8), 1309-1313. doi: 10.1016/j.solmat.2008.06.001
- Gupta, S. L., Kumar, V., & Sharma, R. C. (2007). *Elements of Spectroscopy: Atomic, Molecular, and Laser Physics* (Twentieth ed.). Meerut: Arihant Electric Press.
- Hadipour, A., de Boer, B., & Blom, P. W. M. (2008). Organic Tandem and Multi-Junction Solar Cells. *Advanced Functional Materials*, 18(2), 169-181. doi: 10.1002/adfm.200700517
- Hatakeyama, T., & Liu, Z. (1998). *Handbook of Thermal Analysis*. West Sussex PO19 1UD: John Wiley & Sons Ltd.
- Hayashi, Y., Hamada, K., Takagi, K., Takasu, A., Takagi, S., & Soga, T. (2006, May 2006). *Investigation of PCBM Concentration on Photovoltaic Characteristics of Polymer Solar Cells with Blends of P3HT and PCBM*. Paper presented at the Conference Record of the 2006 IEEE 4th World Conference on Photovoltaic Energy Conversion.

- Hayashi, Y., Sakuragi, H., Soga, T., Alexandrou, I., & Amaratunga, G. A. J. (2008). Bulk heterojunction solar cells based on two kinds of organic polymers and fullerene derivative. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 313-314, 422-425. doi: 10.1016/j.colsurfa.2007.04.162
- Heeger, A. J. (2000). Semiconducting and Metallic Polymers: The Fourth Generation of Polymeric Materials *Nobel Lecture*. Santa Barbara: University of California at Santa Barbara.
- Heremans, P., Cheyns, D., & Rand, B. P. (2009). Strategies for Increasing the Efficiency of Heterojunction Organic Solar Cells: Material Selection and Device Architecture. *Accounts of Chemical Research*, 42(11), 1740-1747. doi: 10.1021/ar9000923
- Hernández, I., & Gillin, W. P. (2009). Influence of High Hydrostatic Pressure on Alq₃, Gaq₃, and Inq₃ (q = 8-Hydroxyquinoline). *The Journal of Physical Chemistry B*, 113(43), 14079-14086. doi: 10.1021/jp905108x
- Hernández, I., Gillin, W. P., & Somerton, M. (2009). Spectroscopic study of Mq₃ (M=Al, Ga, In, q=8-hydroxyquinolate) at high pressure. *Journal of Luminescence*, 129(12), 1835-1839. doi: 10.1016/j.jlumin.2009.02.030
- Heutz, S., Sullivan, P., Sanderson, B. M., Schultes, S. M., & Jones, T. S. (2004). Influence of molecular architecture and intermixing on the photovoltaic, morphological and spectroscopic properties of CuPc-C₆₀ heterojunctions. *Solar Energy Materials and Solar Cells*, 83(2-3), 229-245. doi: 10.1016/j.solmat.2004.02.027
- Higginson, K. A., Zhang, X.-M., & Papadimitrakopoulos, F. (1998). Thermal and Morphological Effects on the Hydrolytic Stability of Aluminum Tris(8-hydroxyquinoline) (Alq₃). *Chemistry of Materials*, 10(4), 1017-1020. doi: 10.1021/cm970599a
- Hong, Z. R., Huang, Z. H., & Zeng, X. T. (2007). Utilization of copper phthalocyanine and bathocuproine as an electron transport layer in photovoltaic cells with copper phthalocyanine/buckminsterfullerene heterojunctions: Thickness effects on photovoltaic performances. *Thin Solid Films*, 515(5), 3019-3023. doi: 10.1016/j.tsf.2006.04.046
- Hoppe, H., Niggemann, M., Winder, C., Kraut, J., Hiesgen, R., Hinsch, A., et al. (2004). Nanoscale Morphology of Conjugated Polymer/Fullerene-Based Bulk-Heterojunction Solar Cells. *Advanced Functional Materials*, 14(10), 1005-1011. doi: 10.1002/adfm.200305026
- Horowitz, G., Romdhane, S., Bouchriha, H., Delannoy, P., Monge, J.-L., Kouki, F., et al. (1997). Optoelectronic properties of sexithiophene single crystals. *Synthetic Metals*, 90(3), 187-192. doi: 10.1016/s0379-6779(98)80005-2
- Huang, J.-H., Teng, C.-M., Hsiao, Y.-S., Yen, F.-W., Chen, P., Chang, F.-C., et al. (2011). Nanoscale Correlation between Exciton Dissociation and Carrier Transport in Silole-Containing Cyclopentadithiophene-Based Bulk

Heterojunction Films. *The Journal of Physical Chemistry C*, 115(5), 2398-2405. doi: 10.1021/jp1090894

- Huang, Y.-C., Liao, Y.-C., Li, S.-S., Wu, M.-C., Chen, C.-W., & Su, W.-F. (2009). Study of the effect of annealing process on the performance of P3HT/PCBM photovoltaic devices using scanning-probe microscopy. *Solar Energy Materials and Solar Cells*, 93(6-7), 888-892. doi: 10.1016/j.solmat.2008.10.027
- Huisman, C. L., Huijser, A., Donker, H., Schoonman, J., & Goossens, A. (2004). UV Polymerization of Oligothiophenes and Their Application in Nanostructured Heterojunction Solar Cells. *Macromolecules*, 37(15), 5557-5564. doi: 10.1021/ma0357265
- Hung, L. S., & Chen, C. H. (2002). Recent progress of molecular organic electroluminescent materials and devices. *Materials Science and Engineering: R: Reports*, 39(5-6), 143-222. doi: 10.1016/s0927-796x(02)00093-1
- Huynh, W. U., Dittmer, J. J., & Alivisatos, A. P. (2002). Hybrid Nanorod-Polymer Solar Cells. *Science*, 295(5564), 2425-2427. doi: 10.1126/science.1069156
- Inoue, K. (2005). *High Performance Organic Solar Cell Architectures*. PhD Thesis PhD Thesis, University of Texas at Dallas.
- Inoue, K., Ulbricht, R., Madakasira, P. C., Sampson, W. M., Lee, S., Gutierrez, J., et al. (2005). Temperature and Time Dependence of Heat Treatment of RR-P3HT/PCBM Solar Cell. *Synthetic Metals*, 154(1-3), 41-44. doi: 10.1016/j.synthmet.2005.07.010
- Iosip, M. D., Destri, S., Pasini, M., Porzio, W., Pernstich, K. P., & Batlogg, B. (2004). New dithieno[3,2-b:2',3'-d]thiophene oligomers as promising materials for organic field-effect transistor applications. *Synthetic Metals*, 146(3), 251-257. doi: 10.1016/j.synthmet.2004.08.004
- Jain, S. C., Aernout, T., Kapoor, A. K., Kumar, V., Geens, W., Poortmans, J., et al. (2005). I-V characteristics of dark and illuminated PPV-PCBM blends solar cells. *Synthetic Metals*, 148(3), 245-250. doi: 10.1016/j.synthmet.2004.09.037
- Jin, S.-H., Vijaya Kumar Naidu, B., Jeon, H.-S., Park, S.-M., Park, J.-S., Chul Kim, S., et al. (2007). Optimization of process parameters for high-efficiency polymer photovoltaic devices based on P3HT:PCBM system. *Solar Energy Materials and Solar Cells*, 91(13), 1187-1193. doi: 10.1016/j.solmat.2007.04.001
- Jørgensen, M., Norrman, K., & Krebs, F. C. (2008). Stability/degradation of polymer solar cells. *Solar Energy Materials and Solar Cells*, 92(7), 686-714. doi: 10.1016/j.solmat.2008.01.005
- Kalinin, S. V., & Gruverman, A. (2010). *Scanning Probe Microscopy of Functional Materials: Nanoscale Imaging and Spectroscopy*. London: Springer Science+Business Media, LLC.
- Kalogirou, S. A. (2009). *Solar Energy Engineering, Processes and Systems* (First ed.). London WC1X 8RR, UK: Elsevier Inc.

- Kang, M. G., Park, H. J., Ahn, S. H., Xu, T., & Guo, L. J. (2010). Toward Low-Cost, High-Efficiency, and Scalable Organic Solar Cells with Transparent Metal Electrode and Improved Domain Morphology. *IEEE Journal of Selected Topics in Quantum Electronics*, 16(6), 1807-1820.
- Kao, P.-C., Chu, S.-Y., Huang, H.-H., Tseng, Z.-L., & Chen, Y.-C. (2009). Improved efficiency of organic photovoltaic cells using tris (8-hydroxy-quinoline) aluminum as a doping material. *Thin Solid Films*, 517(17), 5301-5304. doi: 10.1016/j.tsf.2009.03.147
- Katz, H. E., Lovinger, A. J., & Laquindanum, J. G. (1998). α,ω -Dihexylquaterthiophene: A Second Thin Film Single-Crystal Organic Semiconductor. *Chemistry of Materials*, 10(2), 457-459. doi: 10.1021/cm970627p
- Kautto, N., & Arnulf, J.-W. (2009). Renewable Energy Snapshots 2009 *JRC Scientific and Technical Reports* (pp. 37). Italia: European Commission, DG Joint Research Centre, Institute for Energy, Renewable Energy Unit.
- Kawano, K., Pacios, R., Poplavskyy, D., Nelson, J., Bradley, D. D. C., & Durrant, J. R. (2006). Degradation of organic solar cells due to air exposure. *Solar Energy Materials and Solar Cells*, 90(20), 3520-3530. doi: 10.1016/j.solmat.2006.06.041
- Keithley. (1990). Quick Reference Guide to Source Measure Units, SMU: Keithley Instruments Inc.
- Kietzke, T. (2007). Recent Advances in Organic Solar Cells. *Advances in OptoElectronics*, 2007, 15. doi: 10.1155/2007/40285
- Kim, H., Young Kim, J., Lee, K., Park, Y., Jin, Y., & Suh, H. (2001). Organic photovoltaic cells based on conjugated polymer/fullerene composites. *Current Applied Physics*, 1(2-3), 139-143. doi: 10.1016/s1567-1739(01)00007-4
- Kim, J. Y., Lee, K., Coates, N. E., Moses, D., Nguyen, T.-Q., Dante, M., et al. (2007). Efficient Tandem Polymer Solar Cells Fabricated by All-Solution Processing. *Science*, 317(5835), 222-225. doi: 10.1126/science.1141711
- Kim, K., Liu, J., Namboothiry, M. A. G., & Carroll, D. L. (2007). Roles of donor and acceptor nanodomains in 6% efficient thermally annealed polymer photovoltaics. *Applied Physics Letters*, 90(16), 163511.
- Kishi, A., & Toraya, H. (2004). Simultaneous measurements of X-ray diffraction (XRD) and differential scanning calorimetry (DSC) data under controlled humidity condition: Instrumentation and application to studies on hydration, dehydration, and rehydration processes of pharmaceutical compounds. *The Rigaku Journal*, 21(1), 25-30.
- Klančnik, G., Medved, J., & Mrvar, P. (2010). Differential thermal analysis (DTA) and differential scanning calorimetry (DSC) as a method of material investigation. *RMZ – Materials and Geoenvironment*, 57(1), 127-142.

- Knupfer, M., & Liu, X. (2006). Interface electronic properties of oligothiophenes: the effect of chain length and chemical substituents. *Surface Science*, 600(18), 3978-3981. doi: 10.1016/j.susc.2006.01.110
- Koay, J. Y., Sharif, K. A. M., & Rahman, S. A. (2009). Influence of film thickness on the structural, electrical and photoluminescence properties of vacuum deposited Alq₃ thin films on c-silicon substrate. *Thin Solid Films*, 517(17), 5298-5300. doi: 10.1016/j.tsf.2009.03.145
- Koeppel, R., & Sariciftci, N. S. (2006). Photoinduced charge and energy transfer involving fullerene derivatives. *Photochemical & Photobiological Sciences*, 5(12), 1122-1131.
- Krebs, F. C. (2009a). All solution roll-to-roll processed polymer solar cells free from indium-tin-oxide and vacuum coating steps. *Organic Electronics*, 10(5), 761-768. doi: 10.1016/j.orgel.2009.03.009
- Krebs, F. C. (2009b). Fabrication and processing of polymer solar cells: A review of printing and coating techniques. *Solar Energy Materials and Solar Cells*, 93(4), 394-412. doi: 10.1016/j.solmat.2008.10.004
- Kumar, R., Ali, S. A., Mahur, A. K., Virk, H. S., Singh, F., Khan, S. A., et al. (2008). Study of optical band gap and carbonaceous clusters in swift heavy ion irradiated polymers with UV-Vis spectroscopy. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, 266(8), 1788-1792. doi: 10.1016/j.nimb.2008.01.010
- Kwon, J.-H., Chung, M.-H., Oh, T.-Y., Bae, H.-S., & Ju, B.-K. (2009). Organic Thin Film Transistors based Oligothiophene Derivatives using α,ω -Dihexyl(quarter- & sexi-)Thiophene. *World Academy of Science, Engineering and Technology*, 55, 490-493.
- Kwon, J.-H., & Seo, J.-H. (2007). p-type semiconducting α,ω -dihexylsexithiophene for an organic thin film transistor. *Journal of Applied Physics*, 101, 064502.
- Lampman, G. M., Pavia, D. L., Kriz, G. S., & Vyvyan, J. R. (2010). *Spectroscopy* (Fourth ed.). Belmont: Mary Finch.
- Lane, P. A., Wei, X., Vardeny, Z. V., Poplawski, J., Ehrenfreund, E., Ibrahim, M., et al. (1996). Absorption spectroscopy of charged excitations in [alpha]-sexithiophene: evidence for charge conjugation symmetry breaking. *Chemical Physics*, 210(1-2), 229-234. doi: 10.1016/0301-0104(96)00075-4
- Lanzani, G., Cerullo, G., Stagira, S., De Silvestri, S., & Garnier, F. (1998). Ultrafast charge separation in beta -substituted sexithiophene amorphous films. *Physical Review B*, 58(12), 7740.
- Lee, I.-S., Kwak, Y.-W., Kim, D.-H., Cho, Y., & Ohshita, J. (2008). Synthesis of E-alkenylsilanes with dithienosilole and their electrochemical and optical properties. *Journal of Organometallic Chemistry*, 693(20), 3233-3239. doi: 10.1016/j.jorganchem.2008.07.030

- Lee, S. S., & Loo, Y.-L. (2010). Structural Complexities in the Active Layers of Organic Electronics. *Annual Review of Chemical and Biomolecular Engineering*, 1(1), 59-78. doi: doi:10.1146/annurev-chembioeng-073009-100851
- Lee, T.-W., Lim, K.-G., & Kim, D.-H. (2010). Approaches toward efficient and stable electron extraction contact in organic photovoltaic cells: Inspiration from organic light-emitting diodes. *Electronic Materials Letters*, 6(1), 41-50. doi: 10.3365/eml.2010.03.041
- Li, G., Shrotriya, V., Huang, J., Yao, Y., Moriarty, T., Emery, K., et al. (2005). High-efficiency solution processable polymer photovoltaic cells by self-organization of polymer blends. [10.1038/nmat1500]. *Nature Materials*, 4(11), 864-868.
- Li, G., Shrotriya, V., Yao, Y., Huang, J., & Yang, Y. (2007). Manipulating regioregular poly(3-hexylthiophene) : [6,6]-phenyl-C₆₁-butyric acid methyl ester blends-route towards high efficiency polymer solar cells. *Journal of Materials Chemistry*, 17(30), 3126-3140.
- Liang, Y., Feng, D., Wu, Y., Tsai, S.-T., Li, G., Ray, C., et al. (2009). Highly Efficient Solar Cell Polymers Developed via Fine-Tuning of Structural and Electronic Properties. *Journal of the American Chemical Society*, 131(22), 7792-7799. doi: 10.1021/ja901545q
- Liao, K.-S., Yambem, S. D., Haldar, A., Alley, N. J., & Curran, S. A. (2010). Designs and Architectures for the Next Generation of Organic Solar Cells. *Energies*, 3(6), 1212-1250.
- Liu, F., Shao, S., Guo, X., Zhao, Y., & Xie, Z. (2010). Efficient polymer photovoltaic cells using solution-processed MoO₃ as anode buffer layer. *Solar Energy Materials and Solar Cells*, 94(5), 842-845. doi: 10.1016/j.solmat.2010.01.004
- Liu, L.-Q., Wang, Z.-X., Zhang, H.-Q., & Xue, Y.-C. (2010). Solar energy development in China:A review. *Renewable and Sustainable Energy Reviews*, 14(1), 301-311. doi: 10.1016/j.rser.2009.08.005
- Liu, X., Knupfer, M., & Huisman, B. H. (2005). Electronic properties of the interface between [alpha],[omega]-dihexyl-quaterthiophene and gold. *Surface Science*, 595(1-3), 165-171. doi: 10.1016/j.susc.2005.08.007
- Loi, M. A., Bongiovanni, G., Mura, A., Cai, Q., Martin, C., Chandrasekhar, H. R., et al. (2001). High pressure effects on the photoluminescence intensity of sexithiophene single crystals. *Synthetic Metals*, 116(1-3), 311-315. doi: 10.1016/s0379-6779(00)00428-8
- Loussaïef, N., Kouki, F., Delannoy, P., Garnier, F., Hassine, L., & Bouchriha, H. (2002). Transient photocurrent in sexithiophene-based photovoltaic cells. *Materials Science and Engineering: C*, 21(1-2), 255-258. doi: 10.1016/s0928-4931(02)00076-0

- Luque, A., & Hegedus, S. (2003). *Handbook of Photovoltaic Science and Engineering*. West Sussex PO19 8SQ, England: John Wiley & Sons Ltd.
- Ma, W., Yang, C., Gong, X., Lee, K., & Heeger, A. J. (2005). Thermally Stable, Efficient Polymer Solar Cells with Nanoscale Control of the Interpenetrating Network Morphology. *Advanced Functional Materials*, 15(10), 1617-1622. doi: 10.1002/adfm.200500211
- Maennig, B., Drechsel, J., Gebeyehu, D., Simon, P., Kozlowski, F., Werner, A., et al. (2004). Organic p-i-n solar cells. *Applied Physics A: Materials Science and Processing*, 79(1), 1-14. doi: 10.1007/s00339-003-2494-9
- Malliaras, G. G., Shen, Y., & Dunlap, D. H. (2001). Nondispersive electron transport in Alq₃. *Applied Physics Letters*, 79(16), 2582-2584.
- Manceau, M., Bundgaard, E., Carle, J. E., Hagemann, O., Helgesen, M., Sondergaard, R., et al. (2011). Photochemical stability of pi-conjugated polymers for polymer solar cells: a rule of thumb. *Journal of Materials Chemistry*, 21(12), 4132-4141.
- Markov, D. E., Amsterdam, E., Blom, P. W. M., Sieval, A. B., & Hummelen, J. C. (2005). Accurate Measurement of the Exciton Diffusion Length in a Conjugated Polymer Using a Heterostructure with a Side-Chain Cross-Linked Fullerene Layer. *The Journal of Physical Chemistry A*, 109(24), 5266-5274. doi: 10.1021/jp0509663
- Mascaro, D. J., Thompson, M. E., Smith, H. I., & Bulovic, V. (2005). Forming oriented organic crystals from amorphous thin films on patterned substrates via solvent-vapor annealing. *Organic Electronics*, 6(5-6), 211-220. doi: 10.1016/j.orgel.2005.07.001
- Masi, J. V. (2003, 23-25 Sept. 2003). *Polymers: conductors, insulators, and active devices*. Paper presented at the Electrical Insulation Conference and Electrical Manufacturing & Coil Winding Technology Conference, 2003. Proceedings.
- Mayer, A. C., Scully, S. R., Hardin, B. E., Rowell, M. W., & McGehee, M. D. (2007). Polymer-based solar cells. *Materials Today*, 10(11), 28-33. doi: 10.1016/s1369-7021(07)70276-6
- Millefiorini, S., Kozma, E., Catellani, M., & Luzzati, S. (2008). Dithienothiophene based polymer as electron donor in plastic solar cells. *Thin Solid Films*, 516(20), 7205-7208. doi: 10.1016/j.tsf.2007.12.077
- Minnaert, B., & Burgelman, M. (2007). Efficiency Potential of Organic Bulk Heterojunction Solar Cells. *Progress in Photovoltaics: Research and Applications*, 15, 741-748. doi: 10.1002/pip.797
- Monestier, F., Simon, J.-J., Torchio, P., Escoubas, L., Flory, F., Bailly, S., et al. (2007). Modeling the short-circuit current density of polymer solar cells based on P3HT:PCBM blend. *Solar Energy Materials and Solar Cells*, 91(5), 405-410. doi: 10.1016/j.solmat.2006.10.019

- Mozer, A. J., & Sariciftci, N. S. (2006). Conjugated polymer photovoltaic devices and materials. *Comptes Rendus Chimie*, 9(5-6), 568-577. doi: 10.1016/j.crci.2005.03.033
- Mu, J. Y., Chen, Z. X., & Luong, T. T. T. (2009). X-ray diffraction investigations of well-ordered sexithiophene films deposited on flexible substrates. *Journal of Materials Processing Technology*, 209(3), 1491-1494. doi: 10.1016/j.jmatprotec.2008.03.055
- Muhammad, F. F., Abdul Hapip, A. I., & Sulaiman, K. (2010). Study of optoelectronic energy bands and molecular energy levels of tris (8-hydroxyquinolate) gallium and aluminum organometallic materials from their spectroscopic and electrochemical analysis. *Journal of Organometallic Chemistry*, 695(23), 2526-2531. doi: 10.1016/j.jorganchem.2010.07.026
- Muhammad, F. F., & Sulaiman, K. (2011a). Effects of thermal annealing on the optical, spectroscopic, and structural properties of tris (8-hydroxyquinolate) gallium films grown on quartz substrates. *Materials Chemistry and Physics*, 129(3), 1152-1158. doi: 10.1016/j.matchemphys.2011.05.077
- Muhammad, F. F., & Sulaiman, K. (2011b). Photovoltaic performance of organic solar cells based on DH6T/PCBM thin film active layers. *Thin Solid Films*, 519(15), 5230-5233. doi: 10.1016/j.tsf.2011.01.165
- Muhammad, F. F., & Sulaiman, K. (2011c). Tuning the Optical Band Gap of DH6T by Alq3 Dopant. *Sains Malaysiana*, 40(1), 17-20.
- Muhammad, F. F., & Sulaiman, K. (2011d). Utilizing a simple and reliable method to investigate the optical functions of small molecular organic films - Alq3 and Gaq3 as examples. *Measurement*, 44(8), 1468-1474. doi: 10.1016/j.measurement.2011.05.017
- Murphy, A. R., Fréchet, J. M. J., Chang, P., Lee, J., & Subramanian, V. (2004). Organic Thin Film Transistors from a Soluble Oligothiophene Derivative Containing Thermally Removable Solubilizing Groups. *Journal of the American Chemical Society*, 126(6), 1596-1597. doi: 10.1021/ja039529x
- Naito, K., & Miura, A. (1993). Molecular design for nonpolymeric organic dye glasses with thermal stability: relations between thermodynamic parameters and amorphous properties. *The Journal of Physical Chemistry*, 97(23), 6240-6248. doi: 10.1021/j100125a025
- Nelson, J. (2002). Organic photovoltaic films. *Materials Today*, 5(5), 20-27. doi: 10.1016/s1369-7021(02)05532-3
- Nguyen, P. T., Rammelt, U., Plieth, W., Richter, S., Plötner, M., Fischer, W. J., et al. (2005). Experiments with organic field effect transistors based on polythiophene and thiophene oligomers. *Electrochimica Acta*, 50(7-8), 1757-1763. doi: 10.1016/j.electacta.2004.10.062
- Nithya, H., Selvasekarapandian, S., Arun Kumar, D., Sakunthala, A., Hema, M., Christopherselvin, P., et al. (2011). Thermal and dielectric studies of polymer

electrolyte based on P(ECH-EO). *Materials Chemistry and Physics*, 126(1-2), 404-408. doi: 10.1016/j.matchemphys.2010.10.047

Nodari, F. M., Koehler, M., da Luz, M. G. E., & Roman, L. S. (2005). Electrical aspects of photovoltaic devices based on bi-layer organic semiconducting materials. *Microelectronics Journal*, 36(11), 995-997. doi: 10.1016/j.mejo.2005.04.023

Nogueira, A. F., Montanari, I., Nelson, J., Durrant, J. R., Winder, C., Sariciftci, N. S., et al. (2003). Charge Recombination in Conjugated Polymer/Fullerene Blended Films Studied by Transient Absorption Spectroscopy. *The Journal of Physical Chemistry B*, 107(7), 1567-1573. doi: 10.1021/jp027101z

O'Regan, B., Veenstra, S., Verhees, W., Kroon, J., Sommeling, P., Bakker, K., et al. (2005, 3-7 Jan. 2005). *Recombination kinetics of interpenetrating heterojunctions: comparison of dye sensitized and polymer solar cells*. Paper presented at the Photovoltaic Specialists Conference, 2005. Conference Record of the Thirty-first IEEE.

Oku, T., Nagaoka, S., Suzuki, A., Kikuchi, K., Hayashi, Y., Inukai, H., et al. (2008). Formation and characterization of polymer/fullerene bulk heterojunction solar cells. *Journal of Physics and Chemistry of Solids*, 69(5-6), 1276-1279. doi: 10.1016/j.jpcs.2007.10.117

Ouhib, F., Hiorns, R. C., de Bettignies, R., Bailly, S., Desbrières, J., & Dagnon-Lartigau, C. (2008). Photovoltaic cells based on polythiophenes carrying lateral phenyl groups. *Thin Solid Films*, 516(20), 7199-7204. doi: 10.1016/j.tsf.2007.12.076

Padinger, F., Rittberger, R. S., & Sariciftci, N. S. (2003). Effects of Postproduction Treatment on Plastic Solar Cells. *Advanced Functional Materials*, 13(1), 85-88. doi: 10.1002/adfm.200390011

Pagliaro, M., Palmisano, G., & Ciriminna, R. (2008). *Flexible Solar Cells* (First ed.). Weinheim: WILEY-VCH Verlag GmbH & Co. KGaA.

Palilis, L. C., Lane, P. A., Kushto, G. P., Purushothaman, B., Anthony, J. E., & Kafafi, Z. H. (2008). Organic photovoltaic cells with high open circuit voltages based on pentacene derivatives. *Organic Electronics*, 9(5), 747-752. doi: 10.1016/j.orgel.2008.05.015

Peet, J., Kim, J. Y., Coates, N. E., Ma, W. L., Moses, D., Heeger, A. J., et al. (2007). Efficiency enhancement in low-bandgap polymer solar cells by processing with alkane dithiols. [10.1038/nmat1928]. *Nature Materials*, 6(7), 497-500. doi: http://www.nature.com/nmat/journal/v6/n7/supinfo/nmat1928_S1.html

PhotoMetrics, I. (date unknown). Field Emission Scanning Electron Microscopy (FESEM), from <http://www.photometrics.net/fesem.html>

Poortmans, J., & Arkhipov, V. (2006). *Thin Film Solar Cells Fabrication, Characterization and Applications*. West Sussex PO19 8SQ, England: John Wiley & Sons Ltd.

- Qin, D. S., Li, D. C., Wang, Y., Zhang, J. D., Xie, Z. Y., Wang, G., et al. (2001). Effects of the morphologies and structures of light-emitting layers on the performance of organic electroluminescent devices. *Applied Physics Letters*, 78(4), 437-439.
- Rait, S., Kashyap, S., Bhatnagar, P. K., Mathur, P. C., Sengupta, S. K., & Kumar, J. (2007). Effect of a buffer layer, composition and annealing on the performance of a bulk heterojunction polythiophene/fullerene composite photovoltaic device. *Physica E: Low-dimensional Systems and Nanostructures*, 39(2), 191-197. doi: 10.1016/j.physe.2007.04.002
- Rajeswaran, M., Blanton, T. N., Tang, C. W., Lenhart, W. C., Switalski, S. C., Giesen, D. J., et al. (2009). Structural, thermal, and spectral characterization of the different crystalline forms of Alq₃, tris(quinolin-8-olato)aluminum(III), an electroluminescent material in OLED technology. *Polyhedron*, 28(4), 835-843. doi: 10.1016/j.poly.2008.12.022
- Rand, B. P., Genoe, J., Heremans, P., & Poortmans, J. (2007). Solar cells utilizing small molecular weight organic semiconductors. *Progress in Photovoltaics: Research and Applications*, 15(8), 659-676. doi: 10.1002/pip.788
- Ravi Kishore, V. V. N., Aziz, A., Narasimhan, K. L., Periasamy, N., Meenakshi, P. S., & Wategaonkar, S. (2002). On the assignment of the absorption bands in the optical spectrum of Alq₃. *Synthetic Metals*, 126(2-3), 199-205. doi: 10.1016/s0379-6779(01)00553-7
- Reijnders, L. (2010). Design issues for improved environmental performance of dye-sensitized and organic nanoparticulate solar cells. *Journal of Cleaner Production*, 18(4), 307-312. doi: 10.1016/j.jclepro.2009.10.021
- Reyes-Reyes, M., López-Sandoval, R., Arenas-Alatorre, J., Garibay-Alonso, R., Carroll, D. L., & Lastras-Martinez, A. (2007). Methanofullerene elongated nanostructure formation for enhanced organic solar cells. *Thin Solid Films*, 516(1), 52-57. doi: 10.1016/j.tsf.2007.04.166
- Reyes-Reyes, M., López-Sandoval, R., Liu, J., & Carroll, D. L. (2007). Bulk heterojunction organic photovoltaic based on polythiophene-polyelectrolyte carbon nanotube composites. *Solar Energy Materials and Solar Cells*, 91(15-16), 1478-1482. doi: 10.1016/j.solmat.2007.04.023
- Riedel, I., Martin, N., Giacalone, F., Segura, J. L., Chirvase, D., Parisi, J., et al. (2004). Polymer solar cells with novel fullerene-based acceptor. *Thin Solid Films*, 451-452, 43-47. doi: 10.1016/j.tsf.2003.10.088
- Sakai, J., Taima, T., & Saito, K. (2008). Efficient oligothiophene:fullerene bulk heterojunction organic photovoltaic cells. *Organic Electronics*, 9(5), 582-590. doi: 10.1016/j.orgel.2008.03.008
- Sakai, J., Taima, T., Yamanari, T., & Saito, K. (2009). Annealing effect in the sexithiophene:C₇₀ small molecule bulk heterojunction organic photovoltaic cells. *Solar Energy Materials and Solar Cells*, 93(6-7), 1149-1153. doi: 10.1016/j.solmat.2009.02.007

- Santbergen, R., Goud, J. M., Zeman, M., van Roosmalen, J. A. M., & van Zolingen, R. J. C. (2010). The AM1.5 absorption factor of thin-film solar cells. *Solar Energy Materials and Solar Cells*, 94(5), 715-723. doi: 10.1016/j.solmat.2009.12.010
- Sapochak, L. S., Padmaperuma, A., Washton, N., Endrino, F., Schmett, G. T., Marshall, J., et al. (2001). Effects of Systematic Methyl Substitution of Metal (III) Tris(n-Methyl-8-Quinolinolato) Chelates on Material Properties for Optimum Electroluminescence Device Performance. *Journal of the American Chemical Society*, 123(26), 6300-6307. doi: 10.1021/ja010120m
- Sariciftci, N. S. (2004). Plastic photovoltaic devices. *Materials Today*, 7(9), 36-40. doi: 10.1016/s1369-7021(04)00400-6
- Sassella, A., Tubino, R., Borghesi, A., Botta, C., Destri, S., Porzio, W., et al. (1999). Optical properties of oriented thin films of oligothiophenes. *Synthetic Metals*, 101(1-3), 538-541. doi: 10.1016/s0379-6779(98)00345-2
- Sato, T., Fujitsuka, M., Segawa, H., Shimidzu, T., & Tanaka, K. (1998). Dual photoluminescence of polythiophene thin films. *Synthetic Metals*, 95(2), 107-112. doi: 10.1016/s0379-6779(98)00040-x
- Sato, T., Fujitsuka, M., Shiro, M., & Tanaka, K. (1998). Photoluminescence quenching in oligothiophene single crystal. *Synthetic Metals*, 95(2), 143-148. doi: 10.1016/s0379-6779(98)00048-4
- Schön, J. H., Kloc, C., Berg, S., Siegrist, T., & Batlogg, B. (2001). Two-dimensional band-like charge transport in [alpha]-sexithiophene. *Organic Electronics*, 2(3-4), 135-142. doi: 10.1016/s1566-1199(01)00019-2
- Schwenn, P. E., Gui, K., Nardes, A. M., Krueger, K. B., Lee, K. H., Mutkins, K., et al. (2011). A Small Molecule Non-fullerene Electron Acceptor for Organic Solar Cells. *Advanced Energy Materials*, 1(1), 73-81. doi: 10.1002/aenm.201000024
- Sehati, P., Braun, S., Lindell, L., Xianjie, L., Andersson, L. M., & Fahlman, M. (2010). Energy-Level Alignment at Metal-Organic and Organic-Organic Interfaces in Bulk-Heterojunction Solar Cells. *IEEE Journal of Selected Topics in Quantum Electronics*, 16(6), 1718-1724.
- Shaheen, S. E., Brabec, C. J., & Sariciftci, N. S. (2001). 2.5% efficient organic plastic solar cells. *Applied Physics Letters*, 78(6), 841-843.
- Sharma, G. D., Suresh, P., Sharma, S. K., & Roy, M. S. (2008). Optical and electrical properties of hybrid photovoltaic devices from poly (3-phenyl hydrazone thiophene) (PPHT) and TiO₂ blend films. *Solar Energy Materials and Solar Cells*, 92(1), 61-70. doi: 10.1016/j.solmat.2007.08.009
- Shi, M.-M., Lin, J.-J., Shi, Y.-W., Ouyang, M., Wang, M., & Chen, H.-Z. (2009). Achieving blue luminescence of Alq₃ through the pull-push effect of the electron-withdrawing and electron-donating substituents. *Materials Chemistry and Physics*, 115(2-3), 841-845. doi: 10.1016/j.matchemphys.2009.02.046

- Shirota, Y. (2000). Organic materials for electronic and optoelectronic devices. *Journal of Materials Chemistry*, 10(1), 1-25.
- Shukla, V. K., Kumar, S., & Deva, D. (2006). Light induced effects on the morphology and optical properties of tris-(8-hydroxyquinoline) aluminium (Alq3) small molecular thin film. *Synthetic Metals*, 156(5-6), 387-391. doi: 10.1016/j.synthmet.2006.02.001
- Singh, R., Kumar, J., Singh, R. K., Kaur, A., Sood, K. N., & Rastogi, R. C. (2005). Effect of thermal annealing on surface morphology and physical properties of poly(3-octylthiophene) films. *Polymer*, 46(21), 9126-9132. doi: 10.1016/j.polymer.2005.07.032
- Skompska, M. (2010). Hybrid conjugated polymer/semiconductor photovoltaic cells. *Synthetic Metals*, 160(1-2), 1-15. doi: 10.1016/j.synthmet.2009.10.031
- Sotgiu, G., Zambianchi, M., Barbarella, G., & Botta, C. (2002). Synthesis and optical properties of soluble sexithiophenes with one central head-to-head junction. *Tetrahedron*, 58(11), 2245-2251. doi: 10.1016/s0040-4020(02)00098-4
- Spanggaard, H., & Krebs, F. C. (2004). A brief history of the development of organic and polymeric photovoltaics. *Solar Energy Materials and Solar Cells*, 83(2-3), 125-146. doi: 10.1016/j.solmat.2004.02.021
- Stadtländer, C. T. K.-H. (2007). Scanning Electron Microscopy and Transmission Electron Microscopy of Mollicutes: Challenges and Opportunities. *Modern Research and Educational Topics in Microscopy*, 122-131.
- Stalmach, U., de Boer, B., Videlot, C., van Hutten, P. F., & Hadziioannou, G. (2000). Semiconducting Diblock Copolymers Synthesized by Means of Controlled Radical Polymerization Techniques. *Journal of the American Chemical Society*, 122(23), 5464-5472. doi: 10.1021/ja000160a
- Su, Z., Chu, B., & Li, W. (2010). High efficient organic ultraviolet photovoltaic devices based on gallium complex. *Solid-State Electronics*, 54(5), 605-608. doi: 10.1016/j.sse.2010.01.025
- Sulaiman, K., & Fakir, M. S. (2011). Electrical conduction and photovoltaic effects of TPA-derivative solar cells. *Thin Solid Films*, 519(15), 5219-5222. doi: 10.1016/j.tsf.2011.01.163
- Sun, S.-S. (2005). Optimum energy levels and offsets for organic donor/acceptor binary photovoltaic materials and solar cells. *Materials Science and Engineering B*, 116(3), 251-256. doi: 10.1016/j.mseb.2004.05.052
- Sun, S.-S., & Sariciftci, N. S. (2005). *Organic Photovoltaics: Mechanisms, Materials, and Devices*. Boca Raton, FL 33487-2742: Taylor & Francis Group, LLC.
- Sun, X., Zhou, Y., Wu, W., Liu, Y., Tian, W., Yu, G., et al. (2006). X-Shaped Oligothiophenes as a New Class of Electron Donors for Bulk-Heterojunction Solar Cells. *The Journal of Physical Chemistry B*, 110(15), 7702-7707. doi: 10.1021/jp060128o

- Surapati, M., Seino, M., Hayakawa, T., & Kakimoto, M.-a. (2010). Synthesis of hyperbranched-linear star block copolymers by atom transfer radical polymerization of styrene using hyperbranched poly(siloxysilane) (HBPS) macroinitiator. *European Polymer Journal*, 46(2), 217-225. doi: 10.1016/j.eurpolymj.2009.10.028
- Taima, T., Sakai, J., Yamanari, T., & Saito, K. (2006). Realization of Large Open-Circuit Photovoltage in Organic Thin-Film Solar Cells by Controlling Measurement Environment. *Japanese Journal of Applied Physics*, 45(37), 995-997. doi: 10.1143/JJAP.45.L995
- Taima, T., Sakai, J., Yamanari, T., & Saito, K. (2009). Doping effects for organic photovoltaic cells based on small-molecular-weight semiconductors. *Solar Energy Materials and Solar Cells*, 93(6-7), 742-745. doi: 10.1016/j.solmat.2008.09.018
- Tavazzi, S., Barbarella, G., Borghesi, A., Meinardi, F., Sassella, A., & Tubino, R. (2001). Absorption coefficient of sexithiophene thin films grown by organic molecular beam deposition. *Synthetic Metals*, 121(1), 1419 - 1420.
- Tej Mallajosyula, A., Srivastava, N., Sundar Kumar Iyer, S., & Mazhari, B. (2010). Characterization of matrix and isolated organic solar cells. *Solar Energy Materials and Solar Cells*, 94(8), 1319-1323. doi: 10.1016/j.solmat.2008.09.027
- Treat, N. D., Brady, M. A., Smith, G., Toney, M. F., Kramer, E. J., Hawker, C. J., et al. (2011). Interdiffusion of PCBM and P3HT Reveals Miscibility in a Photovoltaically Active Blend. *Advanced Energy Materials*, 1(1), 82-89. doi: 10.1002/aenm.201000023
- Tripathi, V., Datta, D., Samal, G. S., Awasthi, A., & Kumar, S. (2008). Role of exciton blocking layers in improving efficiency of copper phthalocyanine based organic solar cells. *Journal of Non-Crystalline Solids*, 354(19-25), 2901-2904. doi: 10.1016/j.jnoncrysol.2007.10.098
- Vanlaeke, P., Swinnen, A., Haeldermans, I., Vanhoyland, G., Aernouts, T., Cheyns, D., et al. (2006). P3HT/PCBM bulk heterojunction solar cells: Relation between morphology and electro-optical characteristics. *Solar Energy Materials and Solar Cells*, 90(14), 2150-2158. doi: 10.1016/j.solmat.2006.02.010
- Veenstra, S. C., Malliaras, G. G., Brouwer, H. J., Esselink, F. J., Krasnikov, V. V., van Hutten, P. F., et al. (1997). Sexithiophene-C₆₀ blends as model systems for photovoltaic devices. *Synthetic Metals*, 84(1-3), 971-972. doi: 10.1016/s0379-6779(96)04235-x
- Vivo, P., Jukola, J., Ojala, M., Chukharev, V., & Lemmetyinen, H. (2008). Influence of Alq3/Au cathode on stability and efficiency of a layered organic solar cell in air. *Solar Energy Materials and Solar Cells*, 92(11), 1416-1420. doi: 10.1016/j.solmat.2008.06.002

- Waldauf, C., Schilinsky, P., Hauch, J., & Brabec, C. J. (2004). Material and device concepts for organic photovoltaics: towards competitive efficiencies. *Thin Solid Films*, 451-452, 503-507. doi: 10.1016/j.tsf.2003.11.043
- Wang, L., Jiang, X., Zhang, Z., & Xu, S. (2000). Organic thin film electroluminescent devices using Gaq3 as emitting layers. *Displays*, 21(2-3), 47-49. doi: 10.1016/s0141-9382(00)00035-4
- Wang, M., & Wang, X. (2008). P3HT/ZnO bulk-heterojunction solar cell sensitized by a perylene derivative. *Solar Energy Materials and Solar Cells*, 92(7), 766-771. doi: 10.1016/j.solmat.2008.01.015
- Wang, M. L., Song, Q. L., Wu, H. R., Ding, B. F., Gao, X. D., Sun, X. Y., et al. (2007). Small-molecular organic solar cells with C₆₀/Al composite anode. *Organic Electronics*, 8(4), 445-449. doi: 10.1016/j.orgel.2007.03.001
- Wang, N.-N., Yu, J.-S., Yue, Z., & Jiang, Y.-D. (2010). Photocurrent analysis of organic photovoltaic cells based on CuPc/C₆₀ with Alq3 as a buffer layer. *Chinese Physics B*, 19(3), 038602. doi: 10.1088/1674-1056/19/3/038602
- Warren, B. E. (1990). *X-Ray Diffraction* (First ed.). New York: Dover Publications Inc.
- Wienk, M. M., Struijk, M. P., & Janssen, R. A. J. (2006). Low band gap polymer bulk heterojunction solar cells. *Chemical Physics Letters*, 422(4-6), 488-491. doi: 10.1016/j.cplett.2006.03.027
- Winder, C., & Sariciftci, N. S. (2004). Low bandgap polymers for photon harvesting in bulk heterojunction solar cells. *Journal of Materials Chemistry*, 14(7), 1077-1086.
- Wong, W.-Y., Wang, X., Zhang, H.-L., Cheung, K.-Y., Fung, M.-K., Djurisic, A. B., et al. (2008). Synthesis, characterization and photovoltaic properties of a low-bandgap platinum(II) polyynes functionalized with a 3,4-ethylenedioxythiophene-benzothiadiazole hybrid spacer. *Journal of Organometallic Chemistry*, 693(24), 3603-3612. doi: 10.1016/j.jorganchem.2008.08.025
- Woo, C. H., Beaujuge, P. M., Holcombe, T. W., Lee, O. P., & Fréchet, J. M. J. (2010). Incorporation of Furan into Low Band-Gap Polymers for Efficient Solar Cells. *Journal of the American Chemical Society*, 132(44), 15547-15549. doi: 10.1021/ja108115y
- Wu, M. W., & Conwell, E. M. (1997). Transport in [alpha]-sexithiophene films. *Chemical Physics Letters*, 266(3-4), 363-367. doi: 10.1016/s0009-2614(97)00022-5
- Wudl, F. (2002). Fullerene materials. *Journal of Materials Chemistry*, 12(7), 1959-1963.
- Wurfel, P. (2007). Photovoltaic Principles and Organic Solar Cells. *CHIMIA International Journal for Chemistry*, 61(12), 770-774. doi: 10.2533/chimia.2007.770

- Xin, H., Reid, O. G., Ren, G., Kim, F. S., Ginger, D. S., & Jenekhe, S. A. (2010). Polymer Nanowire/Fullerene Bulk Heterojunction Solar Cells: How Nanostructure Determines Photovoltaic Properties. *ACS Nano*, 4(4), 1861-1872. doi: 10.1021/nn9014906
- Yakuphanoglu, F. (2007). Electrical conductivity and electrical modulus properties of [alpha], [omega]-dihexylsexithiophene organic semiconductor. *Physica B: Condensed Matter*, 393(1-2), 139-142. doi: 10.1016/j.physb.2006.12.075
- Yamanari, T., Taima, T., Sakai, J., & Saito, K. (2009). Origin of the open-circuit voltage of organic thin-film solar cells based on conjugated polymers. *Solar Energy Materials and Solar Cells*, 93(6-7), 759-761. doi: 10.1016/j.solmat.2008.09.022
- Yassar, A., Horowitz, G., Valat, P., Wintgens, V., Hmyene, M., Deloffre, F., et al. (1995). Exciton Coupling Effects in the Absorption and Photoluminescence of Sexithiophene Derivatives. *The Journal of Physical Chemistry*, 99(22), 9155-9159. doi: 10.1021/j100022a031
- Ye, R., Baba, M., Suzuki, K., & Mori, K. (2008). Fabrication of highly air-stable ambipolar thin-film transistors with organic heterostructure of F₁₆CuPc and DH- α 6T. *Solid-State Electronics*, 52(1), 60-62. doi: 10.1016/j.sse.2007.07.010
- Yeon Song, M., Kim, K.-J., & Kim, D. Y. (2005). Enhancement of photovoltaic characteristics using a PEDOT interlayer in TiO₂/MEHPPV heterojunction devices. *Solar Energy Materials and Solar Cells*, 85(1), 31-39. doi: 10.1016/j.solmat.2003.12.018
- Yoo, S., Potscavage Jr, W. J., Domercq, B., Han, S.-H., Li, T.-D., Jones, S. C., et al. (2007). Analysis of improved photovoltaic properties of pentacene/C₆₀ organic solar cells: Effects of exciton blocking layer thickness and thermal annealing. *Solid-State Electronics*, 51(10), 1367-1375. doi: 10.1016/j.sse.2007.07.038
- Zerza, G., Cravino, A., Neugebauer, H., Sariciftci, N. S., Gómez, R., Segura, J. L., et al. (2001). Photoinduced Electron Transfer in Donor-Acceptor Double-Cable Polymers: Polythiophene Bearing Tetracyanoanthraquinodimethane Moieties. *The Journal of Physical Chemistry A*, 105(17), 4172-4176. doi: 10.1021/jp0037448
- Zhang, J.-W., Yan, P.-F., Li, G.-M., Liu, B.-Q., & Chen, P. (2010). Systematic study on electrochemical properties of a series of TCNQ lanthanide complexes. *Journal of Organometallic Chemistry*, 695(10-11), 1493-1498. doi: 10.1016/j.jorganchem.2010.03.002
- Zhang, J., & Frenking, G. (2004). Quantum chemical analysis of the chemical bonds in Mq₃ (M = Al^{III}, Ga^{III}) as emitting material for OLED. *Chemical Physics Letters*, 394(1-3), 120-125. doi: 10.1016/j.cplett.2004.06.074
- Zhao, D. W., Tan, S. T., Ke, L., Liu, P., Kyaw, A. K. K., Sun, X. W., et al. (2010). Optimization of an inverted organic solar cell. *Solar Energy Materials and Solar Cells*, 94(6), 985-991. doi: 10.1016/j.solmat.2010.02.010

- Zhao, Y., Xie, Z., Qu, Y., Geng, Y., & Wang, L. (2008). Effects of thermal annealing on polymer photovoltaic cells with buffer layers and in situ formation of interfacial layer for enhancing power conversion efficiency. *Synthetic Metals*, 158(21-24), 908-911. doi: 10.1016/j.synthmet.2008.06.011
- Zhokhavets, U., Erb, T., Gobsch, G., Al-Ibrahim, M., & Ambacher, O. (2006). Relation between absorption and crystallinity of poly(3-hexylthiophene)/fullerene films for plastic solar cells. *Chemical Physics Letters*, 418(4-6), 347-350. doi: 10.1016/j.cplett.2005.11.020