

REFERENCES

- Abo-Hassan K. M.M., Muhamad M.R. & Radhakrishna S., (2005a), Optical characteristics of ZnS_xSe_{1-x} thin films prepared by electron beam evaporation, *Thin Solid Films* **491**, 117-122.
- Abo-Hassan K. M.M., Muhamad M.R. & Radhakrishna S., (2005b), Some structure parameters of ZnS_xSe_{1-x} thin films prepared by electron beam evaporation, *Physica B* **358**, 256- 264.
- Abrikosov N.KH., Bankina V.F., Poretskaya L.V., Shelimova L.E. & Shudnova E.V., (1969), *Semiconducting II-VI, IV-VI, and V-VI Compounds*, Plenum Press, New York.
- Accelrys Inc., (2001), *Materials Studio CASTEP*, Accelrys Inc., San Diego.
- Aigrain P. & Balkanski M.,(1961), *Selected Constants Relative to Semiconductors*, Pergamon Press, London.
- Altarelli M., (1985), Electronic-structure of two-dimensional semiconductor systems, *J. Lumin.* **30**, 472–487.
- Aswegen J.T. S. & Verleger H., Röntgenographische Untersuchung des Systems $ZnS-FeS$, (1960), *Naturwiss.* **47** (6), 131-131.
- Aven M. & Segall B., (1963), Carrier Mobility and Shallow Impurity States in ZnSe and ZnTe *Phys. Rev.* **130** (1), 81-91.
- Aven M., Marple D. T. F., & Segall B., (1961), Some Electrical and Optical Properties of ZnSe, *J. Appl. Phys. Suppl.*, 32 (10), 2261-2265.
- Bachelet G. B., Hamann D. R. & Schluter M., (1982), Pseudopotentials that work: From H to Pu, *Phys. Rev. B* **26**, 4199-4228.
- Bastard G. & Brum J. A., (1986), Electronic states in semiconductor heterostructures, *IEEE J. Quantum Electron.* **22**, 1625–1644.
- Bastard G., (1981), Superlattice band structure in the envelope-function approximation, *Phys. Rev. B* **24**, 5693–5697.
- Bell D. G., (1954), Group Theory and Crystal Lattices, *Revs. Modern Phys.* **26**, 311-319.
- Ben Afia S., Belmabrouk H., Said M., Abdi-Ben Nasrallah S., & Bouarissa N., (2005), Electronic structure calculations for ZnS_xSe_{1-x} , *Materials Science and Engineering C* **25**, 691 – 694.
- Berestetskii V.B., Lifshitz E.M., & Pitaevskii L.P., (1989), *Quantum Electrodynamics*, **2nd ed.**, Pergamon, Oxford, London.

- Bernard J.E. & Zunger A., (1987), Electronic Structure of ZnS, ZnSe, ZnTe and their Pseudobinary Alloys, *Phys. Rev. B* **36** (6), 3199-3228.
- Bernard J.E., Ferreira L.G., Wei S.H. & Zunger A., (1988), Ordering of Isovalent Intersemiconductor Alloys, *Phys. Rev. B* **38**, 6338-6342.
- Bir G.L., Pikus G.E., Suslina L.G. & Fedorov D.L., (1970), Exciton spectra and exchange interaction in deformed ZnS crystals containing stacking faults, *Sov. Phys. Solid State* **12**, 3218-3228.
- Birman J. L., (1958), Theory of the Piezoelectric Effect in the Zinc blende Structure, *Phys. Rev.* **111**, 1510-1514.
- Biswas S.N. & Ghatak K.P., (1992), The Einstein relation in zero-gap semiconductors, *Int. J. Electron.* **73** (2), 287-293.
- Bjorken D. & Drell S.D., (1964), *Relativistic Quantum Mechanics*, McGraw-Hill, New York.
- Bloch F., (1928), Über die Quantenmechanik der Elektronen in Kristallgittern, *Z. Physik* **52**, 555-600.
- Callaway J., (1958), *Electron Energy Bands in Solids*; **Vol 7** New York: Academic Press.
- Ceperley D. M. & Alder B. J., (1980), Ground State of the Electron Gas by a Stochastic Method, *Phys. Rev. Lett.* **45**, 566-569.
- Chakrabortya P.K., Choudhuryb S., & Ghatak K.P., (2007), Simple theoretical analysis of the density-of-states function of Kane type semiconductors in the presence of an external electric field; *Physica B* **387**, 333–343.
- Clark S. J., Segall M. D., Pickard C. J., Hasnip P. J., Probert M. I. J., Refson K., & Payne M. C. , (2005), First principles methods using CASTEP, *Zeitschrift for Kristallographie*, **220** (5-6), 567-570.
- Cohen-Tannodji C., Diu B., & F. Laloë, (1977), *Quantum mechanics*, Wiley-Inter Science, New York.
- Davydov A.S., (1965), *Quantum Mechanics*, **2nd ed.**, Pergamon, Oxford, England.
- Debney G.C., Kerr R.P. & Schild A., (1969), Solutions of the Einstein and Einstein-Maxwell Equations, *J. Math. Phys.* **10**, 1842-1854.
- Dirac P. A. M., (1926), On the theory of quantum mechanics, *Proc. Roy. Soc.* **112**, 661-677.
- Dresselhaus G., (1955), Spin-Orbit Coupling Effects in Zinc Blende Structures, *Phys. Rev.* **100**, 580-586.
- Drickamer H. G., (1963), Pressure and Electronic Structure, *Science* **142** (3598), 1429-1435.

- Ebina A., Fukunaka E., & Takahashi T., (1974), Variation with composition of the E_0 and $E_0 + \Delta_0$ gaps in $\text{ZnS}_x\text{Se}_{1-x}$ alloys, *Phys. Rev. B* **10**, 2495-2500.
- Fermi E., (1926), On Quantization of Perfect Monatomic Gases, *Z. Phys.* **36** 902-908.
- Fischer TH, & Almöf J., (1992), General Methods for Geometry and Wave Function Optimization. *J. Phys. Chem.*, **96**, 9768-9774.
- Fitzer N., Kuligk A., Redmer R., Städele M., Goodnick S.M., & Schattke W., (2003), Full-band Monte Carlo simulations of high-field electron transport in GaAs and ZnS, *Phys. Rev. B* **67**, 2012011-2012014.
- Franz W., (1958), Influence of an electric field on an optical absorption edge (in German), *Z. Naturforsch.* **13a**, 484-489.
- Freeouf J.L., (1973), Far-Ultraviolet Reflectance of II-VI Compounds and Correlation with the Penn—Phillips Gap, *Phys. Rev. B* **7**, 3810-3830.
- Gabrel'yan B.V., Lavrentiev A.A., & Nikiforov I.Y., (2000), Dependence of the forbidden gap on sulfur concentration for $\text{ZnS}_x\text{Se}_{1-x}$ solid solutions, *J. Struct. Chem.* **41**, 403-408.
- Ghatak K. P., Bhattacharya S., Biswas S. K., Dey A. & Dasgupta A. K., (2007), A simple theoretical analysis of the effective electron mass in III–V, ternary and quaternary materials in the presence of light waves; *Phys. Scr.* **75** 820–836.
- Ghatak K.P., Bhattacharya S., Singh K.M., Choudhury S., Pahari S., (2008), On the photoemission from III V, ternary and quaternary materials: Simplified theory and relative comparison, *Physica B* **403** 2116-2136.
- Ghatak K.P., Bose P.K., Ghatak A.R., De D., Pahari S., Chakraborty S.K. & Biswas S.K., (2005), The Einstein Relation in Quantum Wells and Wires of Heavily Doped Nonlinear Optical and Optoelectrical Materials: Simplified Theory and Suggestion For Experimental Determination; *J. of Theor. Comput. Nanosci.* **2** 423-437.
- Godlewski M., & Szczerbakow A., (2001), Thin Films of Wide Bandgap II-VI Compounds Grown by Atomic Layer Epitaxy - Properties and Application, *J. Wide Bandgap Mater.* **9**, 75-82.
- Godlewski M., Guziewicz E., Szczerbakow A., Kopalko K., & Dynowska E., (2001), Optical and Structural Properties of Thin Films of ZnS Grown by Atomic Layer Epitaxy, *J. Wide Bandgap Mater.* **9** (1), 55-63.
- Goryunova N. A. & Fedorova N. N., (1959), On Solid Solutions in the ZnSe-GaAs System," *Soviet Physics-Solid State*, **1**, 307-308.
- Guetin P., & Boccon-Gibod D., (1968), Franz-Keldysh effect with Gunn domains in bulk GaAs, *Phys. Lett.* **13**, 161-163.

- Haga E. & Kimura H., (1964), Free-Carrier Infrared Absorption in III-V Semiconductors II. InAs, J. Phys. Soc. Jpn. **19**, 471-481.
- Haken W., (1910), Beitrag zur Kenntnis der thermoelektrischen Eigenschaften der Metallegierungen, Ann. Physik, **32**, 291-336.
- Hansen M. & Andreko K., (1968), Constitution of Binary Alloys, **2nd ed.**, McGraw-Hill, New York.
- Herman F., Kuglin C.D., Cuff K.F., & Kortum R.L., (1963), Phys. Rev. Lett. **11**, 541-545.
- Hohenberg P. & Kohn W., (1964), Inhomogeneous Electron Gas, Phys. Rev. **136**, B864-B871.
- Homann T., Hotje U., Binnewies M., Borger A., Becker K. D. & Bredow T., (2006), Solid StateSci. **8**, 44-49.
- Huang M. Z., & Ching W.Y., (1993), Calculation of optical excitations in cubic semiconductors. I. Electronic structure and linear response, Phys. Rev. B **47**, 9449-9463.
- Janetzko F., & Jug K., (2004), Miscibility of Zinc Chalcogenides, J. Phys. Chem. A **108**, 5449-5453.
- Jeon H., Ding J., Nurmikko A.V., Xie W., Griio D.C., Kobayashi M., Gunshor , Hau G.C. & Otsuka N., (1992), Blue and green diode lasers in ZnSe-based quantum wells, Appl. Phys. Lett. **60** (17) 2045-2047.
- Kane E. O., (1956), Energy band structure in p-type germanium and silicon, J. Phys. Chem. Solids **12**, 82-99.
- Kane E. O.,(1966), In Semiconductors and Semimetals, **Vol. 1**, ed. By R. K. Willardson, A. C. Beer, Academic Press, New York.
- Kane E.O., (1957), Band structure of indium antimonide, J. Phys. Chem. Solids **1**, 249-261.
- Karl W. Böer, (1990), Survey of Semiconductor Physics: Electrons and Other Particles in Bulk Semiconductors; Nostrand Reinhold.
- Kawakamin Y., Cavenett B.C., Ichino K., & Fujita S., (1993), Photoluminescence Excitation Spectroscopy of the Lasing Transition in $Zn_{0.85}Cd_{0.15}Se-ZnS_{0.08}Se_{0.92}$ Multiple Quantum Wells, Jpn. J. Appl. Phys. **32**, and L730-L733.
- Keldysh L. V., (1985), Behavior of non-metallic crystals in strong electric fields, Sov. Phys. JETP **6**, 763-770.
- Kerker G., (1980), Non-singular atomic pseudopotentials for solid state applications, J. Phys. C **13** L189-L194.

- Kittel C., (1996)., Introduction to Solid State Physics, 7 edn., John Wiley & Sons, New York.
- Koch W., & Holthausen M.C., (2001), A Chemist's Guide to Density Functional Theory, Wiley-VCH, Weinheim.
- Kohn W. & Sham L.J., (1965), Self-Consistent Equations Including Exchange and Correlation Effects, Phys. Rev. **140**, A1133–A1138.
- Kresse G., Furthmuller J., (1996), Efficient iterative schemes for ab initio total-energy calculations using a plane-wave basis set, Phys. Rev. B **54**, 11169-11186 .
- Kröger F. A., (1965), The role of the ionization of defects in causing systematic differences in the semiconductor properties of undoped compounds, J. Phys. Chem. Solids, **26** (12), 1707-1715.
- Lai L.S., Sou I.K., Law C.W.Y., Wong K.S., Yang Z. & Wong G.K.L., (2003), ZnSSe-based ultra-violet photodiodes with extremely high detectivity, Opt. Mater. **23**(1-2), 21-26.
- Landau L., (1930), Paramagnetism of Metals, Z. Phys.**64**, 629-637.
- Landau L.D. & Lifshitz E.M., (1969), Statistical Physics, Pergamon, Oxford, Chap. 14.
- Landsberg P.T., (1986), Solid-state analogue of the relativistic gases, Phys. Rev. **33B**, 8321-8324.
- Lawrence D. Cloutman, (1989), Numerical evaluation of the Fermi-Dirac integrals, The Ast. Phys. J. Supp. Ser. **71**, 677-699.
- Lee M. H., (1996), PhD Thesis, Cambridge University.
- Lin J. S., Qteish A., Payne M. C. & Heine V., (1993), Optimized and transferable separable ab initio pseudopotentials, Phys. Rev. B **47**, 4174-4180.
- Lippens P.E., & Lannoo M., (1989), Calculation of the band gap for small CdS and ZnS crystallites, Phys. Rev. B **39**, 10935-10942.
- Luo W., Ismail-Beigi S., Cohen M.L., & Louie S.G., (2002), Quasi particle band structure of ZnS and ZnSe, Phys. Rev. B **66**, 195215(1-6).
- Martins J.L. & Zunger A., (1986), Ordering and decomposition in semiconductor alloys, J. Mater. Res. **1**, 523-526.
- Masatoshi Imada & Takashi Miyake, (2010), Electronic Structure Calculation by First Principles for Strongly Correlated Electron Systems, J. Phys. Soc. Jap., **79**(11), 112001(1-44).
- Mbaye A.A., Wood D.M., & Zunger A., (1988), Stability of bulk and pseudomorphic epitaxial semiconductors and their alloys, Phys. Rev. B **37**, 3008-3024.

- McDougall J. & Stoner E.C., (1938), The computation of Fermi-Dirac functions, Roy. Soc. Philos. Trans. **327A**, 67-104.
- McGlynn S.P., Azumi T. & Kinoshita M., (1969), Molecular Spectroscopy of the triplet state, Prentice-Hall, Englewood Cliffs.
- McKelvey J. P., (1966), Solid Stat and Semiconductor Physics, Harper and Row, New York.
- Mesri D., Dridi Z., & Tadjer A., (2007), First-principles investigation of lattice constants and bowing parameter in ZnS_xSe_{1-x} alloys, Computational Material Science **39**, 453-456.
- Messiah A., (1968), Quantum Mechanics, Vol. II, Wiley, New York.
- Milman V., Winkler B., White J.A., Pickard C.J., Payne M.C., Akhmatkaya E.V., & Nobes R.H., (2000), Electronic Structure, Properties and Phase Stability of Inorganic Crystals: Pseudopotential Plane-Wave Study, J. Quantum Chem. **77**, 895-910.
- Mitra B., & Ghatak K.P., (1989), On the subband energies in quantum well wires of non-parabolic semiconductors in the presence of crossed electric and magnetic fields, Phys. Letts. A **137A**, 413-416.
- Monkhorst H.J. & Pack J.D., (1976), On Special Points for Brillouin Zone Integrations, Phys. Rev. B **13**, 5188-5192.
- Moss T. S., (1961), Optical Properties of Semiconductors, Butterworths, London, 47.
- Muscat J., Wander A. & Harrison N.M., (2001), On the prediction of band gaps from hybrid functional theory, Chem. Phys. Lett. **342**, 397-401.
- Nacir Tit, (2003), Strain effects in the common-cation II–VI heterostructures: case of ZnS/ZnSe superlattices, J. Phys. D: Appl. Phys. **36** 961–968.
- Nag B. R., (1972), Theory of Electrical Transport in Semiconductors, Pergamon, Oxford, and London.
- Nag B.R., (1980), Electron Transport in Compound Semiconductors, Springer, Berlin, Germany.
- Newman E.T., (2002), Classical, geometric origin of magnetic moments, spin-angular momentum, and the Dirac gyromagnetic ratio, Phys. Rev. D **65**, 104005 (1-8).
- Okoye C.M.I., (2003), First-principles study of the electronic and optical properties of zincblende zinc selenide, Physica B **337**, 1-9.
- Oliver G.L. & Perdew J.P., (1979), Spin-density gradient expansion for the kinetic energy, Phys. Rev. A **20**, 397-403.
- Pankove J. I., (1971), Optical Processes in Semiconductors, Prentice-Hall, Englewood Cliffs, New Jersey.

- Parmenter R. H., (1955), Symmetric properties of the energy bands of the zincblende structure, *Phys. Rev.* **100**, 573-579.
- Pashinkin A. S., Tishchenko G. I., Korneeva I. V., & Ryzhenko B. N., (1960), *Kristallografiya*, **5**(2), 216-217.
- Payne M. C., Teter M. P., Allan D. C., Arias T. A. & Joannopoulos J. D., (1992), Iterative minimization techniques for ab initio total-energy calculations: molecular dynamics and conjugate gradients, *Rev. Mod. Phys.* **64**, 1045-1097.
- Perdew J. P. & Zunger A., (1981), Self-interaction correction to density-functional approximations for many-electron systems, *Phys. Rev. B* **23**, 5048-5079.
- Perdew J. P., Kieron Burke & Matthias Ernzerhof, (1996), Generalized Gradient Approximation Made Simple, *Phys. Rev. Lett.* **77**, 3865- 3868.
- Perdew J.P., (1985), Accurate Density Functional for the Energy: Real-Space Cutoff of the Gradient Expansion for the Exchange Hole, *Phys. Rev. Lett.* **55**, 1665-1668.
- Persson C., & Zunger A., (2003), *s-d* coupling in zinc-blende semiconductors, *Phys. Rev. B* **68**, 073205(1-4).
- Piper W., (1953), Some Electrical and Optical Properties of Synthetic Single Crystals of Zinc Sulfide, *Phys. Rev.* **92** (1), 23-27.
- Qteish A., Said R., Meskini N., & Nazzal A., (1995), Ab initio pseudopotential calculations of the band lineups at strained ZnS/ZnSe interfaces: Including the 3*d* electrons of Zn as valence states, *Phys. Rev. B* **52**, 1830-1838.
- Rossetti R., Hull R., Gibson J.M., & Brus L.E., (1985), excited electronic states and optical spectra of ZnS and CdS crystallites in the ≈ 15 to 50 \AA sizes range: Evolution from molecular to bulk semiconducting properties, *J. Chem. Phys.* **82**, 552-559.
- Larach S., Shrader R.E., & Stocker C.F. (1957), Anomalous Variation of Band Gap with Composition in Zinc Sulfo- and Seleno-Tellurides, *Phys. Rev.*, **108**, 587-589.
- Şakir Erkoç and Turgay Uzer, (1996), *Lecture Notes On Atomic and Molecular Physics*, World Scientific, and Singapore.
- Schrödinger E., (1926), Über das Verhältnis der Heisenberg Born Jordanischen Quantenmechanik zu der meinen, *Am. Physik* **79**, 734-756.
- Sholl D. S., & Steckel J. A., (2009), *Density Functional Theory: A Practical Introduction*, New York.
- Shum K., (1991), Density of States in Semiconductor Nanostructures; *J. Appl. Phys.* **69**, 6484 - 6487.
- Slyusarenko E.M., (2008), Phase transitions and formation of polytypes in crystal structures of ionic compounds, *Chem. Met. Alloys* **1**, 235-243.

- Smelyansky V.I., & Tse J.S., (1995), Theoretical study on the high-pressure phase transformation in ZnSe, *Phys. Rev. B* **52**, 4658-4661.
- Sommerfeld A., (1928), Zur Elektronentheorie der Metalle auf Grund der Fermischen Statistik, *Z. Phys.* **47** 1-3.
- Srivastava G. P. & Weaire D., (1987), The theory of the cohesive energies of solids, *Adv. Phys.* **26**, 463-517.
- Swarnkar C.B., Pandya R.K., Paliwal U., Patel N.N., & Joshi K.B., (2009), *Chalcogenide Letters* Vol. **6(4)**, 137 - 148.
- Tang S., Wallace R.M., Seabaugh A. & King-Smith D., (1998), Evaluating the minimum thickness of gate oxide on silicon using first-principles method, *Applied Surface Science* **135**, 137-142.
- Teter M.P., Payne M.C., & Allan D.C., (1989), Solution of Schrödinger's equation for large systems, *Phys. Rev. B* **40**, 12255-12263.
- Troullier N. & Martins J. L., (1991), Efficient pseudopotentials for plane-wave calculations, *Phys. Rev. B* **43**, 1993-2006.
- Uhlenbeck G. E. & Young L. A., (1930), The value of e/m by deflection experiments, *Phys. Rev.* **36** 1721–1727.
- Vainshtein I. A., Zatsopin A. F & Kortov V. S., (1999), *Physics of the Solid State* **41** (6), 905-908.
- Van de Walle C.G., (1989), Band lineups and deformation potentials in the model-solid theory, *Phys. Rev. B* **39**, 1871-1883.
- Van Vechten J. A. & Bergstresser T.K., (1970), Electronic Structures of Semiconductor Alloys, *Phys. Rev. B* **1**, 3351-3358.
- Ves S., Schwarz U., Christensen N.E., Syassen K., & Cardona M., (1990), Cubic ZnS under pressure: Optical-absorption edge, phase transition, and calculated equation of state, *Phys. Rev. B* **42**, 9113-9118.
- Von Barth U., & Hedin L., (1972), A local exchange-correlation potential for the spin polarized case.i, *J. Phys. C: Solid State Phys.* **5**, 1629-1642.
- Vosko S.H., Wilk L., & Nusair M., (1980), Accurate spin-dependent electron liquid correlation energies for local spin density calculations: a critical analysis, *Can. J. Phys.* **59**, 1200-1211.
- Walter J.P. & Cohen M.L., Calculation of the Reflectivity, Modulated Reflectivity, and Band Structure of GaAs, GaP, ZnSe, and ZnS, (1969), *Phys. Rev.* **183**, 763-772.
- Wang J. & Isshiki M., (2007), Wide-Bandgap II–VI Semiconductors: Growth and Properties, *Springer Handbook of Electronic and Photonic Materials Part B*, 325-342
- Wang W.C., (1966), *Solid State Electronics*, McGraw-Hill, New York.

Wei S.H., & Zunger A., (1999), Predicted Band-Gap Pressure Coefficients of All Diamond and Zinc-Blende · Semiconductors: Chemical Trends Phys. Rev. B **60**, 5404-5411.

Wigner E. & F. Seitz, (1933), On the Constitution of Metallic Sodium, Phys. Rev. **34**, 804-810.

Xie H.Q., Zeng Y., Huang W.Q., Peng L., Peng P. & Wang T.H., (2010), First-principles study on electronic and optical properties of La-doped ZnS, Int. J. Phys. Sc. **5**(17), 2672-2678.

Xue L.A. & Raj R., (1991), Grain Growth in Superplastically Deformed Zinc Sulfide/Diamond Composites, Appl. Phys. Lett. **74**, 1729–1731.