

## REFERENCES

- Abraham, J. P., Whicker, F.W., Hinton, T.G., Rowan, D.J. (2000). Inventory and spatial pattern of  $^{137}\text{Cs}$  in a pond: a comparison of two survey methods. *Environmental Radioactivity*, 51, 157-171.
- Abril, J. M. (2003). Difficulties in interpreting fast mixing in the radiometric dating of sediments using  $^{210}\text{Pb}$  and  $^{137}\text{Cs}$ . *Journal of Paleolimnology*, 30(4), 407-414.
- Ahmad, A. K., Shuhaimi, M. O. (2010). Heavy Metal Concentration in Sediments and Fishes from Lake Chini, Pahang, Malaysia. *Journal of Biological Sciences*, 10(2), 93-100. doi: <http://dx.doi.org/10.3923/jbs.2010.93.100>
- Ahmad, F. (2001). *Sustainable Agriculture System in Malaysia*. Paper presented at the Regional Workshop on Integrated Plant Nutrition System (IPNS), Development in Rural Poverty Alleviation, Bangkok, Thailand.
- Ahmed, A. K., Mushiraf. I., Othman. M.S. (2008). Water Quality and Heavy Metal Concentrations in Sediment of Sungai Kelantan, Kelantan, Malaysia: A Baseline Study. *Science Malaysiana*, 38(4), 435-442.
- Aikpokpodion, P. E., Lajide, L., and Aiyesanmi, A. F. (2010). Heavy Metals Contamination in Fungicide Treated Cocoa Plantations in Cross River State, Nigeria. *American-Eurasian Journal of Agriculture & Environment Science* 8(3), 268-274.
- Anke, M., Illing-Gunther, H., Schafer, U. (2005). Recent Progress on Essentially of the Ultratrace Element Vanadium in the Nutrition of Animal and Man. *Biomed Research Trace Elements*, 16(3), 208-214.

- Appleby, P. G. (2000). Radiometric dating of sediment records in European mountain lakes. *Limnology*, 59, 1-14.
- Appleby, P. G. (1997). Sediment records of fallout radionuclides and their application to studies of sediment-water interactions. *Water, Air, & Soil Pollution*, 99(1), 573-585.
- Appleby, P. G. (2004). Environmental Change and Atmospheric Contamination on Svalbard: Sediment Chronology. *Journal of Paleolimnology*, 31(4), 433-443.
- Appleby, P. G., Birks, H. H., Flower, R. J., Rose, N., Peglar, S. M., Ramdani, M., Kraïem, M. M., Fathi, A. A. (2001). Radiometrically determined dates and sedimentation rates for recent sediments in nine North African wetland lakes (the CASSARINA Project). *Aquatic Ecology*, 35(3), 347-367.
- Appleby, P. G., Haworth, E. Y., Michel, H., Short, D. B., Laptev, G., & Piliposian, G. T. (2003). The Transport and Mass Balance of Fallout Radionuclides in Blelham Tarn, Cumbria (UK). *Journal of Paleolimnology*, 29(4), 459-473.
- Appleby, P. G., N. Richardson & P.J. Nolan. (1991). Am-241 dating of lake sediments. *Hydrobiologia*, 214, 35-42.
- Appleby, P. G., Oldfield. F. T (1978). The calculation of  $^{210}\text{Pb}$  dates assuming a constant rate of supply of unsupported  $^{210}\text{Pb}$  to the sediment. *CATENA*, 5, 1-8.
- Ariztegui, D., Anselmetti, F. S., Robbiani, J. m., Bernasconi, S. M., Brati, E., Gilli, A., Lehmann, M. F. (2010). Natural and human-induced environmental change in southern Albania for the last 300 years — Constraints from the Lake Butrint sedimentary record. *Global and Planetary Change*, 71, 183-192.

- Armstrong, M. L. (1998). Geospatial Positioning Accuracy Standards. National Oceanic and atmospheric Administration Retrieved from [http://www.oregon.gov/ODOT/HWY/GEOMETRONICS/docs/presentations/Feb\\_FGDC\\_Standards\\_Parts\\_1\\_and\\_2\\_OSU.pdf?ga=t](http://www.oregon.gov/ODOT/HWY/GEOMETRONICS/docs/presentations/Feb_FGDC_Standards_Parts_1_and_2_OSU.pdf?ga=t).
- Arnaud, F., Magand, O., Chapron, E., Bertrand, S., Boe's, X., Charlet, F., Melieres, M. (2006). Radionuclide dating ( $^{210}\text{Pb}$ ,  $^{137}\text{Cs}$ ,  $^{241}\text{Am}$ ) of recent lake sediments in a highly active geodynamic setting (Lakes Puyehue and Icalma—Chilean Lake District). *Science of The Total Environment*, 366, 837– 850.
- American Society of Civil Enginreeng (ASCE) (1998). Manual and Report on Engineering Practice (Vol. 87): American Society of Civil Engineers.
- Azman, A. G (2009) Plutonium. Chpt. 10: In (Huchinson, C. S and Tan, D. N. K) “Geology of Peninsular Malaysia”, P. 211-232
- Barokah, A., Ali, A. I., Simon, P. G., Nita, S., Wahyu, T. (2007). The Use of the Cs-137 Technique for Measuring Soil Erosion/Sedimentation at a Small Catchment Ciliwung, Tugu-Bogor. *A Scientific Journal for the Application of Isotopes and Eadiation*, 3(2), 11-17.
- Basiron, Y. (2006). Sustainable Palm Oil Practices in Malaysia Kuala Lumpur: Ministry of Agriculture Malaysia.
- Begy, R., Cosma, C., Timar, A. (2009). Recent changes in Red Lake (Romania) Sedimentation Rate Determined from Depth Profiles of  $^{210}\text{Pb}$  and  $^{137}\text{Cs}$  Radioisotopes. *Journal of Environmental Radioactivity*, 100, 644–648.
- Benoit, G., Rozan, Tim. F. (2001).  $^{210}\text{Pb}$  and  $^{137}\text{Cs}$  dating methods in lakes: A retrospective study. *Journal of Paleolimnology*, 25(4), 455-465.

- Blott, S. J., Pye, K. (2001). GRADISTAT: A Grain Size Distribution and Statistics Package for the Analysis of Unconsolidated Sediments. *Earth Surface, Process, Landforms* 26, 1237–1248. doi: 10.1002/esp.261
- Bonotto, D., & de Lima, J. (2006). <sup>210</sup>Pb-derived chronology in sediment cores evidencing the anthropogenic occupation history at Corumbataí River basin, Brazil. *Environmental Geology*, 50(4), 595-611.
- Brereton, R., G. . (2007). Applied Chemometrics for Scientists. doi:DOI: 10.1002/9780470057780.ch13
- Brian, O. (2010). The Water Quality Index, from <http://www.water-research.net/watrqualindex/waterqualityindex.htm>
- Bujdosó, E. (1997). Environmental radiochemistry and radioactivity. *Journal of Radioanalytical and Nuclear Chemistry*, 218(1), 135-145.
- Burton, G. (1998). *Assessing Aquatic Ecosystems Using Pore Waters and Sediment Chemistry*. United States Environmental Protection Agency.
- Caeiro, S., Costa, M. H., Ramos, T. B., Fernandes, F., Silveira, N (2005). Assessing heavy metal contamination in Sado Estuary sediment: An index analysis approach. *Ecological Indicators*, 5, 151-169.
- CBSQG. (2003). Consensus-Based Sediment Quality Guidelines. In C. S. S. Team (Ed.), (pp. 40). Wisconsin.
- Canadian Council of Ministers of the Environment, CCME. (1995). *Protocol for the Derivation of Canadian Sediment Quality Guidelines for the Protection of Aquatic Life*. Ottawa: Environment Canada, Guidelines Division, Technical Secretariat of

the CCME Task Group on Water Quality Guidelines Retrieved from <http://www.ec.gc.ca>.

- Cha, H. J., Kang, M.J., Chung, G. H., Choi, G. S., Lee, C. W. (2006). Accumulation of  $^{137}\text{Cs}$  in soils on different bedrock geology and textures. *Journal of Radioanalytical and Nuclear Chemistry*, 267(2), 349-355.
- Chapman, D., Kimstach, V. (1996). *Selection of water quality variables*. In D. Chapman (Ed.), *Water Quality Assessments - A Guide to Use of Biota, Sediments and Water in Environmental Monitoring - Second Edition* (pp. 60): UNESCO/WHO/UNEP.
- Chee, W. C., Abdulla, A. (1998). *Country Pasture/Forage Resource Profiles, Malaysia*. Kuala Lumpur: Ministry of Agriculture Malaysia.
- Chiew, I. K., Rahman, Z. (2002). The Effects Oil Palm Empty Fruit Bunches on Oil Palm Nutrition and Yield, and Soil Chemical Properties. *Journal of Oil Palm Reserach*, 14(2), 1-9.
- Chiu, C.Y., Lai, S.Y., Lin, Y.M., Chiang, H.C. (1999). Distribution of the Radionuclide  $^{137}\text{Cs}$  in the Soils of a Wet Mountainous Forest in Taiwan. *Applied Radiation and Isotope* 50, 1097-1103.
- Chong, G. (2007). *Tasek Bera: Past, Present and Future*. Paper presented at the Colloquium on Lakes and Reservoir Management: Status and Issues, Putrajaya. A. Anton, Editor. 2007, Ministry of Natural Resources and Environment: Putrajaya
- Ciszewski, D., Czajka, A., & Błażej, S. (2008). Rapid migration of heavy metals and  $^{137}\text{Cs}$  in alluvial sediments, Upper Odra River valley, Poland. *Environmental Geology*, 55(7), 1577-1586.

- Covay, K. J., and Beck, D. A. (2001). Sediment-Deposition Rates and Organic Compounds in Bottom Sediment at Four Sites in Lake Mead. Las Vegas: University of Nevada.
- Craft, C., B., Richardson, C. G. (1998). Recent and Long-Term Organic Soil Accretion and Nutrient Accumulation in the Everglades. *Soil Science Society of American Journal*, 62, 834-843.
- Danish Cooperation for Environment and Development, DANCED. (1998). *Wetland International Malaysia Programme*. Ministry of Science, Technology and the Environment Retrieved from <http://www.mst.dk/danced-uk/>.
- Darabaris, J. (2008). *Corporate Environmental Management*. Boca Raton: Taylor & Francis Group.
- Dauvalter, V. A., Kashulin, N.A. Lehto, J. and Jernström, J. (2009). Chalcophile elements Hg, Cd, Pb, As in Lake Umbozero, Murmansk Region, Russia. *International Journal of Environmental Research*, 3(3), 411-428.
- DeBano, L. F. (2000). The role of fire and soil heating on water repellency in wildland environments: a review. *Journal of Hydrology* 231, 195–206.
- Department of Environment, DOE. (2006). *National Water Quality Standards for Malaysia (NWQS)*. Kuala Lumpur: The Ministry of Health.
- Dorall, R. F., Sinniah. P. (1997). *Integrating Remotely Sensed and Terrestrial Data for Environmental Conservation Management in Tasek Bera, Pahang, Malaysia*. Paper presented at the Asian Conference on Remote Sensing, Kuala Lumpur.
- Douglas, I., Spencer, Tom., Greer, Tony., Bidin, Kawi., Sinun, Waidi., Meng, Wong. Wai. (1992). The impact of selective commercial logging on stream hydrology,

- chemistry and sediment loads in the Ulu Segama rain forest, Sabah, Malaysia. *Research Society*, 335, 397-406.
- Ebaid, Y., & Khater, A. E. M. (2006). Determination of  $^{210}\text{Pb}$  in environmental samples. *Journal of Radioanalytical and Nuclear Chemistry*, 270(3), 609-619.
- Ebrahimpour, M., Mushrifah, I. (2009). Variation and correlations of selected heavy metals in sediment and aquatic plants in Tasik Chini, Malaysia. *Environment Geology*, 57(4), 823-831.
- Environmental Conservation Department, ECD. (2002a). *Environmental Impact Assessment (EIA) Guidelines Oil Palm Plantation Development*. (4). Sabah, Malaysia: State Environmental Conservation Department, (ECD).
- Environmental Conservation Department, ECD. (2002b). *Environmental Impact Assessment (EIA) Guidelines Oil Palm Plantation Development*. Sabah: The Minister of Tourism, Environment Retrieved from [http://www.sabah.gov.my/jpas/Assessment/eia/handbook/Handbook%20Oil\\_Palm.pdf](http://www.sabah.gov.my/jpas/Assessment/eia/handbook/Handbook%20Oil_Palm.pdf).
- Einax, J. W., Zwanziger, H. W., Geib, S. (Ed) (1997). *Chemometrics in Environmental Analysis*. Weinheim: Wiley-Vch Verlag Gmbh.
- Environmental Protection Agency, EPA. (2001). *Methods for Collection, Storage and Manipulation of Sediments for Chemical and Toxicological Analyses: Technical Manual (Vol. 823-B-01)*: Environmental Protection Agency.
- Erickson, S. L., King, B. L. (1999). *Fundamentals of Environmental Management*. Portland: John Wiley and Sons.

- Eriksson, M., Holm, E., Roos, P., Dahlgaard, H. (2004). Distribution and flux of  $^{238}\text{Pu}$ ,  $^{239,240}\text{Pu}$ ,  $^{241}\text{Am}$ ,  $^{137}\text{Cs}$  and  $^{210}\text{Pb}$  to high arctic lakes in the Thule district (Greenland). *Journal of Environmental Radioactivity*, 75, 285-299.
- Faure, G. (1997). *Principles of Isotope Geology* (Second ed. Vol. 589). Columbus: John Wiley & Sons.
- Fávaro, D., Damatto, S., Moreira, E., Mazzilli, B., & Campagnoli, F. (2007). Chemical characterization and recent sedimentation rates in sediment cores from Rio Grande reservoir, SP, Brazil. *Journal of Radioanalytical and Nuclear Chemistry*, 273(2), 451-463.
- Fávaro, D. I. T., Damatto, S. R., Silva, P. S. C., Riga, A. A., Sakamoto, A. Y., Mazzilli, B. P. (2006). Chemical characterization and  $^{210}\text{Pb}$  dating in wetland sediments from the Nhecolândia Pantanal Pond, Brazil. *Journal of Radioanalytical and Nuclear Chemistry*, 269(3), 719-726.
- Field, J. F., Carter, E. A. (2000). *Soil and Nutrient Loss Following Site Preparation Burning*. Paper presented at the ASAE Annual International Meeting, Wisconsin.
- Fisher, R. F., Binkley, D. (2000). *Ecology and Management of Forest Soils*. New York: John Wiley & Sons.
- Flower, R., Appleby, P., Thompson, J., Ahmed, M., Ramdani, M., Chouba, L., Rasmussen, E. (2009). Sediment distribution and accumulation in lagoons of the Southern Mediterranean Region (the MELMARINA Project) with special reference to environmental change and aquatic ecosystems. *Hydrobiologia*, 622(1), 85-112.
- Folk, R. L. (1954). The distinction between grain size and mineral composition in sedimentary-rock nomenclature. *Journal of Geology*, 62, 344-359.



- Folk, R. L., Ward, W.C. (1957). Brazos River bar: a study in the significance of grain size parameters. *Journal of Sedimentary Petrology*, 27, 3-26.
- Forest Research Institute of Malaysia ,FRIM. (1997). *A consultancy report on the extent and types of vegetation cover at Tasek Bera*. Wetlands International Asia-Pacific. Kuala Lumpur.
- Furtado, J. I., Mori, S. (1982). Tasik Bera: The Ecology of a Freshwater Swamp. *Monogrov Biology*, 47, 413.
- Gall, M. D., Borg, W. R., Gall, J. P. (1996). *Education research: An introduction*: White Plains, NY: Longman.
- Garcia-Sanchez, L., Madoz-Escande, C., Gonze, M. A. (2009). Effects of radionuclide and rainfall characteristics on field loss parameters of grass. *Journal of Environmental Radioactivity*, 100(10), 847-853.
- Giesen, W. (1998). *The habitats and flora of Tasik Bera, Malaysia: an evaluation of their conservation value and management requirements* Wetlands International Asia-Pacific. Kuala Lumpur.
- Global Investigation of Pollution in the Marine Environment, GIPME. (1999). Guidance on Assessment of Sediment Quality: United Nations Environment Programme, Intergovernmental oceanographic Comission, and International Maritime Organization.
- Goldberg, E. D. (1963). *Geochronology with Pb-210*. Paper presented at the Symposium on Radioactive Dating, Vienna, Austria.
- Gravelius, I. (1914). Grundrifi der gesamten Gewcisserkunde. Band I: Flufikunde (Compendium of Hydrology, vol. I. Rivers, in German). *Goschen*.

- Grigal, D. F., Bates, P. C. (1992). Biomass Harvesting on Forest Management Sites in Minnesota The Minnesota Forest Resources Council. Minnesota: Biomass Harvesting Guideline Development Committee.
- Guevara, R. S., Arribére, M. (2002).  $^{137}\text{Cs}$  dating of lake cores from the Nahuel Huapi National Park, Patagonia, Argentina: Historical records and profile measurements. *Journal of Radioanalytical and Nuclear Chemistry*, 252(1), 37-45.
- Hai-Ao, Z., Jing-Lu, W. (2009). Sedimentary Records of Heavy Metal Pollution in Fuxian Lake, Yunnan Province, China: Intensity, History, and Sources. *Pedosphere*, 19(5), 562-569.
- Hakanson, L. (1980). An Ecological Risk Index for Aquatic Pollution Control. A Sedimentological Approach. *Water Research*, 14, 975-1001.
- Hakanson, L. (1994). A Review on Effect-Dose-Sensitivity Models for Aquatic Ecosystems. [Journal]. International Review geoscience. *Hydrobiology*, 79(4), 621-667.
- Hakanson, L., Brittain, J.E., Monte, L., Heling, R., Bergstriim, U., Suolanen, V. (1996). Modelling of Radiocesium in Lakes - the VAMP Model. *Journal of Environmental Radioactivity*, 33(3), 255-308.
- Hai, P.S., Khoa, T. D., Dao, N., Mui, N. T., Hoa, T. V., Tu, T.C. (2008) Application of  $^{137}\text{Cs}$  and  $^7\text{Be}$  to Assess the Effectiveness of Soil Condervation Technologies in the Central Highlands of Vietnam. *Nuclear Science and Technology* 2, 22-36.
- He, Q., Walling, D. E. (1996). Interpreting Particle Size Effects in the Adsorption of  $^{137}\text{Cs}$  and Unsupported  $^{210}\text{Pb}$  by Mineral Soils and Sediments. *Journal of Environmental Radioactivity*, 30(2), 117-137.

- Henson, I. E. (1994). Environmental Impacts of Oil Palm Plantations in Malaysia (Vol. 33). Kuala Lumpur: Palm Oil Research Institute of Malaysia.
- Hien, P. D., Hiep, H. T., Quang, N. H., Huy, N. Q., Binh, N.T., Hai, P. S., Long, N. Q., Bac, V. T. (2002) Derivation of  $^{137}\text{Cs}$  Deposition Density from Measurements of  $^{137}\text{Cs}$  Inventories in Undisturbed Soils. *Environmental Radioactivity* 62, 295-303.
- Holmes, C. W. (1998). *Short-Lived Isotopic Chronometers A Means of Measuring Decadal Sedimentary Dynamics*. (FS-073-98). Sofia Retrieved from <http://sofia.usgs.gov/publications/fs/73-98/>.
- Honglei, L., Liqing, L., Chengqing, Y., Baoqing, S. (2008). Fraction distribution and risk assessment of heavy metals in sediments of Moshui Lake. *Journal of Environmental Science*, 20, 390-397.
- Horton, H. E. (1932). Drainage basin characteristics. *Trans. Amer. Geophys. Union*, 13, 350-361.
- Hughes, A. O., Olley, J. M., Croke, J. C., Webster, I. T. (2009). Determining floodplain sedimentation rates using  $^{137}\text{Cs}$  in a low fallout environment dominated by channel- and cultivation-derived sediment inputs, central Queensland, Australia. *Journal of Environmental Radioactivity*, 100, 858–865.
- Huh, C. A., Su, C.C. (2008). Distribution of fallout radionuclides ( $^7\text{Be}$ ,  $^{137}\text{Cs}$ ,  $^{210}\text{Pb}$  and  $^{239,240}\text{Pu}$ ) in soils of Taiwan. *Journal of Environmental Radioactivity*, 77, 87–100.
- Hui, T. K. (2010). *Best Management Practices On Soil Erosion And Sediment Control In The Construction Industry*. Bultin Ingenieur.
- Hutchison, C. S., Tan, D. N. K. (2009). *Geology of Peninsular Malaysia*. Kuala Lumpur: The University of Malaya and The Geological Society of Malaysia.

- IAEA. (1983). Radioisotopes in Sediment Studies *IAEA-TECDOC-298*. Vienna: International Atomic Energy Agency.
- IAEA. (1995). Use of nuclear techniques in studying soil erosion and siltation *TECDOC-828* (Vol. 828). Vienna: International Atomic Energy Agency.
- IAEA. (1998). Use of Cs137 in the study of Soil Erosion and Sedimentation *TECDOC-0828* (Vol. 1028). Vienna: International Atomic Energy Agency.
- IAEA. (2001). Use of Isotope and Radiation Method in Soil and Water Management *FAO/IAEA Agriculture and Biotechnology Laboratory and Soil and Water management & Crop Nutrition Section*. Vienna, Austria: International Atomic Energy Agency.
- IAEA (2003) Measuring Soil Erosion/Sedimentation and Associated Pesticide Contamination. *IAEA project Part 2* (Vol. RCA 5/039). Vienna: IAEA.
- IAEA. (2004). Co-ordinated Research Project on “Assess the effectiveness of soil conservation techniques for sustainable watershed management using fallout radionuclides” *CRP D1.50.08*. Istanbul – Turkey: Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture.
- IAEA. (2005). Fluvial sediment transport: Analytical techniques for measuring sediment load *IAEA-TECDOC-1461* (Vol. 1461). Vienna: International Atomic Energy Agency.
- International Biological Programme, IBP. (1972). *Research at Tasek Bera*. The Malaysian IBP (PF) Subcommittee Kuala Lumpur. Retrieved from <http://www.ilec.or.jp/database/asi/asi-15.html#top>

- Ikusima, I., Furtado, J. I. (1982). Tasik Bera: The Ecology of a Freshwater Swamp. Primary production. *Monogrov Biology*, 191–278.
- Ismail, H. B. (2005). *Land and Agricultural Policy: A Mismatch*. Kuala Lumpur: Malaysian Palm Oil Board.
- Ismail, H. H., Madon, M., Abu Bakar, Z, A. (2007). Sedimentology of the Semantan Formation (Middle - Upper Triassic) along the Karak-Kuantan Highway, central Pahang. *Geological Society of Malaysia, Bulletin 55*, 27-34.
- Jeter, H., W. (1999). Determining the Ages of Recent Sediments Using Measurements of Trace Radioactivity.
- Jiyuan, L., Yong, Q., Hua, D. S., Dafang, Z., Yunfeng, H. (2008). Estimation of wind erosion rates by using  $^{137}\text{Cs}$  tracing technique: A case study in Tariat-Xilin Gol transect, Mongolian Plateau. *Chinese Science Bulletin*, 53(5), 751-758.
- Jun, G., Zhi, Y. O. (2007). Using  $^{137}\text{Cs}$  technique to quantify soil conservation capacities of different ecosystems in Wolong Natural Reserve, southwestern China. *Science in China Series C: Life Sciences*, 50(4), 566-572.
- Kamala-Kannan, S., Prabhu Dass Batvari, B., Lee, K. J., Kannan, N., Krishnamoorthy, R., Shanthi, K., Jayaprakash, M. (2008). Assessment of heavy metals (Cd, Cr and Pb) in water, sediment and seaweed (*Ulva lactuca*) in the Pulicat Lake, South East India. *Chemosphere*, 71(7), 1233-1240.
- Kamaruzaman, M. P., Wan Ahmad, W. M. S. (2003). *Forest Harvesting Practices Towards Achieving Sustainable Forest Management in Peninsular Malaysia*. Kuala Lumpur: Natural Forest Division, FRIM and Forest Plantation Unit.

- Kingston, H. M., Jassie, L. B. (1998). *Introduction to Microwave Sample Preparation Theory and Practice*. Washington, DC: American Chemical Society.
- Kirpich, Z. P. (1940). Time of concentration in small agricultural watersheds. *Civil Engineering*, 10(6), 362.
- Koinig, K. A., Shotyk, W., Lotter, A. f., Ohlendorf, C., Sturm, M. (2003). 9000 Years of Geochemical Evolution of Lithogenic Major and Trace Elements in the Sediment of an Alpine Lake – The Role of Climate, Vegetation, and Land Use History. *Journal of Paleolimnology* 30, 307–320.
- Krishnaswami, S. L., D., Martin, J. M., Meybeck, M. (1971). Geochronology of lake sediments. *Earth and Planetary Science Letters*, 11, 407.
- Krumbein, W. C., P., F.J. (1983). *Manual of Sedimentary Petrography*. New York: Appleton-Century-Crofts.
- Leigh, C. H., Low, K. S. (1973). *An Appraisal of the Flood Situation in West Malaysia*. Paper presented at the Symposium on biological research and national development, Kuala Lumpur. Malayan Nature Society.
- Li, D., Xu, M., Liu, G., Li, C. (2007). Distribution of radioisotopes in sediment cores from nearshore off Xinghua Bay mouth, Fujian, China. *Journal of Radioanalytical and Nuclear Chemistry*, 273(1), 151-155.
- Ling, A. H., Tan, K. Y., Tan, P. Y., Sofi, S (1979). *Preliminary Observations on some Possible Post-Clearing Changes in Soil Properties*. Paper presented at the Seminar on Fertility and Management of Deforested Land. Kota Kinabalu, Sabah, Malaysia.
- Lu, X. (2004). Application of the Weibull extrapolation to <sup>137</sup>Cs geochronology in Tokyo Bay and Ise Bay, Japan. *Journal of Environmental Radioactivity*, 73, 169–181.

- Mabit, L., Benmansour, M., Walling, D.W. (2008a). Comparative advantages and limitations of the fallout radionuclides  $^{137}\text{Cs}$ ,  $^{210}\text{Pb}$  and  $^7\text{Be}$  for assessing soil erosion and sedimentation. *Journal of Environmental Radioactivity*, 99, 1799–1807.
- Mabit, L., Bernard, C., Makhlouf, M., Laverdière, M. R. (2008b). Spatial variability of erosion and soil organic matter content estimated from Cs-137 measurements and geostatistics. *Geoderma*, 145, 245-251.
- MacDonald, S. (1970). *Geology and Mineral Resources of the Lake Chini, Sungia Bera, Sungai Jeram area of South Central Pahang*. Kuala Lumpur: Ministry of Lands and Mines Malaysia.
- Malmer, A. (1990). Stream Suspended Load after Clear-Felling and Different Forestry Treatment in Tropical Rainforest, Sabah, Malaysia. *International Association Hydrology Science Publication*, 192, 62-71.
- Matsunaga, T., Amano, H., Ueno, T., Yanase, N., Kobayashi, Y. (1995). The Role of Suspended Particles in the Discharge of  $^{210}\text{Pb}$  and  $^7\text{Be}$  within the Kuji River Watershed, Japan. *Journal of Environmental Radioactivity*, 26, 3-13.
- Mažeika, J., Taminskas, J. (2005). Evaluation of Recent Sedimentations in the Lakes of East Lithuania Based on Radioisotope Dating. *Geografijos metraštis*, 38(2), 5-14.
- McKee, B. A., Cohen, A. S., Dettman, D. L., Palacios-Fest, M. R., Alin, S. R., Ntungumburanye, G. (2005). Paleolimnological investigations of anthropogenic environmental change in Lake Tanganyika: II. Geochronologies and mass sedimentation rates based on  $^{14}\text{C}$  and  $^{210}\text{Pb}$  data. *Journal of Paleolimnology*, 34(1), 19-29.

- Merton, F. (1962). A visit to Tasek Bera. *Malaysian Natural Journal*, 16, 103–110.
- Meyers, P. A., Lallier-vergés, E. (1999). Lacustrine Sedimentary Organic Matter Records of Late Quaternary Paleoclimates. *Journal of Paleolimnology*, 21(3), 345-372.
- Midmore, D. J., Jansen, H. G., Dumsday, R. (1996). Soil erosion and environmental impact of vegetable production in the Cameron Highlands, Malaysia. *Agriculture, Ecosystems and Environment*, 60, 29-46.
- Mingbiao, L., Jianqiang, L., Weipeng, C., Maolan, W. (2008). Study of heavy metal speciation in branch sediments of Poyang Lake. *Journal of Environmental Sciences*, 20(2), 161-166.
- Mizuno, N., Furtado, J.I. (1982) Tasik Bera: The Ecology of a, & Swamp. Ecological notes on Fishes. *Monogrov. Biology, Dr. W. Junk Publishers, The Hague*, pp. 321–354.
- Malaysian Meteorological Department, MMD. (2011). Malaysian Climate, from [http://www.met.gov.my/index.php?option=com\\_content&task=view&id=75&Itemid=1089&limit=1&limitstart=2](http://www.met.gov.my/index.php?option=com_content&task=view&id=75&Itemid=1089&limit=1&limitstart=2)
- Mohamed, A. R. (1996). Semantan Formation Distribution in Peninsular Malaysia. *Sains Malaysiana*, 25(3), 91-114.
- Morley, R. J. (1981). The Palaeoecology of Tasek Bera, A Lowland Swamp in Pahang, West Malaysia. *Singapore Journal of Tropical Geography*, 2(1), 49-56.
- Moungsrijun, S., Srisuksawad, Kanitha., Lorsirirat, Kosit., Nantawisarakul, Tuangrak (2010). Using fallout <sup>210</sup>Pb measurements to estimate sedimentation rate in Lam Phra Phloeng dam, Thailand. *Current Science*, 98(4), 542-547.
- MPOC. (2007). *Palm oil, Tree of life*. Malaysian Palm Oil Council Official.



- Mudroch, A., Azcue, J.M.; In National Field Manual for the Collection of Water-Quality Data (1995). *Manual of aquatic sedimentsampling*: Boca Raton, Fla., Lewis Publishers.
- Mudroch, A., MacKnight, S.D.; In National Field Manual for the Collection of Water-Quality Data, Radtke, B, D. (1994). *Handbook of techniques for aquatic sediments sampling* (2d ed.): Boca Raton, Fla., Lewis Publishers.
- Müller, G. (1979). Schwermetalle in Sedimenten des Rheins – Veränderungen seit *Umschau*, 79, 778-783.
- Mutert, E., Fairhurst, T. H., Uexküll, H. R. V. (1999). Agronomic Management of Oil Palms on Deep Peat. *Better Crops International*, 13.
- Nayaka, B. M. S., Ramakrishna, S., Jayaprakash<sup>1</sup>, Delvi, M. R. (2009). Impact of heavy metals on water, fish (*Cyprinus carpio*) and sediments from a water tank at Tumkur, India. *International Journal of Oceanography and hydrobiology*, XXXVIII(2).
- Neergaard, A. D., Magid, Jakob., Mertz, Ole (2008). Soil erosion from shifting cultivation and other smallholder land use in Sarawak, Malaysia. *Agriculture, Ecosystems and Environment* 125, 182-190.
- Nik, A., R. (1988). Water Yield Changes after Forest Conversion to Agricultural Landuse in Peninsular Malaysia. *Journal of Tropical Forest Science* 1(1), 67-84.
- National Oceanic and Atmospheric Administration, NOAA. (2000). *Sediment Quality Guidelines* (pp. 12). Seattle, Washington: National Oceanic and Atmospheric Administration.

- Natural Resources Conservation Service, NRCS. (2011). *Mulching, Conservation Practice Standard*. United State Department of Agriculture Retrieved from <ftp://ftp-fc.sc.egov.usda.gov/NHQ/practice-standards/standards/484.pdf>.
- Ohaio Department of Natural Resources, ODNR. (2000). *Forested Buffer Strips, Stream Management Guide (Vol. Guide No. 13)*. Columbus, Ohio: Division of Soil and Water Resources.
- Olubunmi, F. E., Olorunsola, O. E. (2010). Evaluation of the Status of Heavy Metal Pollution of Sediment of Agbabu Bitumen Deposit Area, Nigeria. *European Journal of Scientific Research*, 41(3), 373-382.
- Othman, Z., Ismail, W-R, Abdol Rhman, Mohd. Tadza. (2003). *Erosion processes and landform evolution in agricultural land-A perspective from environmental isotope measurements*. Paper presented at the Geoinformatic, Penang, Malaysia.
- Paramanathan, S., Eswaran, H. (1984). *Problem Soils of Malaysia their Characteristics and Management*: Soil Science Department, University Pertanian.
- Pataki, G. E., and Cahil, J. P. (1999). *Technical Guidance for Screening Contaminated Sediments* (pp. 45). New York: New York State Department of Environmental Conservation Division of Fish, Wildlife and Marine Resources.
- Pennington, W., Tutin, MrsT. G., Cambray, R. S., Fisher, E. M. (1973). Observations on Lake Sediments using Fallout  $^{137}\text{Cs}$  as a Tracer. *Nature* 242, 324-326. doi: 10.1038/242324a0.
- Persaud, D., Jaagumagi, R., Hayton, A. (1993). *Guidelines for the Protection and Management of Aquatic Sediment Quality in Ontario*. Ontario: Ministry of the Environment Retrieved from <http://www.ene.gov.on.ca/envision/gp/B1-3.pdf>.

- Pfizzner, J., Brunskill, G., Zagorskis, I. (2004).  $^{137}\text{Cs}$  and excess  $^{210}\text{Pb}$  deposition patterns in estuarine and marine sediment in the central region of the Great Barrier Reef Lagoon, north-eastern Australia. *Journal of Environmental Radioactivity* 76, 81–102.
- Phillips, S., Bustin, R. Marc. (1998). Accumulation of organic rich sediments in a dendritic fluvial/lacustrine mire system at Tasik Bera, Malaysia: implications for coal formation. *International Journal of Coal Geology*, 36(1-2), 31-61.
- Poreba, G., J. (2006). Cesium-137 As a Soil Erosion Tracer: A Review. *Journal on methods and applications of Absolute Chronology*, 25, 37-46.
- Poreba, G. J., Bluszcz, A. (2008). Influence of the Parameters of Models used to calculate Soil Erosion Based on  $^{137}\text{Cs}$  Tracer. *Geochronometria* 32, 21-27. doi: 10.2478/v10003-008-0026-5
- Putyrskaya, V., Klemt, E. (2007). Modeling  $^{137}\text{Cs}$  migration processes in lake sediments. *Journal of Environmental Radioactivity*, 96, 54-62.
- Radtke, D. B. (2005). *Bottom-Material Samples* (Vol. 9): U.S. Geological Survey, Department of the Interior.
- Reading, A. J., Thompson, R.D., Millington, A.C. (1995). *Humid Tropical Environments*. Oxford: Blackwell.
- Reguigui, N., and Landsberger, S. (2005). Determination of soil depth profiles for  $^{137}\text{Cs}$  and  $^{210}\text{Pb}$  using gamma-ray spectrometry with Compton suppression. *Journal of Radioanalytical and Nuclear Chemistry*, 264(2), 469-476.
- Rezzoug, S., Michel, H., Fernex, F., Funel, G.B., Barci, V. (2006). Evaluation of  $^{137}\text{Cs}$  fallout from the Chernobyl accident in a forest soil and its impact on Alpine Lake

- sediments, Mercantour Massif, S.E. France. *Journal of Environmental Radioactivity*, 85, 369-379.
- Rippey, B., Rose, N., Yang, H., Harrad, S., Robson, M., & Travers, S. (2008). An assessment of toxicity in profundal lake sediment due to deposition of heavy metals and persistent organic pollutants from the atmosphere. *Environment International*, 34(3), 345-356.
- Ritchie, J. C., Ritchie, C.A. (2005). Bibliography of Publications of <sup>137</sup>Cesium Studies Related to Erosion and Sediment Deposition Hydrology and Remote Sensing Laboratory. BARC-West, Bldg. 007Beltsville, MD 20705 USA.
- Robbins, J. (1980). Environmental Radiotracers (G. L. E. R. Laboratory, Trans.).
- Robbins, J. A., Edgington, D. N., Kemp, A. L. W. (1978). Comparative <sup>210</sup>Pb, <sup>137</sup>Cs, and pollen geochronologies of sediments from Lakes Ontario and Erie. *Quaternary Research*, 10(2), 256-278.
- Ruiz-Fernandez, A. C., Pa'ez-Osuna, F., Urrutia-Fucugauchi, J., and Preda, M. (2005). <sup>210</sup>Pb geochronology of sediment accumulation rates in Mexico City Metropolitan Zone as recorded at Espejo de los Lirios lake sediments. *CATENA*, 61, 31-48.
- Sato, O., Tezuka, Y., Koyama, T. (1982). Decomposition. *Monogrov Biology*, 149-190.
- Schumacher, B. A. (2002). *Methods for the Determination of Total Organic Carbon (TOC) in Soils and Sediments*. Las Vegas: United States Environmental Protection Agency Retrieved from <http://www.epa.gov/esd/cmb/research/papers/bs116.pdf>.
- Shallow, P. G. D. (1956). *River Flow in the Cameron Highlands*. Paper presented at the Hydroelectric Technology Kuala Lumpur.

- Shamshad, A., Azhari, M. N., Isa, M. H., Wan Hussin, W. M. A., Parida, B. P. (2008a). Development of an appropriate procedure for estimation of RUSLE EI30 index and preparation of erosivity maps for Pulau Penang in Peninsular Malaysia. *CATENA* 72, 423–432.
- Shamshad, A., Azhari, M. N., Isa, M. H., Wan Hussin, W. M. A., Parida, B. P. (2008b). Development of an appropriate procedure for estimation of RUSLE EI30 index and preparation of erosivity maps for Pulau Penang in Peninsular Malaysia. *CATENA* 77, 423-432.
- Shamshad, A., Leow, C. S., Ramlah, A., Wan Hussin, W. M.A., Sanusi, S. A. (2008c). Applications of AnnAGNPS Model for Soil Loss Estimation and Nutrient Loading for Malaysian Conditions. *International Journal of Applied Earth Observation and Geoinformation* 10(239-252), 239.
- Sharip, Z., Jusoh, J. (2010). Integrated lake basin management and its importance for Lake Chini and other lakes in Malaysia. *Lakes & Reservoirs: Research and Management* 15, 41-51.
- Sharip, Z., Yusop, Z. (2007). *National Overview "The Status of Eutrophication of Lakes in Malaysia"*. Paper presented at the Colloquium on Lakes and Reservoir Management: Status and Issues, Kuala Lumpur.
- Sidle, W. (2009). Vulnerability of headwater catchment resources to incidences of  $^{210}\text{Pb}$  excess and  $^{137}\text{Cs}$  radionuclide fallout. *Environmental Geology*, 57(2), 377-388.
- Smith, B., and Amonette, Alexandra (2006). *The Environmental Transport of Radium and Plutonium: A Review*. Maryland: Institute for Energy and Environmental Research.

- Smith, J. N. (2001). Why should we believe  $^{210}\text{Pb}$  sediment geochronologies? *Journal of Environmental Radioactivity*, 55(2), 121-123.
- Sone, M., Shafeea Leman, M. (2000). *Some Mid-Permian Fossils from Felda Mayam, Central Peninsular Malaysia*. Paper presented at the Annual Geological Conference Kuala Lumpur. Geological Society of Malaysia
- Sustainable Planning Regulation, SPA. (2010). Sustainable Planning Regulation. Queensland: Office of the Queensland Parliamentary Counsel.
- Stark, S., Wallberg, P., Nylen, T. (2006 ). Post-depositional redistribution and gradual accumulation of  $^{137}\text{Cs}$  in a riparian wetland ecosystem in Sweden. *Journal of Environmental Radioactivity*, 87, 175-187.
- Suhartini, N. (2006) Perbandingan Profil Distribusi Vertikal  $^{137}\text{Cs}$  Di Lapisan Tanah Hasil Pengukuran Terhadap Simulasi. *MAKARA SAINS*, 10, 89-95.
- Suhartini, N. (2007) The Influence of Cultivation System on Distribution Profile of  $^{137}\text{Cs}$  and Erosion/Deposition Rate. *Forum Geografi*, 21, 33 - 42.
- Sullivan, P. (2004). *Sustainable Soil Management*. NCAT Agriculture Specialist.
- Sultan, K., and Shazili, Noor Azhar (2009). Rare earth elements in tropical surface water, soil and sediments of the Terengganu River Basin, Malaysia. *Journal of Rare Earth*, 27, 1072.
- Surut, Z. (1988). *Sites of cultural and historical interest at Tasek Bera*. Wetlands International-Asia Pacific. Kuala Lumpur. p 17.
- Sutherland, R., A., Tolosa, C. A. (2000). Multi-element analysis of road-deposited sediment in an urban drainage basin, Honolulu, Hawaii. *Environmental Pollution*, 110, 483-495.

- Tachibana, S. (2000). *Forest-Related Industries and Timber Exports of Malaysia: Policy and structure*. The University of Tokyo. Tokyo. Retrieved from <http://enviroscope.iges.or.jp/modules/envirolib/upload/1503/attach/3ws-12-tachibana.pdf>
- Tamura, T., Jacobs, D.G (1970). Structural implications in cesium sorption. *Health Physics*, 2, 391-398.
- Tan, K. T., Lee, K. T., Mohamed, A. R., Bhatia, S. (2009). Palm oil: Addressing issues and towards sustainable development. *Renewable and Sustainable Energy Reviews*, 13(2), 420-427.
- Tang, W., Shan, B., Zhang, H., Mao, Z. (2009). Heavy metal sources and associated risk in response to agricultural intensification in the estuarine sediments of Chaohu Lake Valley, East China. *Journal of Hazardous Materials*, 176(1-3), 945-951.
- Taube, C. M. (2000). Instructions for winter lake mapping. Chapter 12 in Schneider. James C. (ed.) 2000. *Manual of fisheries survey methods II: with periodic updates*. In A. Arbor (Ed.), (Vol. 25). Michigan: Michigan Department of Natural Resources.
- Tharamarajan, M. (1980). *Semi-Detailed Soil Survey of East of Tasek (Lake) Bera*. Kuala Lumpur: Ministry of Agriculture Malaysia. Volum 10.
- Tomlinson, D. L., Wilson, J.G., Harris, C.R., Jeffney, D.W. (1980). Problems in the assessment of heavy metal levels in estuaries and the formation of a pollution index. *Helgol. Wiss. Meeresunters. Meeresunters*, 33, 566-572.

- Trammell, T. L. E., Rhoades, C. C., Bukaveckas, P. A. (2004). Effects of Prescribed Fire on Nutrient Pools and Losses from Glades Occurring Within Oak-Hickory Forests of Central Kentucky. *Restoration Ecology*, 12(4), 597–604
- Turner, P. D., Gillbanks, R. A. (2003). *Oil Palm Cultivation and Management*. Kuala Lumpur: The Incorporated Society of Planters.
- Udden, J. A. (1914). Mechanical composition of clastic sediments. *Bulletin of the Geological Society of America*, 25, 655-744.
- U.S. Environmental Protection Agency, USEPA. (1992). Stormwater Management for Construction Activities: Developing Pollution Prevention Plans and Best Management Practices. (Vol. EPA 832-R-92-005). Washington, DC: U.S. Environmental Protection Agency, Office of Water.
- Vörösmarty, C. J., Meybeck, M., Fekete, B., Sharma, K., Green, P., Syvitski, J.P.M. (2003). Anthropogenic sediment retention: major global impact from registered river impoundments. *Global and Planetary Change*, 3, 169-190.
- Wakker, E. (2004). Greasy Palms, The social and ecological impacts of large-scale oil palm plantation development in Southeast Asia (pp. 1-54). London: AIDEnvironment.
- Walling, D. E. (1982). Physical Hydrology. *Prog. Phys. Geog*, 6, 122-133.
- Walling, D. E. (1999). Linking land use, erosion and sediment yields in river basins. *Hydrobiologia*, 410(0), 223-240.
- Walling, D. E., He, Q. (1994). Towards Improved Interpretation of Cs Profile. In J. McManus (Ed.), *Geomorphology and Sedimentology of Lake and reservoirs* (pp. 15-31). New York: John Wiley & Sons.



- Walling, D. E., He, Q. (1999). Using Fallout Lead-210 Measurements to Estimate Soil Erosion on Cultivated Land. *Soil Science Society of America Journal*, 63, 1404-1412.
- Walling, D. E., Quine, T. A. (1990). Calibration of caesium-137 measurements to provide quantitative erosion rate data. *Land Degradation and Rehabilitation*, 2, 161-175.
- Wentworth, C. K. (1922). A scale of grade and class terms for clastic sediments. *Journal of Geology*, 30, 377-392.
- Wüst, R. A. J., Bustin, R. M. (2001). Low-ash peat deposits from a dendritic, intermontane basin in the tropics: a new model for good quality coals. *International Journal of Coal Geology*, 46(2-4), 179-206.
- Wüst, R. A. J., Ward, C. R., Bustin, R. M., Hawke, M. I. (2002). Characterization and quantification of inorganic constituents of tropical peats and organic-rich deposits from Tasek Bera (Peninsular Malaysia): implications for coals. *International Journal of Coal Geology*, 49(4), 215-249.
- Wüst, R. A. J., Bustin, R. M., Lavkulich, L. M. (2003). New classification systems for tropical organic-rich deposits based on studies of the Tasek Bera Basin, Malaysia. *CATENA*, 53(2), 133-163.
- Wüst, R. A. J., Bustin, R. M. (2003). Opaline and Al-Si phytoliths from a tropical mire system of West Malaysia: abundance, habit, elemental composition, preservation and significance. *Chemical Geology*, 200(3-4), 267-292.
- Wüst, R. A. J., Bustin, R. M. (2004). Late Pleistocene and Holocene development of the interior peat-accumulating basin of tropical Tasek Bera, Peninsular Malaysia. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 211(3-4), 241-270.

- Wüst, R. A. J., Bustin, R. M., Ross, J. (2008). Neo-mineral formation during artificial coalification of low-ash mineral free-peat material from tropical Malaysia-potential explanation for low ash coals. *International Journal of Coal Geology*, 74(2), 114-122.
- Xu, F. L. (2005). *Application of Ecological and Thermodynamic Indicators for the Assessment of Lake Ecosystem Health* (First ed.). Boca Raton, London, New York, Singapore: CRC Press.
- Xue, B., Yao, S., Xia, W. (2007). Environmental changes in Lake Taihu during the past century as recorded in sediment cores. *Eutrophication of Shallow Lakes with Special Reference to Lake Taihu, China* (pp. 117-123).
- Yamamoto, M., Kofugi, H., Shiraishi, K., Igarashi, Y. (1998). An attempt to evaluate dry deposition velocity of airborne  $^{210}\text{Pb}$  in a forest ecosystem. *Journal of Radioanalytical and Nuclear Chemistry*, 227(1), 81-88.
- Yang, H., Yi, C., Xie, P., Xing, Y., Ni, L. (2006). Sedimentation rates, nitrogen and phosphorus retentions in the largest urban Lake Donghu, China. *Journal of Radioanalytical and Nuclear Chemistry*, 267(1), 205-208.
- Yang, Z., Wang, Y., Shen, Z., Niu, J., Tang, Z. (2009). Distribution and speciation of heavy metals in sediments from the mainstream, tributaries, and lakes of the Yangtze River catchment of Wuhan, China. *Journal of Hazardous Materials*, 166, 1186-1194.
- Yao-guo, W., You-ning, XU., Jiang-Hua, Zhang., Si-Hai, HU. (2010). Evaluation of ecological risk and primary empirical research on heavy metals in polluted soil over

- Xiaoqinling gold mining region, Shaanxi, China. *Transactions of Nonferrous Metals Society of China*, 20, 688-694.
- Yunfeng, H., Jiyuan, L., Dafang, Z., Hongxia, C., Huimin, Y., Fengting, Y. (2005). Distribution characteristics of  $^{137}\text{Cs}$  in wind-eroded soil profile and its use in estimating wind erosion modulus. *Chinese Science Bulletin*, 50(11), 1155-1159.
- Yusof, K. W., Baban, Serwan. M. J. (1999). *A Preliminary Attempt to Develop An Erosion Risk Map For Langkawi Island, Malaysia Using the USLE, Remote Sensing and Geographical Information System*. Paper presented at the ACRS, GIS Development, Kuala Lumpur. <http://a-a-r-s.org/acrs/proceeding/ACRS1999/Papers/DIS99-5.htm>
- Zapata, F., Garcia-Agudo, E. (2000). Future Prospects for the  $^{137}\text{Cs}$  Technique for Estimating Soil Erosion and Sedimentation Rates. *Acta Geologica Hispanica*, 35(3-4), 197-205.
- Zulkifli, Y., Anhar, S., Baharuddin, K. (1990). *Postlogging Effects on Suspended Solids and Turbidity-Five Years Observation*. Paper presented at the Watershed Development and Management, Kuala Lumpur.

## PPENDIX 1: Documented land use history at BLC since 1972







