

REFERENCES

- Alam, M. A., Mohammed Nasser, and Fukumizu, K. (2010). Sensitivity analysis in robust and kernel canonical correlation analysis. *Journal of Multimedia*, **5** (1), 3-11.
- Aldous, D. J. (1987). On the Markov chain simulation method for uniform combinatorial distributions and simulated annealing. *Probability in the Engineering and Informational Sciences*, **1**, 33-46.
- Amemiya, T. (1973). Regression analysis when the dependent variable is truncated normal. *Econometrika*, **41**, 997-1016.
- Aoyama, K., Shimizu, K. and Ong, S.H. (2008). A first-passage time random walk distribution with five transition probabilities: a generalization of the shifted inverse trinomial. *Annals of the Institute of Statistical Mathematics*, **60**, 1-20.
- Arbous, A. G. and Kerrich, J. E. (1951). Accident statistics and the concept of accident proneness. *Biometrics*, **7**, 340-432.
- Archibald, E. E. A. (1948). Plant populations I: New application of Neyman's contagious distribution. *Annals of Botany*, new series, **12**, 221-235.
- Balakrishnan, N. and Lai, C. D. (2009). *Continuous Bivariate Distributions* (2nd edition). Springer, NewYork.
- Barringhaus, L. and Henze, N. (1992). A goodness of fit tests for the Poisson distribution based on the empirical generating function. *Statistics & Probability Letters*, **13**, 269-274.

- Basu, A., Basu, S. and Chaudhuri, G. (1997). Robust minimum divergence procedures for count models. *Sankhya B*, **59**, 11-27.
- Bates, G. E. and Neyman, J. (1952). Contributions to the theory of accident proneness, I: An optimistic model of correlation between light and severe accidents. *University of California Publications in Statistics*, **1**, 215-254.
- Beran, R. J. (1977). Minimum Hellinger distance estimates for parametric models. *Annals of Statistics*, **5**, 445-463.
- Bliss, C. I. and Fisher, R. A. (1953). Fitting the negative binomial distribution to biological data. *Biometrics*, **9**, 176-200.
- Boatwright, P., Borle, S., and Kadane, J. B. (2003). A model of the joint distribution of purchase quantity and timing. *Journal of the American Statistical Association*, **98(463)**, 564-572.
- Cohen, J. (1988). *Statistical Power Analysis for the Behavioral Sciences* (2nd edition). Lawrence Erlbaum Associates, Hillsdale.
- Consul, P.C. and Jain, G. C. (1970). On the generalization of the Poisson distribution. *Annals of Mathematical Statistics*, **41(4)**, 1387.
- Consul, P.C. and Jain, G. C. (1973a). A generalization of the Poisson distribution. *Technometrics*, **15**, 791-799.
- Consul, P. C. and Jain, G. C. (1973b). On some interesting properties of the generalized Poisson distribution. *Biometrische Zeitschrift*, **15**, 495-500.
- Consul, P. C. (1989). *Generalized Poisson Distributions: Properties and Applications*. Marcel Dekker Inc., New York/Basel.

- Conway, R. W. and Maxwell, W. L. (1962). A queuing model with state dependent service rates. *Journal of Industrial Engineering*, **12**, 132-136.
- Cordeiro, G. M. , Rodrigues, J. and de Castro, M. (2011). The exponential COM-Poisson distribution. *Statistical Papers*. Online First™, 14 February 2011.
- Cox, D. R. and Hinkley, D.V. (1974). *Theoretical Statistics*. London, Chapman and Hall.
- Dowling, M. M. and Nakamura, M. (1997). Estimating parameters for discrete distributions via the empirical probability generating function. *Communications in Statistics—Simulation and Computation*, **26(1)**, 301-313.
- Edwards, C. B. and Gurland, J. (1961). A class of distributions applicable to accidents. *Journal of the American Statistical Association*, **56**, 503-517.
- Efron, B. (1986). Double exponential families and their use in generalized linear regression. *Journal of the American Statistical Association*, **81(395)**, 709-721.
- Famoye, F. (2010). A new bivariate generalized Poisson distribution. *Statistica Neerlandica*, **64**, 112-124.
- Famoye, F. and Consul, P.C. (1995). Bivariate generalized Poisson distribution with some applications. *Metrika*, **42**, 127-138.
- Feuerverger, A. and Mureika, R. A. (1977). The empirical characteristic function and its applications. *Annals of Statistics*, **5**, 88-97.
- Feuerverger, A. and McDunnough, P. (1984). On statistical transform methods and their efficiency. *Canadian Journal of Statistics*, **12**, 303-317.

Fisher, R. A. (1941). The negative binomial distribution. *Annals of Eugenics*, London, **11**, 182-187.

Guikema, S. D. and J. P. Coffelt (2008). A flexible count data regression model for risk analysis. *Risk Analysis*, **28(1)**, 213-223.

Gupta, R. C. and Ong, S. H. (2004). A new generalization of the negative binomial distribution. *Computational Statistics & Data Analysis*, **45**, 287-300.

Gupta, R. C. and Ong, S. H. (2005). Analysis of long-tailed count data by Poisson mixtures. *Communications in Statistics-Theory and Methods*, **34(3)**, 557-574.

Gupta, P. L., Gupta, R. C., Ong, S. H. and Srivastava, H.M. (2008). A class of Hurwitz-Lerch-Zeta distribution and their applications in reliability. *Applied Mathematics and Computation*, **196**, 521-531.

Gürtler, N. and Henze, N. (2000). Recent and classical goodness of fit tests for the Poisson distribution. *Journal of Statistical Planning and Inference*, **90**, 207-225.

Haight, A. (1967). *Handbook of the Poisson Distribution*. Wiley, New York.

Heathcote, C. R. (1972). A test of goodness of fit for symmetric random variables. *Australian Journal of Statistics*, **14**, 172-181.

Johnson, N. L., Kemp, A. W. and Kotz, S. (2005). *Univariate Discrete Distributions* (3rd edition). Hoboken, NJ: Wiley.

Johnson, N. L., and Kotz, S. (1969). *Discrete Distributions*. Wiley, New York.

Johnson, N. L., Kotz, S. and Balakrishnan, N. (1997). *Discrete Multivariate Distributions*. Wiley, New York.

Jones, P. C. T., Mollison, J. E. and Quenouille, M. H. (1948). A technique for the quantitative estimation of soil microorganisms. Statistical note. *Journal of Genetic Microbiology*, **2**, 54-69.

Kadane, J. B., Shmueli, G., Minka, T. P., Borle, S. and Boatwright, P. (2006). Conjugate analysis of the Conway-Maxwell-Poisson distribution. *Bayesian Analysis*. **1(2)**, 363-374.

Keilson, J. and Geber, H. (1971). Some results for discrete unimodality. *Journal of the American Statistical Association*, **66**, 386-389.

Kemp, A.W. (1979). Convolutions involving binomial pseudo-variables. *Sankhyā*, **41**, 232-243.

Kemp, C. D. and Kemp, A. W. (1988). Rapid estimation for discrete distribution. *The Statistician*, **37**, 213-255.

Khang, T. F. and Ong, S.H. (2007). A new generalization of the logarithmic distribution arising from the inverse trinomial distribution. *Communications in Statistics—Theory and Methods*, **36**, 3-21.

Kirkpatrick S., Gelatt, C. D. and Vecchi, M. P. (1983). Optimization by simulated annealing. *Science*, **220**, 671-680.

Kocherlakota, S. and Kocherlakota, K. (1986). Goodness of fit tests for discrete distributions. *Communications in Statistics—Theory and Methods*, **15(3)**, 815-829.

Kocherlakota, S. and Kocherlakota, K. (1992). *Bivariate Discrete Distributions*. Marcel Dekker, New York.

Kotz, S., Balakrishnan, N. and Johnson, N. L. (2000). *Continuous Multivariate Distributions*, Volume 1 (2nd edition). Wiley, New York.

Lakshminarayana, J., Pandit, S. N. N. and Rao, K. S. (1999). On a bivariate Poisson distribution. *Communications in Statistics—Theory and Methods*, **28**, 267-276.

Lehmann, E. and Casella, G. (1998). *Theory of Point Estimation*. Springer-Verlag, New York.

Lee, A. (1999). Modelling rugby league via bivariate negative binomial regression. *Australian and New Zealand Journal of Statistics*, **41**, 141-152.

Letac, G. and Mora, M. (1990). Natural real exponential families with cubic variance functions. *Annals of Statistics*, **18**, 1-37.

Lord, D., Guikema, S. D. and Geedipally, S. (2008). Application of the Conway-Maxwell- Poisson generalized linear model for analyzing motor vehicle crashes. *Accident Analysis & Prevention*, **40(3)**, 1123-1134.

Lundberg, O. (1940). *On random processes and their applications to sickness and accidents statistics*. Almqvist & Wiksell, Stockholm.

Mardia, K. V. (1970). *Families of Bivariate Distributions*. Griffin, London.

Márques, M. and Pérez-Abreu, V. (1989). Law of large numbers and a central limit theorem of the empirical probability generating function of stationary random sequences and process. *Aportaciones Matemáticas*, **4**, 98-107.

Meintanis, S. and Swanepoel, J. (2007). Bootstrap goodness of fit tests with estimated parameters based on empirical transforms. *Statistics & Probability Letters*, **77**, 1004-1013.

Metropolis, N., Rosenbluth, A. W., Rosenbluth, M., Teller, A. H. and Teller, E. (1953). Equation of State Calculations by Fast Computing Machines. *Journal of Chemical Physics*, **21**, 1087-1092.

Minka, T. P., Shmueli, G, Kadane, J.B., Borle, S. and Boatwright, P. (2003). Computing with the COM-Poisson distribution. Technical Report #776, Department of Statistics, Carnegie Mellon University, available at <http://www.stat.cmu.edu/tr/tr776/tr776.html>.

Mitchell, C. R. and Paulson, A. S. (1981). A new bivariate negative binomial distribution. *Naval Research Logistics Quarterly*, **28**, 359-374.

Neal, R. M. (1993). Probabilistic inference using Markov chain Monte Carlo methods, Technical Report CRG-TR-93-1, Dept. of Computer Science, University of Toronto.

Neal, R. M. (1995). Suppressing random walks in Markov chain Monte Carlo using ordered overrelaxation, *Technical Report 9508*, Dept. of Statistics, University of Toronto.

Nelson, D. L. (1975). Some Remarks on Generalizations of the Negative Binomial and Poisson Distributions. *Technometrics*, **17**, 135-136.

Newey, W. K. and McFadden, D. (1994). Large sample estimation and hypothesis testing. *Handbook of Econometrics*, **4**, Elsevier, Amsterdam.

Neyman, J. (1939). On a new class of "contagious" distributions, applicable in entomology and bacteriology. *Annals of Mathematical Statistics*, **10**, 35-57.

Ong, S. H. (1995). Computation of probabilities of a generalized log-series and related distributions. *Communications in Statistics — Theory and Methods*, **24**, 253-271.

Ong, S. H. and Muthaloo, S. (1995). A class of discrete distributions suited to fitting very long-tailed data. *Communications in Statistics-Simulation and Computation*, **24**, 929-945.

Patil, G. P. (1962). Certain Properties of the generalized power series distribution. *Annals of the Institute of Statistical Mathematics*, **14**, 179-182.

Patil, G. P., and Joshi, S. W. (1968). *A Dictionary and Bibliography of Discrete Distributions*. Oliver & Boyd, Edinburgh.

Pearson, K. (1900). On the criterion that a given system of deviations from the probable in the case of a correlated system of variables is such that it can be reasonably supposed to have arisen from random sampling. *Philosophical Magazine*, **(5)50**, 157-175. Reprinted in K. Pearson (1956), pp. 339-357.

Peter, J. D. and Bruce, G. S. H. (2005). Bacon with your eggs? Application of a new bivariate beta-binomial distribution. *The American Statistician*, **59(4)**, 282-286.

Pipes, W. O., P. Ward, and Ahn., S. H. (1977). Frequency distributions for coliform bacteria in water. *Journal of American Water Works Association*, **69**, 664-668.

Press, S. J. (1972). Estimation in univariate and multivariate stable distributions. *Journal of the American Statistical Association*, **67**, 842-846.

Preston, F. W. (1948) The commonness and rarity of species. *Ecology*, **29**, 254-283.

Rao, C. R. (1973). *Linear Statistical Inference and its Applications*. New York: Wiley.

Ridout, M., Hinde, J. and Demétrio, C.G.B. (2001). A score test for testing zero inflated Poisson regression model against zero inflated negative binomial alternatives. *Biometrics*, **57**, 219-223.

Rodriguez, J. et al. (2006). Some aspects of bivariate Gaussian discrete distributions. *International Conference on Mathematical and Statistical Modeling in Honor of Enrique Castillo*. June 28-30.

Rodrigues J., de Castro M, Cancho V. G. and Balakrishnan, N. (2009). COM–Poisson cure rate survival models and an application to a cutaneous melanoma data. *Journal of Statistical Planning and Inference*, **139**, 3605-3611.

Rueda, R. and O'Reilly, F. (1999). Tests of fit for discrete distributions based on the probability generating function. *Communications in Statistics—Simulation and Computation*, **28**, 259-274.

Rueda, R., Pérez Abreu V. and O'Reilly, F. (1991). Goodness of fit for the Poisson distribution based on the probability generating function. *Communications in Statistics—Theory and Methods*, **20(10)**, 3093-3110.

Sellers, K. F. and Shmueli, G. (2008). A flexible regression model for count data. Robert H. Smith School Research Paper No. RHS 06-060, Georgetown University, Washington, D.C. (Available at SSRN: <http://ssrn.com/abstract=1127359>).

Scollnik, D. P. M. (1998). On the analysis of the truncated generalized Poisson distribution using a Bayesian method. *ASTIN Bulletin*, **28(1)**, 135-152.

Shimizu, K. and Yanagimoto, T. (1991). The inverse trinomial distribution. *Japanese Journal of Applied Statistics*, **20**, 89-96. In Japanese.

Shmueli, G., Borle, S. and Boatwright, P. (2005). A useful distribution for fitting discrete data: revival of the Conway–Maxwell–Poisson distribution. *Journal of the Royal Statistical Society: Series C.*, **54**, 127-142.

Sim, S. Z. and Ong, S. H. (2010). Parameter Estimation for discrete distributions by generalized Hellinger-type divergence based on probability generating function. *Communications in Statistics— Simulation and Computation*, **39**, 305-314.

Simpson, D. G. (1989). Hellinger deviance test: efficiency, breakdown points, and examples. *Journal of the American Statistical Association*, **84**, 107-113.

Stather, C. R. (1981). Robust Statistical Inference Using Hellinger Distance Methods, unpublished Ph.D. dissertation, LaTrobe University (Australia), Dept. of Mathematical Statistic.

Stute, W., Manteiga, W.G. and Quindimil, M.P. (1993). Bootstrap based goodness-of-fit tests. *Metrika*, **40**, 243-256.

Subrahmaniam, K. (1966). A test for 'intrinsic correlation' in the theory of accident proneness. *Journal of the Royal Statistical Society, B*, **35**, 131-146.

Tamura, R. N. and Boos, D. D. (1986). Minimum Hellinger distance estimation for multivariate location and covariance. *Journal of the American Statistical Association*, **81**, 223-229.

Thomas, M. (1949). A Generalization of Poisson's Binomial Limit for Use in Ecology. *Biometrika*, **36**, 18-25.

Wimmer, G., Kohler, R., Grotjahn, R. and Altmann, G. (1994). Toward a theory of word length distributions. *Journal of Quantitative Linguistics*, **1**, 98-106.