

---

## REFERENCES

- Abe, T., Miyatake, K., Shimoida, Y. and Horie, H. (2009). Research and Development Work on Lithium-ion Batteries for Enviromental Vehicles. EVS24 International Battery, Hybrid and Fuel Cell Electric Vehicle Symposium. Norway.
- Arora, P. and Zhang Z. (2004). "Battery Separators." *Chemistry Review* **104**(10): 4419-4462.
- Arora, P., Doyle, M., Gozdz A.S., White R.E. and Newman J. (2000). "Comparison Between Computer Simulations and Experimental Data for High-Rate Discharges of Plastic Lithium-ion Batteries." *Journal of Power Sources* **88**: 219-231.
- Atlung, S., Christiansen, B.Z., West K. and Jacobsen T. (1984). "The Composite Insertion Electrode." *Journal of Electrochemical Society* **131**(5): 1200-1207.
- Atlung, S., West, K. and Jacobsen T. (1979). "Dynamic Aspects of Solid Solution Cathodes for Electrochemical Power Sources." *Journal of Electrochemical Society* **126**(8): 1311-1321.
- Aurbach, D., Talyosef, Y., Markovsky, B., Markevich, E., Zinigrad, E., Asraf, L., Gnanaraj, J.S. and Kim, H.J. (2004). "Design of Electrolyte Solutions for Li and Li-ion Batteries: A Review." *Electrochimica Acta* **40**: 247-254.
- Banks, B.W. (2001). *Differential Equations with Graphical and Numerical Method*. New Jersey,US, Prentice Hall.
- Bazito, F.F.C. and Torresi, R.M. (2006). "Cathodes for Lithium Ion Batteries: The Benefits of Using Nanostructured Materials." *J. Braz. Chem. Soc.* **17**(4): 627-642.
- Bergveld, H.J., Kruijt, W.S. and Notten P.H.L. (2002). *Battery Management Systems: Design by Modelling*. Dordrecht, Netherlands, Kluwer Academic Publisher.
- Botte, G.G. (2000). *Thermal Stability And Modeling of Lithium Ion Batteries*. Chemical Engineering. South Carolina, University of South Carolina. Phd thesis: 324.
- Botte, G.G. and White R.E. (2001). "Modeling Lithium Intercalation in a Porous Carbon Electrode " *Journal of the Electrochemical Society* **148**(1): 54-66.
- Botte, G.G., Subramanian, V.R. and White, R.E. (2000). "Mathematical Modeling of Secondary Lithium Batteries." *Electrochimica Acta* **45**: 2595-2609.
- Buchmann, I. (2001). *Batteries in a Portable World*. Vancouver, Cadex Electronics.
- Cai, L. and White, R.E. (2009). *Mathematical Modeling of a Lithium Ion Battery*. COMSOL Conference, Boston.

- 
- Ceder, G., Doyle, M., Arora, P. and Fuentes, Y. et al. (2002). Computational Modeling and Simulation for Rechargeable Batteries. *www.mrs.org/publications/bulletin*. M. R. Society: 619-623.
- Chonacky, N. and Winch, D. (2005). "3M's for Instructions: Review of Maple, Mathematica and Matlab." *Computing in Science and Engineering* **7**(3): 7-13.
- Committee, F.G.D. (1998). Geospatial Positioning Accuracy Standards Part 3: National Standard for Spatial Data Accuracy. I. T. American National Standards Institute. New York.
- Dahn, J., Jiang, J., Moshurchak, L., Buhrmester, C. and Wang, R.L. (2005). "Studies of Aromatic Redox Shuttle Additives for LiFePO<sub>4</sub>-Based Li-Ion Cells." *The Electrochem. Society* **152**(12): 2390-2399.
- Devan, S., Subramanian, V.R. and White, R.E. (2004). "Analytical Solution for the Impedance of a Porous Electrode." *Journal of The Electrochemical Society* **151**(6): 905-913.
- Doyle, M. (1995). Design and Simulation of Lithium Rechargeable Batteries. Chemical Engineering Berkeley, University of California. PhD thesis: 370.
- Doyle, M. and Newman, J. (1995(a)). "Modeling the Performance of Rechargeable Lithium-based Cells: Design Correlations for Limiting Cases." *Journal of Power Sources* **54**(1): 46-51.
- Doyle, M. and Newman, J. (1995(b)). "The Use of Mathematical Modeling In The Design of Lithium/Polymer Battery Systems." *Electrochimica Acta* **40**(13-14): 2191-2196.
- Doyle, M. and Newman, J. (1996). "Comparison of Modeling Predictions with Experimental Data from Plastic Lithium Ion Cells." *Journal of Electrochemical Society* **143**(6): 1890-1903.
- Doyle, M. and Newman, J. (1997). "Analysis of Capacity-Rate Data for Lithium Batteries Using Simplified Models of the Discharge Process " *Journal of Electrochemistry* **27**: 846-856.
- Doyle, M., Fuller, T.F. and Newman, J. (1993). "Modeling of Galvanostatic Charge and Discharge of the Lithium/Polymer/Insertion Cell." *Journal of Electrochemistry Society* **140**(6): 1526-1533.
- Du, W., Gupta, A., Zhang, X., Sastry, A.M. and Shyy, W. (2010). "Effect of Cycling Rate, Particle Size and Transport Properties on Lithium-ion Cathode Performance." *International Journal of Heat and Mass Transfer* **53**(17-18): 3552-3561.
- Farlow, S.J. (1982). *Partial Differential Equation for Scientists and Engineers*. United States, John Wiley & Sons.

- 
- Fergus, J.W. (2010). "Recent Developments in Cathode Materials for Lithium Ion Batteries." *Journal of Power Sources* **195**: 939-954.
- Fuller, T.F., Doyle, M. and Newman, J. (1994). "Simulation and Optimization of the Dual Lithium Ion Insertion Cell." *Journal of Electrochemical Society* **141**(1): 1-9.
- Gaines, L. and Cuenca, R. (2000). *Costs of Lithium-Ion Batteries for Vehicles*. U. S. D. o. E. Center for Transportation Research Argonne National Laboratory. United States, Argonne's Information and Publishing Division.
- García, R.E., Chiang, Y.M., Carter, W.C., Limthongkul, P. and Bishop, C.M. (2005). "Microstructural Modeling and Design of Rechargeable Lithium-Ion Batteries." *Journal of Electrochemical Society* **152**(1): 255-263.
- General Electronics Battery Co., L. (2006). *Comparison of Different Battery Technologies*. <http://www.tradevv.com/chinasuppliers/angelgeb/pdf/LiFePO4-battery-75ee.pdf>.
- Georen, P. and Lindbergh, G. (2001). "Characterisation and Modeling of the Transport Properties In Lithium Battery Polymer Electrolyte." *Electrochimica acta* **47**: 577-587.
- Golmon, S., Maute, K. and Dunn, M.L. (2009). "Numerical Modeling of Electrochemical–Mechanical Interactions in Lithium Polymer Batteries." *Computers and Structures* **87**: 1567-1579.
- Gu, W.B. and Wang, C.Y. (1999). "Thermal-Electrochemical Coupled Modeling Of a Lithium-ion Cell."
- Hashim Ali, S.A. and Arof, A.K. (2008). "Modeling of Discharge Behavior of a Lithium Ion Cell." *Journal of Alloys and Compounds* **449**: 292-295.
- Hashim Ali, S.A. and Mohamed, N.S. (2006). *Modeling of Transport Through a LiMn<sub>2</sub>O<sub>4</sub> Film Electrode*. Mathematics, Statistics and Applications Conference 2006, Penang.
- Hashim Ali, S.A., Hussin, A. and Arof, A.K. (2002). "Short- and Long-Time Solutions for Material Balance Equation in Lithium-ion Battery by Laplace Transform." *Journal of Power Sources* **112**(2): 435-442.
- Hashim Ali, S.A., Hussin, A. and Arof, A.K. (2003). "An Analytical Expression for the Specific Capacity of Lithium Ion Cells." *Ionics* **9**: 432-438.
- Hashim Ali, S.A., Hussin, A. and Arof, A.K. (2004). "An Integral Transform for Solving Diffusion Problem of Lithium Cells." *MATEMATIKA* **20**(2): 93-100.
- Hazama, T., Miyabayashi, M., Andoh, A., Ishikawa, R., Furuta, S., Ishihara, H. and Shonaka, J. (1995). "Lithium Secondary Batteries in Japan." *Journal of Power Sources* **54**: 306-309.

- 
- Hoffmann, K.A. and Chiang, S.T. (2000). Computational Fluid Dynamics Kansas, Engineering Education System.
- Holmes, M.H. (2007). Introduction to Numerical Methods in Differential Equations. New York,US, Springer.
- Irimia, D., Charras, G., Agrawal, N., Mitchison, T. and Toner, M. (2010). "Polar Stimulation and Constrained Cell Migration in Microfluidic Channels." Lab Chip. Author manuscript.
- Jain, M. and Weidner, J.W. (1999). "Material Balance Modification in One-Dimensional Modeling of Porous Electrodes." Journal of The Electrochemical Society **146**(4): 1370-1374.
- Jain, M., Nagasubramanian, G., Jungst, R.G. and Weidner, J.W. (1999). "Analysis of a Lithium/Thionyl Chloride Battery under Moderate-Rate Discharge." Journal of The Electrochemical Society **146**(11): 4023-4030.
- Johan, M.R. and Arof, A.K. (2007). "Modeling of Electrochemical Intercalation of Lithium into a  $\text{LiMn}_2\text{O}_4$  Electrode Using Green Function." Journal of Power Sources **170**: 490–494.
- Johnson, B.A. and White, R.E. (1998). "Characterization of Commercially Available Lithium-ion Batteries." Journal of Power Sources 70: 48-54.
- Landfors, J., Simonsson, D. and Sokirko, A. (1995). "Mathematical Modelling of a Lead/Acid Cell with Immobilized Electrolyte." Journal of Power Sources **55**: 217-230.
- Lipsman, R.L., Osborn, J.E., and Rosenberg, J.M. (2008). "The SCHOL Project at the University of Maryland: Using Mathematical Software in the Teaching of Sophomore Differential Equations." Journal of Numerical Analysis Industrial and Applied Mathematics **3**(1-2): 81-103.
- Megahed, S. and Ebner, W. (1995). "Lithium Ion Battery for Electronic Applications." Journal of Power Sources **54**: 155-162.
- Nazri, G.A. (2003). Lithium Batteries: Science and Technology. New York, USA, Springer.
- Newman, J. (1991). Electrochemical Systems, 2nd edn. Englewood Cliffs, New Jersey, Prentice-Hall, Inc.
- Newman, J. and Thomas, K.E. (2004). Electrochemical systems. New Jersey,US, John Wiley & Sons.
- Newman, J. and Tiedemann, W. (1975). "Porous-Electrode Theory with Battery Applications." AIChE Journal **21**(1): 25-41.
- Newman, J. and Tobias, C.W. (1962). "Theoretical Analysis of Current Distribution in Porous Electrodes." Journal of Electrochemical Society **109**(12): 1183-1191.

- 
- Newman, J., Thomas, K.E., Hafezi, H. and Wheeler, D.R. (2003). "Modeling of Lithium-ion Batteries." *Journal of Power Sources* **119–121**: 838–843.
- Ning, G., White, R.E. and Popov, B.N. (2006). "A Generalized Cycle Life Model of Rechargeable Li-ion Batteries." *Electrochimica Acta* **51**: 2012-2022.
- Norzihani, Y., Hashim Ali, S.A., Arof, A.K., Soong, H.C. and Ibrahim, N.K. (2010). *Mathematical Modeling of Lithium-ion Concentration in Full Cell by Reinforcing the Concept of Finite Difference Method. Applied Mathematics International Conference 2010 (AMIC2010) & The 6th EASIAM Conference, Kuala Lumpur.*
- Noye, J. (1981). *Finite Difference Method for Partial Differential Equations. Numerical Solutions of Partial Differential Equations, Melbourne University, Australia, North Holland.*
- Preisig, H.A. and White, R.E. (1990). "On the Design of a Simple Solver for Nonlinear Two-Point Boundary Value Problems" *Comput. Chem. Engng.* **14**(2): 179-296.
- Recktenwald, G.W. (2011). *Finite-Difference Approximations to the Heat Equation. Portland, Mechanical Engineering Department Portland State University.*
- Rezzolla, L. (2010). *Numerical Methods for the Solution of Partial Differential Equations. Potsdam, Albert Einstein Institute, Max-Planck-Institute for Gravitational Physics, Potsdam, Germany.*
- Ritchie, A. and Howard, W. (2006). "Recent Developments and Likely Advances in Lithium-ion Batteries." *Journal of Power Sources* **162**: 809-812.
- Sadiku, M.N.O. (2001). *Numerical Techniques in Electromagnetics. New York, US, CRC Press LLC.*
- Safaria, M. and Delacourt, C. (2011). "Mathematical Modeling of Lithium Iron Phosphate Electrode: Galvanostatic Charge/Discharge and Path Dependence." *Journal of Electrochemical Society* **158**(2): 63-73.
- Santhanagopalan, S., Guo, Q., Ramadass, P. and White, R.E. (2006). "Review of Models for Predicting the Cycling Performance of Lithium Ion Batteries." *Journal of Power Sources* **156**: 620-628.
- Scrosati, B. (2000). "Recent Advances in Lithium Ion Battery Materials." *Electrochimica Acta* **45**(15-16): 2461-2466.
- Sethi, R.R., Kumar, A., Sharma, S.P. and Verma, H.C. (2010). "Prediction of Water Table Depth in a Hard Rock Basin by Using Artificial Neural Network." *International Journal of Water Resources and Environmental Engineering* **2**(4): 95-102.
- Smith, K.A., Rahn, C.D. and Wang, C.Y. (2007). "Control Oriented 1D Electrochemical Model of Lithium Ion Battery." *Energy Conversion and Management* **48**: 2565-2578.

- 
- Solution, A. P. and Battery Ltd., A. (2009). Lithium-ion Batteries. An Introduction: 12.
- Son, K. (2008). Accuracy Assessment of Models for Predicting Multi-Scale Spatial and Temporal Soil Moisture Using Multiple Methods. Department of Geography. New York, University of New York. Master thesis: 34.
- Spotnitz, R.M. (2005). "Battery Modeling." The Electrochem Society: 39-42.
- Srinivasan, V. and Wang, C.Y. (2003). "Analysis of Electrochemical and Thermal Behavior of Li-ion Cells." Journal of The Electrochemical Society **150**(1): 98-106.
- Srinivasan, V. and Newman, J. (2004). "Discharge Model for the Lithium Iron-Phosphate Electrode." Journal of Electrochemical Society **151**(10): 1517-1529.
- Stein, W. (2009). "Mathematical Software and Me: A Very Personal Recollection."
- Steinhaus, S. (2008). "Comparison of Mathematical Programs for Data Analysis."
- Subramanian, V.R. and White, R.E. (2001). "New Separation of Variables Method for Composite Electrodes with Galvanostatic Boundary Conditions." Journal of Power Sources **96**: 385-395.
- Subramanian, V.R., Tapriyal, D. and White, R.E. (2004). "A Boundary Condition for Porous Electrodes." Electrochemical and Solid-State Letters **7**(9): 259-263.
- Subramanian, V.R., Boovaragavan, V. and Diwakar, V.D. (2007). "Toward Real-Time Simulation of Physics Based Lithium-Ion Battery Models." Electrochemical and Solid-State Letters **10**(11): 255-260.
- Subramanian, V.R., Boovaragavan, V., Ramadesigan, V. and Arabandi, M. (2009). "Mathematical Model Reformulation for Lithium-ion Battery Simulations: Galvanostatic Boundary Conditions." Journal of The Electrochemical Society **156**(4): 260-271.
- Subramanian, V.R., Diwakar, V.D. and Tapriyal, D. (2005). "Efficient Macro-Micro Scale Coupled Modeling of Batteries." Journal of The Electrochemical Society A2002-A2008 **152**(10): 2002-2008.
- Tarascon, J.M. and Armand, M. (2001). Issues and Challenges Facing Rechargeable Lithium Batteries. Macmillan Magazines Ltd, NATURE. **414**: 9.
- Valøena, L.O. and Reimers, J.N. (2005). "Transport Properties of LiPF<sub>6</sub>-Based Li-ion Battery Electrolytes." Journal of Electrochemical Society **152**(5): 882-891.
- Wakihara, M. (2001). "Recent Developments in Lithium Ion Batteries." Materials Science and Engineering **R33**: 109-134.
- Wanga, C.W. and Sastry, A.M. (2007). "Mesoscale Modeling of a Li-ion Polymer Cell." Journal of Electrochemical Society **154**(11): 1035-1047.

West, K., Jacobsen, T. and Atlung, S. (1982). "Modeling of Porous Insertion Electrodes with Liquid Electrolyte." *Journal of Electrochemical Society* **129**(7): 1480-1485.

Whittingham, M.S. (2004). "Lithium Batteries and Cathode Materials." *Chem. Rev.* **104**(10): 4271-4301.

Willmott, C.J. and Matsuura, K. (2005). "Advantages of the Mean Absolute Error (MAE) Over the Root Mean Square Error (RMSE) in Assessing Average Model Performance." *Climate Research* **30** 79–82.

Yang, M.H., Lin, B.M., Yeh, S.F. and Tsai, J.S. (2008). "The New High Power Design of 8Ah Li-ion Battery for HEV Application." *The World Electric Vehicle Journal* **2**(2).

Yuan, L. (2006). Investigation of Anode Materials for Lithium-ion Batteries. Institute for Superconducting and Electronic Materials. New South Wales, University of Wollongong. Phd thesis: 161.