

References

- [1] K. Benabdallah and J. Irwin, *An application of B -high subgroups of abelian p -groups*, J. Algebra **34** (1975) 213–216.
- [2] A. Blass and J. Irwin, *Purity and Reid's Theorem*, Abelian groups and modules, International conference in Dublin (ed. P. Eklof and R. Göbel), Birkhäuser Verlag (1999) 241–245.
- [3] A. Blass and J. Irwin, *Basic subgroups and a freeness criterion for torsion-free abelian groups*, Abelian groups and modules, International conference in Dublin (ed. P. Eklof and R. Göbel), Birkhäuser Verlag (1999) 247–255.
- [4] A. Blass and S. Shelah, *Basic subgroups and freeness, a counter-example*, Models, modules and abelian groups, In memory of A. L. Corner, (ed. R. Göbel, Brendan Goldsmith), Berlin, New York (Walter de Gruyter) (2008) 63–74.
- [5] M. Dugas and J. Irwin, *On the basic subgroups of $\prod Z$* , Comm. Algebra **19** (1991) 2907–2921.
- [6] L. Fuchs, *Abelian groups*, Pergamon Press (1960).

- [7] L. Fuchs, *Infinite Abelian Groups Vol. 1*, Academic Press (1970).
- [8] L. Fuchs, *Infinite Abelian Groups Vol. 2*, Academic Press (1970).
- [9] P. Griffith, *A solution to the splitting mixed group problem of Baer*, Trans. Amer. Math. Soc. **139** (1969) 261–269.
- [10] P. Griffith, *Extensions of free groups by torsion groups*, Proc. Amer. Math. Soc. **24** (1970) 677–679.
- [11] P. Hill, *On the freeness of abelian groups: A generalization of Pontryagin's Theorem*, Bull. Amer. Math. Soc. **76** (1970) 1118–1120.
- [12] P. Hill, *Primary groups whose subgroups of smaller cardinality are direct sums of cyclic groups*, Pacific J. Math. **42** (1972) 63–67.
- [13] P. Hill, *New criteria for freeness in abelian groups*, Trans. Amer. Math. Soc. **182** (1973) 201–209.
- [14] P. Hill, *New criteria for freeness in abelian groups II*, Trans. Amer. Math. Soc. **196** (1974) 191–201.
- [15] P. Hill, *On the splitting of modules and abelian groups*, Canad. J. Math. **26** (1974) 68–77.
- [16] P. Hill, *Criteria for freeness in groups and valuated vector spaces*, Abelian group theory, (ed. D. M. Arnold, R. H. Hunter, and E. A. Walker), Lecture notes in Mathematics, **616** (1977) 140–157.

- [17] P. Hill, *A new characterization of totally projective groups of cardinality $\aleph_1$* , Proc. Amer. Math. Soc. **123** (1995) 657–662.
- [18] J. Lawrence, *Countable abelian groups with a discrete norm are free*, Proc. Amer. Math. Soc. **90** (1984) 352–354.
- [19] J.E. Maciaz-Diaz, *An alternative proof of Hill’s criterion of freeness for abelian groups*, Revista Columbiana de Matematicas, **44** (2010) 59–64.
- [20] G. Nöbeling, *Verallgemeinerung eines Satzes von Herrn E. Specker*, Invent. Math. **6** (1968) 41–55.
- [21] J. Reid, *A note on torsion-free abelian groups of infinite rank*, Proc. Amer. Math. Soc. **13** (1962) 222–225.
- [22] D. J. S. Robinson, *A Course in the Theory of Groups*, Springer-Verlag, New York (1982).
- [23] J.J. Rotman, *The theory of groups : An introduction*, Allyn and Bacon (1973).
- [24] J.E. Rubin, *Set theory for the mathematician*, New York: Holden-Day (1967).
- [25] E. Specker, *Additive Gruppen von Folgen ganzer Zahlen*, Port. Math. **9** (1950) 131–140.
- [26] J. Steprāns, *A characterization of free abelian groups*, Proc. Amer. Math. Soc. **93** (1985) 347–349.

- [27] S. Thomas, *On the complexity of the classification problem for torsion-free abelian groups of finite rank*, Bull. Symbolic Logic **7** (2001) 329–344.
- [28] S. Thomas, *The classification problem for torsion-free abelian groups of finite rank*, J. Amer. Math. Soc. **16** (2003) 233–258.