

REFERENCES

- Aoki, N., Nishikawa, M., & Hattori, K. (2003). Synthesis of chitosan derivatives bearing cyclodextrin and adsorption of p-nonylphenol and bisphenol A. *Carbohydrate polymers*, 52, 219-223.
- Armstrong DW, US patent No 4539399, 1985
- Astray, G., Gonzalez-Barreiro, C., Mejuto, J.C., et al. (2009). A review on the use of cyclodextrins in foods, *Food Hydrocolloids*, doi :101016/j.foodhyd.2009.01.001.
- Aydin, Y. A., & Aksoy, N. D. (2009). Adsorption of chromium on chitosan: Optimization, kinetics and thermodynamics. *Chemical Engineering Journal*, 151, 188-194.
- Barrera, H., Urena-Nunez, F., Bilyeu, B., & Barrera-Diaz, C. (2006). Removal of chromium and toxic ions present in mine drainage by *Ectodermis of Opuntia*. *Journal of Hazards Material*, B136, 846-853.
- Belyakov, V. N., Belyakova, L. A., et al. (2005). Supramolecular structures on silica surfaces and their adsorptive properties. *Journal of Colloids and Interface Science*, 285, 18-26.
- Benguella, B., & Benaissa H. (2002). Cadmium removal from aqueous solutions by chitin: kinetic and equilibrium studies. *Water Research*, 36, 2463-2474.
- Bhaskar, M., Aruna, P., Jeevan, R. J. G., & Radhakrishnan, G. (2004). β -cyclodextrin-polyurethane polymer as solid phase extraction material for the analysis of carcinogenic aromatic amines. *Analytica Chimica Acta*, 509, 39-45.
- Bhattacharyya, K. G., & Gupta, S. S. (2006). Adsorption of Chromium(VI) from water by clays. *Ing. Eng. Chem. Res*, 45, 7232-7240.
- Bibby, A., & Mercier, L. (2003). Adsorption and separation of water soluble aromatic molecules by cyclodextrin-funfunctionalized mesoporous silica. *Green Chemistry*, 5, 15-19.
- Chegrouche, S., Mellah, A., & Barkat, M. (2009). Removal of strontium from aqueous solutions by adsorption onto activated carbon: kinetic and thermodynamic studies. *Desalination*, 235, 306-318.

- Chin, Y. P., Mohamad, S., & Abas, M. R. (2010). Removal of parabens from aqueous solution using β -cyclodextrin cross-linked polymer. *International Journal of Molecular Science*, 11, 3459-3471.
- Crini, G. (2005). Recent developments in polysaccharide-based materials used as adsorbents in wastewater treatment. *Progress in Polymer Science*, 30, 38-70.
- Crini, G. (2006). Non-conventional low-cost adsorbents for dye removal : A review. *Bioresource technology*, 97, 1061-1085.
- Crini, G. (2008). Kinetic and equilibrium studies on the removal of cationic dyes from aqueous solution by adsorption onto a cyclodextrin polymer. *Dyes and Pigments*, 77, 415-426.
- Crini, G., & Morcellet, M. (2002). Synthesis and applications of adsorbents containing cyclodextrins. *Journal of Separation Science*, 25, 789-813.
- Crini, G., & Peindy, H. N. (2006). Adsorption of C.I. Basic Blue 9 on cyclodextrin-based material containing carboxylic groups. *Dyes and Pigments*, 70, 204-211.
- Crini, G., Peindy, H. N., Gimbert, F., & Robert, C. (2007). Removal of C.I. Basic Green 4 (Malachite Green) from aqueous solutions by adsorption using cyclodextrin-based adsorbent: Kinetic and equilibrium studies. *Separation and Purification Technology*, 53, 97-110.
- Das, D. D., Mahapatra, R., Pradhan, J., Das, S. N., & Thakur, R. S. (2000). Removal of Cr(VI) from aqueous solution using activated cow dung carbon. *Journal Colloid Interface Science*, 232, 235-240.
- Deng, L., Su, Y., et al. (2007). Sorption and desorption of lead(II) from wastewater by green algae *Cladophora fascicularis*. *Journal Hazardous Material*, 143, 220-225.
- Fan, Y., Feng, Y., & Da, S. (2003). On-line selective solid-phase extraction of 4-nitrophenol with β -cyclodextrin bonded silica. *Analytica Chimica Acta*, 484, 145-153.
- Gardner, M., & Comber, S. (2002). Determination of trace concentration of hexavalent chromium. *The Analyst*, 127, 153-156.
- Gomez, V., & Callao, M. P. (2006). Chromium determination and speciation since 2000. *Trends in analytical chemistry*, 25, 1006-1015.
- Granados-Correa, F., & Jimenez-Becerril, J. (2009). Chromium (VI) adsorption on boehmite. *Journal of Hazardous Material*, 162, 1178-118.

- Isa, M. H., Ibrahim, N., Aziz, H. A., et al. (2008). Removal of chromium(VI) from aqueous solution using treated oil palm fibre. *Journal of Hazardous Material*, 152, 662-668.
- Janus, L., Crini, G., et al. (1999). New sorbents containing beta-cyclodextrin. Synthesis, characterization, and sorption properties. *Reactive and functional polymers*, 42, 173-180.
- Jianfei, C., Yinghong, X., & Anbo, P. (2007). Grafting polymerization of polyacetal onto nano-silica surface via bridging isocyanate. *Surface & coatings Technology*, 201, 4578-4584.
- Karagozoglu, B., Tasdemir, M., Demirbas, E., & Kobya, M. (2007). The adsorption of basic dye (Astrazon Blue FGRL) from aqueous solutions onto sepiolite, fly ash and apricot shell activated carbon: Kinetic and equilibrium studies. *Journal of Hazardous Material*, 147, 297-306.
- Karthikiyen, T., Rajhgopal, S., & Miranda, L. R. (2005). Chromium (VI) adsorption from aqueous solution by *Hevea Brasilensis* sawdust activated carbon. *Journal of Hazardous Material*, B124, 192-199.
- Kawaguchi, Y., Mizobuchi, Y., Tanaka, M., & Shono, T. (1982). Sorption behavior of aromatic compounds in water on β -cyclodextrin polyurethane resins. *Bulletin Chemistry Society Japan*, 55, 2611-2614.
- Kotas, J., & Stasicka, Z. (2000). Chromium occurrence in the environment and methods of its speciation. *Environmental Pollution*, 107, 263-283.
- Kumar, Y. P., King, P., & Prasad, V. S. R. K. (2006). Equilibrium and kinetic studies for the biosorption system of copper(II) ion from aqueous solution using *Tectona grandis* F.f. leaves powder. *Journal of Hazardous Material*, B137, 1211-1217.
- Li, N., Xiong, X., & Li, R. (2009). Adsorption and desorption behaviors of 4-cresol on β -cyclodextrin polymer. International Conference on environmental Science and Information Application Technology.
- Malkoc, E., & Nuhoglu, Y. (2007). Determination of kinetic and equilibrium parameters of the batch adsorption of Cr(VI) onto waste acorn of *Quercus ithaburensis*. *Chemical Engineering and Processing: Process Intensification*, 46, 1020-1029.
- Malkoc, E., & Nuhoglu, Y. (2007). Potential of tea factory waste for chromium (VI) removal from aqueous solutions: Thermodynamic and kinetic studies. *Journal of Separation and Purification Technology*, 54, 291-298.
- Martin Del Valle, E. M. (2004). Cyclodextrin and their uses: Review. *Journal Process Biochemistry*, 39, 1033-44.

- Mittal, A., Kurup, L., & Mittal, J. (2007). Freundlich and Langmuir adsorption isotherms and kinetics for the removal of Tartrazine from aqueous solutions using hen feathers. *Journal of Hazardous Material*, 146, 243-248.
- Mocanu, G., Vizitiu, D., & Carpov, A. (2001). Cyclodextrin polymers. *Journal of Bioactive and Compatible Polymers*, 16, 315-3412.
- Monika, J., Garg, V. K., & Kadirvelu, K. (2009). Chromium (VI) removal from aqueous system using *Helianthus annus*(sunflower) stem waste. *Journal of Hazardous Material*, 162, 365-372.
- Munoz-Botella, S., Del Castillo, B., & Martin, M. A. (1995). Cyclodextrin properties and application of inclusion complex formation. *Ars Pharm*, 36, 187-98.
- Namasivayam, C., & Sureshkumar, M. V. (2008). Removal of chromium(VI) from water and wastewater using surfactant modified coconut coir pith as a adsorbent. *Bioresource Technology*, 99, 2218-2225.
- Oguz, E. (2005). Adsorption characteristics and kinetics of the Cr(VI) on the *Thuja Orientalis*. *Colloids and Surfaces A : Physiochem. Eng. Aspects*, 252, 121-128.
- Ozcan, A., Oncu, E. M., & Ozcan, A. S. (2006). Kinetics, isotherm and thermodynamic studies of adsorption of Acid Blue 193 from aqueous solutions onto natural sepiolit. *Colloids and surfaces A : Physiochem. Eng. Aspects*, 277, 90-97.
- Ozmen, E. Y., & Yilmiz, M. (2007). Use of β -cyclodextrin and starch based polymers for sorption of Congo Red from aqueous solution. *Journal of Hazardous Material*, 148, 303-310.
- Padarauskas, A., Judzentiene, A., Naujalis, E., & Paliulionyte, V. (1998). On-line preconcentration and determination of chromium(VI) in waters by high-performance liquid chromatography using pre-column complexation with 1,5-diphenylcarbazide. *Journal of chromatography A*, 808, 193-199.
- Parida, S. K., Dash, S., Patel, S., & Mishra, B. K. (2006). Adsorption of organic molecules on silica surface. *Advances in colloids and interface science*, 121, 77-110.
- Pehlivan, E., & Cetin, S. (2009). Sorption of Cr(VI) ions on two Lewatit-anion exchange resins and their quantitative determination using UV-visible spectrophotometer. *Journal of Hazardous Material*, 163, 448-453.

- Phan, T. N. T., Bacquet, M., & Morcellet, M. (2002). The removal of organic pollutants from water using new-silica supported β -cyclodextrin derivatives. *Reactive and Functional Polymers*, 52, 117-125.
- Ponchel, A., Abramson, S., et al. (2004). Cyclodextrin silica-based materials : advanced characteristics and study of their complexing behavior by diffuse reflectance UV-Vis Spectrometry. *Microporous and Mesoporous Materials*, 75, 261-272.
- Prabaharan, M., & Mano, J. F. (2006). Chitosan derivatives bearing cyclodextrin cavities as novel adsorbent matrices. *Carbohydrates Polymers*, 63, 153-166.
- Rajesh, N., Jalan, R. K., & Hotway, P. (2008). Solid phase extraction of chromium(VI) from aqueous solutions by adsorption of its diphenylcarbazide complex on an Amberlite XAD-4 resin column. *Journal of Hazardous Material*, 150, 723-727.
- Raji, C., & Anirudhan, S. (1998). Batch Cr(VI) removal by polyacrylamide-grafted sawdust: Kinetics and thermodynamics. *Water Research*, 32, 3772-3780.
- Romo, A., & Penas, F. J. (2004). Sorption of dibenzofuran derivatives from aqueous solutions by β -cyclodextrin polymers : an isosteric heat approach. *Journal of Colloids and Interface Science*, 279, 55-60.
- Romo, A., Penas, F. J., Isasi, J. R., et al. (2008). Extraction of phenols from aqueous solutions by β -cyclodextrin polymers. Comparison of sorptive capacities with other sorbents. *Reactive and Functional polymers*, 68, 406-413.
- Sari, A., & Tuzen, M. (2008). Biosorption of total chromium from aqueous solution by red algae (*Ceramium virtagum*) : Equilibrium, kinetic and thermodynamic studies. *Journal of Hazardous Material*, 160, 349-355.
- Schneider, R. M., Cavalin, C. F., Barros, M. A. S. D., & Tavares, C. R. G. (2007). Adsorption of chromium ions in activated carbon. *Chemical Engineering Journal*, 132, 355-362.
- Schneiderman, E., & Stalcup, A. M. (2000). Cyclodextrin: a versatile tool in separation science. *Journal of Chromatography B*, 45, 83-102.
- Selvaraj, K., Manonmani, S., & Pattabhi, S. (2003). Removal of hexavalent chromium using distillery sludge. *Bioresource Technology*, 89, 207-211.
- Shiraishi, S., Komiya, M., & Hirai, H. (1986). Immobilization of β -cyclodextrin on silica gel. *Bulletin Chem. Society Japan*, 59, 507-510.

- Singh, D. (2000). Studies of adsorption thermodynamics of oxamyl on fly. *Adsorption Science Technology*, 18, 741-748.
- Szetjli, J., (1998). Introduction and general overview of cyclodextrin chemistry. *Chem Rev*, 98, 1743-1753.
- Tewari, N., Vasudevan, P., & Guha, B. K. (2005). Study on biosorption of Cr(VI) by *Mucor hiemalis*. *Biochemistry Engineering Journal*, 23, 185-192.
- Tunceli, A., Turker, R. (2002). Speciation of Cr(III) and Cr(VI) in water after preconcentration of its 1,5-diphenylcarbazone complex on amberlite XAD-16 resin and determination by FAAS. *Talanta*, 57, 1199-1204.
- Uysal, M., & Ar, I. (2007). Removal of Cr(VI) from industrial wastewaters by adsorption Part I : Determination of optimum conditions. *Journal of Hazardous Material*, 149, 482-491.
- Vinod, K. G., Dinesh, M., Saurabh, S., & Kuk, T. P. (1999). Removal of chromium (VI) from electroplating industry wastewater using bagasse fly ash- a sugar waste material. *The Environmentalist*, 19, 129-136.
- Wan Ngah, W. S., Endud, C. S., & Mayanar, R. (2002). Removal of copper(II) ions from aqueous solution onto chitosan and cross-linked chitosan beads. *React Funct Polym*, 50, 181-190.
- Yasar, A. A., Aksoy, N. D. (2009). Adsoprtion of chromium on chitosan : Optimization , kinetics and thermodynamic. *Chemical Engineering Journal*, 151, 188-194.
- Yilmaz, A., Yilmaz, E., & Yilmaz, M. (2007). Removal of azo dyes form aqueous solutions using calix[4]arene and β -cyclodextrin. *Dyes and Pigments*, 74, 54-59.
- Yilmaz, E., & Memon, S. (2010). Removal of direct azo dyes and aromatic amines from aqueous solutions usinf two β -cyclodextrin-based polymers. *Journal of Hazardous Material*, 174, 592-597.
- Zha, F., Li, S., & Chang, Y. (2008). Preparation and adsorption property of chitosan beads bearing β -cyclodextrin cross-linked by 1,6-hexamethylene diisocyanate. *Carbohydrate Polymers*, 72, 456-461.
- Zhao, D., Zhao, L., Zhu, C., et al. (2009). Water-insoluble β -cyclodextrin polymer crosslinked by citric acid : Synthesis and adsorption properties toward phenol and methylene blue. *Journal. Incl. Phenom. Macrocycl. Chem.*, 63, 195-201.

- Zhou, D., Zhang, L., Zhou, J., & Guo, S. (2004). Cellulose/chitin beads for adsorption of heavy metals in aqueous solution. *Water Research*, 38, 2643-2650.
- Zhu, X., Wu, M., & Gu, Y. (2009). β -cyclodextrin-cross-linked polymer as solid phase extraction material coupled with inductively coupled plasma mass spectrometry for the analysis of trace Co(II). *Talanta*, 78, 565-569.

PUBLICATION

- 1) Mohd Yusof, N.H., Mohamad, S., and Asman, S., Effect of bifunctional isocyanate linker on adsorption of chromium (VI) diphenylcarbazide complex onto β -cyclodextrin polymer, Asian Journal of Chemistry (submitted)

SEMINARS

- 1) Adsorption of Cr(VI) from aqueous solution by β -cyclodextrin-cross-linked polymer, International Conference Molecularly Chemistry (ICMC), November 2008, University of Malaya.
- 2) Adsorption of Cr(VI) from aqueous solution by β -cyclodextrin-cross-linked polymer, 10th Asian Conference on Analytical Sciences (AsianalysisX) 2009/SKAM 22/QSEL 4, August 2009, Putra World Trade Center.

- 3) Adsorption of Cr(VI) from aqueous solution by β -cyclodextrin-cross-linked polymer, 16th Malaysian Chemical Congress (16MCC), October 2010, Putra World Trade Center.
- 4) Adsorption of Cr(VI) from aqueous solution by β -cyclodextrin-cross-linked polymer, Bilateral Seminar between Department of Chemistry, University of Malaya and School of Chemistry, University of Hyderabad, October 2010, University of Malaya.