

REFERENCES

- Aalbers, A. A., Bernal, D. and Sepulveda, C. A. (2010). The functional role of the caudal fin in the feeding ecology of the common thresher shark *Alopias vulpinus*. *Journal of Fish Biology*, 76, 1863–1868.
- Adela, I. J. (2004). *Studies on The Central Nervous System of Red Tilapia (Oreochromis spp.)*. University of Malaya, Kuala Lumpur.
- Ahmad, A., and Khairul-Adha, A.R. (2007). State of knowledge on freshwater fishes of Malaysia. [Electronic Version]. *Status of biological diversity in Malaysia threat assessment of plant species in Malaysia*. 83-90,
- Anamaria, S., and Alexandra, J. (2007). Cerebellum morphogenesis: the foliation pattern is orchestrated by multi-cellular anchoring centers. *Neural Development*, 2(26).
- Andrew, N. I., Peter, L. H., and Douglas, R. W. W. (2007). Comparative: Morphology of the Avian Cerebellum: II. Size of Folia. *Brain Behavior and Evolution*, 69, 196-219.
- Bae, Y.-K., Kani, S., Shimizu, T., Tanabe, K., Nojima, H., Kimura, Y., et al. (2009). Anatomy of zebrafish cerebellum and screen for mutations affecting its development. *Developmental Biology*, 330(2), 406-426.
- Bass, A. H. (1982). Evolution of the vestibulolateral lobe of the cerebellum in electroreceptive and nonelectroreceptive teleosts. *Journal of Morphology*, 174, 335-348.
- Bell, C. C. (2002). Evolution of cerebellum-like structures. *Brain, Behavior and Evolution* (59), 312-326.
- Bleeker, P. (1851). Bijdrage tot de kennis der ichthyologische fauna van Borneo, met beschrijving van 16 nieuwe soorten van Zoetwaterfischen. *Natuurkundig Tijdschrift voor Nederlandsch Indië* 1:1-16.
- Bone, Q., and Moore, R. H. (2008). The Nervous System. In *Biology of Fishes* (Vol. 3, pp. 361-376). New York: New York Taylor & Francis Routledge.
- Brown, M. E. (1957). *Behavior of the fishes*, (Vol. II). New York: Academic Press Inc.

- Burgess, W. E. (1989). An atlas of freshwater and marine catfishes: (preliminary survey of the Siluriformes. Berkshire: TFH Publications.
- Campbell, H. R., Meek, J., Zhang, J., and Bell, C. C. (2007). Anatomy of the posterior caudal lobe of the cerebellum and the eminentia granularis posterior in a mormyrid fish. *The Journal of Comparative Neurology*, 5(502), 714-735.
- Castejón, O. J. (1998). Light microscopy, scanning and transmission electron microscopy of vertebrate cerebellar golgi cells. *Scanning Microscopy*, 12(2), 387-399.
- Chia, W. L. (2006). *Kajian Sistem Saraf Pusat Ikan Jelawat, Leptobarbus hoeveni*. University of Malaya, Kuala Lumpur.
- Close, B., Banister, K., Baumans, V., Bernoth, E.-M., Bromage, N., Bunyan, J., et al. (1997). Recommendations for euthanasia of experimental animals: Part 2. *Laboratory Animals*, 31(1), 1-32.
- Cooper, P. A., Benno, R. H., Hahn, M. E., and Hewitt, J. K. (1991). Genetic analysis of cerebellar foliation patterns in mice (*Mus musculus*). *Behavior Genetics*, 21(4), 405-419.
- Coyle, S. D., Durborow, R.M., and Tidwell, J. H. (2004). *Anesthetics in Aquaculture*. Unpublished manuscript.
- Demaerel, P. D. (2002). Abnormalities of cerebellar foliation and fissuration: classification, neurogenetics and clinicoradiological correlations. *Neuroradiology*, 44(8), 639-646.
- Dubuc, B. (2002). *The Evolutionary Layers of the Human Brain*.
- Duràn, E., Álvarez, E., Gómez, A., Manuccia, R., Rodríguez, F., Salas, C., Broglio, C., and Jiménez-Moya, F. (2005). Cognitive and emotional functions of the teleost fish cerebellum. *Brain Research Bulletin*, 66(4-6), 365-370.
- Eccles, J. C., Ito, M., and Szentagothai, J. (1967). *The cerebellum as a neuronal machine*. Berlin: Springer-Verlag.
- Fiez, J. A. (1996). Cerebellar contributions to cognition. *Neuron*, 16, 13-15.

- Finger, T. E. (1978). Efferent neurons of the teleost cerebellum. *Brain Research*, 153, 608-614.
- Fletcher, T. F. (2011). Atlas Veterinary Neurohistology. Retrieved 29 April 2010, from <http://vanat.cvm.umn.edu>
- Franz, V. (1911). Das Kleinhirn der Knochenfische. *Zool Jahrb Abt Anat*, 32, 401-464.
- Froese, R., and Pauly, D. (2012). FishBase. 2009 - 2012, from www.fishbase.org
- Glickstein, M., and Jan, V. (1998). The Anatomy of The Cerebellum. *Trends in Neurosciences*, 21(9), 370-375.
- Günther, A. (1864). Catalogue of the fishes in the British Museum: Catalogue of the Physostomi, containing the families Siluridae, Characinidae, Haplochitonidae, Sternoptychidae, Scopelidae, Stomiatidae in the collection of the British Museum. 455pp. London.
- Gunther, K. H. Z. (2008). Adult neurogenesis and neuronal regeneration in the brain of teleost fish. *Physiology*, 102(4-6), 357-373.
- Gupta, M.V. and Acosta, B.O. (2004). A Review of Global Tilapia Farming Practices, *Aquaculture Asia Magazine*, IX, 1.
- Hain, T. C., and Cherchi, M. (2009). Cerebellum anatomy relevant to dizziness. Retrieved 25 April 2012, from <http://www.dizziness-and-balance.com/anatomy/cerebellum.htm>
- Hans, S., James, C. B., Angel M. P., and Robert B. (2006). Morphology and Physiology of the Cerebellar Vestibulolateral Lobe Pathways Linked to Oculomotor Function in the Goldfish. *Journal of Neurophysiology*, 96(4), 1963-1980.
- Harder, W. (1975). *Anatomy of Fishes* (Vol. 1). Michigan: Schweizerbart.
- Henry, G. (2007). Cerebellum. In Gray704.png (Ed.) (Vol. 600 × 416 (59 KB)): 20th U.S. edition of Gray's Anatomy of the Human Body.
- Ikenaga, T., Yoshida, M., and Uematsu, K. (2002). Efferent Connections of The Cerebellum of the Goldfish, *Carassius auratus*. *Brain Behavior and Evolution*, 60(1), 36-51.

- Ikenaga, T., Yoshida, M., and Uematsu, K. (2005). Morphology and immunohistochemistry of efferent neurons of the goldfish corpus cerebelli. *The Journal of Comparative Neurology*, 487(3), 300-311.
- Ikenaga, T., Yoshida, M., and Uematsu, K. (2006). Cerebellar Efferent Neurons In Teleost Fish, *The Cerebellum*, 5, 268-274.
- Iwaniuk, A. N., Peter, L. H., and Douglas, R. W. W. (2006). The Comparative Morphology of the Cerebellum in Caprimulgiform Birds: Evolutionary and Functional Implications. *Brain Behavior and Evolution*, 67(1), 53-68.
- Jerison, H. J. (1973). *Evolution of the Brain and Intelligence*. Academic Press, New York, New York.
- Kandel, E. R., Schwartz, J. H., and Jessell, T. M. (2000). *Principles of Neural Science* (4 ed.): McGraw-Hill, Health Professions Division.
- Kawato, M., and Gomi, H. (1992). Feedback-error-learning model of cerebellar motor control: In Mano, N., Hamada, I., & DeLong, M. R. (Ed.), *Proceedings of International Symposium on the Role of the Cerebellum and Basal Ganglia in Voluntary Movement held on 17-19 November 1992 in International Symposium, Tokyo* (pp. 53-59). Tokyo: Metropolitan Institute of Neuroscience (TMIN).
- Kazumasa, U., Yoshihiko, B., Yasuyuki, K., Takanori, I., Soon-Ju, M., Yuuki, M., and Masayuki, Y. (2007). Central Mechanisms Underlying Fish Swimming. *Brain Behavior and Evolution*, 69, 142-150.
- Kottelat, M. (2001). *Fishes of Laos*. Colombo 5, Sri Lanka: WHT Publications Ltd.
- Larsell, O. (1967). *The Comparative Anatomy and Histology of the Cerebellum from Myxinooids through Birds*. Minneapolis, MN: Univ. of Minnesota Press.
- Lighthill, M. J. (1971). Large-Amplitude Elongated-Body Theory of Fish Locomotion. *Proceeding of the Royal Society* 179, 125-138.
- Manzo, J., Miquel, M., Toledo, R., Mayor-Mar, J. A., Garcia, L. I., Aranda-Abreu, G. E., et al. (2007). Fos expression at the cerebellum following non-contact arousal and mating behavior in male rats. *Physiology and Behavior*, 93, 357-363.

- Meek J., Nieuwenhuys, R., and Elsevier D. (1986). Afferent and efferent connections of cerebellar lobe C1 of the mormyrid fish *Gnathonemus petersi*: an HRP study., *245*(3), 319-341.
- Messer, H. M. (1958). The Nervous System. In *An Introduction to Veterinary Anatomy*. The Macmillan Company, New York. Pp 374-380.
- Meyer, D.E. (2002). Technology for successful small-scale tilapia culture (CRSP Research Report 02-179). CRSP (Aquaculture Collaborative Research Support Program). [Abstract from original paper published in: D. Meyer (Ed). 6to Simposio Centroamericano de Acuacultura Proceedings: Tilapia Sessions, 22-24 August 2001. Tegucigalpa, Honduras, pp. 97-106].
- Michael, S., David, M. L., and Bruce, J. C. D. (1999). Review of Fish Swimming Modes for Aquatic Locomotion. *Oceanic Engineering*, *24*(237-252).
- Mokhsin, M., and Ambak, A. M. (1983). Freshwater fishes of Peninsular Malaysia. Malaysia: Universiti Pertanian Malaysia.
- Murakami, T. and Morita, Y. (1987). Morphology and distribution of the projection neurons in the cerebellum in a teleost, *Sebasticus marmoratus*. *Journal of Comparative Neurology*, *256*, 607-623.
- Ngui, S.T. (2006). Kajian Sistem Saraf Pusat *Mystus nemurus* (ikan Baung Sungai). Tesis Ijazah Sarjana Muda Sains, Universiti Malaya, Malaysia.
- Nickel, R. (1977). *Anatomy of domestic birds*. Berlin: Verlag Paul Parey.
- Nieuwenhuys, R., Pouwels, E. and Smulders-Kersten, E. (1974). The neuronal organization of cerebellar lobe C1 in the mormyrid fish *Gnathonemus petersii* (Teleostei). *Z. Anat Entwickl-Gesch*, *144*, 315-336.
- Ottoson, D. (1983). The Cerebellum. In *Physiology of The Nervous System*. New York: Oxford University Press.
- Pal, B., Chowdhury, S., and Ghosh, R. K. (2003). Comparative Anatomical Study of the Cerebellum of Man and Fowl. *52*(1), 32-37.
- Pansky, B., and Allen, D. J. (1980). The Cerebellum. In *Review of Neuroscience*. New York: Macmillan Publishing Co., Inc

- Parker, T. J. and Haswell, W.A. (1963). Textbook of Zoology. In Vertebrates Vol 2, 7th Edition Edn. Macmillan & Co. Ltd, London. pp 312, 410, 542, 592, 681.
- Peters, W. (1852). Diagnosen von neuen Flussfischen aus Mossambique. Monatsberichte der Königlich Preuss[ischen] Akademie der Wissenschaften zu Berlin 1852: 275-276, 681-685.
- Pietsch, T. W. (2010). Lecture notes of Biology of Fishes (Fish/Biol 311). College of the environment school of aquatic and fishery sciences, University of Washington, USA.
- Pouwels, E. (1978). On the development of the cerebellum of the trout, *Salmo gairdneri*. Patterns of cell migration. *Anatomy and Embryology*, 152(3), 291-308.
- Purves, D., Augustine, G. J., Fitzpatrick, D., Hall, W.C., LaMantia, A., McNamara, J. O., et al. (2011). *Neuroscience* (Fourth ed.): Sinauer Associates Inc.
- Prosser, C. L. (1973). Comparative animal physiology Vol. 2, 3rd edition. London, Toronto: W. B Saunders Company Philadelphia.
- Rainboth, W. J. (1996). Fishes of the Cambodian Mekong. FAO Species Identification Field Guide for Fishery Purposes. FAO, Rome, 265 p.
- Ranson, S. W., and Clark, S. I. (1972). The development and function In *The Anatomy of the Nervous System* (Vol. 10, pp. 43-45 and 286-287). Philadelphia: W.B Saunders Co.
- Roberts, T. R. (1989). The freshwater fishes of Western Borneo (Kalimantan Barat, Indonesia). *Mem. Calif. Acad. Sci.* 14:210 p.
- Saab, C. Y., and Willis, W. D. (2003). The cerebellum: organization, functions and its role in nociception. *Brain Research Reviews*, 42(1), 85-95.
- Sarnat, H. B., and Netsky, M. G. (1981). Evolution of the nervous system (2nd edition). New York: Oxford University Press.

- Sasaki, K., and Gemba, H. (1992). Cerebro-cerebellar interactions: For fast and stable timing of voluntary movement. In Mano, N., Hamada, I., & Delong, M. R. (Ed.), *Proceedings of International Symposium on the Role of the Cerebellum and Basal Ganglia in Voluntary Movement held on 17-19 November 1992 in International Symposium, Tokyo* (pp. 41-50). Tokyo: Metropolitan Institute of Neuroscience (TMIN).
- Schepper, N. D., Adriaens, D., Teugels, G. G., Devaere, S., and Verraes, W. (2003). Intraspecific variation in the postcranial skeleton morphology in African clariids: a case study of extreme phenotypic plasticity. *Zoological Journal of the Linnean Society*, 140, 437-446.
- Seeley, R. R., Stephens, T. D., and Tate, P. (2000). *Essential of Anatomy and Physiology*, 6th edition. USA: Mc Graw-Hill International.
- Shamiza, A.S. (2008). Histological Characterization of The Cerebellum of *Pangasius pangasius* (Patin) and *Clarias macrocephalus* (Keli). Tesis Ijazah Sarjana Muda, Universiti Malaya, Malaysia.
- Singh, I. (2006). Gross Anatomy of the Cerebellum. In *Textbook of Human Neuroanatomy* (7 ed.). New Delhi: Jaypee Brothers Medical Publishers (P) Ltd.
- Teugels, G. G., Diego, R.C., Pouyaud, L. and Legendre, M. (1999). Redescription of *Clarias macrocephalus* (Siluriformes: Clariidae) from Southeast Asia. *Cybium*, 23(3), 285-295.
- Tiong, S. Y. X. (2005). Studies on the Central Nervous System of Freshwater catfish (*Clarias macrocephalus*). Tesis Ijazah Sarjana Muda, Universiti Malaya, Malaysia.
- Valenciennes, A. and Cuvier, G. (1840). Histoire naturelle des poissons. Tome quinzième. Suite du livre dix-septième. Siluroïdes. Histoire naturelle des poissons v. 15: i-xxxi + 1-540, Pls. 421-455.
- Volkow , N. D., Wang, G. J., Telang, F., Fowler, J. S., Logan, J., Jayne, M., et al. (2007). Profound decreases in dopamine release in striatum in detoxified alcoholics: possible orbitofrontal involvement. *The Journal of neuroscience*, 27(46), 12700-12706.
- Vonderschen, K., Bleckmann, H., and Hofmann, M. H. (2002). A direct projection from the cerebellum to the telencephalon in the goldfish, *Carassius auratus*. *Neuroscience Letter*, 320, 37-40.

- Voogd, J., and Glickstein, M. (1998). The anatomy of the cerebellum. *Trends in Neurosciences*, 21:370-375.
- Wardle, C. S., Videler, J. J., and Altringham, J. D. (1995). Tuning in to Fish Swimming Waves: Body Form, Swimming Mode and Muscle Function. *Experimental Biology*, 198, 1629-1636.
- Welker, W. I. W. (1990). The significance of foliation and fissuration of cerebellar cortex. The cerebellar folium as a fundamental unit of sensorimotor integration. *Arch Ital Biol*, 128(2-4), 87-109.
- William, S. H., and David, J. R. (1978). Locomotion. In *Fish Physiology*_(Vol. 8): Academic Press, New York.
- William, S. H., and David J. R. (1970). *The Nervous System, Circulation and Respiration*. New York: Academic Press.
- Wong, D. F., Maini, A., Rousset, O. G., and Brasic, J. R. (2003). Positron Emission Tomography: A Tool for Identifying the Effects of Alcohol Dependence on the Brain. *Alcohol Research and Health: The journal of the National Institute on Alcohol Abuse and Alcoholism*, 27(2), 161-173.
- Wulliman, M. F., and Rooney, D. J. (1990). A direct cerebello-telencephalic projection in an electrosensory mormyrid fish. *Brain Research*, 520, 353-357.
- Yanagihara, D. (2010). Mechanisms of Locomotor Control in the Cerebellum. *Brain Nerve*, 62(11), 1149-1156.
- Yopak, K. E., Lisney, T.J., Collin, S.P., and Montgomery, J. C. (2007). Variation in brain organization and cerebellar foliation in chondrichthyans: sharks and holocephalans. *Brain Behavior and Evolution*, 69(4), 280-300.
- Young, B. (2006). *Wheater's Functional Histology: A Text and Colour Atlas*: Churchill Livingstone/Elsevier.
- Yu. J., and Wang, L. (2005). *Parameter Optimization of Simplified Propulsive Model for Biomimetic Robot Fish*. Paper presented at the International Conference on Robotics and Automation, Barcelona, Spain.

Yuji, I., Takako, Y., Masami, Y., Naoyuki, Y., and Hironobu, I. (2010). Morphogenesis of the Medaka Cerebellum, with Special Reference to the Mesencephalic Sheet, a Structure Homologous to the Rostrolateral Part of Mammalian Anterior Medullary Velum. . *Brain Behavior and Evolution*, 75(2), 88-103.

Zakaria-Ismail, M. (1990). Systematic, Zoogeography, and Conservation of the Freshwater fishes of Peninsular Malaysia. Degree of Doctor of Philosophy thesis, Colorado State University, USA.

Zakaria-Ismail, M. (2003). Ikan. Kuala Lumpur: Dewan Bahasa dan Pustaka.

http://agrolink.moa.my/pqnet/kwln/pelihara_ikan_keli.htm. Retrieved 17 April 2009.

<http://allaboutthebrain.tripod.com/id13.html>. Retrieved 29 April 2010.

<http://visualsunlimited.photoshelter.com/image/I0000lmr8IPxmEMg>. Retrieved 12 February 2011.