

REFERENCES

- Abtahi, Z. (2008). "Ethanol and glucose tolerance of *M. indicus* in aerobic and anaerobic conditions."
- Aida, T. M., Y. Sato, et al. (2007). "Dehydration of d-glucose in high temperature water at pressures up to 80 MPa." The Journal of supercritical fluids **40**(3): 381-388.
- Andrietta, S. R., C. Steckelberg, et al. (2008). "Study of flocculent yeast performance in tower reactors for bioethanol production in a continuous fermentation process with no cell recycling." Bioresource technology **99**(8): 3002-3008.
- Balat, M. (2011). "Production of bioethanol from lignocellulosic materials via the biochemical pathway: A review." Energy Conversion and Management **52**(2): 858-875.
- Balat, M., H. Balat, et al. (2008). "Progress in bioethanol processing." Progress in energy and combustion science **34**(5): 551-573.
- Benko, Z., M. Siika-aho, et al. (2008). "Evaluation of the role of xyloglucanase in the enzymatic hydrolysis of lignocellulosic substrates." Enzyme and Microbial Technology **43**(2): 109-114.
- Bruice, T. C. and T. H. Fife (1962). "Hydroxyl Group Catalysis. III. 1 The Nature of Neighboring Hydroxyl Group Assistance in the Alkaline Hydrolysis of the Ester Bond." Journal of the American Chemical Society **84**(10): 1973-1979.
- Camacho, F., P. Gonzalez-Tello, et al. (1996). "Microcrystalline-cellulose hydrolysis with concentrated sulphuric acid." Journal of Chemical Technology and Biotechnology **67**(4): 350-356.
- Carrillo, F., M. Lis, et al. (2005). "Effect of alkali pretreatment on cellulase hydrolysis of wheat straw: Kinetic study." Process Biochemistry **40**(10): 3360-3364.
- Çaylak, B. and F. Vardar Sukan (1998). "Comparison of different production processes for bioethanol." Turkish Journal of Chemistry **22**: 351-360.
- Chandel, A. K., E. Chan, et al. (2007). "Economics and environmental impact of bioethanol production technologies: an appraisal." Biotechnology and Molecular Biology Reviews **2**(1): 14-32.
- Chen, F. and R. A. Dixon (2007). "Lignin modification improves fermentable sugar yields for biofuel production." Nature biotechnology **25**(7): 759-761.
- Cheng, K. K., J. A. Zhang, et al. (2008). "Sugarcane bagasse mild alkaline/oxidative pretreatment for ethanol production by alkaline recycle process." Applied biochemistry and biotechnology **151**(1): 43-50.

Crutzen, P. J., A. R. Mosier, et al. (2007). "N₂O release from agro-biofuel production negates global warming reduction by replacing fossil fuels." Atmospheric Chemistry and Physics Discussions **7**(4): 11191-11205.

Demirbas, A. (2009). "Biofuels securing the planet's future energy needs." Energy Conversion and Management **50**(9): 2239-2249.

Demirbas, A. (2007). "Progress and recent trends in biofuels." Progress in energy and combustion science **33**(1): 1-18.

Demirbas, M. and M. Balat (2006). "Recent advances on the production and utilization trends of bio-fuels: A global perspective." Energy Conversion and Management **47**(15): 2371-2381.

Dien, B., M. Cotta, et al. (2003). "Bacteria engineered for fuel ethanol production: current status." Applied microbiology and biotechnology **63**(3): 258-266.

Dong, M. W. and J. Wiley (2006). Modern HPLC for practicing scientists, Wiley Online Library.

El-Zawawy, W. K., M. M. Ibrahim, et al. (2010). "Acid and enzyme hydrolysis to convert pretreated lignocellulosic materials into glucose for ethanol production." Carbohydrate Polymers.

Farone, W. A. and J. E. Cuzens (1997). Strong acid hydrolysis of cellulosic and hemicellulosic materials, Google Patents.

Foyle, T., L. Jennings, et al. (2007). "Compositional analysis of lignocellulosic materials: Evaluation of methods used for sugar analysis of waste paper and straw." Bioresource technology **98**(16): 3026-3036.

FRY, S. C. (1989). "The structure and functions of xyloglucan." Journal of Experimental Botany **40**(1): 1.

Fu, Q., D. S. Argyropoulos, et al. (2008). "Understanding the pyrolysis of CCA-treated wood:: Part I. Effect of metal ions." Journal of analytical and applied pyrolysis **81**(1): 60-64.

Fukuoka, A. and P. L. Dhepe (2006). "Catalytic conversion of cellulose into sugar alcohols." Angewandte Chemie International Edition **45**(31): 5161-5163.

Galbe, M., M. Gorwa-Grauslund, et al. (2006). "Bio-ethanol-the fuel of tomorrow from the residues of today." TRENDS in Biotechnology **24**(12): 549-556.

Galbe, M. and G. Zacchi (2002). "A review of the production of ethanol from softwood." Applied microbiology and biotechnology **59**(6): 618-628.

Garrote, G., H. Dominguez, et al. (2002). "Autohydrolysis of corncob: study of non-isothermal operation for xylooligosaccharide production." Journal of food engineering **52**(3): 211-218.

Graf, A. and T. Koehler (2000). "Oregon cellulose-ethanol study: An evaluation of the potential for ethanol production in Oregon using cellulose-based feedstocks." Oregon Office of Energy.

Grob, R. L., E. F. Barry, et al. (1985). Modern practice of gas chromatography, Wiley Online Library.

Grohmann, K., M. Himmel, et al. (1984). Chemical-mechanical methods for the enhanced utilization of straw.

Guo, G. L., D. C. Hsu, et al. (2009). "Characterization of enzymatic saccharification for acid-pretreated lignocellulosic materials with different lignin composition." Enzyme and Microbial Technology **45**(2): 80-87.

Hamelinck, C. N., G. Hooijdonk, et al. (2005). "Ethanol from lignocellulosic biomass: techno-economic performance in short-, middle-and long-term." Biomass and bioenergy **28**(4): 384-410.

Hammond, G., S. Kallu, et al. (2008). "Development of biofuels for the UK automotive market." Applied Energy **85**(6): 506-515.

Hari Krishna, S., T. Janardhan Reddy, et al. (2001). "Simultaneous saccharification and fermentation of lignocellulosic wastes to ethanol using a thermotolerant yeast." Bioresource technology **77**(2): 193-196.

Harvey, J.R., 1972. Preparation of starch from cellulose treated with phosphoric acid. *United States Patent*, 3, 658, 588.

Howard, R., E. Abotsi, et al. (2003). "Review-Lignocellulose biotechnology: issues of bioconversion and enzyme production."

Hendriks, A. and G. Zeeman (2009). "Pretreatments to enhance the digestibility of lignocellulosic biomass." Bioresource technology **100**(1): 10-18.

Hsu, T. A., M. Ladisch, et al. (1980). Alcohol from cellulose, Purdue Univ., West Lafayette, IN.

Hung, L., J. Parcher, et al. (1988). "Theoretical and experimental foundation for surface-coverage programming in gas-solid chromatography with an adsorbable carrier gas." Analytical Chemistry **60**(11): 1090-1096.

Imamura, Y., H. Ito, et al. (1984). Mushroom growing by utilizing sewage sludge compost and re-utilization of the used compost as livestock feed, Google Patents.

- Jakobsson, E. L. (2002). Optimization of the pretreatment of wheat straw for production of bioethanol, Ph. D. Thesis. Department of Chemical, Lund University.
- Jeffries, T. W. and Y. S. Jin (2000). "Ethanol and thermotolerance in the bioconversion of xylose by yeasts." Advances in applied microbiology **47**: 221-268.
- Jeoh, T., C. I. Ishizawa, et al. (2007). "Cellulase digestibility of pretreated biomass is limited by cellulose accessibility." Biotechnology and bioengineering **98**(1): 112-122.
- Jørgensen, H., J. B. Kristensen, et al. (2007). "Enzymatic conversion of lignocellulose into fermentable sugars: challenges and opportunities." Biofuels, Bioproducts and Biorefining **1**(2): 119-134.
- Kaparaju, P., M. Serrano, et al. (2009). "Bioethanol, biohydrogen and biogas production from wheat straw in a biorefinery concept." Bioresource technology **100**(9): 2562-2568.
- Katahira, S., A. Mizuike, et al. (2006). "Ethanol fermentation from lignocellulosic hydrolysate by a recombinant xylose-and cellooligosaccharide-assimilating yeast strain." Applied microbiology and biotechnology **72**(6): 1136-1143.
- Kim, J. and G. Mazza (2008). "Optimization of phosphoric acid catalyzed fractionation and enzymatic digestibility of flax shives." Industrial Crops and Products **28**(3): 346-355.
- Keshwani, D. R. and J. J. Cheng (2009). "Switchgrass for bioethanol and other value-added applications: A review." Bioresource technology **100**(4): 1515-1523.
- Laine, C. (2005). Structures of hemicelluloses and pectins in wood and pulp, Keskuslaboratorio.
- Lawford, H. G. (1988). "A new approach to improving the performance of Zymomonas in continuous ethanol fermentations." Applied biochemistry and biotechnology **17**(1): 203-219.
- Li, H., N. J. Kim, et al. (2009). "Simultaneous saccharification and fermentation of lignocellulosic residues pretreated with phosphoric acid-acetone for bioethanol production." Bioresource technology **100**(13): 3245-3251.
- Linde, M., M. Galbe, et al. (2008). "Bioethanol production from non-starch carbohydrate residues in process streams from a dry-mill ethanol plant." Bioresource technology **99**(14): 6505-6511.
- Lu, Y., B. Yang, et al. (2002). "Cellulase adsorption and an evaluation of enzyme recycle during hydrolysis of steam-exploded softwood residues." Applied biochemistry and biotechnology **98**(1): 641-654.
- Lynd, L. R., J. H. Cushman, et al. (1991). "Fuel ethanol from cellulosic biomass." Science **251**(4999): 1318.

- Mabee, W. and J. Saddler (2010). "Bioethanol from lignocellulosics: Status and perspectives in Canada." Bioresource technology **101**(13): 4806-4813.
- Malça, J. and F. Freire (2006). "Renewability and life-cycle energy efficiency of bioethanol and bio-ethyl tertiary butyl ether (bioETBE): assessing the implications of allocation." Energy **31**(15): 3362-3380.
- Mansfield, S. D., C. Mooney, et al. (1999). "Substrate and enzyme characteristics that limit cellulose hydrolysis." Biotechnology Progress **15**(5): 804-816.
- Martin, C., H. B. Klinke, et al. (2007). "Wet oxidation as a pretreatment method for enhancing the enzymatic convertibility of sugarcane bagasse." Enzyme and Microbial Technology **40**(3): 426-432.
- McIntosh, S. and T. Vancov (2010). "Enhanced enzyme saccharification of Sorghum bicolor straw using dilute alkali pretreatment." Bioresource technology **101**(17): 6718-6727.
- McNair, H. M., J. M. Miller, et al. (1969). Basic gas chromatography, Wiley Online Library.
- Minowa, T., T. Kondo, et al. (1998). "Thermochemical liquefaction of Indonesian biomass residues." Biomass and bioenergy **14**(5-6): 517-524.
- Mol, A. P. J. (2007). "Boundless biofuels? Between environmental sustainability and vulnerability." Sociologia Ruralis **47**(4): 297-315.
- Mosier, N., C. Wyman, et al. (2005). "Features of promising technologies for pretreatment of lignocellulosic biomass." Bioresource technology **96**(6): 673-686.
- Nguyen, Q. A., M. P. Tucker, et al. (2000). "Two-stage dilute-acid pretreatment of softwoods." Applied biochemistry and biotechnology **84**(1): 561-576.
- Ohgren, K., O. Bengtsson, et al. (2006). "Simultaneous saccharification and co-fermentation of glucose and xylose in steam-pretreated corn stover at high fiber content with *Saccharomyces cerevisiae* TMB3400." Journal of biotechnology **126**(4): 488-498.
- Palonen, H., V. t. tutkimuskeskus, et al. (2004). "Role of lignin in the enzymatic hydrolysis of lignocellulose." VTT PUBLICATIONS.
- Pauly, M., P. Albersheim, et al. (1999). "Molecular domains of the cellulose/xyloglucan network in the cell walls of higher plants." The Plant Journal **20**(6): 629-639.
- Polycarpou, P. (2009). "Bioethanol production from *Asphodelus aestivus*." Renewable Energy **34**(12): 2525-2527.

- Puppan, D. (2002). "Environmental evaluation of biofuels." Period polytech ser soc man sci **10**(1): 95-116.
- Rahman, S., J. Choudhury, et al. (2007). "Optimization studies on acid hydrolysis of oil palm empty fruit bunch fiber for production of xylose." Bioresource technology **98**(3): 554-559.
- Rao, R. S., C. P. Jyothi, et al. (2006). "Xylitol production from corn fiber and sugarcane bagasse hydrolysates by *Candida tropicalis*." Bioresource technology **97**(15): 1974-1978.
- Renneckar, S., A. G. Zink-Sharp, et al. (2004). "Compositional analysis of thermoplastic wood composites by TGA." Journal of applied polymer science **93**(3): 1484-1492.
- Roberto, I. C., S. I. Mussatto, et al. (2003). "Dilute-acid hydrolysis for optimization of xylose recovery from rice straw in a semi-pilot reactor." Industrial Crops and Products **17**(3): 171-176.
- Rogalinski, T., T. Ingram, et al. (2008). "Hydrolysis of lignocellulosic biomass in water under elevated temperatures and pressures." The Journal of supercritical fluids **47**(1): 54-63.
- Sanchez, O. J. and C. A. Cardona (2008). "Trends in biotechnological production of fuel ethanol from different feedstocks." Bioresource technology **99**(13): 5270-5295.
- Searchinger, T., R. Heimlich, et al. (2008). "Use of US croplands for biofuels increases greenhouse gases through emissions from land-use change." Science **319**(5867): 1238.
- Sendich, E. N., M. Laser, et al. (2008). "Recent process improvements for the ammonia fiber expansion (AFEX) process and resulting reductions in minimum ethanol selling price." Bioresource technology **99**(17): 8429-8435.
- Singh, A., N. Singh, et al. (2010). "Enzymatic hydrolysis of chemically pretreated rice straw by two indigenous fungal strains: a comparative study." Journal of scientific & industrial research **69**(3): 232-237.
- Singh, A., S. Tuteja, et al. (2011). "Enhanced saccharification of rice straw and hull by microwave-alkali pretreatment and lignocellulolytic enzyme production." Bioresource technology **102**(2): 1773-1782.
- Skoog, D. A. and D. M. West (1985). Principles of instrumental analysis, Saunders College Publishing New York.
- Snyder, L. R., J. J. Kirkland, et al. (2010). Introduction to modern liquid chromatography, John Wiley & Sons Inc.

Snyder, L. R., J. J. Kirkland, et al. (1997). Practical HPLC method development, John Wiley and Sons.

Stichnothe, H. and A. Azapagic (2009). "Bioethanol from waste: Life cycle estimation of the greenhouse gas saving potential." Resources, Conservation and Recycling **53**(11): 624-630.

Sukumaran, R. K., R. R. Singhania, et al. (2009). "Cellulase production using biomass feed stock and its application in lignocellulose saccharification for bio-ethanol production." Renewable Energy **34**(2): 421-424.

Sun, Y. and J. Cheng (2002). "Hydrolysis of lignocellulosic materials for ethanol production: a review." Bioresource technology **83**(1): 1-11.

Taylor, G. (2008). "Biofuels and the biorefinery concept." Energy Policy **36**(12): 4406-4409.

Tan, K. T., K. T. Lee, et al. (2008). "Role of energy policy in renewable energy accomplishment: The case of second-generation bioethanol." Energy Policy **36**(9): 3360-3365.

Tengborg, C., M. Galbe, et al. (2001). "Reduced inhibition of enzymatic hydrolysis of steam-pretreated softwood." Enzyme and Microbial Technology **28**(9-10): 835-844.

Thompson, D. N., H. C. Chen, et al. (1992). "Comparison of pretreatment methods on the basis of available surface area." Bioresource technology **39**(2): 155-163.

Tian, S., J. Zang, et al. (2008). "Construction of a recombinant yeast strain converting xylose and glucose to ethanol." Frontiers of Biology in China **3**(2): 165-169.

Tomás-Pejó, E., J. Oliva, et al. 2009. Bioethanol production from wheat straw by the thermotolerant yeast *Kluyveromyces marxianus* CECT 10875 in a simultaneous saccharification and fermentation fed-batch process. *Fuel*. **88**(11): 2142-2147.

Tomás-Pejó, E., J. Oliva, et al. (2009). "Bioethanol production from wheat straw by the thermotolerant yeast *Kluyveromyces marxianus* CECT 10875 in a simultaneous saccharification and fermentation fed-batch process." Fuel **88**(11): 2142-2147.

Tomimura, Y. (1993). "Chemical Characteristics of Rubberwood Damaged by *Sinoxylon conigerum* Gerstäcker." Bull. For. & For. Prod. Res. Inst. No **365**: 33-43.

Van Zyl, W., L. Lynd, et al. (2007). "Consolidated bioprocessing for bioethanol production using *Saccharomyces cerevisiae*." Biofuels: 205-235.

Varga, E., Z. Sengyel, et al. (2002). "Chemical pretreatments of corn stover for enhancing enzymatic digestibility." Applied biochemistry and biotechnology **98**(1): 73-87.

- Varga, E., A. S. Schmidt, et al. (2003). "Pretreatment of corn stover using wet oxidation to enhance enzymatic digestibility." Applied biochemistry and biotechnology **104**(1): 37-50.
- Perez-Verdin, G., D. L. Grebner, et al. (2009). "Woody biomass availability for bioethanol conversion in Mississippi." Biomass and bioenergy **33**(3): 492-503.
- Vidal-Valverde, C., C. Martin-Villa, et al. (1984). "Determination of soluble carbohydrates in yogurts by high performance liquid chromatography." Journal of Dairy Science **67**(4): 759-763.
- Vincken, J. P., G. Beldman, et al. (1994). "The effect of xyloglucans on the degradation of cell-wall-embedded cellulose by the combined action of cellobiohydrolase and endoglucanases from *Trichoderma viride*." Plant physiology **104**(1): 99-107.
- Vinzant, T. B., C. I. Ehrman, et al. (1997). "Simultaneous saccharification and fermentation of pretreated hardwoods." Applied biochemistry and biotechnology **62**(1): 99-104.
- Watanabe, M., M. Takahashi, et al. (2009). "Bioethanol production from rice washing drainage and rice bran." Journal of bioscience and bioengineering **108**(6): 524-526.
- Wyman, C. E., B. E. Dale, et al. (2005). "Coordinated development of leading biomass pretreatment technologies." Bioresource technology **96**(18): 1959-1966.
- Wyman, C. and B. Yang (2009). "Cellulosic biomass could help meet California's transportation fuel needs." California Agriculture **63**(4): 185-190.
- Xiao, B., X. Sun, et al. (2001). "Chemical, structural, and thermal characterizations of alkali-soluble lignins and hemicelluloses, and cellulose from maize stems, rye straw, and rice straw." Polymer degradation and stability **74**(2): 307-319.
- Yoosin, S. and C. Sorapipatana (2007). "A study of ethanol production cost for gasoline substitution in Thailand and its competitiveness." Thammasat Int J Sci Technol **12**: 69-80.
- Yu, J., J. Zhang, et al. (2009). "Combinations of mild physical or chemical pretreatment with biological pretreatment for enzymatic hydrolysis of rice hull." Bioresource technology **100**(2): 903-908.
- Yu, Z. and H. Zhang (2004). "Ethanol fermentation of acid-hydrolyzed cellulosic pyrolysate with *Saccharomyces cerevisiae*." Bioresource technology **93**(2): 199-204.
- Zhang, Y. H. P., J. Cui, et al. (2006). "A transition from cellulose swelling to cellulose dissolution by o-phosphoric acid: evidence from enzymatic hydrolysis and supramolecular structure." Biomacromolecules **7**(2): 644-648.

Zhao, X., F. Peng, et al. (2009). "Enhancement of the enzymatic digestibility of sugarcane bagasse by alkali-peracetic acid pretreatment." Enzyme and Microbial Technology **44**(1): 17-23.

Zinov'ev, A. (1963). "Perchloric Acid." Russian Chemical Reviews **32**: 268.