

7.0 REFERENCES

- Adebajo, A. C., & Reisch, J. (2000). Minor furocoumarins of *Murraya koenigii*. *Fitoterapia*, 71, 334–337.
- Ames, B. M., Shigena, M. K., & Hagen, T. M. (1993). Oxidants, antioxidants and the degenerative diseases of aging. *Proc. Natl. Acad. Sci. U.S.A.*, 90, 7915-7922.
- Amin, I., Norazaiddah, Y., & Emmy Hainida, K. I. (2006). Antioxidant activity and phenolic content of spinach species (*Amaranthus* sp). *Fd Chem*, 94, 47-52.
- Amin, I., & Lee, W. Y. (2005). Effect of different blanching times on antioxidant properties in selected cruciferous vegetables. *J Sci Fd Agric*, 98, 2314-2320.
- Amin, I., Zamaliah, M. M., & Chin, W. F. (2004). Total antioxidant activity and phenolic content in selected vegetables. *Fd Chem*, 87, 581-586.
- Andrianova, I. V., Demidova, O. M., & Medvedeva, L. A. (2004). Correction of hyperlipidemia with Allicor. (Article in Russian) *Klin. Med. (Mosk.)*, 82(4), 56-58.
- Antioxidants: Chemistry and Their Impact on Health* (2008, January 30). Retrieved 5 January 2011, from <http://www.shamskm.com/health/antioxidants-chemistry-and-their-impact-on-health.html>
- Anonymous. (1987). *China Lotus*. Wuhan, Hepeh, China: Wuhan Botanical Institute, Academic Sinica, Science Publishing Association (in Chinese).
- Ardestani, A., & Yazdanparast, R. (2007). Antioxidant and free radical scavenging potential of Achillea santolina extracts. *Food Chemistry*, 104, 21-29.
- Arora, R. C., Arora, S., & Gupta, R. K. (1981). The long term use of garlic in ischaemic heart disease. *Atherosclerosis*, 40, 175-179.
- Arrigoni, O., & De Tullio, M. C. (2000). The role of ascorbic acid in cell metabolism: between gene-directed functions and unpredictable chemical reactions. *Journal of Plant Physiology*, 157, 481-488.
- Arulselvan, P., Senthilkumar, G. P., Sathish Kumar D., & Subramanian, S. (2006). Anti-diabetic effect of *Murraya koenigii* leaves on streptozotocin induced diabetic rats. *Pharmazie*, 61(10), 874-877.
- Arulselvan, P., & Subramanian, S. P. (2007). Beneficial effects of *Murraya koenigii* leaves on antioxidant defense system and ultra structural changes of pancreatic beta-cells in experimental diabetes in rats. *Chem Biol Interact*, 165(2), 155-64.
- Aruoma O. I. (1994). Nutrition and health aspects of free radicals and antioxidants. *Food Chem toxicol*, 32(7), 671-683.
- Aruoma, A. M., Butler, M. J., & Halliwell, B. (1993). Evaluation of the antioxidant and prooxidant actions of gallic acid and its derivates. *J. Agric. Food Chem.*, 41, 1880-1885.

- Aruoma, O. I., Grootveld, M., & Halliwell, B. (1987). The role of iron in ascorbate-dependent deoxyribose degradation. Evidence consistent with a site-specific hydroxyl radical generation caused by iron ions bound to the deoxyribose molecule. *Journal of Inorganic Biochemistry*, 29, 289-299.
- Asada, K. (2000). The water-water cycle as alternative photon and electron sinks. *Philos. Trans. R. Soc. Lond. B. Biol. Sci.*, 355, 1419-1431.
- Babalola, O. O. & Areola, J. O. (2010). Interactive roles of terpenoid extract from the leaves of neem plant (*Azadirachta indica*, A. Juss) on lead induced toxicity in pregnant rabbits. *Journal of Medicinal Plants*, 4(12), 1102-1107.
- Bagchi, D., Sen, C. K., Ray, S. D., Das, D. K., Bagchi, M. Preuss, H. G., et al. (2003). Molecular mechanisms of cardioprotection by a novel grape seed proanthocyanidin extract. *Mutat. Res.*, 523-524, 87-97.
- Bagchi, K., & Purl, S. (1998). Free radicals and antioxidants in health and disease. *Eastern Mediterranean Health Journal*, 4(2), 350-360.
- Balaji, T., Acharya, R. N., Nair, A. G. C., Reddy, A. V. R., Rao, K. S., Naidu, G. R. K., et al. (2000). Determination of essential elements in ayurvedic medicinal leaves by k_0 standardized instrumental neutron activation analysis. *Journal of Radioanalytical and Nuclear Chemistry*, 243, 783-788.
- Balasubashini, M. S., Rukkumani, R., Viswanathan, P., & Menon, V. P. (2004). Ferulic acid alleviates lipid peroxidation in diabetics rats. *Phytother Res.* 18, 310-314.
- Banerjee, S. K., & Maulik, S. K. (2002). Effect of garlic on cardiovascular disorders: a review. *Nutr. J.*, 1(1), 4.
- Barbosa-Canovas, G.V., & Vega-Mercado, H. (1996). *Dehydration of foods* (1st Ed.). New York, USA: Chaplan and Hall.
- Beckman, J. S., & Brunelli, L. (1993). Nitric oxide requires superoxide to exert bactericidal activity. *Free Radical Biology and Medicine*, 15(5), 477.
- Bergendi, L., Benes, L., Durackova, Z., & Ferencik, M. (1999). Chemistry, physiology and pathology of free radicals. *Life Sciences*, 65(18-19), 1865-1874.
- Bingham, M., Gibson, G., Gottstein, N., Pascual-Teresa, S. D., Minihane, A. M., & Rimbach, G. (2003). Gut metabolism and cardio protective effects of dietary isoflavones. *Current Topics in Nutraceutical Research*, 1, 31-48.
- Birch, G. G., Bointon, B. M., Rolfe, E. J., & Selman, J. D. (1974). Quality changes related to vitamin C in fruit juice and vegetables processing. In G. G. Birch & K. Parker (Eds.), *Vitamin C* (pp. 40). London: Applied Science.
- Bligh, E. G., & Dyer, W. J. (1959). A rapid method of total lipid extraction and purification. *Canadian Journal of Biochemistry and Physiology*. 37, 911-917.
- Block, E. (1985). The chemistry of garlic and onion. *Sci. Am.*, 252, 114-119.

- Bordia, A., & Verma, S. K. (1980). Effect of garlic feeding on regression of experimental atherosclerosis in rabbits. *Artery*, 7(5), 428-37.
- Bozin, B., Mimica-Dukic, N., Samojlik, I., Goran, A., & Igic, R. (2008). Phenolics as antioxidants in garlic (*Allium sativum* L., Alliaceae). *Food Chemistry*, 111, 925-929.
- Brahmananda, S. (2000). *Common medicinal plants of India: A complete guide to home remedies* (pp. 327). Delhi: Dominant Press.
- Bray, T. M., & Bettger, W. J. (1990). The physiological role of zinc as an antioxidant. *Free Radical Biology and Medicine*, 8(3), 281-291.
- Briviba, K., Roussyn, I., Sharov, V. S., & Sies, H. (1996). Attenuation of oxidation and nitration reactions of peroxynitrite by selenomethionine, selenocystine and ebselen. *Biochem. J.*, 319, 13-15.
- Bruckdorfer, R. K. (1996). Antioxidants, lipoprotein oxidation, and arterial function. *Lipids*, 31, 83-85.
- Bub, A., Watzl, B., Abrahamse, L., & Delincee, H. (2000). Moderate intervention with carotenoid with vegetable products reduces lipid peroxidation in men. *J. Nutri.*, 130, 2200- 2206.
- Bulger, E. M., & Helton, W. S. (1998). NUTRIENT ANTIOXIDANTS IN GASTROINTESTINAL DISEASES. *Gastroenterology Clinics of North America*, 27(2), 403-419.
- Burton, G. W., & Ingold, K. U. (1981). Autoxidation of biological molecules 1. Antioxidant activity of vitamin E and related chain-breaking phenolic antioxidants in vitro. *J. Am. Chem. Soc.*, 103(21), 6472-6477.
- Burton, G. W., & Ingold, K. U. (1985). Vitamin E and related ether-phenols: A low-temperature dielectric relaxation study. *Chemical Physics*, 95(3), 473-481.
- Button, H. C., & Winterbourn, C. C. (1984). Hydroxyl radical production from hydrogen peroxide and enzymatically generated paraquat radicals: Catalytic requirements and oxygen dependence. *Archives of Biochemistry and Biophysics*, 235(1), 116-126.
- Cadenas, E., & Davies, K. J. A. (2000). Mitochondrial free radical generation, oxidative stress, and aging. *Free Radical Biology and Medicine*, 29(3-4), 222-230.
- Cai, Y., Luo, Q., Sun, M., & Corke, H. (2004). Antioxidant activity and phenolic compounds of 112 traditional Chinese medicinal plants associated with anticancer. *Life Sciences*, 74(17), 2157-2184.
- Carlsen, M. H., Halvorsen, B. L., Holte, K., Bohn, S. K., Dragland, S., Sampson, L., et al. (2010). The total antioxidant content of more than 3100 foods, beverages, spices, herbs, and supplements used worldwide. *Nutrition Journal*, 9(3), 1-11.
- Celery* (n.d.). Retrieved 2 December 2010, from http://www.herbs2000.com/herbs/herbs_celery.htm

- Chakraborty, D. P., Bhattacharyya, P., Islam, A., & Roy, S. (1974). Structure of murrayacinine: a new carbazole alkaloid from *Murraya koenigii* Spreng. *Chemistry and Industry*, 4, 165-166.
- Chan, L. W., Cheah, E. L., Saw, C. L., Weng, W., & Heng, P. W. (2008). Antimicrobial and antioxidant activities of *Cortex Magnoliae Officinalis* and some other medicinal plants commonly used in South-East Asia. *Chinese Medicine*, 3, 15.
- Chan, H. W-S., & Cotton, D. T. (1987). Lipid hydroperoxides. In H. W-S. Chan (Ed.), *Autoxidation of unsaturated lipids* (pp. 17-50). UK: Academic Press.
- Chance, B., Sies, H., & Boveris, A. (1979). Hydroperoxide metabolism in mammalian organs. *Physiol. Rev.*, 59, 527-605.
- Charles, S. A., & Halliwell, B. (1980). Effect of hydrogen peroxide on spinach (*Spinacia oleracea*) chloroplast fructose bisphosphatase. *Biochem J.*, 189, 373-376.
- Charles, S. A., & Halliwell, B. (1981). Light activation of fructose bisphosphatase in isolated spinach chloroplasts and deactivation of hydrogen peroxide. *Planta*, 151, 242-246.
- Chen, Y. H., & Yen, G. C. (2007). Antioxidant activity and free radical-scavenging capacity of extracts from guava (*Psidium guajava* L.) leaves. *Food Chemistry*, 101(2), 686-694.
- Cheng, F.C., Jen, J.F., & Tsai, T.H. (2002). Hydroxyl radical in living systems and its separation methods. *J. Chromatogr*, 781(1), 481-496.
- Chetty, K. N., Calahan, L., & Harris, K. C. (2003). Garlic attenuates hypercholesterolemic risk factors in olive oil fed rats and high cholesterol fed rats. *Pathophysiology*, 9(3), 127-132.
- Chevallier, A. (1996). *The Encyclopedia of Medicinal Plants*. London: Dorling Kindersley Publishers Ltd.
- Ching, T. L., Jan de Jong, & Aalt Bast. (1994). Structural characteristics of histamine H₂ receptor antagonists that scavenge hypochlorous acid. *European Journal of Pharmacology: Molecular Pharmacology*, 268(1), 89-93.
- Choudhury, R. P., Jain, G., & Garg, A. N. (2006). Short irradiation instrumental neutron activation analysis of essential and trace elements in Curry leaves (*Murraya Koenigii*) and its organic constituents by GC-MS. *J. Radioanal. Nucl. Chem.*, 270, 187-195.
- Chowdhury, B. K., Jha, S., Bhattacharyya, P., & Mukherjee, J. (2001). Two new carbazole alkaloids from *Murraya koenigii*. *Indian J. Chem.*, 40(B), 490-494.
- Chu, Y. H., Chang, C. L., & Hsu, H. F. (2000). Flavonoid content of several vegetables and their antioxidant activity. *Journal of the Science of Food and Agriculture*, 80, 561-566.

- Chung, Y. C., Chang, C. T., Chao, W. W., Lin, C. F., & Chou, S. T. (2002). Antioxidative activity and safety of the 50% ethanolic extract from red bean fermented by *Bacillus subtilis* IMR-NK1. *J. Agric. Food Chem.*, 50, 2454-2458.
- Cotelle, N., Bemier, J. L., Catteau, J. P., Pommery, J., Wallet, J. C., & Gaydou, E. M. (1996). Antioxidant properties of hydroxyl-flavones. *Free Radic. Biol. Med.*, 20, 35-43.
- Cotgreave, I. A., Johansson, U., Moldeus, P., & Brattsand, R. (1988). Lung and systematic thiol homeostasis during an acute lung inflammation in the rat. *Toxicology*, 50(3), 331-343.
- Dasgupta, N., & Bratati De. (2007). Antioxidant activity of some leafy vegetables of India: A comparative study. *Food Chemistry*, 101(2), 471-474.
- Dasgupta, T., Rao, A. R., & Yadava, P. K. (2003). Chemomodulatory action of curry leaf (*Murraya koenigii*) extract on hepatic and extrahepatic xenobiotic metabolising enzymes, antioxidant levels, lipid peroxidation, skin and forestomach papillomagenesis. *Nutrition Research*, 23, 1427-1446.
- Dastur, J. F. (1962). *Medicinal Plants of India and Pakistan*. Bombay: D.B. Taraporewala & Co. Pvt. Ltd.
- Decareau, R.V. (1992). *Encyclopaedia of Food Science and Technology* 3 (pp. 1772-1778). New York, USA: Wiley.
- Di Mascio, P., Bechara, E. J. H., Medeiros, M. H.G., Briviba, K., & Sies, H. (1994). Singlet molecular oxygen production in the reaction of peroxynitrite with hydrogen peroxide. *FEBS Letters*, 355(3), 287-289.
- Di Mascio, P., Briviba, K., Bechara, E. J. H., Medeiros, M. H.G., & Sies, H. (1996). [37] Reaction of peroxynitrite and hydrogen peroxide to produce singlet molecular oxygen (${}^1\Delta_g$). *Methods in Enzymology*, 269, 395-400.
- Dinis, T. C. P., Madeira, V. M. C., & Almeida, L. M. (1994). Action of phenolic derivates (acetooaminophen, salicylate and 5-aminosalicylate) as inhibitors of membrane lipid peroxidation and as peroxyradical scavengers. *Archives of Biochemistry and Biophysics*, 315, 161-169.
- Diplock, A.T. (1997). Will the 'good fairies' please proves to us that vitamin E lessens human degenerative of disease? *Free Radical Research*, 27, 511-532.
- Droge, W. (2002a). Aging-related changes in the thiol/disulfide redox state: implications for the use of thiol antioxidants. *Experimental Gerontology*, 37(12), 1333-1345.
- Droge, W. (2002b). Free Radicals in the physiological control of cell function. *Physiological Reviews*, 82(1), 47-95.
- Duan, Y., Gross, R. A., & Sheu, S. S. (2007). Ca^{2+} -dependent generation of mitochondrial reactive oxygen species serves as a signal for poly(ADP-ribose) polymerase-1 activation during glutamate excitotoxicity. *J. Physiol.*, 585, 741-558.

- Duffy, C. F., & Power, R. F. (2001). Antioxidant and antimicrobial properties of some Chinese plant extracts. *Int. J. of Antimicrobial Agents*, 17, 527-529.
- Duh, P. D., Tu, Y. Y., & Yen, G. C. (1999). Antioxidant activity of water extract of harng Jyur (*Chrysanthemum morifolium* Ramat). *Lebensm. Wiss Technol.*, 32(5), 269-277.
- Duh, C. Y., Tsai, I. L., & Hsieh, C. F. (1998). Additional cytotoxic neolignans from *Persea obovatifolia*. *Phytochemistry*, 48(8), 1371-1375.
- Duh, P. D. (1998). Antioxidant activity of Budrock (*Arctium lappa* Linn): its scavenging effect on free radical and active oxygen. *J. Am. Oil Chem. Soc.*, 75, 455-461.
- Duroux, M., Duroux, L., Neves-Petersen, M. T., Skovsen, E., & Petersen S. B. (2007). Novel photonic technique creates micrometer resolution protein arrays and provides a new approach to coupling of genes, peptide hormones and drugs to nanoparticle carriers. *Applied Surface Science*, 253(19), 8125-8129.
- Dwivedi, S. (2007). *Terminalia arjuna* Wight and Arn: A useful drug for cardiovascular disorders. *J. Ethnopharmacol.*, 114, 114-129.
- Edmond, J. B., & Ammerman, G. R. (1971). *Sweetpotatoes: Production, Processing, and Marketing*. Westport, Connecticut: AVI Publishing Company.
- Ene, A. C., Atawodi, S. E., Ameh, D. A., Ndukwe, G. I. , & Kwanashie, H. O. (2009). Bioassay-guided fractionation and *in vivo* antiplasmodial effect of fractions of chloroform extract of *Artemisia maciverae* Linn. *Acta Trop.*, 112, 288-94.
- Ensinger, H, Schricker, T., Albuszies, G., Weidenbach, H., Adler, G., Wachter, U., et al. (1995). Glycerol metabolism in patients with alcohol-induced liver cirrhosis. *Clinical Nutrition*, 14(4), 237-241.
- Esterbauer, H., Schaur, R. J., & Zollner, H. (1991). Chemistry and biochemistry of 4-hydroxynonenal, malonaldehyde and related aldehydes. *Free Radic. Biol. Med.*, 11, 81-128.
- Esterbaur, H., Gebicki, J., Puhl, H., & Jurgen, G. (1992). The role of lipid peroxidation and antioxidants in oxidative modification of LDL. *Free Rad Biol Med*, 1, 341-390.
- Evans, W. J. (2000). Vitamin E, vitamin C, and exercise. *American Journal of Clinical Nutrition*, 72(2), 647-652.
- Farhoosh, R., Golmovahhed, G. A., & Khodaparast, M. H. H. (2007). Antioxidant activity of various extracts of old tea leaves and black tea wastes (*Camellia sinensis* L.). *Food Chemistry*, 100(1), 231-236.
- Floridata: Psophocarpus tetragonolobus* (2003, August 17). Retrieved 2 February 2011, from http://www.floridata.com/ref/p/psop_tet.cfm
- Foster, N. C., Stanley K. K., Warton, K., & Gold, W. A. (2004). A novel gene family induced by acute inflammation in endothelial cells. *Gene*, 342(1), 85-95.

- Foyer, C. H., & Halliwell, B. (1976). The presence of glutathione and glutathione reductase in chloroplasts: a proposed role in ascorbic acid metabolism. *Planta*, 133, 21-25.
- Fraga, C. G., Motchnik, P. A., & Singenage, M . K. (1991). Ascorbic acid protects against endogenous oxidative DNA damage in human sperm. *Proc. Natl Acad. Sci. USA*, 88, 11003-11006.
- Frankel, E. N., & Meyer, A. S. (2000). The problems of using onedimensional methods to evaluate multifunctional food and biological antioxidants. *Journal of the Science of Food and Agriculture*, 80, 1925-1941.
- Freisleben, H., & Packer, L. (1993). Free-radical scavenging activities, interactions and recycling of antioxidants. *Biochem Soc Trans*, 21, 325-30.
- Fridovich, I. (1997). Superoxide anion radical (O_2^-), superoxide dismutases, and related matters. *J. Biol. Chem.*, 272, 18515-18517.
- Friesen, B., & Pauli G. F. (2005). G.U.E.S.S. to make Generally Useful Estimations of Solvent Systems in CCC. *Journal of Liquid Chromatography & Relat. Technologies*, 28(17), 2777-2806.
- Fritz, K. L., Seppanen, C. M., Kurzer, M. S., & Csallany, A. S. (2003). The in vivo antioxidant activity of soybean isoflavones in human subjects. *Nutrition Research*, 23, 479-487.
- Gaetani, G. F., Ferraris, A. M., Rolfo, M., Mangerini, R., Arena, S., & Kirkman, H. N. (1996). Predominant role of catalase in the disposal of hydrogen peroxide within human erythrocytes. *Blood*, 87, 1595-1599.
- Gardner, H. W. (1987). Reactions of hydroperoxides-products of high molecular weight. In H. W-S. Chan (Ed.), *Autoxidation of unsaturated lipids* (pp. 51-93). UK: Academic Press.
- Garlic chives (August 15, 2010). Retrieved September 29, 2010 from http://en.wikipedia.org/wiki/Garlic_chives.
- Gautam, M. P. & Purobit, R. M. (1974). Antimicrobial activity of the essential oil of the leaves of *Murraya koenigii* (L.) Spreng. (Indian curry leaf). *Indian J. Pharm.*, 36(l), 11.
- Gaziano, J. M., Hatta, A., Flynn, M., Johnson, E. J., Krinsky, N. I., Ridker, P. M., et al. (1995). Supplementation with beta-carotene in vitro and in vitro does not inhibit low-density lipoprotein oxidation. *Atherosclerosis*, 112, 187-195.
- Gerard-Monnier, D. & Chaudiere, J. (1996). Metabolism and antioxidant function of glutathione. *Pathol. Biol.*, 44, 77-85.
- Gilbert, D. L. (2000). Fifty years of radical ideas. *Ann. N. Y. Acad. Sci.*, 899, 1-14.
- Gitto, E., Reiter, R. J., Karbownik, M., Tan, D. X., Gitto, P., Barberi, S., & Barberi, I. (2002). Causes of oxidative stress in the pre- and perinatal period. *Biol Neonate*, 81, 146-157.

- Gopalan, G., Rama Sastri, B. V., Balasubramanian, S. C., Narasinga Rao, B. S., Deosthale, Y. G., & Pant, K. C. (Eds.). (1999). *Nutritive value of Indian foods* (pp. 49). Hyderabad: Indian Council of Medicinal Research.
- Gordon C. D., Kennedy, M. L., King, B. F., & Lonnerdal, B. (1990). Interaction of ¹²⁵I-labelled ceruloplasmin with human trophoblast cells in vitro. *Placenta*, 11(6), 523-533.
- Grace, S., & Logen, B. A. (2000). Energy dissipation and radical scavenging by the plant phenylpropanoid pathway. *Philosophical Transactions of the Royal Society of London B.*, 355, 1499-1510.
- Griffiths, G., Jones, H. E., Eaton, C. L., & Stobart, A. K. (1997). Effect of n-6 polyunsaturated fatty acids on growth and lipid composition of neoplastic and non-neoplastic canine prostate epithelial cell cultures. *The Prostate*, 31, 29-36.
- Groden, D., & Beck, E. (1979). H₂O₂ destruction by ascorbate-dependent systems from chloroplasts. *Biochim. Biophys. Acta*, 546, 426-435.
- Gu, W., Zhao, H., Yenari, M. A., Sapolsky, R. M., & Steinberg, G. K. (2004). Catalase overexpression protects striatal neurons from transient focal cerebral ischemia. *Clin. Neurosci. Neuropath*, 15, 413–416.
- Gulcin, I., Buyukkoroglu, M. E., Oktay, M., & Kufrevioglu, O. I. (2002). On the in vitro antioxidant properties of melatonin. *Journal of Pineal Research*, 33(3), 167-171.
- Gulcin, I., Oktay, M., Kufrevioglu, O. I., & Aslan, A. (2002). Determination of antioxidant activity of lichen Cetraria islandica (L) Ach. *Journal of Ethnopharmacology*, 79(3), 325-329.
- Gulcin, I., Oktay, M., Kirecci, E., & Kufrevioglu, O. I. (2003). Screening of antioxidant and antimicrobial activities of anise (*Pimpinella anisum* L.) seed extracts. *Food Chemistry*, 83(3), 371-382.
- Gunasekera, S. P., Zuleta, I. A., Longley, R. E., Wright, A. E., & Pomponi, S. A. (2003). Discorhabdins S, T, and U, new cytotoxic pyrroloiminoquinones from a deep-water Caribbean sponge of the genus *Batzella*. *Journal of Natural Products*, 66, 1615-1617.
- Gunhan, T., Demir, V., Hancioglu, E. & Hepbasli, A. (2005). Mathematical modelling of drying of bay leaves. *Energy Conversion and Management*, 46(11-12), 1667-1679.
- Gutteridge, J. M. G., & Mitchell, J. (1999). Redox imbalance in the critically ill. *British Medical Bulletin*, 55(1), 49-75.
- Halliwell, B. (1981). *Chloroplast metabolism: The structure and function of chloroplasts in green leaf cells*. Oxford: Clarendon.
- Halliwell, B., & Gutteridge, J. M. C. (1984). Oxygen toxicity, oxygen radicals, transition metals and disease. *Biochem. J.*, 219, 1-14.

- Halliwell, B. (1989a). Oxidants and the central nervous system: some fundamental question. Is oxidants damage relevant to Parkinson's diseases, Alzheimer's disease, traumatic injury or stroke? *Acta Neurologica Scandinavica*, 12(1), 23-33, 49-75.
- Halliwell, B., & Gutteridge, J. M. C. (1989b). *Free radicals in biology and medicine*. (pp 23-30). Oxford: Clarendon Press.
- Halliwell, B., & Gutteridge, J. M. C. (1990). Role of free radicals and catalytic metal ions in human disease: an overview. *Methods Enzymol*, 186, 1-85.
- Halliwell, B. (1992a). Reactive oxygen species and the central nervous system. *J. Neurochem*, 59, 1609-1623.
- Halliwell, B., & Gutteridge, J. M. C. (1992b). Comments on review of free radicals in biology and medicine, second edition, by Barry Halliwell and John M.C. Gutteridge. *Free Radical Biology and Medicine*, 12(1), 93-94.
- Halliwell, B. (1994). Free radicals, antioxidants, and human disease: curiosity, cause, or consequence, 344, 721-724.
- Halliwell, B. (1995a). Antioxidant characterization: Methodology and mechanism. *Biochem. Pharmacol.*, 49(10), 1341-1348.
- Halliwell, B., Aeschbach, R., Loliger, J., & Aruoma, O. I. (1995b). The characterization of antioxidants. *Food and Chemical Toxicology*, 33(7), 601-617.
- Halliwell, B. (1997). Antioxidants: the basics-what they are and how to evaluate them. *Adv. Pharmacol*, 38, 3-20.
- Halliwell, B. (1999a). Antioxidant defense mechanisms: from the beginning to the end (of the beginning). *Free Radical Research*, 31(4), 261-72.
- Halliwell, B., & Gutteridge, J. M. C. (1999b). *Free Radicals in Biology and Medicine*, 3rd ed. London, England: Oxford University Press.
- Halliwell, B., & Gutteridge, J. M. C. (2007). *Free radicals in biology and medicine* (4th ed.). Oxford: Clarendon.
- Halliwell, B. (2009). The wanderings of a free radical. *Free Radical Biology and Medicine*, 46(5), 531-542.
- Harder, T., & Qian, P. Y. (1999). Induction of larval attachment and metamorphosis in the serpulid polychaete *Hydrodides elegans* by dissolved free amino acids: Isolation and identification. *Mar. Ecol. Prog. Ser.*, 179, 259-271.
- Haro-Vicente, J. F., Martinez-Gracia, C., & Ros, G. (2006). Optimization of in vitro measurement of available iron from different fortificants in citric fruit juices. *Food Chem*, 98, 639-648.
- Heber, D. (2001). *What color is your diet?* New York: Regan Books.
- Hedrick, U. P. (1972). *Sturtevant's Edible Plants of the World*. Dover Publications.

- Hehner, S. K., Tiemann, K., Veltmann, C., Ghanem, A., Lohmaier, S., Bruce, M., et al. (2001). The impact of emission power on the destruction of echo contrast agents and on the origin of tissue harmonic signals using power pulse-inversion imaging. *Ultrasound in Medicine & Biology*, 27(11), 1525-1533.
- Heim, K. E., Tagliaferro, A. R., & Bobilya, D. J. (2002). Flavonoid antioxidants: chemistry, metabolism and structure-activity relationships. *Journal of Nutritional Biochemistry*, 13, 572-584.
- Herber, R. F. M., & Stoeppeler, M. (Eds.). (1994). *Trace element analysis in biological specimens* (Vol. 15, p. 576). Amsterdam: Elsevier.
- Hippeli, S., & Elstner, E. F. (1999). Transition metal ion-catalyzed oxygen activation during pathogenic processes. *FEBS Lett.*, 443, 1-7.
- Ho, Y. S., Xiong, Y., Ma, W., Spector, A., & Dorothy, S. Ho. (2004). Mice Lacking Catalase Develop Normally but Show Differential Sensitivity to Oxidant Tissues Injury. *J. Biol. Chem.*, 279(31), 32804-32812.
- Hsu, C. Y. (2006). Antioxidants activity of extract from Polygonum aviculare L. *Biol. Res*, 39, 281-288.
- Huang, D. J., Chen, H. J., Lin, C. D., & Lin, Y. H. (2005). Antioxidant and antiproliferative activities of water spinach (*Ipomea aquatica* Forsk) constituents. *Botanical Bulletin of Academia Sinica*, 46, 99-106.
- Hug, R. S., Abalaka, J. A., & Stafford, W. L. (1983). Folate content of various Nigerian foods. *J. Sci. Food Agric.*, 34, 404-406.
- Ilhami, G., Haci, A. A., & Mehmet, C. (2005). Determination of in vitro antioxidant and 15 radical scavenging activities of propofol. *Chem Pharm Bull*, 53, 281-285.
- Ingle, J. D. & Crouch, S. R. (1988). *Spectrochemical Analysis*. New Jersey: Prentice Hall.
- Inoue, H., Yamagishi, S., Amano, S., Inagaki, Y., Okamoto, T., & Takeuchi, M. (2003). Pigment epithelium-derived factor inhibits leptin-induced angiogenesis by suppressing vascular endothelial growth factor gene expression through anti-oxidative properties. *Microvascular Research*, 65(3), 186-190.
- Jacob, R. A., Pionalto, F. S., & Agree, R. E. (1992). Cellular ascorbate depletion in healthy men. *J. Nutr.*, 122(5), 1111-1118.
- Jain, S. K., (1981). The accumulation of malondialdehyde, a product of fatty acid peroxidation, can disturb aminophospholipid organization in the membrane bilayer of human erythrocytes. *J. Biol. Chem.*, 259, 3391.
- Jayaprakasha, G. K., Jena, B. S., Negi, P. S., & Sakariah, K. K. (2002). Evaluation of antioxidant activities and antimutagenicity of turmeric oil - a byproduct from curcumin production. *Zeitschriftfur Naturforschung*, 57C, 828-835.
- Jenner, P. (2003). Oxidative stress in Parkinson's Disease. *Ann. Neurol*, 53(3), 26-38.

- Mishra, J., Yousuf, A., Singh, R., & Aradhana. (2009). Phytochemical investigation and *in-vitro* antioxidant potential of leaves of *Murraya koenigii*. *International Journal of Integration Biology*, 7(3), 171-174.
- Kagan, V. E., Bakalova, R. A., Zhelev, Zh. Zh., Rangelova, D. S., Serbinova, E. A., Tyurin, V. A., et al. (1990). Intermembrane transfer and antioxidant action of α -tocopherol in liposomes. *Archives of Biochemistry and Biophysics*, 280(1), 147-152.
- Kan, W. S. (1981). Pharmaceutical Botany. Taipei, National Research Institute of Chinese Medicine.
- Kanchanapoom, T., Chumsri, P., Kasai, R., Otsuka, H., & Yamasaki, K. (2003). Lignan and megastigmane glycosides from *Sauvagesia androgynus*. *Phytochemistry*, 63, 985-988.
- Kao, C. H., Ho, Y. J., Wu, C. L., & Chang Lai, S. P. (1999). "Using 99mTc-DTPA Radioaerosol Inhalation Lung Scintigraphies to Detect the Lung Injury Induced by Consuming *Sauvagesia androgynus* Vegetable and Comparison with Conventional Pulmonary Function Tests". *Respiration*, 66(1), 46-51.
- Kariyanna, H. (2003). A note on the importance of karipatha in exploration for manganese. *Journal of Applied Geochemistry*, 5, 132-135.
- Kashaniinejad, M. & Tabil, L. G. (2004). Drying characteristics of purslane (*Portulaca oleracea L.*). *Drying Technology*, 22(2), 183-200.
- Keilin, D., & Hartee, E. F. (1936). *Proc. R. Soc. Lond. B Biol. Sci*, 119, 141-159.
- Keilin, D., & Hartee, E. F. (1945). *Biochem. J.*, 39, 293-301.
- Keisari, Y., Braun, L., & Flescher, E. (1983). The oxidative burst and related phenomena in mouse macrophages elicited by different sterile inflammatory stimuli. *Immunobiology*, 165, 78-89.
- Kell, D. B., & Kaprelyants, A. S. (1996). Do bacteria need to communicate with each other for growth? *Trends in Microbiology*, 4(6), 237-242.
- Kesari, A. N., Gupta, R. K., & Watal, G. (2005). Hypoglycemic effects of *Murraya koenigii* on normal and alloxan-diabetic rabbits. *Journal of Ethnopharmacology*, 97, 247-251.
- Kirtikar, K. R., & Basu, B. D. (1935). *Indian Medicinal Plants* (Vols. I, II, III & IV). Dehradun: Bishan Singh Mahendra Pal Singh.
- Klatt, P., & Lamas, S. (2000). Regulation of protein function by Sglutathiolation in response to oxidative and nitrosative stress. *Eur. J. Biochem.*, 267, 4928-4944.
- Kodama, H., Yamaguchi, R., Fukuda, J. et al. (1997). Increased oxidative deoxyribonucleic acid damage in the spermatozoa of infertile male patients. *Fertil. Steril.*, 68(3), 519-524.

- Kong, K. W., Amin Ismail, Tan, C. P., & Nor Fadilah Rajab. (2010). Optimization of oven drying conditions for lycopene content and lipophilic antioxidant capacity in a by-product of the pink guava puree industry using response surface methodology. *LWT - Food Science and Technology*, 43(5), 729-735.
- Kong, Y. C., Ng, K. H., But, P. P. H., Li, Q., Yu, S. X., Zhang, H. T., et al. (1986). Sources of the anti-implantation alkaloid yuehchukene in the genus *Murraya*. *Journal of Ethnopharmacology*, 15, 195-200.
- Kontos, M. C., Arrowood, J. A., Paulsen, W. H. J., & Nixon, J.V. (1995). Ability of echocardiography in the emergency department to detect myocardial ischemia in patients presenting with chest pain. *Journal of the American Society of Echocardiography*, 8(3), 346.
- Krinsky, N. I . (2001). Carotenoids as antioxidants. *Nutrition J.*, 17, 815-817.
- Kukreja, R. C., Vinnikova, A. K., & Hess, M. L. (1992). Singlet oxygen-induced inhibition of cardiac sarcolemmal $\text{Na}^+ \text{K}^+$ -ATPase. *Journal of Molecular and Cellular Cardiology*, 24(5), 465-470.
- Kumaran, A., & Karunakaran, R. J. (2006). Antioxidant and free radical scavenging activity of an aqueous extract of *Coleus aromaticus*. *Food Chemistry*, 97(1), 109-114.
- Kumaran, A., & Karunakaran, R. J. (2007). Antioxidant activity of *Cassia auriculata* flowers. *Fitoterapia*, 78(1), 46-47.
- Kuroda, T., Saeki, T., Morita, T., Suzuki, K., Arakawa, M., & Kawasaki, K. (1995). Significance of myeloperoxidase in rapidly progressive glomerulonephritis. *American Journal of Kidney Diseases*, 26(1), 13-21.
- Laetitia, M. D., Gaëtan, L. F., & Christian, M. (2008). Radical scavenging, antioxidant and antimicrobial activities of halophytic species. *Journal of Ethnopharmacology*, 116(2), 258-262.
- Laggner, H., Hermann, M., Sturm, B., Gmeiner, B.M. and Kapiotis, S. (2005). Sulfite facilitates LDL lipid oxidation by transition metal ions: a pro- oxidant in wine? *FEBS Letters*, 579(28), 6486-6492.
- Lako, J., Trencerry, V. C., Wahlgren, M., Wattanapenpaiboon, N., Soheeswaran, S., & Premier, R. (2007). Phytochemical flavonols, carotenoids and the antioxidant properties of a wide selection of Fijian fruit, vegetables and other readily available foods. *Food Chemistry*, 101(4), 1727-1714.
- Larkcom, J. (1991). *Oriental Vegetables*. John Murray.
- Laszlo Goth, Agota Lenkey, & Bigler, W. N. (2001). "Blood Catalase Deficiency and Diabetes in Hungary". *Diabetes Care*, 24(10), 1839-1840.
- Launert. E. (1981). *Edible and Medicinal Plants*. Hamlyn Covers plants in Europe. A drawing of each plant, quite a bit of interesting information.

- Law, M. Y., Charles, S. A., & Halliwell, B. (1983). Glutathione and ascorbic acid in spinach (*Spinacia oleracea*) chloroplasts. The effect of hydrogen peroxide and of paraquat. *Biochem. J.*, 210, 899-903.
- Le C. T, Hollaar L., van der Valk E. J., et al. (1993). Buthionine sulfoximine reduces the protective capacity of myocytes to withstand peroxide-derived free radical attack. *J Mol Cell Cardiol*, 25(5), 519-528.
- Lean, M. E., Noroozu, M., Kelly, I., Burns, J., Talwar, D., Sattar, N., & Crozier, A. (1999). Dietary flavonols protect diabetic human lymphocytes against oxidative damage to DNA. *Diabetes*, 48(1), 176-181.
- Lebert, A., Tharrault, P., Rocha, T. & Marty-Audoin, C. (1992). The drying kinetics of mint (*Mentha spicata Huds*). *Journal of Food Engineering*, 17(1), 15-28.
- Lee, K. J., & Jeong, H. G. (2007). Protective effects of kahweol and cafestol against hydrogen peroxide- induced oxidative stress and DNA damage. *Toxicology Letters*, 173(2), 80-87.
- Lee, S. H., Oe, T., & Blair, I. A. (2001). Vitamin C-induced decomposition of lipid hydroperoxides to endogenous genotoxins. *Science*, 292, 2083-2086.
- Lee, S. C., Kuan, C. Y., Yang, C. C., & Yang, S. D. (1998). Bioflavonoids commonly and potently induce tyrosine dephosphorylation/inactivation of oncogenic proline-directed protein kinase FA in human prostate carcinoma cells. *Anticancer. Res.*, 18, 1117-1121.
- Lefer, D. L., & Granger, D. N. (2000). Oxidative stress and cardiac disease. *Am J Med*, 109, 315.
- Lensen, S., Drinkgen, J., & Tiedge, M. (1996). Low antioxidant enzyme gene expression in pancreatic islets compared with various other mouse tissues. *Free Radic. Biol. Med.*, 20(3), 463-466.
- Levites, Y., Weinreb, O., Maor, G., Youdim, M. B., & Mandel, S. (2001). Green tea polyphenol (-)-epigallocatechin-3-gallate prevents N-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced dopaminergic neurodegeneration. *Journal of Neurochemistry*, 78(5), 1073-1082.
- Levites, Y., Amit, T., Mandel, S., & Youdim, M.B. (2003). Neuroprotection and neurorescue against Abeta toxicity and PKC-dependent release of nonamyloidogenic soluble precursor protein by green tea polyphenol (-)-epigallocatechin-3-gallate. *FASEB Journal*, 17(8), 952-954.
- Lieber, C. S, & DeCarli, L. M. (1970). Quantitative relationship between amount of dietary fat and severity of alcoholic fatty liver. *Am J Clin Nutr*, 23(4), 474-478.
- Lindberg, S., & Griffiths, G. (1993). Aluminium effects on ATPase activity and lipid composition of plasma membranes in sugar beet roots. *Journal of Experimental Botany*, 44, 1543-1550.

- Lingli, M., Junping K., Danni Z., & Boyang, Y. (2007). Comparison of Neuroprotective Effects of Flavonoids, Terpenoids, and Their Combinations from *Ginkgo biloba* on Ischemia-Reperfusion-Injured Mice. *Pharmaceutical Biology*, 45(9), 728-733.
- Linnaeus, C. (1753). *Species Plantarum: Tomus I.* Holmiae. Laurentii Salvii.
- Liu, Q., & Yao, H. (2007). Antioxidant activities of barley seeds extracts. *Food Chem.*, 102, 732-737.
- Liu, R.H. (2003). Health benefits of fruit and vegetables are from additive and synergistic combinations of phytochemicals. *American Journal of Clinical Nutrition*, 78(3), 517S-520S.
- Lohr, J. B. (1991). Oxygen radicals and neuropsychiatric illness. Some speculations. *Arch Gen Psychiat*, 48(12), 1077-106.
- Lounsbury, K. M., Hu Q., & Ziegelstein, R. C. (2000). Calcium signaling and oxidant stress in the vasculature. *Free Radic. Biol. Med.*, 28(9), 1362-1369.
- Luo, W., Zhao, M., Yang, B., Shen, G., & Rao, G., (2009). Identification of bioactive compounds in *Phyllanthus emblica* L. fruit and their free radical scavenging activities. *Food Chemistry*, 114, 499-504.
- Lutsenko, E. A., Carcamo, J. M., & Golde, D. W. (2002). Vitamin C prevents DNA mutation induced by oxidative stress. *J. Biol. Chem.*, 277, 16895-16899.
- Macdonald, J., Galley, H. F., & Wedster, N. R. (2003). Oxidative stress and gene expression in sepsis. *British Journal of Anaesthesia*, 90(2), 221-232.
- Machlin, L. J. (1984). Vitamin E. In: Machlin, L. J (Eds.), *Handbook of vitamins: Nutritional, Biochemical and Clinical Aspects*, (pp. 99-145). New York: Marcel Dekker Inc.
- Mariani, E., Polidori, M.C., Cherubini, A., & Mecocci, P. (2005). Oxidative stress in brain aging, neurodegenerative & vascular diseases: An overview. *Journal of chromatography B*, 827(1), 65-75.
- Marwah, R. G., Fatope, M. O., Al-Mahrooqi, R., Varma, G. B., Al-Abadi, H., & Al-Burtamani, S. K. S. (2007). Antioxidant capacity of some edible and wound healing plants in Oman. *Food Chem.*, 101, 465-470.
- Mates, J. M., Gomez, C. P., & De Castro, I. N. (1999). Antioxidant enzymes and human diseases. *Clinical Biochemistry*, 32(8), 595-603.
- Math, M. V., & Balasubramaniam, P. (2005). The hypoglycaemic effect of curry leaves (*Murraya koenigii* Spreng.). *Indian Journal of Physiology and Pharmacology*, 49, 241-242.
- Mathew, S., & Abraham, T. E. (2006). Studies on the antioxidant activities of cinnamon (*Cinnamomum verum*) bark extracts, through various in vitro models. *Food Chem.*, 94, 520-528.

- Matt J. B., Gerlai, R., Hains, B. C., Miller, D. J., Davies, W., Misteli, T., et al. (2004). Monitor – biology. *Drug Discovery Today*, 9(2), 93-97.
- Matthews, W., Roth, J.A., Pogrebniak, H.W., Black, C., Russo, A., Mitchell, J.B., et al. (1993). Targetted phototherapy with sensitizer-monoclonal antibody conjugate and light. 2(1), 31-42.
- Mayer, B, & Hemmens, B. (1997). Biosynthesis and action of nitric oxide in mammalian cells. *Ternds Biochem Sci.*, 22(12), 477-481.
- Mayes, J., Hinds, M., Soares, L., Altschuler, E., Kim, P., & Zwelling, L. A. (1993). Further characterization of an amsacrine-resistant line of HL-60 human leukemia cells and its topoisomerase II: Effects of ATP concentration, anion concentration, and the three-dimensional structure of the DNA target. *Biochemical Pharmacology*, 46(4), 699-707.
- Medicinal Plants (n.d). Retrieved December 22, 2010 from
http://www.piam.com/mms_garden/plants.html
- Meir, S., Kanner, J., Akiri, B., & Hada, S. P. (1995). Determination and involvement of aqueous reducing compounds in oxidative defense system of various senescing leaves. *J. Agric. Food. Chem.*, 43, 1813-1819.
- McCord, J. M., & Fridovich, I. (1969). Superoxide dismutase: an enzymic function for erythrocuprein (hemocuprein). *J. Biol. Chem.*, 244(22), 6049-6055.
- McGee, R. M. N., & Maggie, S. (2002). *The Bountiful Container*. Workman Publishing Co.
- McGee, S. A., Wiggins, S. A., & Pierce, J. D. (2003). What Advanced Practice Nurses Need To Know About Free Radicals. *The Internet Journal of Advanced Nursing Practice*, 6(1).
- Min, D. B. (1998). Lipid oxidation of edible oil. In: C. C. Akoh & D. B. Min (Eds.), *Food Lipids- Chemistry, Nutrition, and Biotechnology* (pp. 283-296). New York: Marcel Dekker.
- Mohd Zin, Z., Abdul Hamid, A., & Osman, A. (2002). Antioxidative activity of extracts from mengkudu (*Morinda citrifolia* L.) root, fruit and leaf. *Food Chemistry*, 78, 227-231.
- Molavi, B., & Mehta, J. L. (2004). 883-5 Cardioprotective effects of rosiglitazone against ischemia-reperfusion injury are associated with modulation of angiotensin receptor expression and signaling. *Journal of the American College of Cardiology*, 43(5), A305-A306.
- Moncada, S., Nava, E., & Palmer, R. M. (1991). Inhibition of nitric oxide synthesis in septic shock: how much is beneficial? *The Lancet*, 338(8782-8783), 1555-1557.
- Mousa, N. & Farid, M. (2002). Microwave vacuum drying of banana slices. *Drying Technology*, 20, 2055-2066.

- Morita, K., Kada, T., & Namiki, M. (1984). A desmutagenic factor isolated from burdock (*Arctium lappa* Linne). *Mutat Res.*, *129*(1), 25-31.
- Morimoto, T., Globus, M. Y., Bustos, R., Martinez, E., Ginsberg, M. D., & Cereb, J. (1996). *Blood Flow Metab.*, *16*, 92.
- Morrow, J. D., & Roberts, L. J. (1997). The isoprostanes: unique bioactive products of lipid peroxidation. *Prog Lipid Res.*, *36*(1), 1-21.
- Moyler, D. A., Browning, R. M., & Stephens, M. A. (1992). Ten years of CO₂ extracted oils. *Proceedings of the 12th International Congress on Essential Oils, Flavors and Fragrances, Vienna, October 1992*. H. Woidrich & G. Buchbauer (Eds.). pp. 52-100. Wheaton: Allured Publishing Corp.
- Mueller, S., Riedel, H. D., & Stremmel, W. (1997). Direct evidence for catalase as the predominant H₂O₂- removing enzyme in human erythrocytes. *Blood*, *90*, 4973-4978.
- Murraya koenigii* (2008, March 11). Retrieved 24 November 2009, from <http://www.ars-grin.gov/cgi-bin/npgs/html/taxon.pl?24703>
- Murraya koenigii (The Curry Tree)* (n.d.). Retrieved 23 January 2011, from <http://www.bitterrootrestoration.com/medicinal-plants/murraya-koenigii-the-curry-tree.html>
- Naczk, M., & Shahidi, F. (2006). Phenolics in cereals, fruits and vegetables: Occurrence, extraction and analysis. *Journal of Pharmaceutical and Biomedical Analysis*, *41*, 1523-1542.
- Namiki, M. (1990). Antioxidants/antimutagens in food. *CRC Critical Reviews in Food Science and Nutrition*, *29*, 273-300.
- Narendhirakannan, R. T., Subramanian, S., & Kandaswamy, M. (2005). Mineral content of some medicinal plants used in the treatment of diabetes mellitus. *Biological Trace Element Research*, *103*, 109-115.
- Nelson, S. K., Bose, S. K., Grunwald, G. K., Myhill, P., & McCord, J. M. (2006). The induction of human superoxide dismutase and catalase in vivo: A fundamentally new approach to antioxidant therapy. *Free Radic. Biol. Med.*, *40*(2), 341-347.
- Nigam, S., & Schewe, T. (2000). Phopholipase A₂s and lipid peroxidation. *Biochim. Biophys. Acta*, *1488*, 167-181.
- Nigam, S. S. & Purohit, R. M. (1961). Chemical examination of the essential oil derived from the leaves of *Murraya koenigii* (L.) Spreng. *Perf. Essent. Oil Rec.*, *52*, 152.
- Niki, E., Noguchi, N., Tsuchihashi, H., & Gotoh, N. (1995) Interaction among vitamin C, vitamin E, and beta-carotene. *Am. J. Clin. Nutr.*, *62*, 1322S-1326S.
- Ningappa, M. B., Dinesha, R., & Srinivas, L. (2008). Antioxidant and free radical scavenging activities of polyphenol-enriched curry leaf (*Murraya koenigii* L.) extracts. *Food Chemistry*, *106*, 720-728.

- Noctor, G., & Foyer, C. H. (1998). Ascorbate and glutathione: keeping active oxygen under control. *Annual Review of Plant Physiology and Plant Molecular Biology*, 49, 249-279.
- Odeh, R. M., & Cornish, L. A. (1995). Naturals antioxidants for the prevention of atherosclerosis. *Pharmacotherapy*, 15(5), 648-59.
- Okonogi, S., Duangrat, C., Anuchpreeda, S., Tachakittirungrod, & S., Chowwanapoonpohn, S. (2007). Comparison of antioxidant capacities and cytotoxicities of certain fruit peels. *Food Chemistry*, 103(3), 839-846.
- Oktay, M., Gulcin, I., & Kufrevioglu, O. I. (2003). Determination of in vitro antioxidant activity of fennel (*Foeniculum vulgare*) seed extracts. *Lebensmittel-Wissenschaft und Technologie*, 36, 263-271.
- Olanow, C. W., & Tatton, W. G. (1999). Apoptosis in neurodegenerative diseases: the role of mitochondria. *Biochimica et Biophysica Acta (BBA) - Bioenergetics*, 1410(2), 195-213.
- Ookawara, T., Imazeki, N., Matsubara, O., Kizaki, T., Oh-Ishi, S., Nakao, C., et al. (1998). Tissue distribution of immunoreactive mouse extracellular superoxide dismutase. *Am. J. Physiol. Cell Physiol.*, 275(3 Pt 1), C840-C847.
- Oshino, N., Oshino, R., & Chance, B. (1973). *Biochem. J.*, 131, 555-556.
- Oyaizu, M. (1986). Studies on products of browning reactions: Antioxidative activities of products of browning reaction prepared from glucosamine. *Japanese Journal of Nutrition*, 44(6), 307-315.
- Packer, J. E., Slater, T. F., & Wilson, R. L. (1979). Direct observation of a free radical interaction between vitamin E and vitamin C. *Nature*, 278(5706), 737-738.
- Packer, L., Tsuchiya, M., Scita, G., Freisleben, H. J., & Kagan, V. E. (1992). [44] Antioxidant radical-scavenging activity of carotenoids and retinoids compared to α -tocopherol. *Methods in Enzymology*, 213, 460-472.
- Padmavathi, P., & Rao, M. P. (1990). Nutritive value of *Sauvagesia androgynus* leaves. *Plant Foods for Human Nutrition*, 40, 107-113.
- Palaniswamy, U. R., Caporuscio, C., Stuart, J. D. (2003). A chemical analysis of antioxidant vitamins in fresh curry leaf (*Murraya koenigii*) by reversed phase HPLC with UV detection. *Acta Horticultural*, 620, 475-478.
- Panasenko, O. M., Arnhold, J., Schiller, J., Yu. A. Vladimirov, & Arnold, K. (1995). The action of hypochlorous acid on phosphatidylcholine liposomes in dependence on the content of double bonds. Stoichiometry and NMR analysis. *Chemistry and Physics of Lipids*, 78(1), (55-64).
- Paolisso, G, Esposito, R. D'Alessio M. A., & Barbieri, M. (1999). Primary and secondary prevention of atherosclerosis: is there a role for antioxidants? *Diabetes Metab.*, 25(4), 298-306.

- Park, K. J., Vohnikova, Z. & Brod, F. P. R. (2002). Evaluation of drying parameters and desorption isotherms of garden mint leaves (*Mentha crispa L.*). *Journal of Food Engineering*, 51(3), 193-199.
- Parola, M., Bellomo, G., Robino, G., Barrera, G., & Dianzani, M. U. (1999). 4-Hydroxynonenal as a biological signal: molecular basis and pathophysiological implications. *Antioxid. Redox Signal.*, 1, 255-284.
- Patricia, I., Oteiza, A. G., Erlejman, S., Verstraeten, V., Keen, C. L., & Fraga, C. S. (2005). Flavonoid-membrane interactions: A protective role of flavonoids at the membrane surface. *Clinical Developmental Immunology*, 12, 23-25.
- Pellegrini, N., Serafini, M., Salvatore, S., Del Rio, D., Bianchi, M., & Brighenti, F. (2006). Total antioxidant capacity of spices, dried fruits, nuts, pulses, cereals and sweets consumed in Italy assessed by three different in vitro assays. *Mol. Nutr. Food Res.*, 50, 1030-1038.
- Peter, J. H., & Amala, R. (1998). Laboratory handbook for the fractionation of natural extracts. London: Chapman & Hall.
- Pietta, P.G. (2000). Flavonoids as antioxidants. *J. Nat. Prod.*, 63(7), 1035-1042.
- Poli, P., Ciaramella, A., Grosso, S., Gioia, A., Inghirami, S., Massimetti, G., & Conti, L. (2004). *European Journal of Pain*, 8(1), 13-22.
- Polla, A. S., Polla, L. L., & Polla, B .S. (2003). Iron as the malignant spirit in successful ageing. *Ageing Research Reviews*, 2(1), 25-37.
- Porter, N. A., Caldwell, S. E., & Mills, K. A. (1995). Mechanisms of free radical oxidation of unsaturated lipids. *Lipids*, 30, 277-290.
- Prakash, D., Suri, S., Upadhyay, M. & Singh, B.N. (2007). Total phenol, antioxidant and free radical scavenging activities of some medicinal plants. *Int. J. Food Sci. Nutr.*, 58, 18-28.
- Pratt, D. E., & Hudson, B. J. F. (1990). Natural antioxidants not exploited commercially. In B. J. F. Hudson. (Eds.), *Food antioxidants* (pp. 171-191). Amsterdam: Elsevier.
- Prior, R. L., & Cao, G. (1999). In vivo total antioxidant capacity: comparison of different analytical methods. *Free Radical Biology and Medicine*, 27, 1173-1181.
- Pryor, W. A. (2000). Vitamin E and heart disease: basic science to clinical intervention trials. *Free Radic Biol Med.*, 28(1), 141-164.
- Psophocarpus tetragonolobus* (2002, June 3). Retrieved 23 October 2009, from <http://www.leafforlife.org/PAGES/PSOPHOCA.HTM>
- Pugliese, P. (1995). The skin, free radicals, and oxidative stress. *Dermatol Nurs.*, 7(6), 316-369.

- Purseglove, J. W. (1991). *Tropical crops: Dicotyledons*. New York, USA: John Wiley and Sons, Inc.
- Radisky, D. C., Radisky, E. S., Barrows, L. R., Copp, B. R., Kramer, R. A., & Ireland, C. M. (1993). Novel cytotoxic topoisomerase II inhibiting pyrroloiminoquinones from Fijian sponges of the genus *Zyzzya*. *J. Am. Chem. Soc.*, 115, 1632-1638.
- Radunovic, A., Leigh, P. N., Mithal, N. P., Figlewicz, D. A., & McMillan, T. J. (1999). Cells from individuals with SOD-1 associated familial amyotrophic lateral sclerosis do not have an increased susceptibility to radiation-induced free radical production or DNA damage. *Journal of the Neurological Sciences*, 164(1), 89-92.
- Raghavan, B., Abraham, K. O., Shankaranarayana, M. L., & Koller, W. D. (1994). Studies on flavor changes during drying of dill (*Anethum sowa Roxb.*) leaves. *Journal of Food Quality*, 17, 457-466.
- Rajurkar, N. S., & Pardeshi, B. M. (1997). Analysis of some herbal plants from India used in the control of diabetes mellitus by NAA and AAS techniques. *Applied Radiation and Isotopes*, 48, 1059-1062.
- Ramsewak, R. S., Nair, M. G., Strasburg, G. M., DeWitt, D. L., & Nitiss, J. L. (1999). Biologically active carbazole alkaloids from *Murraya koenigii*. *Journal of Agricultural and Food Chemistry*, 47, 444-447.
- Rao, A. V., & Balachandran, B. (2003). Time-dependent uptake and antiperoxidative potential of lycopene in multilamellar liposomes. *Food Research International*, 36(6), 611-616.
- Rao, M. S., Mattson, M. P., Haughey, N. J. & Cheng, A. (2002). Stem cells and neurodegenerative disorders. *Advances in Cell Aging and Gerontology*, 9, 117-139.
- Ray, D. K., Nayak, P. K., Rautray, T. R., Vijayan, V., & Jena, S. (2004). Elemental analysis of anti-diabetic medicinal plants using energy dispersive X-ray fluorescence technique. *Indian Journal of Physics*, 78B, 103-105.
- Reed, V. D., Smith, R. C., & Webb, T. R. (1993). Reversal of copper(II)-induced methemoglobin formation by thiols. *Journal of Inorganic Biochemistry*, 52(3), 173-182.
- Reid, B. E. (1977). *Femine Foods of the Chiu-Huang Pen-ts`ao*. Taipei: Southern Materials Centre.
- Rice-Evans, C. A., Miller, N. J., & Paganga, G. (1997). Antioxidant properties of phenolic compounds. *Trends in Plants Sciences*, 2(4), 152-159.
- Ridnour, L. A., Thomas, D. D., Mancardi, D., Espey, M. G., Miranda, K. M., & Paolocci, N., et al. (2004). The chemistry of nitrosative stress induced by nitric oxide and reactive nitrogen oxide species. Putting perspective on stressful biological situations. *Biol. Chem.*, 385, 1-10.

- Robak, J., & Gryglewski, I. R. (1988). Flavonoides are scavengers of superoxide anions. *Biochemical Pharmacology*, 37, 837-841.
- Rowena, G. O. R., Cornago, D. F., & Geronimo, I. M. (2008). Phenolic content and antioxidant capacity of Philippine sweet potato (*Ipomoea batatas*) varieties. *Food Chem.*, 113, 1133-1138.
- Sacchetti, G., Maietti, S., Muzzoli, M., Scaglianti, M., Manfredini, S., Radice, M., & Bruni, R. (2005). Comparative evaluation of 11 essential oils of different origin as functional antioxidants, antiradicals and antimicrobials in food. *Food Chem.*, 91, 621-632.
- Santamaria, C., Otero, T.F., Angulo, E., & Rodriguez, J. (1991). Solid state transitions during oxidation/reduction processes in conducting polymers. Electrochemical detection and study. *Synthetic Metals*, 43(1-2), 2947-2952.
- Santhakumari, G., Pillai, N. R., Pillai, R. G., & Nair, R. B. (1985). Hypoglycemic potential of *Murraya koenigii* Spreng. *Bulletin of Medicinal and Ethnobotanical Research*, 6, 189-195.
- Satish, S., Raghavendra, M. P., Mohana, D. C., & Raveesha, K. A. (2008). Antifungal activity of a known medicinal plant *Mimusops elengi* L. against grain mould. *Journal of Agricultural Technology*, 4(1), 151-165.
- Sato, M., Katahira, & E. Toji, (1997). Driving characteristics of row bulb and dehumidified air and moisture content distribution of different bulb parts. *Japanese Society of Agricultural Machinery*, 44, 43-46.
- Sauropolis androgynus* (2010, September 20). Retrieved 29 September 2010, from http://en.wikipedia.org/wiki/Sauropolis_androgynus
- Sauropolis androgynus* (n.d.). Retrieved 02 July 2011, from http://toptropicals.com/cgi-bin/garden_catalog/cat.cgi?uid=Sauropolis_androgynus
- Sauropolis androgynus (sweet leaf bush)* (1999, June 6). Retrieved 12 July 2011, from <http://www.newcrops.uq.edu.au/newslett/ncnl9191.htm>
- Schafer, F. Q., & Buettner, G. R. (2001). Redox environment of cell as viewed through the redox state of the glutathione disulfide/glutathione couple. *Free Radicals Biology and Medicine*, 30(11), 1191-1212.
- Schonbaum, G. R., & Chance, B. (1976). Catalase. In P. D. Boyer (Ed.). *The Enzymes* (3rd ed.) (Vol. 13, pp 363-408). New York: Academic Press.
- Seidemann, J. (2005). *World spice plants: Economic usage, botany, taxonomy* (pp. 241). Berlin: Springer-Verlag.
- Seifried, H. E., Anderson, D. E., Fisher, E. I., & Milner, J. A. (2007). A review of the interaction among dietary antioxidants and reactive oxygen species. *J. Nutr Biochem*, 18(9), 567-579.

- Sen, C. K., Ookowara, T., Suzuki, K., Taniguchi, N., Hanninen, O., & Ohno, H. (1994). Immunoreactivity and activity of mitochondrial superoxide dismutase following training and exercise. *Pathophysiology*, 1(3), 165-168.
- Shahidi, F., & Naczk, M. (2004). Antioxidant properties of food phenolics. In *Phenolics in food and nutraceuticals* (pp. 403-437). Boca Raton, FL: CRC Press.
- Shen-Miller, J., Mudgett, M. B., Schopf, J. W., Clarke, S., & Berger, R. (1995). Exceptional seed longevity and robust growth: ancient Sacred Lotus from China. *American Journal of Botany*, 82(11), 1367-1380.
- Shimada, K., Fujikawa, K., Yahara, K. & Nakamura, T. (1992b). Antioxidative properties of xanthin and autoxidation of soybean oil in cyclodextrin emulsion. *J Agric Food Chem*, 40, 945-948.
- Silva, B. M., Casal, S., Andrade, P. B., Seabra, R. M., Oliveira, M. B., & Ferreira, M. A. (2004). Free amino acid composition of quince (*Cydonia oblonga* Miller) fruit (pulp and peel) and jam. *Journal of Agricultural and Food Chemistry*, 52, 1201-1206.
- Singal, P. K., & Gupta, M. (1986). Free radical induced contractile failure and superoxide dismutase activity in a hypertrophied rat heart. *Journal of Molecular and Cellular Cardiology*, 18, 45.
- Singal, S., Tripathi, R. B., Kotnala, R. K., Khullar, S. M., Khurana, B. S., Singh, S., et al. (1988). Oxidation studies of Y-Ba-Cu superconducting oxides. *Solid State Communications*, 68(3), 319-322.
- Singer, T. P., Trevor, A. J., & Castagnoli Jr, N. (1987). Biochemistry of the neurotoxic action of MPTP: or how a faulty batch of 'designer drug' led to parkinsonism in drug abusers. *Trends in Biochemical Sciences*, 12, 266-270.
- Singh, G., Kapoor, I. P. S., Singh, P., Heluani, C.S., Lampasona, M. P., & Catalan, C. A. N. (2008). Chemistry, antioxidants and antimicrobial investigations on essential oil and oleoresins of *Zingiber officinale*. *Food and Chemical Toxicology*, 46, 3295-3302.
- Singh, V., & Garg, A. N. (2006). Availability of essential trace elements in Indian cereals, vegetables and spices using INAA and the contribution of spices to daily dietary intake. *Food Chemistry*, 94, 81-89.
- Sivarajan, V. V., & Balachandran, I. (1996). *Ayurvedic drugs and their plant sources* (pp. 199). New Delhi: Oxford and IBH Publishing Co. Ltd.
- Sohal, B. H., Weindruch, R., Lass, A., Forster, M. J., & Sohal, R. S. (1998). Caloric restriction prevents age-associated accrual of oxidative damage to mouse skeletal muscle mitochondria. *Free Radical Biology and Medicine*, 25(9), 1089-1097.
- Soysal, Y. & Oztekin, S. (2001). Comparison of seven equilibrium moisture content equations for some medicinal and aromatic plants. *Journal of Agricultural Engineering Research*, 78(1), 57-63.

- Soysal, Y., Oztekin, S. & Eren, O. (2006). Microwave drying of parsley: modelling, kinetics, and energy aspects. *Biosystems Engineering*, 93(4), 403–13.
- Sri Kantha, S. & Erdman, J. W. Jr. (1984). Winged bean as an oil and protein source; a review. *Journal of American Oil Chemists Society*, 61, 215-225.
- Sri Kantha, S. & Erdman, J. W. Jr. (1986). Is winged bean really a flop? *Ecology of Food and Nutrition*, 18, 339-341.
- Stadtman, E. R. (2004). Role of oxidant species in aging. *Curr. Med. Chem.*, 11, 1105-1112.
- Stadtman, E. R. & Levine, R. L. (2001). Oxidative modification of proteins during aging. *Experimental Gerontology*, 36(9), 1495-1502.
- Stephen, B., Kyle, L., & Yong, X. (1997). Role of oxidative stress in the mechanism of dieldrin's hepatotoxicity. *Ann. Clin. Lab. Sci.*, 27(3), 196-208.
- Steinbeck, M. L., Khan, A. U., & Karnovsky, M. J. (1992). Intracellular singlet oxygen generation by phagocytosing neutrophils in response to particles coated with a chemical trap. *J. Biol. Chem.*, 267, 13425-13433.
- Stohs, S. J. & Bagchi, D. (1985). Oxidative mechanisms in the toxicity of metal ions. *Free Radic Biol Med*, 18(2), 321-336.
- Storz, P. (2007). Mitochondrial ROS- radical detoxification, mediated by protein kinase D. *Trends Cell Biol.*, 17, 13-18.
- Sukari, M. A., Ahmad, K., Aimi, N., Kitajima, M., Rahman, M., Lian, G. E. C., et al. (2001). Carbazole alkaloids from stem bark of *Murraya koenigii*. *Asian Coordinating Group for Chemistry Chemical Research Communications*, 13, 2-8.
- Sumit Gupta, Padmaa M Paarakh, & Usha Gavani. (2009). Isolation of phytoconstituents from the leaves of *Murraya koenigii* Linn leaves. *Journal of Pharmacy Research*, 2(8), 1313-1314.
- Sundquist, E. A., Briviba, K., & Sies, H. (1994). Singlet oxygen quenching by carotenoids. *Methods Enzymol.*, 234, 354-366.
- Tachibana, Y., Kikuzaki, H., Lajis, N. H., & Nakatani, N. (2003). Comparison of antioxidative properties of carbazole alkaloids from *Murraya koenigii* leaves. *Journal of Agricultural and Food Chemistry*, 51, 6461-6467.
- Tappel, A. L. (1973). Lipid peroxidation damage to cell components. *Federation proceedings*, 32(8), 1870-1874.
- Tedesco, I., Russo, G. L., Nazzaro, F., Russo, M., & Palumbo, R. (2001). Antioxidant effect of red wine anthocyanins in normal and catalase-inactive human erythrocytes. *J. Nutr. Biochem.*, 12, 505-511.

- Tee, E. S., & Lim, C. L. (1991). Carotenoid composition and content of Malaysian vegetables and fruits by the AOAC and HPLC methods. *Food Chemistry*, 41, 309-339.
- Teng, C. M., Lee, L. G., Ko, S. N., et al. (1985). Inhibition of platelet aggregation by apigenin from *Apium graveolens*. *Asia Pacific Journal of Pharmacology*, 3, 85.
- Tian, L., & White, P. J. (1994). Antioxidants activity of oat extract in soybean and cotton seed oils. *Journal of American oil chemists; society*, 71(10), 1079-1086.
- TLC - Retention Factor* (n.d.). Retrieved 23 July 2011, from <http://orgchem.colorado.edu/hndbksupport/TLC/TLCrf.html>
- Toussaint, O., Houbion, A., & Remacle, J. (1993). Relationship between the critical level of oxidative stresses and glutathione peroxidase activity. *Toxicology*, 81(2), 89-101.
- Tung, S. H., Chang, Y. C., Lee, F. W., Chen, C. S., Tsai, S. H., Huang, S. H., et al. (2007). Structure-activity relationship of C6-C3 phenylpropanoids on xanthine oxidase-inhibiting and free radical-scavenging activities. *Free Radical Biology and Medicine*, 43(11), 1541-1551.
- Tung, Y. T., Wu, J. H., Kuo, Y. H., & Chang, S. T. (2007). Antioxidant activities of natural phenolic compounds from *Acacia confusa* bark. *Bioresource Technology*, 98(5), 1120-1123.
- Turkoglu, A., Duru, M. E., Mercan, N., Kivrak, I., & Gezer, K. (2007). Antioxidant and antimicrobial activities of *Laetiporus sulphureus* (Bull.) Murrill. *Food Chemistry*, 101(1), 267-273.
- Uchida, K. (1999). Current status of acrolein as a lipid peroxidation product. *Trends Cardiovasc. Med.*, 9, 109-113.
- Ursini, F., Maiorino, M., Brigelius-Flohe, R., Aumann, K. D., Roveri, A., Schomburg, D., et al. (1995). Diversity of glutathione peroxidases. *Methods Enzymol*, 252, 38-53.
- Valentine, J. S., Goto, J. J., Roe, J. A., Gralla, E. B., & Cabelli, D. E. (1999). Loss of metal ion binding specificity in mutant cuZnSOD associated with fALS. *Free Radical Biology and Medicine*, 27, S20.
- Valko, M., Izakovic, M., Mazur, M., Rhodes, C. J., & Telser, J. (2004). Role of oxygen radicals in DNA damage and cancer incidence. *Mol Cell Biochem*, 266(1-2), 37-56.
- Valko, M., Rhodes, C.J., Moncol, J., Izakovic, M., & Mazur, M. (2006). Free radicals, metals and antioxidants in oxidative stress-induced cancer. *Chemico-Biological Interactions*, 160(1), 1-40.
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M. T. D., Mazur, M., & Telser, J. (2007). Free radicals and antioxidants in normal physiological functions and human disease. *The International Journal of Biochemistry & Cell Biology*, 39(1), 44-84.

- Vanrensburg, C. E. J., Anderson, R., & Myer, M. S. (1994). α -Tocopherol Prevents Cyclosporine A-Mediated Activation of Phospholipase A₂ and Inhibition of Na⁺, K⁺-Adenosine Triphosphatase Activity in Cultured Hamster Renal Tubular Cells. *Toxicology and Applied Pharmacology*, 125(2), 176-183.
- Van Tilburg, J. A. (1994). *Easter Island: Archaeology, Ecology and Culture*. Washington D.C.: Smithsonian Institution Press
- Venkat Ratnam, D., Ankola, D. D., Bhardwaj, V., Sahana, D. K., & Ravi Kumar, M. N. V. (2006). Role of antioxidants in prophylaxis and therapy: A pharmaceutical perspective. *Journal of Controlled Release*, 113(3), 189-207.
- Venketeswaran, S., Dias, M. A. D. L., & Weyers, U. V. (1990). The winged bean: A potential protein crop. In: J. Janick and J.E. Simon (Eds.), *Advances in new crops* (pp. 445). Portland: Timber Press.
- Verdcourt, B., & Halliday, P. (1978). A revision of *Psophocarpus* (Leguminosae-Papilioideae-Phaseoleae). *Kew Bulletin*, 33, 191-227.
- Veronica, L. C. (2006). *What are the respiratory complications of herbal food supplement for body weight reduction?* Retrieved 22 July 2011, from <http://www.hkresp.com/index.php/administrator/150-environmental-a-occupational-lung-diseases/291-2006-what-are-the-respiratory-complications-of-herbal-food-supplement-for-body-weight-reduction->
- Vinuthan, M. K., Girish, K. V., Ravindra, J. P., & Jayaprakash, N. K. (2004). Effect of extracts of *Murraya koenigii* leaves on the levels of blood glucose and plasma insulin in alloxan-induced diabetic rats. *Indian Journal of Physiology and Pharmacology*, 48, 348-352.
- Wang, Y. S., He, H. P., Shen, Y. M., Hong, X., & Hao, X. J. (2003). Two new carbazole alkaloids from *Murraya koenigii*. *J Nat Prod*, 66, 416-418.
- Warner, H. R. (1994). Superoxide dismutase, aging, and degenerative disease. *Free Radical Biology and Medicine*, 17(3), 249-258.
- Watt, G. (1891). *A dictionary of the Economic Products of India* (Vol. V). Delhi: Cosmo Publications.
- Wilson, E. O. (1992). *The Diversity of Life*. Cambridge: The Belknap Press of Harvard University Press.
- Winged bean (2011, June 30). Retrieved 20 July 2011, from http://en.wikipedia.org/wiki/Winged_beans
- Winged Bean or Sigarilyas Production (2010, May 14). Retrieved 20 February 2011, from <http://www.pinoy-entrepreneur.com/2010/05/14/winged-bean-or-sigarilyas-production/>
- Wickens, A. P. (2001). Ageing and the free radical theory. *Respiration Physiology*, 128(3), 379-391.

- Wollin, S. D., & Jones, P. J. (2001). Alcohol, red wine and cardiovascular disease. *J. Nutr.*, 131, 1401-1404.
- Woolfe, J. A. (1992). *Sweet potato: an untapped food resource*. Cambridge, UK: Cambridge Univ. Press.
- Xing, R., Liu, S., Guo, Z., Yu, H., Wang, P., Li, C., et al. (2005). Relevance of molecular weight of chitosan and its derivatives and their antioxidant activities in vitro. *Bioorganic and Medicinal Chemistry*, 13, 1573-1577.
- Yagcioglu, A., Degirmencioglu, A., & Çagatay, F. (1999). Drying characteristics of laurel leaves under different drying conditions. In Bascetincelik A. (Ed.), Proceeding of the 7th international congress on agricultural mechanization and energy in agriculture held on 26-27 May 1999 at the Faculty of Agriculture, Cukurova University, Adana, Turkey (pp. 565–569). Adana, Turkey: Cukurova University.
- Yamaguchi, F., Ariga, T., Yoshimira, Y., & Nakazawa, H. (2000). Antioxidant and anti-glycation of carcinol from *Garcinia indica* Fruit Rind. *Journal of Agricultural and Food Chemistry*, 48, 180-185.
- Yamamoto, K., & Niki, E. (1988). Interaction of α -tocopherol with iron: antioxidant and prooxidant effects of α -tocopherol in the oxidation of lipids in aqueous dispersions in the presence of iron. *Biochimica et Biophysica Acta (BBA) - Lipids and Lipid Metabolism*, 958(1), 19-23.
- Yin, J., Gao, Z., Liu, D., Liu, Z., & Ye, J. (2008). Berberine improves glucose metabolism through induction of glycolysis. *Am. J. Physiol. Endocrinol. Metab.*, 294, E148-E156.
- Zhang, M., Tang, J., Mujumdar, A. S., Wang, S. (2006). Trends in microwave-related drying of fruits and vegetables. *Trends in Food Science and Technology*, 17(10), 524-534.