REFERENCES

Abbitt, B.L., Ball, G., Kitto, P., Sitzman, C.G., Wilgenburg, B., Raim, L.W., & Seidel, G.E. Jr. (1978). Effect of three methods of palpation for pregnancy diagnosis per rectum on embryonic and fetal attrition in cows. *Journal America Veteterinary Medicine Association* . 173: 973-977.

Ambrose, J.D., Drost, M., Monson, R.L., Rutledge, J.J., Leibfried-Rutledge, M.L., Thatcher, M.J., Kassa, T., Binelli, M., Hansen, P.J., Chenoweth, P.J., & Thatcher, W.W. (1999). Efficacy of timed embryo transfer with fresh and frozen in vitro produced embryos to increase pregnancy rates in heat-stressed dairy cattle. *Journal of Dairy Science*. 82: 2369-2376.

Anderson, L. (2010). Puberty and anestrus: dealing with non cycling females. *Applied Reproductive Strategies Conference Proceedings August 5 & 6 Nashville, TN*.

Asdell, S.A. (1946). *Pattern in mammalian reproduction*. Comstock Publication Asosiation. Ithaca, New York.

Ayres, H., Martins, C.M., Ferreira, R.M., Mello, J.E., Dominguez, J.H., Souza, A.H., Valentin, R., Santos, I.C.C., & Baruselli, P.S. (2008). Effect of timing of estradiol benzoate administration upon synchronization of ovulation in suckling Nelore cows (*Bos indicus*) treated with a progesterone-releasing intravaginal device. *Journal Animal Reproduction Science*. 12: 001.

Badtram, G.A., Gaines, J.D., Thomas, C.B., & Bosu, W.T.K. (1991). Factors influencing the accuracy of early pregnancy detection in cattle by real-time ultrasound scanning of the uterus. *Theriogenology*. 35: 1153–1167.

Bearden, H.J., & Fuquay, J.W. (2000). *Applied animal Reproduction*. Fifth edition. Prentice Hall. Upper Saddle River. New Jersey.

Beever, D.E., Hattan, A., Reynolds, C.K., & Cammell, S.B. (2001). Nutrient supply to high yielding dairy cows. *British Society of Animal Science*. 26: 119-131.

Bridges, P.J., Lewis, P.E., Wagner., & Inskeep, E.K. (1999). Follicular growth, estrus and pregnancy after fixed-time insemination in beef cows treated with intravaginal progesterone insert and estradiol benzoate. *Theriogenology*. 52: 573-583.

Brown, J.G., Peterson, D.W., & Foote, W.D. (1972). Reproductive response of beef cows to exogenous progestogen, estrogen and gonadotropins at various stages of postpartum. *Journal Animal Science*. 35: 362−369.

Chen, C.P., Chang, K.C., Ajit., K.S. & Hassan, A.W. (1978). Pasture and animal production under five-year old oil palm at Serdang. *Proc. of Sem. on Integration of Animals With Plantation Crops*. Penang.

Chenault, J.R., Boucher, J.F., Dame, K.J., Meyer, J.A., & Wood-Follis, S.L. (2003). Intravaginal progesterone insert to synchronize return to estrus of previously inseminated dairy cows. *Journal Dairy Science*. 86: 2039-2049.

Cowie, T.A. (1948). Pregnancy diagnosis tests: A review. *Commonwealth Agricultual Bureaux Joint Publication* No. 13, Great Britain.

Crane, M.B., Bartolome, J., Melendez, P., Vries, A., & Archbald. (2006). Comparison of synchronization of ovulation with timed insemination and exogenous progesterone as therapeutic strategies for ovarian cist in lactating dairy cows. *Theriogenology*. 65: 1563-1574.

Department Veterinary Services. (2008). Statistic.

Ferguson J.D., & Chalupa, W. (1989). Impact of protein nutrition on reproduction in dairy cows. *Journal Dairy Science*. 72: 746–766.

Fike, K.E., Day, M.L., Inskeep, E.K., Kinder, J.E., Lewis, P.E., Short, R.E., & Hafs, H.D. (1997). Estrus and luteal function in suckled beef cows that were anestrous when treated with an intravaginal device containing progesterone with or without a subsequent injection of estradiol benzoate. *Journal Animal Science*. 75: 2009−2015.

Franco, O.J., Drost, M., Thatcher, M.J., Shille, V.M., & Thatcher, W.W. (1987). Fetal survival in the cow after pregnancy diagnosis by palpation per rectum. *Theriogenology*. 27: 631-644.

Gordon, I. (2004). *Reproductive technologies in farm animals*. CABI publishing. UK.

Gumen, A., Guenther, J.N., & Wiltbank, M.C. (2003). Follicullar size and response to ovsynch versus detection of estrus in anovular and ovular lactating dairy cows. *J Dairy Science*. 86: 3184-94.

Hafez, B. & Hafez, E.S.E. (2000). *Reproduction in farm animals*. 7th edition. Lippincott William and Wilkins (Baltimore). New York.

Hammond, J.A. (1957). *Progress in the physiology of farm animals*. Vol. 3, Butterworths Scientific Publication, London, England.

Hassan, A.W and Abdullah Sani, R. (1991). Effects of buffalo grazing on changes in native pastures under oil palm – A preliminary report. *Proc. 2nd FAO Regional Working Group Workshop on Utilization of Native Forages for Animal Production in Southeast Asia*. Manila, Philippines. 26 Feb – 5 March 1991.

Herd, D.B., & Sprott, L.R. (1986). Body condition, nutrition, and reproduction of beef cows. *Texas Agric. Ext. Ser. Bull*. No.B-1526.

Houghton, P.L., Lemenager, R.P., Horstman, L.A., Hendrix, K.S., & Moss, G.E. 1990. Effects of body composition, pre- and postpartum energy level and early weaning on reproductive performance of beef cows and preweaning calf gain. *Journal Animal Science*. 68: 1438–1446.

Hunter, R.H.F. (1982). *Reproduction of farm animals*. Longman. UK.

Immunotech, (2010). Radioimmunoassay for the vitro determination of progesterone in human serum and plasma. IM1188. Immunotech sas. France.

Immunotech, (2010). Radioimmunoassay for the vitro determination of estradiol in human serum and plasma. A21854. Immunotech sas. France.

Jainudeen, M.R., & Hafez, E.S.E. (2000). Gestation, Prenatal, and Parturition. In Hafez B & Hafez E.S.E (Edt). *Reproduction in farm animals*. 7th edition. (pp 140-155). Lippincott William and Wilkins (Baltimore). New York.

John, A.L., & Lamb, G.C. (2008). Nutrition, synchronization, and management of beef embryo transfer recipient. *Theriogenology*. 69: 107-115.

Jusoh, L., & Mohd Noor, M. (2002). A Financial Study of Cattle Integration in Oil Palm plantations. *Oil Palm Industry Economic Journal* (VOL. 2 (1).

Kastelic, J.P., Bergfelt, D.R., & Ginther, O.J. (1991). Ultrasonic detection of the conceptus and characterization of intrauterine fluid on days 10 to 22 in heifers. *Theriogenology*. 35: 569-581.

Lamb, G.C. (2005). How to get cows pregnant for the purebred and commercial sectors of the beef industry – Using GnRH and CIDRs. *37th Beef Improvement Federation Annual Conference Proceedings*.

Lamb, G.C., Stevenson, J.S., Kesler, D.J., Garverick, H.A.,Brown,D.R., & Salfen, B.E. (2001). Inclusion of an intravaginal progesterone insert plus GnRH and prostaglandin F2 alpha for ovulation control in postpartum suckled beef cows. *Journal Animal Science*. 79: 2253-2259.

Lammoglia, M.A., Short, R.E., Bellows, S.E., Bellows, R.A., MacNeil, M.D., & Hafs, H.D. (1998). Induced and synchronized estrus in cattle: Dose titration of estradiol benzoate in peripubertal heifers and postpartum cows after treatment with an intravaginal progesterone-releasing insert and prostaglandin F2a. *Journal Animal Science*. 76: 1662−1670.

Lindsay, D.R., Entwistle, K.W., & Winantea, A. (1982). *Reproduction in domestic livestock in Indonesia*. Hedges and Bell Pty Ltd. Melbourne.

Lopez, G.F., Santolaria, P., Yaniz, J., & Lopez, B.M. (2000). Risk factors for postpartum ovarian cists and their spontaneous recovery or persistence in lactating dairy cows. *Theriogenology*. 58: 1623-32.

Lucy, M.C., Billings, H.J., Butler, W.R., Ehnes, L.R., Fields, M.J., Kesler, D.J., Kinder, J.E., Mattos, R.C., Short, R.E., Thatcher, W.W., Wettemann, R.P., Yelich, J.V., & Hafs, H.D. (2001). Efficacy of an intravaginal progesterone insert and an injection of PGF2a synchronizing estrus and shortening the interval to pregnancy in postpartum beef cows, peripubertal beef heifers, and dairy heifers. *Journal Animal Science*. 79: 982-995.

Maatje, K., Loeffler, S.H., & Engel, B. (1997). Optimal time of insemination in cow that show visual signs of estrus by estimating onset of estrus with pedometers. *Journal Dairy Science*. 80: 1098-1105.

Macmillan, K.L., & Peterson, A.J. (1993). A new intravaginal progesterone releasing device for cattle (CIDR-B) for oetrous synchronization. *Animal Reproduction Science*. 33: 1-26.

Man, G.E. (2001). Pregnancy rate during experimentation in dairy cows. *The veterinary Journal*. 161 (3): 301-305.

Mapletoft, R.J., Martínez, M.F., Colazo, M.G., & Kastelic, J.P. (2003). The use of controlled internal drug release devices for the regulation of bovine reproduction. *Journal Animal Science*. 81: 28-36.

Oklahoma State University. 1996. Reproductive system of bull.

Paisley, L.G., Mickelsen, W.D., & Frost, O.L. (1978). A survey of the incidence of prenatal mortality in cattle following pregnancy diagnosis by rectal palpation. *Theriogenology*. 9: 481-489.

Peeler, I.D., Nebel, R.L., Pearson, R.E., Swecker, W.S., & Garcia, A. (2004). Pregnancy Rates After Timed AI of Heifers Following Removal of Intravaginal Progesterone Inserts. *Journal Dairy Science*. 87: 2868-2873.

Peters, A.R. Hormonal control of the bovine oestrous cycle. (1986). II Pharmacological principles. *British Veterinary Journal* 142:20–29.

Pierson, R.A., & Ginther, O.J. (1984). Ultrasonography for detection of pregnancy and study of embryonic development in heifers. *Theriogenology*. 22: 225–233.

Pierson, R.A., & Ginther, O.J. (1988). Ultrasonic imaging of the ovaries and uterus in cattle. *Theriogenology*. 29: 21–37.

Pieterse, M.C., Szenci, O., Willemse, A.H., Bajcsy, C.S.A., Dieleman, S.J., & Taverne, M.A.M. (1990). Early pregnancy diagnosis in cattle by means of linear-array real-time ultrasound scanning of the uterus and a qualitative and quantitative milk progesterone test. *Theriogenology*. 33: 697-707.

Rae, D.O., Kunkle, W.E., Chenoweth, P.J., Sand, R.S., & Tran, T. (1993). Relationship of parity and body condition score to pregnancy rates in Florida beef cattle. *Theriogenology*. 39: 1143-1152.

Rekwot, P.J., Oyedipe, E.O., Mukasa., Sekoni, V.O., Akinpelumi, O.P., & Anyam, A.A. (1999). Fertility in zebu cattle (bos indicus) after protaglandine administration and artificial insemination. *The Veterinary Journal*. 158: 53-58.

Richards, W., Spitzer, J.C., & Warner, M.B. (1986). Effect of varying levels of postpartum nutrition and body condition at calving on subsequent reproductive performance in beef cattle. *Journal Animal Science*. 62: 300-306.

Roelofs, J.B., Graat, W.A.M., Mullaart, E., Soede, N.M., Voskamp-Harkema, W., & Kemp B. (2006). Effects of insemination-ovulation interval on fertilization rates and embryo characteristics in dairy cattle. *Theriogenology*. 66:2173–2181

Ross, P.J., Allerb, J.F., Callejasc, S.S., Butlerd, H., & Alberio, R.H. (2004). Estradiol benzoate given 0 or 24 h after the end of a rogestagen treatment in post partum suckled beef cows. *Theriogenology*. 62: 265-273.

Ryan, D.P., Galvin, J.A., & O'Farrell. (1999). Comparison of oestrous synchronization regimes for lactating dairy cows. *Animal Reproduction Science*. 56: 153-168.

Salisbury, G.W., Vandenmark, N.L., & Lodge, J.R. (1978). *Physiology of reproduction and artificial insemination of cattle*. Second edition. W. H Freeman and Company. San Francisco.

Senger, P.L. (2003). *Pathways to Pregnancy and Parturition*. Second Edition. Current Conceptions, Inc., Pullman, WA.

Shrestha, H.K., Toshihiko, N., Toshihiko, S., Masashi, A., & Tsuneo, H. (2005). Relationships between body condition score, body weight, and some nutritional parameters in plasma and resumption of ovarian cyclicity postpartum during pre-service period in high-producing dairy cows in a subtropical region in Japan. *Theriogenology*. Volume 64: 855-866.

Sreenan, J.M., Mulvehill, P., & Gosling, J.P. (1977). The effect of progesterone and oestrogen treatment in heifer on oestrous cycle control and plasma progesterone levels. Veterinary Record. 101:13.

Stevenson, J.S., Johnson, S.K., & Milliken, G.A. (2003). Incidence of postpartum anestrus in suckled beef cattle: Treatments to induce estrus, ovulation, and conception. *The Professional Animal Science*. 19: 124-134.

Suriyasathaporn, W., Nielson, M., Dielemen, S.J., Brand, A., Noordhuizen, S., & Schukken, Y.H. (1998). A cow proportional-hazards model with time-dependent covariates to evaluate the relationship between body condition score and the risks of first insemination and pregnancy in high-producing dairy herd. *Preventive Veterinary Medicine*. 37: 159-172.

Taniguchi, M., Ikeda, A., Arikawa, E., Shimizu, R., Seki, M., Karaki, M., Rajamahendran, M., & Otoi, T. (2007). Ovarian follicular and corpus luteum changes, progesterone concentrations, estrus and ovulation following estradiol benzoate/progesterone based treatment protocol in cross-bred cows. *Animal Reproduction Science*. 99: 389-394.

Taylor, R.E. (1994). *Beef production and management decision*. Second edition. Macmillan Publishing Company. New York.

Thatcher, W.W., Binelli, M., Burke, J., Staples, C.R., & Amrose, J.D. (1997). Antiluteolytic signals between the conceptus and endometrium. *Theriogenology*. 47:131-140.

Thomas, H.S. (1998). *Storey's guide to raising beef cattle*. Storey Publishing. USA.

Tjondronegoro, S., Williamson, P., Sawyer, J., & Atkinson, S. (1986. Effect of progesterone intravaginal device on synchronization of estrus in postpartum dairy cows. *Journal Dairy Science*. 70: 10.

Wahid, H., Khor, C.S., Abas Mazni., Thein, M., Sianturi, R.G., Padzil, A.M., Yap, K.C., & Bakar, A.D. (2001). Effect of intravaginal device on estrous synchronization in Kedah-Kelantan cows. *The international 13th congress VAM. 27-30 August 2001*. Kuala Lumpur. 153-155.

Walker, D., Ritchie, H., & Hawkins, D. (1994). *Effective use of artificial insemination in beef cattle*. Department of Animal Science. Michigan State University.

Wan Mohamad, W.E. (1978). Utilization of ground vegetation in rubber plantation for animal rearing. *Proc. RRIM Planters Conf*. Kuala Lumpur. 1977.

Webb, D.W. (2003). *Artificial Insemination in Dairy Cattle*. Institute of Food and Agricultural Sciences, University of Florida.

William, E.K., & Robert, S.S. (2001). *Effect of Body Condition on Rebreeding*. UF and IFAS Extention.

Wong, C.C., & Chin, F.Y. (1998). Meeting nutritional requirement of cattle from natural forages in oil palm plantation. Paper presented at National Seminar on Livestock and Crop Integration in Oil Palm.12 -14 May 1998. Kluang, Johor.

Xu, Z.Z., & Burton, L.J. (1998). Syncronization of estrus with PGF2 alpha administered 18 days after progesterone treatment in lactating dairy cows. *Theriogenology*. 60: 905-915.

Yalow, R.S. (1980). Radioimmunoassay. *Annual Review of Biophysics and Bioengineering*. 9: 327-345.

Yelich, J.V. (2002). *A new reproduction technology – The CIDR*. Department of animal science. University of Florida.

Zainur & Wan Zahari. (2005). *Beef Production for Malaysian Entrepreneurs*. MARDI. Malaysia.

Zemjanis, R. (1970). *Diagnostic and therapeutic techniques in animal reproduction*. (2nd Ed.). Baltimore, Williams and Wilkins.