

REFERENCES

- Adams, W. G. (1876). Ein neues Polariskop. *Zeitschrift für analytische chemie*, 15(1), 445.
- Al-Faleh, R. S., & Zihlif, A. M. (2011). A study on optical absorption and constants of doped poly(ethylene oxide). *Physica B: Condensed Matter*, 406(10), 1919-1925.
- Allen, P. B., & Heine, V. (1976). Theory of the temperature dependence of electronic band structures. *Journal of Physics C: Solid State Physics*, 9(12), 2305.
- Amelinckx, S. (1997). *Handbook of Microscopy: Applications*: VCH.
- Andreeva, A. F., Sisonyuk, A. G., & Himich, E. G. (1994). Growth conditions, optical and dielectric properties of yttrium oxide thin films. *Physica Status Solidi (A) Applied Research*, 145(2), 441-446.
- Arango, A. C., Carter, S. A., & Brock, P. J. (1999). Charge transfer in photovoltaics consisting of interpenetrating networks of conjugated polymer and TiO₂ nanoparticles. *Applied Physics Letters*, 74(12), 1698-1700.
- Arici, E., Hoppe, H., Schäffler, F., Meissner, D., Malik, M. A., & Sariciftci, N. S. (2004). Morphology effects in nanocrystalline CuInSe 2-conjugated polymer hybrid systems. *Applied Physics A: Materials Science & Processing*, 79(1), 59-64.
- Arici, E., Meissner, D., Schaffler, F., & Sariciftci, N. S. (2003). Core/shell nanomaterials in photovoltaics. *International Journal of Photoenergy*, 5(4), 199-208.
- Arici, E., Sariciftci, N. S., & Meissner, D. (2003). Hybrid solar cells based on nanoparticles of CuInS₂ in organic matrices. *Advanced Functional Materials*, 13(2), 165-171.
- Aslan, M. H., Oral, A. Y., Menşur, E., Güçlü, A., & Başaran, E. (2004). Preparation of c-axis-oriented zinc-oxide thin films and the study of their microstructure and optical properties. *Solar Energy Materials and Solar Cells*, 82(4), 543-552.
- Bae, S. Y., Choi, H. C., Na, C. W., & Park, J. (2005). Influence of In incorporation on the electronic structure of ZnO nanowires. *Applied Physics Letters*, 86(3), 033102-033103.
- Baeten, L., Conings, B., Boyen, H.-G., D'Haen, J., Hardy, A., D'Olieslaeger, M., et al. (2011). Towards efficient hybrid solar cells based on fully polymer infiltrated ZnO nanorod arrays. *Advanced Materials*, 23(25), 2802-2805.
- Ballantyne, A. M., Chen, L., Dane, J., Hammant, T., Braun, F. M., Heeney, M., et al. (2008). The effect of poly(3-hexylthiophene) molecular weight on charge transport and the performance of polymer:fullerene solar cells. *Advanced Functional Materials*, 18(16), 2373-2380.
- Banfield, J. F., Bischoff, B. L., & Anderson, M. A. (1993). TiO₂ accessory minerals: coarsening, and transformation kinetics in pure and doped synthetic nanocrystalline materials. *Chemical Geology*, 110(1-3), 211-231.
- Bang, K.-H., Hwang, D.-K., & Myoung, J.-M. (2003). Effects of ZnO buffer layer thickness on properties of ZnO thin films deposited by radio-frequency magnetron sputtering. *Applied Surface Science*, 207(1-4), 359-364.
- Bao, D., Gu, H., & Kuang, A. (1998). Sol-gel-derived c-axis oriented ZnO thin films. *Thin Solid Films*, 312(1-2), 37-39.
- Barbarella, G., Bongini, A., & Zambianchi, M. (1994). Regiochemistry and conformation of poly(3-hexylthiophene) via the synthesis and the spectroscopic characterization of the model configurational triads. *Macromolecules*, 27(11), 3039-3045.

- Beal, R. M., Stavrinidis, A., Warner, J. H., Smith, J. M., Assender, H. E., & Watt, A. A. R. (2010). The molecular structure of polymer–fullerene composite solar cells and its influence on device performance. *Macromolecules*, 43(5), 2343-2348.
- Becquerel, A. E. (1839). *C. R. Hebd. Seances Acad. Sci.*, 561.
- Beek, W. J. E., Wienk, M. M., & Janssen, R. A. J. (2004). Efficient hybrid solar cells from zinc oxide nanoparticles and a conjugated polymer. *Advanced Materials*, 16(12), 1009-1013.
- Beek, W. J. E., Wienk, M. M., & Janssen, R. A. J. (2006). Hybrid solar cells from regioregular polythiophene and ZnO nanoparticles. *Advanced Functional Materials*, 16(8), 1112-1116.
- Beek, W. J. E., Wienk, M. M., Kemerink, M., Yang, X., & Janssen, R. A. J. (2005). Hybrid zinc oxide conjugated polymer bulk heterojunction solar cells. *The Journal of Physical Chemistry B*, 109(19), 9505-9516.
- Beer. (1852). Bestimmung der Absorption des rothen Lichts in farbigen Flüssigkeiten. *Annalen der Physik*, 162(5), 78-88.
- Bezuidenhout, D. F., & Pretorius, R. (1986). The optical properties of evaporated Y₂O₃ films. *Thin Solid Films*, 139(2), 121-132.
- Bharathan, J., & Yang, Y. (1998). Polymer electroluminescent devices processed by inkjet printing: I. Polymer light-emitting logo. *Applied Physics Letters*, 72(21), 2660-2662.
- Bhargava, R. (1997). *Properties of Wide Bandgap II-VI Semiconductors*: INSPEC, Institute of Electrical Engineers.
- Bogner, A., Jouneau, P. H., Thollet, G., Basset, D., & Gauthier, C. (2007). A history of scanning electron microscopy developments: Towards "wet-STEM" imaging. *Micron*, 38(4), 390-401.
- Boucle, J., Ravirajan, P., & Nelson, J. (2007). Hybrid polymer-metal oxide thin films for photovoltaic applications. *Journal of Materials Chemistry*, 17(30), 3141-3153.
- Bouzidi, K., Chegaar, M., & Bouhemadou, A. (2007). Solar cells parameters evaluation considering the series and shunt resistance. *Solar Energy Materials and Solar Cells*, 91(18), 1647-1651.
- Brabec, C. J., Sariciftci, N. S., & Hummelen, J. C. (2001). Plastic solar cells. *Advanced Functional Materials*, 11(1), 15-26.
- Bredas, J. L., Heeger, A. J., & Wudl, F. (1986). Towards organic polymers with very small intrinsic band gaps. I. Electronic structure of polyisothianaphthene and derivatives. *The Journal of Chemical Physics*, 85(8), 4673-4678.
- Brinker, C. J., Keefer, K. D., Schaefer, D. W., & Ashley, C. S. (1982). Sol-gel transition in simple silicates. *Journal of Non-Crystalline Solids*, 48(1), 47-64.
- Brown, P. J., Sirringhaus, H., Harrison, M., Shkunov, M., & Friend, R. H. (2001). Optical spectroscopy of field-induced charge in self-organized high mobility poly(3-hexylthiophene). *Physical Review B*, 63(12), 125204.
- Budrovic, Z., Van Swygenhoven, H., Derlet, P. M., Van Petegem, S., & Schmitt, B. (2004). Plastic deformation with reversible peak broadening in nanocrystalline nickel. *Science*, 304(5668), 273-276.
- Bundgaard, E., & Krebs, F. C. (2007). Low band gap polymers for organic photovoltaics. *Solar Energy Materials and Solar Cells*, 91(11), 954-985.
- Burstein, E. (1954). Anomalous optical absorption limit in InSb. *Physical Review*, 93(3), 632-633.
- Caglar, M., Ilican, S., & Caglar, Y. (2009). Influence of dopant concentration on the optical properties of ZnO: In films by sol–gel method. *Thin Solid Films*, 517(17), 5023-5028.

- Callister, W. D. (2007). *Materials science and engineering: an introduction*: John Wiley & Sons.
- Celik, D., Krueger, M., Veit, C., Schleiermacher, H. F., Zimmermann, B., Allard, S., et al. (2012). Performance enhancement of CdSe nanorod-polymer based hybrid solar cells utilizing a novel combination of post-synthetic nanoparticle surface treatments. *Solar Energy Materials and Solar Cells*, 98(0), 433-440.
- Chakrabarti, S., Ganguli, D., & Chaudhuri, S. (2004). Substrate dependence of preferred orientation in sol-gel-derived zinc oxide films. *Materials Letters*, 58(30), 3952-3957.
- Chamberlain, G. A. (1983). Organic solar cells: A review. *Solar Cells*, 8(1), 47-83.
- Chan, D. S. H., Phillips, J. R., & Phang, J. C. H. (1986). A comparative study of extraction methods for solar cell model parameters. *Solid State Electronics*, 29(3), 329-337.
- Chen, K. J., Hung, F. Y., Chang, S. J., & Young, S. J. (2009). Optoelectronic characteristics of UV photodetector based on ZnO nanowire thin films. *Journal of Alloys and Compounds*, 479(1-2), 674-677.
- Chen, L.-M., Hong, Z., Li, G., & Yang, Y. (2009). Recent progress in polymer solar cells: Manipulation of polymer:fullerene morphology and the formation of efficient inverted polymer solar cells. *Advanced Materials*, 21(14-15), 1434-1449.
- Chen, L.-M., Xu, Z., Hong, Z., & Yang, Y. (2010). Interface investigation and engineering-achieving high performance polymer photovoltaic devices. *Journal of Materials Chemistry*, 20(13), 2575-2598.
- Chen, T.-A., Wu, X., & Rieke, R. D. (1995). Regiocontrolled synthesis of poly(3-alkylthiophenes) mediated by Rieke Zinc: Their characterization and solid-state properties. *Journal of the American Chemical Society*, 117(1), 233-244.
- Chiam, S. Y., Chim, W. K., Pi, C., Huan, A. C. H., Wang, S. J., Pan, J. S., et al. (2008). Band alignment of yttrium oxide on various relaxed and strained semiconductor substrates. *Journal of Applied Physics*, 103(8), 083702-083712.
- Chiang, H. Q. (2008). *Development of Oxide Semiconductors: Materials, Devices, and Integration*: Oregon State University.
- Cho, K. G., Kumar, D., Jones, S. L., Lee, D. G., Holloway, P. H., & Singh, R. K. (1998). Growth and characterization of Eu:Y₂O₃ thin-film phosphors on silicon and diamond-coated silicon substrates. *Journal of the Electrochemical Society*, 145(10), 3456-3462.
- Chopra, K. L., & Kaur, I. (1983). *Thin film device applications*: Plenum Press.
- Choudhury, K. R., Winiarz, J. G., Samoc, M., & Prasad, P. N. (2003). Charge carrier mobility in an organic-inorganic hybrid nanocomposite. *Applied Physics Letters*, 82(3), 406-408.
- Coakley, K. M., & McGehee, M. D. (2004). Conjugated polymer photovoltaic cells. *Chemistry of Materials*, 16(23), 4533-4542.
- Cojan, C., Agrawal, G. P., & Flytzanis, C. (1977). Optical properties of one-dimensional semiconductors and conjugated polymers. *Physical Review B*, 15(2), 909-925.
- Cook, S., Katoh, R., & Furube, A. (2009). Ultrafast studies of charge generation in PCBM:P3HT blend films following excitation of the fullerene PCBM. *The Journal of Physical Chemistry C*, 113(6), 2547-2552.
- Courses, B. C. (2011). UV-Vis absorption spectroscopy: Theoretical principles. From <http://www.shu.ac.uk/schools/sci/chem/tutorials/molspec/uvvisab1.html>.
- De Souza, J. M., & Pereira, E. C. (2001). Luminescence of poly(3-thiopheneacetic acid) in alcohols and aqueous solutions of poly(vinyl alcohol). *Synthetic Metals*, 118(1-3), 167-170.

- Dhlamini, M. S., Terblans, J. J., Kroon, R. E., Ntwaeborwa, O. M., Ngaruuya, J. M., Botha, J. R., et al. (2008). Photoluminescence properties of SiO_2 surface-passivated PbS nanoparticles. *South African Journal of Science*, 104, 398-400.
- Diaz-Quijada, G. A., Weinberg, N., Holdcroft, S., & Pinto, B. M. (2001). Investigation of barriers to conformational interchange in oligothiophenes and oligo(Thienyl)furans. *The Journal of Physical Chemistry A*, 106(7), 1266-1276.
- Dicker, G., de Haas, M. P., Siebbeles, L. D. A., & Warman, J. M. (2004). Electrodeless time-resolved microwave conductivity study of charge-carrier photogeneration in regioregular poly(3-hexylthiophene) thin films. *Physical Review B*, 70(4), 045203.
- Dutta, M., Mridha, S., & Basak, D. (2008). Effect of sol concentration on the properties of ZnO thin films prepared by sol-gel technique. *Applied Surface Science*, 254(9), 2743-2747.
- Eaton, P. J., & West, P. (2010). *Atomic Force Microscopy*: Oxford University Press.
- Electronic design. (1989). Hayden Pub. Co.
- Elsenbaumer, R. L., Jen, K. Y., & Oboodi, R. (1986). Processible and environmentally stable conducting polymers. *Synthetic Metals*, 15(2–3), 169-174.
- Erb, T., Zhokhavets, U., Gobsch, G., Raleva, S., Stühn, B., Schilinsky, P., et al. (2005). Correlation between structural and optical properties of composite polymer/fullerene films for organic solar cells. *Advanced Functional Materials*, 15(7), 1193-1196.
- Erb, T., Zhokhavets, U., Hoppe, H., Gobsch, G., Al-Ibrahim, M., & Ambacher, O. (2006). Absorption and crystallinity of poly(3-hexylthiophene)/fullerene blends in dependence on annealing temperature. *Thin Solid Films*, 511–512(0), 483-485.
- Essick, J. M., & Mather, R. T. (1993). Characterization of a bulk semiconductor's band gap via a near-absorption edge optical transmission experiment. *American Journal of Physics*, 61(7), 646-649.
- Ezema, F. I., & Nwankwo, U. O. A. (2010). Effect of annealing temperature on the structural and optical properties of zinc oxide (ZnO) nanocrystals prepared by sol gel. *Digest Journal of Nanomaterials and Biostructures*, 5(4), 981-988.
- Fathollahi, V., & Amini, M. M. (2001). Sol-gel preparation of highly oriented gallium-doped zinc oxide thin films. *Materials Letters*, 50(4), 235-239.
- Fendler, J. H., & Dékány, I. (1996). *Nanoparticles in solids and solutions*: Kluwer.
- Fu, Y., & Qiu, M. (2011). *Optical properties of nanostructures*. Singapore: Pan Stanford.
- Fujihara, S., Sasaki, C., & Kimura, T. (2001). Crystallization behavior and origin of c-axis orientation in sol-gel-derived ZnO:Li thin films on glass substrates. *Applied Surface Science*, 180(3-4), 341-350.
- Fujii, T., Nishikiori, H., & Tamura, T. (1995). Absorption spectra of rhodamine B dimers in dip-coated thin films prepared by the sol-gel method. *Chemical Physics Letters*, 233(4), 424-429.
- Gagandeep, Singh, K., Lark, B. S., & Sahota, H. S. (2000). Attenuation measurements in solutions of some carbohydrates. *Nuclear Science and Engineering*, 134(2), 208-217.
- Gao, D. Q., Chan, M. Y., Tong, S. W., Wong, F. L., Lai, S. L., Lee, C. S., et al. (2004). Application of an evaporable fluoro-molecule as an anode buffer layer in organic electroluminescent devices. *Chemical Physics Letters*, 399(4-6), 337-341.
- Geens, W., Martens, T., Poortmans, J., Aernouts, T., Manca, J., Lutsen, L., et al. (2004). Modelling the short-circuit current of polymer bulk heterojunction solar cells. *Thin Solid Films*, 451–452(0), 498-502.

- Geisse, N. A. (2009). AFM and combined optical techniques. *Materials Today*, 12(7-8), 40-45.
- Ghosh, R., Basak, D., & Fujihara, S. (2004). Effect of substrate-induced strain on the structural, electrical, and optical properties of polycrystalline ZnO thin films. *Journal of Applied Physics*, 96(5), 2689-2692.
- Ghosh, R., Paul, G. K., & Basak, D. (2005). Effect of thermal annealing treatment on structural, electrical and optical properties of transparent sol-gel ZnO thin films. *Materials Research Bulletin*, 40(11), 1905-1914.
- Granqvist, C. G., Buhrman, R. A., Wyns, J., & Sievers, A. J. (1976). Far-infrared absorption in ultrafine Al particles. *Physical Review Letters*, 37(10), 625-629.
- Greenwood, N. N., & Earnshaw, A. (1998). Chemistry of the Elements (2nd Edition): Elsevier.
- Grundmann, M. (2006). *The Physics of Semiconductors: An Introduction Including Devices and Nanophysics*: Springer.
- Gupta, M., Sharma, V., Shrivastava, J., Solanki, A., Singh, A., Satsangi, V., et al. (2009). Preparation and characterization of nanostructured ZnO thin films for photoelectrochemical splitting of water. *Bulletin of Materials Science*, 32(1), 23-30.
- Gupta, T. K. (1990). Application of zinc oxide varistors. *Journal of the American Ceramic Society*, 73(7), 1817-1840.
- Gur, I., Fromer, N. A., Chen, C. P., Kanaras, A. G., & Alivisatos, A. P. (2007). Hybrid solar cells with prescribed nanoscale morphologies based on hyperbranched semiconductor nanocrystals. *Nano Letters*, 7(2), 409-414.
- Guzzi, M., Piot, F., Spinolo, G., Vedda, A., Azzoni, C. B., & Paleari, A. (1992). Neutron irradiation effects in quartz: optical absorption and electron paramagnetic resonance. *Journal of Physics: Condensed Matter*, 4(44), 8635.
- Halls, J. J. M., Pichler, K., Friend, R. H., Moratti, S. C., & Holmes, A. B. (1996). Exciton diffusion and dissociation in a poly(p-phenylenevinylene)/C₆₀ heterojunction photovoltaic cell. *Applied Physics Letters*, 68(22), 3120-3122.
- Halls, J. J. M., Walsh, C. A., Greenham, N. C., Marseglia, E. A., Friend, R. H., Moratti, S. C., et al. (1995). Efficient photodiodes from interpenetrating polymer networks. *Nature*, 376(6540), 498-500.
- Hau, S. K., Yip, H. L., Acton, O., Baek, N. S., Ma, H., & Jen, A. K. Y. (2008). Interfacial modification to improve inverted polymer solar cells. *Journal of Materials Chemistry*, 18(42), 5113-5119.
- Hau, S. K., Yip, H. L., Ma, H., & Jen, A. K. Y. (2008). High performance ambient processed inverted polymer solar cells through interfacial modification with a fullerene self-assembled monolayer. *Applied Physics Letters*, 93(23).
- Hayat, K., Gondal, M. A., Khaled, M. M., Ahmed, S., & Shemsi, A. M. (2011). Nano ZnO synthesis by modified sol gel method and its application in heterogeneous photocatalytic removal of phenol from water. *Applied Catalysis A: General*, 393(1-2), 122-129.
- Heeger, A. J., Sariciftci, N. S., & Namdas, E. B. (2010). *Semiconducting and Metallic Polymers*: Oxford University Press.
- Hendry, E., Wang, F., Shan, J., Heinz, T. F., & Bonn, M. (2004). Electron transport in TiO₂ probed by THz time-domain spectroscopy. *Physical Review B*, 69(8), 081101.
- Hidalgo, M. C., Aguilar, M., Maicu, M., Navío, J. A., & Colón, G. (2007). Hydrothermal preparation of highly photoactive TiO₂ nanoparticles. *Catalysis Today*, 129(1-2), 50-58.

- Hiramoto, M., Fujiwara, H., & Yokoyama, M. (1991). Three-layered organic solar cell with a photoactive interlayer of codeposited pigments. *Applied Physics Letters*, 58(10), 1062-1064.
- Hirsch, J. (1979). Hopping transport in disordered aromatic solids: a re-interpretation of mobility measurements on PKV and TNF. *Journal of Physics C: Solid State Physics*, 12(2), 321.
- Hoppe, H., & Sariciftci, N. S. (2004). Organic solar cells: An overview. *Journal of Materials Research*, 19(7), 1924-1945.
- Hoppe, H., & Sariciftci, N. S. (2006). Morphology of polymer/fullerene bulk heterojunction solar cells. *Journal of Materials Chemistry*, 16(1), 45-61.
- Hoppe, H., Niggemann, M., Winder, C., Kraut, J., Hiesgen, R., Hinsch, A., et al. (2004). Nanoscale morphology of conjugated polymer/fullerene-based bulk-heterojunction solar cells. *Advanced Functional Materials*, 14(10), 1005-1011.
- Hossain, F. M., Sheppard, L., Nowotny, J., & Murch, G. E. (2008). Optical properties of anatase and rutile titanium dioxide: Ab initio calculations for pure and anion-doped material. *Journal of Physics and Chemistry of Solids*, 69(7), 1820-1828.
- Hotta, S. (1987). Electrochemical synthesis and spectroscopic study of poly(3-alkylthienylenes). *Synthetic Metals*, 22(2), 103-113.
- Hotta, S., Rughooputh, S. D. D. V., & Heeger, A. J. (1987). Conducting polymer composites of soluble polythiophenes in polystyrene. *Synthetic Metals*, 22(1), 79-87.
- Hotta, S., Rughooputh, S. D. D. V., Heeger, A. J., & Wudl, F. (1987). Spectroscopic studies of soluble poly(3-alkylthienylenes). *Macromolecules*, 20(1), 212-215.
- Hu, Z., Zhang, J., Liu, Y., Hao, Z., Zhang, X., & Zhao, Y. (2011). Influence of ZnO interlayer on the performance of inverted organic photovoltaic device. *Solar Energy Materials and Solar Cells*, 95(8), 2126-2130.
- Hu, Z., Zhang, J., Liu, Y., Li, Y., Zhang, X., & Zhao, Y. (2011). Efficiency enhancement of inverted organic photovoltaic devices with ZnO nanopillars fabricated on FTO glass substrates. *Synthetic Metals*, 161(19–20), 2174-2178.
- Huang, J., Miller, P. F., Wilson, J. S., de Mello, A. J., de Mello, J. C., & Bradley, D. D. C. (2005). Investigation of the effects of doping and post-deposition treatments on the conductivity, morphology, and work function of poly(3,4-ethylenedioxythiophene)/poly(styrene sulfonate) films. *Advanced Functional Materials*, 15(2), 290-296.
- Huijser, A., Savenije, T. J., Shalav, A., & Siebbeles, L. D. A. (2008). An experimental study on the molecular organization and exciton diffusion in a bilayer of a porphyrin and poly(3-hexylthiophene). *Journal of Applied Physics*, 104(3), 034505-034505-034510.
- Huisman, C. L., Goossens, A., & Schoonman, J. (2003). Preparation of a nanostructured composite of titanium dioxide and polythiophene: A new route towards 3D heterojunction solar cells. *Synthetic Metals*, 138(1-2), 237-241.
- Huynh, W. U., Dittmer, J. J., & Alivisatos, A. P. (2002). Hybrid nanorod-polymer solar cells. *Science*, 295(5564), 2425-2427.
- Huynh, W. U., Peng, X., & Alivisatos, A. P. (1999). CdSe nanocrystal rods/poly(3-hexylthiophene) composite photovoltaic devices. *Advanced Materials*, 11(11), 923-927.
- International, S. E. (2004). *Photovoltaics: Design and Installation Manual : Renewable Energy Education for a Sustainable Future*: New Society Publishers.
- Ivanic, R., Rehacek, V., Novotny, I., Breternitz, V., Spiess, L., Knedlik, C., et al. (2001). Sputtered yttrium oxide thin films appropriate for electrochemical sensors. *Vacuum*, 61(2–4), 229-234.

- Ivanova, T., Harizanova, A., Koutzarova, T., & Vertruyen, B. (2010). Study of ZnO sol-gel films: Effect of annealing. *Materials Letters*, 64(10), 1147-1149.
- Izumi, T., Kobashi, S., Takimiya, K., Aso, Y., & Otsubo, T. (2003). Synthesis and spectroscopic properties of a series of β -blocked long oligothiophenes up to the 96-mer: Revaluation of effective conjugation length. *Journal of the American Chemical Society*, 125(18), 5286-5287.
- Jiang, X. M., Österbacka, R., Korovyanko, O., An, C. P., Horovitz, B., Janssen, R. A. J., et al. (2002). Spectroscopic studies of photoexcitations in regioregular and regiorandom polythiophene films. *Advanced Functional Materials*, 12(9), 587-597.
- Kalinin, S. V., Rodriguez, B. J., Jesse, S., Karapetian, E., Mirman, B., Eliseev, E. A., et al. (2007). Nanoscale electromechanics of ferroelectric and biological systems: A new dimension in scanning probe microscopy. *Annual Review of Materials Research*, 37(1), 189-238.
- Kalinowski, J. (1999). Electroluminescence in organics. *Journal of Physics D: Applied Physics*, 32(24), R179-R250.
- Kearns, D., & Calvin, M. (1958). Photovoltaic effect and photoconductivity in laminated organic systems. *The Journal of Chemical Physics*, 29(4), 950-951.
- Keithley. (1990). Quick Reference Guide to Source Measure Units, SMU: Keithley Instruments Inc.
- Kido, J., Hongawa, K., Okuyama, K., & Nagai, K. (1994). White light-emitting organic electroluminescent devices using the poly(N-vinylcarbazole) emitter layer doped with three fluorescent dyes. *Applied Physics Letters*, 64(7), 815-817.
- Kim, Y., Choulis, S., Nelson, J., Bradley, D., Cook, S., & Durrant, J. (2005). Composition and annealing effects in polythiophene/fullerene solar cells. *Journal of Materials Science*, 40(6), 1371-1376.
- Kim, Y., Cook, S., Tuladhar, S. M., Choulis, S. A., Nelson, J., Durrant, J. R., et al. (2006). A strong regioregularity effect in self-organizing conjugated polymer films and high-efficiency polythiophene:fullerene solar cells. *Nat Mater*, 5(3), 197-203.
- Kim, Y.-S., Tai, W.-P., & Shu, S.-J. (2005). Effect of preheating temperature on structural and optical properties of ZnO thin films by sol-gel process. *Thin Solid Films*, 491(1-2), 153-160.
- Kiss, L. B., Söderlund, J., Niklasson, G. A., & Granqvist, C. G. (1999). New approach to the origin of lognormal size distributions of nanoparticles. *Nanotechnology*, 10(1), 25.
- Kittel, C. (2005). *Introduction To Solid State Physics*: Wiley.
- Klabunde, K. J. (2001). *Nanoscale Materials in Chemistry*: Wiley-Interscience.
- Klein, L. C., & Garvey, G. J. (1980). Kinetics of the sol/gel transition. *Journal of Non-Crystalline Solids*, 38-39, Part 1(0), 45-50.
- Ko, C. J., Lin, Y. K., Chen, F. C., & Chu, C. W. (2007). Modified buffer layers for polymer photovoltaic devices. *Applied Physics Letters*, 90(6).
- Koeppe, R., & Sariciftci, N. S. (2006). Photoinduced charge and energy transfer involving fullerene derivatives. *Photochemical & Photobiological Sciences*, 5(12), 1122-1131.
- Krishnaswamy, K., Orsat, V., & Thangavel, K. (2012). Synthesis and characterization of nano-encapsulated catechin by molecular inclusion with beta-cyclodextrin. *Journal of Food Engineering*, 111(2), 255-264.
- Kroon, R., Lenes, M., Hummelen, J. C., Blom, P. W. M., & de Boer, B. (2008). Small bandgap polymers for organic solar cells (polymer material development in the last 5 years). *Polymer Reviews*, 48(3), 531-582.

- Kwong, C. Y., Choy, W. C. H., Djurišić, A. B., Chui, P. C., Cheng, K. W., & Chan, W. K. (2004). Poly(3-hexylthiophene): TiO₂ nanocomposites for solar cell applications. *Nanotechnology*, 15(9), 1156-1161.
- Kyaw, A. K. K., Sun, X. W., Jiang, C. Y., Lo, G. Q., Zhao, D. W., & Kwong, D. L. (2008). An inverted organic solar cell employing a sol-gel derived ZnO electron selective layer and thermal evaporated MoO₃ hole selective layer. *Applied Physics Letters*, 93(22), 221107-221103.
- Langford, J. I., & Louër, D. (1996). Powder diffraction. *Reports on Progress in Physics*, 59(2), 131-234.
- Langford, J. I., & Wilson, A. J. C. (1978). Scherrer after sixty years: A survey and some new results in the determination of crystallite size. *Journal of Applied Crystallography*, 11(2), 102-113.
- Lee, J., Easteal, A. J., Pal, U., & Bhattacharyya, D. (2009). Evolution of ZnO nanostructures in sol-gel synthesis. *Current Applied Physics*, 9(4), 792-796.
- Lee, J.-H., Ko, K.-H., & Park, B.-O. (2003). Electrical and optical properties of ZnO transparent conducting films by the sol-gel method. *Journal of Crystal Growth*, 247(1-2), 119-125.
- Lei, B., Yao, Y., Kumar, A., Yang, Y., & Ozolins, V. (2008). Quantifying the relation between the morphology and performance of polymer solar cells using Monte Carlo simulations. *Journal of Applied Physics*, 104(2), 024504-024504-024506.
- Li, G., Shrotriya, V., Huang, J., Yao, Y., Moriarty, T., Emery, K., et al. (2005). High-efficiency solution processable polymer photovoltaic cells by self-organization of polymer blends. [10.1038/nmat1500]. *Nat Mater*, 4(11), 864-868.
- Li, G., Shrotriya, V., Yao, Y., & Yang, Y. (2005). Investigation of annealing effects and film thickness dependence of polymer solar cells based on poly(3-hexylthiophene). *Journal of Applied Physics*, 98(4), 043704-043705.
- Li, G., Yao, Y., Yang, H., Shrotriya, V., Yang, G., & Yang, Y. (2007). Solvent annealing effect in polymer solar cells based on poly(3-hexylthiophene) and methanofullerenes. *Advanced Functional Materials*, 17(10), 1636-1644.
- Li, Y., Xu, L., Li, X., Shen, X., & Wang, A. (2010). Effect of aging time of ZnO sol on the structural and optical properties of ZnO thin films prepared by sol-gel method. *Applied Surface Science*, 256(14), 4543-4547.
- Lin, K.-F., Cheng, H.-M., Hsu, H.-C., Lin, L.-J., & Hsieh, W.-F. (2005). Band gap variation of size-controlled ZnO quantum dots synthesized by sol-gel method. *Chemical Physics Letters*, 409(4-6), 208-211.
- Liu, J., Shi, Y., & Yang, Y. (2001). Solvation-induced morphology effects on the performance of polymer-based photovoltaic devices. *Advanced Functional Materials*, 11(6), 420-424.
- Liu, J., Wang, S., Bian, Z., Shan, M., & Huang, C. (2009). Organic/inorganic hybrid solar cells with vertically oriented ZnO nanowires. *Applied Physics Letters*, 94(17), 173107-173103.
- Liu, Y. C., Tung, S. K., & Hsieh, J. H. (2006). Influence of annealing on optical properties and surface structure of ZnO thin films. *Journal of Crystal Growth*, 287(1), 105-111.
- Liu, Z., Jin, Z., Li, W., & Qiu, J. (2005). Preparation of ZnO porous thin films by sol-gel method using PEG template. *Materials Letters*, 59(28), 3620-3625.
- Ltaief, A., Davenas, J., Bouazizi, A., Ben Chaâbane, R., Alcouffe, P., & Ben Ouada, H. (2005). Film morphology effects on the electrical and optical properties of bulk heterojunction organic solar cells based on MEH-PPV/C60 composite. *Materials Science and Engineering: C*, 25(1), 67-75.

- Ma, W., Yang, C., Gong, X., Lee, K., & Heeger, A. J. (2005). Thermally stable, efficient polymer solar cells with nanoscale control of the interpenetrating network morphology. *Advanced Functional Materials*, 15(10), 1617-1622.
- Madhusudan Reddy, K., Manorama, S. V., & Ramachandra Reddy, A. (2003). Bandgap studies on anatase titanium dioxide nanoparticles. *Materials Chemistry and Physics*, 78(1), 239-245.
- Mamat, M. H., Khusaimi, Z., Musa, M. Z., Sahdan, M. Z., & Rusop, M. (2010). Novel synthesis of aligned Zinc oxide nanorods on a glass substrate by sonicated sol-gel immersion. *Materials Letters*, 64(10), 1211-1214.
- Mandoc, M. M., Kooistra, F. B., Hummelen, J. C., De Boer, B., & Blom, P. W. M. (2007). Effect of traps on the performance of bulk heterojunction organic solar cells. *Applied Physics Letters*, 91(26).
- McCullough, R. D. (1998). The chemistry of conducting polythiophenes. *Advanced Materials*, 10(2), 93-116.
- McDonald, S. A., Konstantatos, G., Zhang, S., Cyr, P. W., Klem, E. J. D., Levina, L., et al. (2005). Solution-processed PbS quantum dot infrared photodetectors and photovoltaics. [10.1038/nmat1299]. *Nat Mater*, 4(2), 138-142.
- McMahon, T. J., & Bennett, M. S. (1996). Metastable shunt paths in a-Si solar cells. *Solar Energy Materials and Solar Cells*, 41-42(0), 465-473.
- Merhari, L. (2007). *Hybrid Nanocomposites for Nanotechnology : Electronic, Optical, Magnetic and Bbio/Medical Applications*. Berlin: Springer US.
- Meulenkamp, E. A. (1998). Synthesis and growth of ZnO nanoparticles. *The Journal of Physical Chemistry B*, 102(29), 5566-5572.
- Meyerhofer, D. (1978). Characteristics of resist films produced by spinning. *Journal of Applied Physics*, 49(7), 3993-3997.
- Moore, W., & Silver, M. (1960). Generation of free carriers in photoconducting anthracene. I. *The Journal of Chemical Physics*, 33(6), 1671-1676.
- Moulé, A. J., & Meerholz, K. (2007). Minimizing optical losses in bulk heterojunction polymer solar cells. *Applied Physics B: Lasers and Optics*, 86(4), 721-727.
- Moule, A. J., Bonekamp, J. B., & Meerholz, K. (2006). The effect of active layer thickness and composition on the performance of bulk-heterojunction solar cells. *Journal of Applied Physics*, 100(9), 094503-094507.
- Moule, A. J., Chang, L., Thambidurai, C., Vidu, R., & Stroeve, P. (2012). Hybrid solar cells: basic principles and the role of ligands. *Journal of Materials Chemistry*, 22(6), 2351-2368.
- Mridha, S., & Basak, D. (2007). Effect of thickness on the structural, electrical and optical properties of ZnO films. *Materials Research Bulletin*, 42(5), 875-882.
- Muhammad, F. F., & Sulaiman, K. (2011). Tuning the optical band gap of DH6T by Alq₃ dopant. *Sains Malaysiana*, 40(1), 17-20.
- Musat, V., Rego, A. M., Monteiro, R., & Fortunato, E. (2008). Microstructure and gas-sensing properties of sol-gel ZnO thin films. *Thin Solid Films*, 516(7), 1512-1515.
- Musat, V., Teixeira, B., Fortunato, E., Monteiro, R. C. C., & Vilarinho, P. (2004). Al-doped ZnO thin films by sol-gel method. *Surface and Coatings Technology*, 180-181(0), 659-662.
- Nabok, A. (2005). *Organic and inorganic nanostructures*: Artech House.
- Nalwa, H. S. (2001). *Handbook of Advanced Electronic and Photonic Materials and Devices: Conducting polymers*: Academic Press.
- Nalwa, H. S. (2002). *Handbook of thin film materials. Volume 1, Deposition and processing of thin films*. San Diego (Calif.): Academic Press.
- Nalwa, H. S. *Handbook of organic conductive molecules and polymers*: Wiley.

- Nelson, J., Kirkpatrick, J., & Ravirajan, P. (2004). Factors limiting the efficiency of molecular photovoltaic devices. *Physical Review B*, 69(3), 035337.
- Nogi, K., Naito, M., & Yokoyama, T. (2012). *Nanoparticle technology handbook*. Amsterdam; Oxford: Elsevier.
- Nonomura, M., Hiromitsu, I., & Tanaka, S. (2006). Enhanced hole transport from Au to Zn-phthalocyanine by an insertion of a thin n-type layer. *Applied Physics Letters*, 88(4), 1-3.
- Norton, D. P., Heo, Y. W., Ivill, M. P., Ip, K., Pearton, S. J., Chisholm, M. F., et al. (2004). ZnO: growth, doping & processing. *Materials Today*, 7(6), 34-40.
- O'Brien, S., Koh, L. H. K., & Crean, G. M. (2008). ZnO thin films prepared by a single step sol-gel process. *Thin Solid Films*, 516(7), 1391-1395.
- Ohta, A., Yamaoka, M., & Miyazaki, S. (2004). Photoelectron spectroscopy of ultrathin yttrium oxide films on Si(100). *Microelectronic Engineering*, 72(1–4), 154-159.
- Ohyama, M., Kozuka, H., & Yoko, T. (1998). Sol-gel preparation of transparent and conductive aluminum-doped Zinc Oxide films with highly preferential crystal orientation. *Journal of the American Ceramic Society*, 81(6), 1622-1632.
- Olson, D. C., Shaheen, S. E., White, M. S., Mitchell, W. J., van Hest, M. F. A. M., Collins, R. T., et al. (2007). Band-offset engineering for enhanced open-circuit voltage in polymer–oxide hybrid solar cells. *Advanced Functional Materials*, 17(2), 264-269.
- Oosterhout, S. D., Wienk, M. M., van Bavel, S. S., Thiedmann, R., Jan Anton Koster, L., Gilot, J., et al. (2009). The effect of three-dimensional morphology on the efficiency of hybrid polymer solar cells. *Nat Mater*, 8(10), 818-824.
- Oral, A. Y., Menşur, E., Aslan, M. H., & Başaran, E. (2004). The preparation of copper(II) oxide thin films and the study of their microstructures and optical properties. *Materials Chemistry and Physics*, 83(1), 140-144.
- O'Reilly, E. P. (2002). *Quantum Theory of Solids*: Taylor & Francis.
- Ozgur, U., Alivov, Y. I., Liu, C., Teke, A., Reshchikov, M. A., Dogan, S., et al. (2005). A comprehensive review of ZnO materials and devices. *Journal of Applied Physics*, 98(4), 041301-041103.
- Padinger, F., Rittberger, R. S., & Sariciftci, N. S. (2003). Effects of postproduction treatment on plastic solar cells. *Advanced Functional Materials*, 13(1), 85-88.
- Pandey, A. K., & Samuel, I. D. W. (2010). Photophysics of solution-processed transparent solar cells under top and bottom illumination. *Selected Topics in Quantum Electronics, IEEE Journal of*, 16(6), 1560-1564.
- Park, H.-J., Lee, K.-H., Kumar, B., Shin, K.-S., Jeong, S.-W., & Kim, S.-W. (2010). Inverted organic solar cells with ZnO thin films prepared by sol-gel method. *Journal of Nanoelectronics and Optoelectronics*, 5(2), 135-138.
- Paschotta, R. (2008). *Encyclopedia of Laser Physics and Technology*: John Wiley & Sons.
- Paumier, F., Gaboriaud, R. J., & Kaul, A. R. (2002). Yttrium oxide thin films: chemistry- stoichiometry-strain and microstructure. *Crystal Engineering*, 5(3–4), 169-175.
- Pearton, S. J., Abernathy, C. R., Overberg, M. E., Thaler, G. T., Norton, D. P., Theodoropoulou, N., et al. (2003). Wide band gap ferromagnetic semiconductors and oxides. *Journal of Applied Physics*, 93(1), 1-13.
- Peeters, E., van Hal, P. A., Knol, J., Brabec, C. J., Sariciftci, N. S., Hummelen, J. C., et al. (2000). Synthesis, photophysical properties, and photovoltaic devices of oligo(p-phenylene vinylene)-fullerene dyads. *The Journal of Physical Chemistry B*, 104(44), 10174-10190.
- Petty, M. C., Bryce, M. R., & Bloor, D. (1995). *An introduction to molecular electronics*: Oxford University Press.

- Peulon, S., & Lincot, D. (1996). Cathodic electrodeposition from aqueous solution of dense or open-structured zinc oxide films. *Advanced Materials*, 8(2), 166-170.
- PhotoMetrics, I. (date unknown). Field emission scanning electron microscopy (FESEM). From <http://www.photometrics.net/fesem.html>.
- Po, R., Maggini, M., & Camaioni, N. (2009). Polymer solar cells: Recent approaches and achievements. *The Journal of Physical Chemistry C*, 114(2), 695-706.
- Pochettino, A. (1906). Atti Accademia Lincei Rend. 15(1), 355.
- Pomerantz, M., Tseng, J. J., Zhu, H., Sproull, S. J., Reynolds, J. R., Uitz, R., et al. (1991). Processable polymers and copolymers of 3-alkylthiophenes and their blends. *Synthetic Metals*, 41(3), 825-830.
- Pope, M., & Swenberg, C. E. (1999). *Electronic processes in organic crystals and polymers*: Oxford University Press.
- Popescu, L. M., van 't Hof, P., Sieval, A. B., Jonkman, H. T., & Hummelen, J. C. (2006). Thienyl analog of 1-(3-methoxycarbonyl)propyl-1-phenyl-[6,6]-methanofullerene for bulk heterojunction photovoltaic devices in combination with polythiophenes. *Applied Physics Letters*, 89(21), 213507-213503.
- Pron, A., & Rannou, P. (2002). Processible conjugated polymers: From organic semiconductors to organic metals and superconductors. *Progress in Polymer Science (Oxford)*, 27(1), 135-190.
- Rait, S., Kashyap, S., Bhatnagar, P. K., Mathur, P. C., Sengupta, S. K., & Kumar, J. (2007). Improving power conversion efficiency in polythiophene/fullerene-based bulk heterojunction solar cells. *Solar Energy Materials and Solar Cells*, 91(9), 757-763.
- Ramos, A. M., Rispens, M. T., van Duren, J. K. J., Hummelen, J. C., & Janssen, R. A. J. (2001). Photoinduced electron transfer and photovoltaic devices of a conjugated polymer with pendant fullerenes. *Journal of the American Chemical Society*, 123(27), 6714-6715.
- Ravirajan, P., Peiró, A. M., Nazeeruddin, M. K., Graetzel, M., Bradley, D. D. C., Durrant, J. R., et al. (2006). Hybrid polymer/zinc oxide photovoltaic devices with vertically oriented ZnO nanorods and an amphiphilic molecular interface layer. *The Journal of Physical Chemistry B*, 110(15), 7635-7639.
- Riedel, I., von Hauff, E., Parisi, J., Martín, N., Giacalone, F., & Dyakonov, V. (2005). Diphenylmethanofullerenes: New and efficient acceptors in bulk-heterojunction solar cells. *Advanced Functional Materials*, 15(12), 1979-1987.
- Roberson, L. B., Poggi, M. A., Kowalik, J., Smestad, G. P., Bottomley, L. A., & Tolbert, L. M. (2004). Correlation of morphology and device performance in inorganic-organic TiO₂-polythiophene hybrid solid-state solar cells. *Coordination Chemistry Reviews*, 248(13-14), 1491-1499.
- Rodríguez, J. A., & García, M. F. (2007). *Synthesis, Properties, and Applications of Oxide Nanomaterials*: Wiley-Interscience.
- Roest, A. L., Kelly, J. J., Vanmaekelbergh, D., & Meulenkamp, E. A. (2002). Staircase in the electron mobility of a ZnO quantum dot assembly due to shell filling. *Physical Review Letters*, 89(3), 036801.
- Roncali, J. (1992). Conjugated poly(thiophenes): synthesis, functionalization, and applications. *Chemical Reviews*, 92(4), 711-738.
- Roncali, J. (1997). Synthetic principles for bandgap control in linear π-conjugated systems. *Chemical Reviews*, 97(1), 173-206.
- Salaneck, W. R., Stafström, S., & Brédas, J. L. (1996). *Conjugated polymer surfaces and interfaces : electronic and chemical structure of interfaces for polymer light emitting devices*. Cambridge; New York: Cambridge University Press.

- Sandberg, H. G. O., Frey, G. L., Shkunov, M. N., Sirringhaus, H., Friend, R. H., Nielsen, M. M., et al. (2002). Ultrathin regioregular poly(3-hexyl thiophene) field-effect transistors. *Langmuir*, 18(26), 10176-10182.
- Sariciftci, N. S. (1997). *Primary Photoexcitations in Conjugated Polymers: Molecular Exciton Versus Semiconductor Band Model*: World Scientific.
- Sariciftci, N. S., Braun, D., Zhang, C., Srdanov, V. I., Heeger, A. J., Stucky, G., et al. (1993). Semiconducting polymer-buckminsterfullerene heterojunctions: Diodes, photodiodes, and photovoltaic cells. *Applied Physics Letters*, 62(6), 585-587.
- Sariciftci, N. S., Smilowitz, L., Heeger, A. J., & Wudl, F. (1992). Photoinduced electron transfer from a conducting polymer to buckminsterfullerene. *Science*, 258(5087), 1474-1476.
- Sariciftci, N. S., Smilowitz, L., Heeger, A. J., & Wudl, F. (1993). Semiconducting polymers (as donors) and buckminsterfullerene (as acceptor): photoinduced electron transfer and heterojunction devices. *Synthetic Metals*, 59(3), 333-352.
- Satoh, N., Nakashima, T., Kamikura, K., & Yamamoto, K. (2008). Quantum size effect in TiO₂ nanoparticles prepared by finely controlled metal assembly on dendrimer templates. [10.1038/nnano.2008.2]. *Nat Nano*, 3(2), 106-111.
- Saunders, B. R., & Turner, M. L. (2008). Nanoparticle-polymer photovoltaic cells. *Advances in Colloid and Interface Science*, 138(1), 1-23.
- Schopf, G., & Koßmehl, G. (1997) Polythiophenes-electrically conductive polymers. Vol. 129 (pp. 3-145).
- Senadeera, G. K. R., Nakamura, K., Kitamura, T., Wada, Y., & Yanagida, S. (2003). Fabrication of highly efficient polythiophene-sensitized metal oxide photovoltaic cells. *Applied Physics Letters*, 83(26), 5470-5472.
- Sengupta, J., Sahoo, R. K., Bardhan, K. K., & Mukherjee, C. D. (2011). Influence of annealing temperature on the structural, topographical and optical properties of sol-gel derived ZnO thin films. *Materials Letters*, 65(17–18), 2572-2574.
- Sergio, V., Juan, M. M., Gloria, R. (2010). Study of the bandgap of synthesized titanium dioxide nanoparticles using the sol-gel method and a hydrothermal treatment. *The Open Materials Science Journal*, 4, 9-14.
- Shah, A. V., Platz, R., & Keppner, H. (1995). Thin-film silicon solar cells: a review and selected trends. *Solar Energy Materials and Solar Cells*, 38(1-4), 501-520.
- Shaheen, S. E., Brabec, C. J., Sariciftci, N. S., Padinger, F., Fromherz, T., & Hummelen, J. C. (2001). 2.5% efficient organic plastic solar cells. *Applied Physics Letters*, 78(6), 841-843.
- Sharma, M., & Mehra, R. M. (2008). Effect of thickness on structural, electrical, optical and magnetic properties of Co and Al doped ZnO films deposited by sol-gel route. *Applied Surface Science*, 255(5, Part 1), 2527-2532.
- Shaw, P. E., Ruseckas, A., & Samuel, I. D. W. (2008). Exciton diffusion measurements in poly(3-hexylthiophene). *Advanced Materials*, 20(18), 3516-3520.
- Shrotriya, V. (2010). *Polymer Solar Cells: Achieving High Efficiency by Device Engineering and Morphology Control*: LAP Lambert Acad. Publ.
- Shrotriya, V., Ouyang, J., Tseng, R. J., Li, G., & Yang, Y. (2005). Absorption spectra modification in poly(3-hexylthiophene):methanofullerene blend thin films. *Chemical Physics Letters*, 411(1-3), 138-143.
- Simon, J., André, J. J., Lehn, J. M., & Rees, C. W. (1985). *Molecular semiconductors: photoelectrical properties and solar cells*: Springer-Verlag.
- Sipp, E., Langlais, F., & Naslain, R. (1992). CVD of Y₂O₃ from YCl₃-CO₂-H₂-Ar gas mixtures: an experimental study. *Journal of Alloys and Compounds*, 186(1), 77-87.

- Siraj, M. S. (2012). Improvement of power conversion efficiency of P3HT/PCBM polymer solar cell systems by optimization of the process steps. *Synthetic Communications*, 42(13), 1922-1933.
- Sirringhaus, H., Brown, P. J., Friend, R. H., Nielsen, M. M., Bechgaard, K., Langeveld-Voss, B. M. W., et al. (1999). Two-dimensional charge transport in self-organized, high-mobility conjugated polymers. *Nature*, 401(6754), 685-688.
- Sirringhaus, H., Tessler, N., & Friend, R. H. (1998). Integrated optoelectronic devices based on conjugated polymers. *Science*, 280(5370), 1741-1744.
- Skotheim, T. A., Elsenbaumer, R. L., & Reynolds, J. R. (1998). *Handbook of Conducting Polymers*: M. Dekker.
- Smee, A. (1849). *Elements of electro-biology, or, The voltaic mechanism of man of electro-pathology, especially of the nervous system, and of electro-therapeutics*. London: Longman, Brown, Green & Longmans.
- Smestad, G. P., Spiekermann, S., Kowalik, J., Grant, C. D., Schwartzberg, A. M., Zhang, J., et al. (2003). A technique to compare polythiophene solid-state dye sensitized TiO₂ solar cells to liquid junction devices. *Solar Energy Materials and Solar Cells*, 76(1), 85-105.
- Smith, W. (1873). Selenium [5]. *Nature*, 7(176), 361.
- Snaith, H. J., Arias, A. C., Morteani, A. C., Silva, C., & Friend, R. H. (2002). Charge generation kinetics and transport mechanisms in blended Polyfluorene photovoltaic devices. *Nano Letters*, 2(12), 1353-1357.
- Souri, D. (2011). Effect of molybdenum tri-oxide molar ratio on the optical and some physical properties of tellurite–vanadate–molybdate glasses. *Measurement*, 44(4), 717-721.
- Spanggaard, H., & Krebs, F. C. (2004). A brief history of the development of organic and polymeric photovoltaics. *Solar Energy Materials and Solar Cells*, 83(2-3), 125-146.
- Srikant, V., & Clarke, D. R. (1998). On the optical band gap of zinc oxide. *Journal of Applied Physics*, 83(10), 5447-5451.
- Stout, K. J., & Blunt, L. (2000). Three-dimensional surface topography. from <http://www.engineeringvillage.com/controller/servlet/OpenURL?genre=book&isbn=9781857180268>
- Street, G. B., & Clarke, T. C. (1981). Conducting polymers: A review of recent work. *IBM Journal of Research and Development*, 25(1), 51-57.
- Stuart, R. V. (1983). *Vacuum Technology, Thin Films, and Sputtering: An Introduction*: Academic.
- Su, W. P., Schrieffer, J. R., & Heeger, A. J. (1979). Solitons in Polyacetylene. *Physical Review Letters*, 42(25), 1698-1701.
- Sulaiman, K., & Fakir, M. S. (2011). Electrical conduction and photovoltaic effects of TPA-derivative solar cells. *Thin Solid Films*, 519(15), 5219-5222.
- Sun, B. Q., Snaith, H. J., Dhoot, A. S., Westenhoff, S., & Greenham, N. C. (2005). Vertically segregated hybrid blends for photovoltaic devices with improved efficiency. [Article]. *Journal of Applied Physics*, 97(1).
- Sun, B., Marx, E., & Greenham, N. C. (2003). Photovoltaic devices using blends of branched CdSe nanoparticles and conjugated polymers. *Nano Letters*, 3(7), 961-963.
- Sun, S. S., & Sariciftci, N. S. (2005). *Organic Photovoltaics: Mechanism, Materials, And Devices*: Taylor & Francis.
- Swarnalatha, M., Stewart, A. F., Guenther, A. H., & Carniglia, C. K. (1992). Optical and structural properties of thin films deposited from laser fused Zirconia, Hafnia, and Yttria. *Applied Physics A: Materials Science & Processing*, 54(6), 533-537.

- Takahashi, A., Lin, C.-J., Ohshimizu, K., Higashihara, T., Chen, W.-C., & Ueda, M. (2012). Synthesis and characterization of novel polythiophenes with graphene-like structures via intramolecular oxidative coupling. *Polymer Chemistry*, 3(2), 479-485.
- Takanezawa, K., Tajima, K., & Hashimoto, K. (2008). Efficiency enhancement of polymer photovoltaic devices hybridized with ZnO nanorod arrays by the introduction of a vanadium oxide buffer layer. *Applied Physics Letters*, 93(6), 063308-063303.
- Tan, S. T., Chen, B. J., Sun, X. W., Fan, W. J., Kwok, H. S., Zhang, X. H., et al. (2005). Blueshift of optical band gap in ZnO thin films grown by metal-organic chemical-vapor deposition. *Journal of Applied Physics*, 98(1), 013505-013505.
- Tang, C. W. (1986). Two-layer organic photovoltaic cell. *Applied Physics Letters*, 48(2), 183-185.
- Tang, H., Xu, G., Weng, L., Pan, L., & Wang, L. (2004). Luminescence and photophysical properties of colloidal ZnS nanoparticles. *Acta Materialia*, 52(6), 1489-1494.
- Testing, A. S. f., & Materials. (2002). *ASTM standardization news*.
- Tokuhisa, H., Era, M., & Tsutsui, T. (1998). Polarized electroluminescence from smectic mesophase. *Applied Physics Letters*, 72(21), 2639-2641.
- Torres Delgado, G., Zúñiga Romero, C. I., Mayén Hernández, S. A., Castanedo Pérez, R., & Zelaya Angel, O. (2009). Optical and structural properties of the sol-gel-prepared ZnO thin films and their effect on the photocatalytic activity. *Solar Energy Materials and Solar Cells*, 93(1), 55-59.
- Tsay, C.-Y., Fan, K.-S., Chen, S.-H., & Tsai, C.-H. (2010). Preparation and characterization of ZnO transparent semiconductor thin films by sol-gel method. *Journal of Alloys and Compounds*, 495(1), 126-130.
- Tsukazaki, A., Kubota, M., Ohtomo, A., Onuma, T., Ohtani, K., Ohno, H., et al. (2005). Blue light-emitting diode based on ZnO. *Japanese Journal of Applied Physics, Part 2: Letters*, 44(20-23), L643-L645.
- Tsutsumi, T. (1970). Dielectric properties of Y_2O_3 thin films prepared by vacuum evaporation. *Jpn. J. Appl. Phys.*, 9, 735.
- Ünal, Ö., & Akinc, M. (1996). Compressive Properties of Yttrium Oxide. *Journal of the American Ceramic Society*, 79(3), 805-808.
- van Duren, J. K. J., Yang, X., Loos, J., Bulle-Lieuwma, C. W. T., Sieval, A. B., Hummelen, J. C., et al. (2004). Relating the Morphology of Poly(p-phenylene vinylene)/Methanofullerene Blends to Solar-Cell Performance. *Advanced Functional Materials*, 14(5), 425-434.
- Vanlaeke, P., Vanhoyland, G., Aernouts, T., Cheyns, D., Deibel, C., Manca, J., et al. (2006). Polythiophene based bulk heterojunction solar cells: Morphology and its implications. *Thin Solid Films*, 511–512(0), 358-361.
- Verploegen, E., Mondal, R., Bettinger, C. J., Sok, S., Toney, M. F., & Bao, Z. (2010). Effects of Thermal Annealing Upon the Morphology of Polymer–Fullerene Blends. *Advanced Functional Materials*, 20(20), 3519-3529.
- Volmer, M. (1913). Die verschiedenen lichtelektrischen Erscheinungen am Anthracen, ihre Beziehungen zueinander, zur Fluoreszenz und Dianthracenbildung. *Annalen der Physik*, 345(4), 775-796.
- Wang, J., Wang, H., Zhang, J., Yan, X., & Yan, D. (2005). Organic thin-film transistors with improved characteristics using lutetium bisphthalocyanine as a buffer layer. *Journal of Applied Physics*, 97(2), 026106-026103.
- Wang, L., Pan, Y., Ding, Y., Yang, W., Mao, W. L., Sinogeikin, S. V., et al. (2009). High-pressure induced phase transitions of Y_2O_3 and $\text{Y}_2\text{O}_3:\text{Eu}^{3+}$. *Applied Physics Letters*, 94(6), 061921-061923.

- Wang, Y., Sun, Y., & Li, K. (2009). Dye-sensitized solar cells based on oriented ZnO nanowire-covered TiO₂ nanoparticle composite film electrodes. *Materials Letters*, 63(12), 1102-1104.
- Warren, B. E. (1989). *X-ray diffraction*. Reading, Mass.: Addison-Wesley Pub. Co.
- Watkins, P. K., Walker, A. B., & Verschoor, G. L. B. (2005). Dynamical monte carlo modelling of organic solar cells: The dependence of internal quantum efficiency on morphology. *Nano Letters*, 5(9), 1814-1818.
- Williamson, G. K., & Hall, W. H. (1953). X-ray line broadening from filed aluminium and wolfram. *Acta Metallurgica*, 1(1), 22-31.
- Winder, C., & Sariciftci, N. S. (2004). Low bandgap polymers for photon harvesting in bulk heterojunction solar cells. *Journal of Materials Chemistry*, 14(7), 1077-1086.
- Wójcik, A., Godlewski, M., Guziewicz, E., Minikayev, R., & Paszkowicz, W. (2008). Controlling of preferential growth mode of ZnO thin films grown by atomic layer deposition. *Journal of Crystal Growth*, 310(2), 284-289.
- Wu, Y. M., & Lo, J. T. (1998). Dielectric properties of PbTiO₃ thin films on CeO₂/Si(100) and Y₂O₃/Si(100). *Japanese Journal of Applied Physics, Part 1: Regular Papers and Short Notes and Review Papers*, 37(10), 5645-5650.
- Xiang, H., Wei, S.-H., & Gong, X. (2009). Identifying optimal inorganic nanomaterials for hybrid solar cells. *The Journal of Physical Chemistry C*, 113(43), 18968-18972.
- Xu, J., Pan, Q., Shun, Y. a., & Tian, Z. (2000). Grain size control and gas sensing properties of ZnO gas sensor. *Sensors and Actuators B: Chemical*, 66(1-3), 277-279.
- Xu, T., & Qiao, Q. (2011). Conjugated polymer-inorganic semiconductor hybrid solar cells. *Energy & Environmental Science*, 4(8), 2700-2720.
- Xue, S. W., Zu, X. T., Zhou, W. L., Deng, H. X., Xiang, X., Zhang, L., et al. (2008). Effects of post-thermal annealing on the optical constants of ZnO thin film. *Journal of Alloys and Compounds*, 448(1-2), 21-26.
- Yadav, R., Mishra, P., & Pandey, A. (2010). Tuning the band gap of ZnO nanoparticles by ultrasonic irradiation. *Inorganic Materials*, 46(2), 163-167.
- Yang, G. W., & Liu, B. X. (2000). Nucleation thermodynamics of quantum-dot formation in V-groove structures. *Physical Review B*, 61(7), 4500-4502.
- Yang, L., Wang, G., Tang, C., Wang, H., & Zhang, L. (2005). Synthesis and photoluminescence of corn-like ZnO nanostructures under solvothermal-assisted heat treatment. *Chemical Physics Letters*, 409(4-6), 337-341.
- Yass, K., & Curtis, H. B. (1974). *Low-cost, air mass 2 solar simulator*. Washington; Springfield, Va.: National Aeronautics and Space Administration ; for sale by the National Technical Information Service].
- Yu, G., & Heeger, A. J. (1995). Charge separation and photovoltaic conversion in polymer composites with internal donor/acceptor heterojunctions. *Journal of Applied Physics*, 78(7), 4510-4515.
- Yu, G., Gao, J., Hummelen, J. C., Wudl, F., & Heeger, A. J. (1995). Polymer Photovoltaic Cells: Enhanced Efficiencies via a Network of Internal Donor-Acceptor Heterojunctions. *Science*, 270(5243), 1789-1791.
- Yu, H.-Z., Liu, J.-C., & Peng, J.-B. (2008). Photovoltaic cells with TiO₂ nanocrystals and conjugated polymer composites. *Chinese Physics Letters*, 25(8), 3013.
- Zak, A. K., Abrishami, M. E., Majid, W. H. A., Yousefi, R., & Hosseini, S. M. (2011). Effects of annealing temperature on some structural and optical properties of ZnO nanoparticles prepared by a modified sol-gel combustion method. *Ceramics International*, 37(1), 393-398.

- Zhang, S., Cyr, P. W., McDonald, S. A., Konstantatos, G., & Sargent, E. H. (2005). Enhanced infrared photovoltaic efficiency in PbS nanocrystal/semiconducting polymer composites: 600-fold increase in maximum power output via control of the ligand barrier. *Applied Physics Letters*, 87(23), 233101-233103.
- Zhokhavets, U., Erb, T., Hoppe, H., Gobsch, G., & Serdar Sariciftci, N. (2006). Effect of annealing of poly(3-hexylthiophene)/fullerene bulk heterojunction composites on structural and optical properties. *Thin Solid Films*, 496(2), 679-682.
- Zhou, J., Zhao, G., Ren, X., Song, B., & Han, G. (2011). Effects of diethanolamine on the evolution of silver/titanium dioxide sol-gel process. *Journal of Sol-Gel Science and Technology*, 58(1), 148-155.
- Zhou, M., Aryal, M., Mielczarek, K., Zakhidov, A., & Hu, W. (2010). Hole mobility enhancement by chain alignment in nanoimprinted poly(3-hexylthiophene) nanogratings for organic electronics.
- Zhou, Y., Eck, M., Men, C., Rauscher, F., Niyamakom, P., Yilmaz, S., et al. (2011). Efficient polymer nanocrystal hybrid solar cells by improved nanocrystal composition. *Solar Energy Materials and Solar Cells*, 95(12), 3227-3232.
- Zhu, M. W., Gong, J., Sun, C., Xia, J. H., & Jiang, X. (2008). Investigation of correlation between the microstructure and electrical properties of sol-gel derived ZnO based thin films. *Journal of Applied Physics*, 104(7), 073113-073117.
- Zhu, T., Berger, A., Tan, Z., Cui, D., Xu, J., Khanchaitit, P., et al. (2008). Composition-limited spectral response of hybrid photovoltaic cells containing infrared PbSe nanocrystals. *Journal of Applied Physics*, 104(4), 044306-044306-044306.
- Zhuravlev, K. K., Pietryga, J. M., Sander, R. K., & Schaller, R. D. (2007). Optical properties of PbSe nanocrystal quantum dots under pressure. *Applied Physics Letters*, 90(4), 043110-043113.

