

Bibliography

- Abdul Nasir, S.S., Loke, M.H., Lee, C.Y. & Nawawi, M.N.M. (2000). Salt-water Intrusion Mapping by Geoelectrical Imaging Surveys. *Geophysical Prospecting*, 48, 647-661.
- Abdul, R.B. (1989). *Groundwater Monitoring System in the Eastern Sungai Kelantan delta, Kelantan*. Malaysia: Jabatan Penyiasatan Kajibumi Malaysia.
- Abem. (2007). *Instruction Manual Terrameter SAS 1000/4000*. ABEM Instrument AB.
- Abu-Shariah, M.I. (2002). *Imaging Subsurface Structure and Geohazard Evolution of Selected Limestone Sites in Peninsular Malaysia using Integrated Geophysical Techniques and Geoelectrical Resistivity Computer Tomography Modeling* (Unpublished Ph. D. Thesis). Universiti Kebangsaan Malaysia.
- Almasri, M. N., & Kaluarachchi, J. J. (2004, August 10). Assessment and Management of Long-term Nitrate Pollution of Ground water in Agriculture-dominated Watersheds. *Journal of Hydrology*, 295 (1-4), 225-245.
- Anayah, F.M., & Almasri, M.N. (2009). Trends and occurrences of nitrate in the groundwater of the West Bank, Palestine. *Applied Geography*, 29(4).
- Andrews, J.F. (1986). A Mathematical Model for the Continuous Cultures of Microorganisms Utilizing Inhibitory Substrates, Biotech. *Bioengineerings*, 10, 707 - 723.
- Azman, A.G., & Abadi, M.I. (2005). Geochemistry of Jawa and Panchor Granite: the Most Northern Granitic Bodies of the Boundary Range Batholith. *Bulletin of the Geological Society of Malaysia*, 51, 135-141.

- Baharuddin, M.F.T., Hashim, R., & Taib, S. (2009). Electrical Imaging Resistivity Study at the Coastal Area of Sungai Besar, Selangor, Malaysia. *Journal of Applied Sciences*, 9(16), 2897-2906.
- Baker, A. (2002). *Introduction to Wireline Log Analysis*. Baker Hughes.
- Banton, O., Seguin, M.K., & Cimon, M.A. (1997). Mapping Field-scale Physical Properties of Soil with Electrical Resistivity. *Soil Sci Soc Am J*, 61, 1010–1017.
- Barker, R.D. (1981). Offset System of Electrical Resistivity Sounding and Its Use with Multicore Cables. *Geophysical Prospecting*, 29(1), 128–143.
- Barker, R.D. (1990). Improving the quality of resistivity sounding data in landfill studies. In Ward SH (ed.), *Environmental and groundwater applications. Geotechnical and Environmental Geophysics*, 2, 245–252.
- Barker, R.D. (1991). Depth of Investigation of Collinear Symmetrical Four-electrode Arrays. *Geophysics*, 54, 1031-1037.
- Bear, J., (1972). *Dynamics of Fluids in Porous Media*. American Elsevier Pub. Co.
- Bernath, P. F., Black, J. H., & Brault, J. W. (1985). The Spectrum of Magnesium Hydride. *Astrophysical Journal*, 298, 375.
- Birkeland, P.W. (1984). *Soils and Geomorphology*. New York: Oxford University Press.
- Birkinshaw, S. J., & Ewen, J. (2000). Nitrogen Transformation Component for SHETRAN Catchment Nitrate Transport Modelling. *Journal of Hydrology*, 230, 1–17.
- Black, C.A. (1965). Methods of Soil Analysis, Part 1: Physical and Mineralogical Properties. *The American Society of Agronomy*, 9.
- Bosch, J.H.A. (1986). *Young Quarternary Sediment in the Coastal Plain of Kelantan, Peninsular Malaysia* (Report No QG/2 42). Malaysia: Geology Survey Malaysia.

- Buck, R.P. (2001). *The Measurement of pH - Definition, Standards and Procedures* (Report of the Working Party on pH). IUPAC Provisional Recommendation.
- Burger, H. R. (1992). *Exploration Geophysics of the Shallow Subsurface*. Prentice Hall P T R.
- Carter, E.S., White, S.M., & Wilson, A.M. (2008). Variation in Groundwater Salinity in a Tidal Salt Marsh Basin, North Inlet Estuary, South Carolina. *Estuarine, Coastal and Shelf Science*, 76, 543-552.
- Chowdary, V. M., Rao, N. H., & Sarma, P. B. S. (2005). Decision Support Framework for Assessment of Non-point-source Pollution of Groundwater in Large Irrigation Projects. *Agricultural Water Management*, 75, 194–225.
- Cobbing, E.J., & Pitfield, P.E.J. (1992). The Granites of the South-East Asian Tin Belt, *British Geological Survey, Overseas Memoir*, 10.
- Convington, A.K., Bates, R.G., & Durst, R.A. (1985). Definitions of pH Scales, Standard Reference Values, Measurement of pH, and Related Terminology. *Pure Appl. Chem.* 57, 531–542.
- Das, B.M. (2001). *Principles of Geotechnical Engineering* (5th ed.). California State University.
- Dickson, A.G., & Goyet, C. (1994). *Handbook of Method for the Analysis of the Various Parameters of the Carbon dioxide System in Seawater* (2nd version). ORNL/CDIAC-74.
- Drever, J.I. (1982). *The Geochemistry of Natural Waters*. Englewood Cliffs, NJ: Prentice-Hall, Inc.
- Edwards, L.S. (1977). A Modified Pseudosection for Resistivity and Induced-polarization. *Geophysics*, 42, 1020-1036.

- Egbunike, M.E. (2007). Hydrogeochemical Analysis of Water Samples in Nando and Environs of the Anambra Basin of South Eastern Nigeria. *Pacific Journal of Science and Technology*, 8(1), 32-35.
- Garambois, S., Senechal, P., & Perroud, H. (2002). On the Use of Combined Geophysical Methods to Assess Water Content and Water Conductivity of Near-surface Formations. *J. Hydrol.* 259, 32–48.
- Gobbett, D.J. & Hutchison, C.S. (1973). *Geology of the Malay Peninsula; Regional Geology series*. John Wiley & Son, Inc.
- Grasby, S.E. & Hutcheon, I. (1997). Application of the Stable Isotope Composition of SO₄ to Tracing Anomalous TDS in Nose Creek, Southern Alberta, Canada. *Applied Geochemistry*, 12, 567-575.
- Griffiths, D.H. & Barker, R.D. (1993). Two-dimensional Resistivity Imaging and Modeling in Areas of Complex Geology. *Journal of Applied Geophysics*, 29, 211–226.
- Griffiths, D.H., Turnbull, J., & Olayinka, A.I. (1990). Two-dimensional Resistivity Mapping with a Computer-controlled Array. *First Break*, 8(4), 121–129.
- Hamlin, W.K. (1991). *Earth Dynamic Systems* (6th ed.). Bringham Young University, Provo, Utah.
- Haryono, A. (1997). *Penggunaan Kaedah Geofizik dan Geokimia untuk Mengesan Penerobosan Air Masin ke Dalam Akuifer Pantai, di Utara Kelantan* (Unpublished PhD thesis). National University of Malaysia, Malaysia.
- Haryono, A., Abdul, R.S., Abdul, G.R., & Nasiman, S. (1995). *Penggunaan Kaedah-kaedah Hidrogeokimia dan Kerintangan Geoelektrik untuk Mengesan Kemasinan Air Tanah pada Akuifer Kedua di Pantai Utara Kelantan* (abstract Annual Geological Conference), 53–55.
- Heiland, C.A. (1968). *Geophysical Exploration* (2nd ed.). Prentice-Hall, Inc.

- Heng, C.L., & Singh, D.S. (1986, April). The Nature and Potential of Gold Mineralization in Kelantan, Peninsular Malaysia. *Proceedings of GEOSEA V Geol. Soc. Malaysia*, 1(19), 431-440.
- Heng, T.E., Singh, M., & Muhammad, S. (1989, October). Groundwater Supply Studies in Northern Kelantan. *Geol. Soc. Malaysia*, 24, 13 -26.
- Hillel, D. (1998). *Environmental Soil Physics*. San Diego: Academic Press.
- Hoong, L.C., & Kiat, A.N. (1975). *Hydrological Investigation in Kelantan and Terengganu*. Geol. Sur. Mal. Annual Report.
- Hounslow, A.W. (1995). *Water Quality Data: Analysis and Interpretation*. Lewis Publishers.
- Ibbitt, R., Takara, K., Desa, M.N.N., & Pawitan, H. M. (2002). *Catalogue of Rivers for Southeast Asia and the Pacific* (Vol. 4). Retrieved from http://flood.dpri.kyoto-u.ac.jp/ihp_rsc/riverCatalogue/Vol_04/06_Malaysia-3.pdf Retrieved 2009-12-05.
- Isamu, Y., Senji, N., Toshio, T., & Sumio, H. (2002). *Simple Estimation of the Ground Water Temperature and Snow Melting Process*.
- Ismail, C.M. & Kiat, A.N. (1995). *Laporan Program Pengawasan Air Tanah Semenanjung Malaysia 1995*. Kelantan.
- Ismail, C.M. (1992). *Status Pengawasan Air Tanah di Delta Sungai Kelantan*. Laporan Persidangan Geologi ke 23, Penyiasatan Kajibumi Malaysia, no. 4.
- Kaushal, K.G., Madan, K.J., & Kar, S. (2005). Field Investigation of Water Movement and Nitrate Transport under Perched Water Table Conditions. *Biosystems Engineering*, 92(1), 69–84.
- Kearey, P., & Brooks, M. (1991). *An Introduction to Geophysical Exploration* (2nd Ed). Blackwell Science.

- Khoo, T.T., & Lim, S.P. (1983, December). Nature of the Contact between the Taku Schist and Adjacent Rocks in the Manek Urai Area, Kelantan and Its Implications. *Geol. Soc. Malaysia*, 26, 139-158.
- Killeen, P.G. (1982). Borehole Logging for Uranium by Measurement of Natural Gamma Radiation - A Review. *International Journal of Applied Radiation and Isotopes*, 34(1), 231-260.
- Killeen, P.G. (1986). A system of deep test holes and calibration facilities for developing and testing new borehole geophysical techniques. In P.G. Killeen (ed.), *Borehole Geophysics for Mining and Geotechnical Applications. Geological Survey of Canada*, 85(27), 29-46.
- Kim, Y., Lee, K.S., Koh, D.C., Lee, D.H., Lee, S.G., Park, W.C., Koh, G.W., Woo, N.C. (2003). Hydrogeochemical and isotopic evidence of groundwater salinization in a coastal aquifer: a case study in Jeju volcanic island, Korea. *Journal of Hydrology*, 270, 282–294.
- Kneisel, C. (2006). Assessment of subsurface lithology in mountain environments using 2D resistivity imaging. *Geomorphology*, 80, 32–44.
- Kobayashi, T., Burton, C.K., Tokuyama, A., & Yin, W.H. (1967). The daopella and Holobia facies of Thai – Malaya Peninsula compared with those of Japan. *Geology and Palenteology of Southeast Asia*, 3, 1-16.
- Koopmans, B.N. (1972). Sedimentation of Kelantan Delta (Malaysia). *Sedimentary Geology*, 7, 65-84.
- Kouzana, L., Mammou, A.B., & Felfoul, M.S. (2008). Seawater intrusion and associated processes: Case of the Korba aquifer (Cap-Bon, Tunisia). *C. R. Geoscience*. doi:10.1016/j.crte.2008.09.008
- LANL (Los Alamos National Laboratory). (2003). Sodium, Aug - 06 – 2008. Retrieved from <http://periodic.lanl.gov/elements/11.html>.

- Leboeuf, P.P. (2004). Seawater intrusion and associated processes in a small coastal complex aquifer (Castell de Ferro, Spain). *Applied Geochemistry*, 19, 1517–1527
- Lee, M.S., Kang-Kun Lee K.K., Hyuna, Y., Clement, T.P., & Hamilton, D. (2006). Nitrogen transformation and transport modeling in groundwater aquifers. *Ecological Modelling*, 192, 143–159.
- Loh, C.H. & Ang, N.K., (1975). *Hydrological investigation in Kelantan and Terengganu*. Malaysia Geol. Surv. Ann. Rept. Ipoh.
- Loke, M.H. (2007). *Rapid 2-D Resistivity & IP inversion using the least-squares method*. Geoelectrical Imaging 2D & 3D, GEOTOMO SOFTWARE, Malaysia, Retrieved from www.geoelectrical.com.
- Loke, M.H., & Barker R.D. (1996). Rapid least-squares inversion of apparent resistivity pseudosections using a quasi-Newton method. *Geophysical Prospecting*, 44, 131-152.
- Loke, M.H., & Barker, R.D. (1995). Least-squares deconvolution of apparent resistivity pseudo sections. *Geophysics*, 60, 1682-1690.
- Loke, M.H., & Dahlin, T. (2002). A comparison of the Gauss-Newton and quasi-Newton methods in resistivity imaging inversion. *Journal of Applied Geophysics*, 49, 149-162.
- Loke, M.H. (1999). Electrical imaging surveys for environmental and engineering studies. *User's Manual for Res2dinv*. Electronic version available from <http://www.geometrics.com>.
- Loke, M.H. (2004). *Tutorial: 2-D and 3-D electrical imaging surveys*, GEOTOMO SOFTWARE, Malaysia. Retrieved from www.geoelectrical.com.
- Mac Donald, (1967). *Geology and mineral resources of kelantan and North Trengganu*. Geological Survey West Malaysia.

- Malaysian Meteorological Department (MMD). (2008). “ “ Retrieved from <http://www.met.gov.my>, Jan – 11 -2008
- Mazac, O., Cislerova, M., Kelly, W.E., Landa, I., & Venhodova, D. (1990). Determination of hydraulic conductivities by surface geoelectrical methods. In Ward SH (ed.), *Geotechnical and Environmental Geophysics*, vol. II: Environmental and groundwater applications. Society of Exploration Geophysicists, Tulsa, USA, 125–131.
- Merrick, N.P. (1997). A new resolution index for resistivity electrode arrays. *Exploration Geophysics*, 28, 106-109.
- Mirjat, M.S., Chandio, A.S., Memon, S.A., & Mirjat, M.U. (2008). Nitrate Movement in the Soil Profile under Irrigated Agriculture: A Case Study. *Agricultural Engineering International: the CIGR Ejournal*. Manuscript LW 07 024. Vol. X.
- Mohammad, I.C & Ang, N.M., (1996). *Laporan program pengawasan air tanah semenanjung Malaysia*. Geological Survey Department Malaysia. (Report No. GPH 4/1996).
- MPCA (Minnesota Pollution Control Agency), (1999). *Sodium and potassium in Minnesota's groundwater*. Retrieved from <http://www.pca.state.mn.us/water/groundwater/gwmap/sodium-p.pdf>, Dec - 12-2008
- Nazrul, I, Wesley, W.W., Jeffrey, P.M., Santhi, W., & Richard, E.H. (2006). Performance evaluation of methods for the estimation of soil hydraulic parameters and their suitability in a hydrologic model. *Geoderma*, 134, 135–151.
- Noel, M., & Walker, R. (1990). Development of an electrical resistivity tomography system for imaging archeological structures. In Pernicka, E., Wagner, G.A. (Eds.), *Archaeometry '90*. Birkhauser, Basel, 767– 776.

- Noor, I.M. (1979). *Prefeasibility study of potential groundwater development in Kelantan, Malaysia* (Unpublished PhD thesis). University of Birmingham, UK.
- Oelmann, Y., Kreutziger, Y., Bol, R., & Wilcke, W. (2007). Nitrate leaching in soil: Tracing the NO_3^- sources with the help of stable N and O isotopes. *Soil Biology & Biochemistry*, 39(12), 3024–3033.
- Oosterbaan, R.J. & Nijland, H.J. (1994). Determining the saturated hydraulic conductivity. In H.P.Ritzema (Ed.), *Drainage Principles and Applications*, ILRI Publication 16, (2nd revised edition). Wageningen, The Netherlands.
- Overmeeren van, R.A., & Ritsema, I.L. (1988). Continuous vertical electrical sounding. *First Break*, 6(10), 313– 324.
- Paul, C. (1992). *Handbook of Exploration Geophysics: An Encyclopedic and an Algorithm Sourcebook*. Taylor & Francis, ISBN 9054102063, 9789054102069, 411 pages.
- Peter, F.B., et. Al. (1985). The Spectrum of Magnesium Hydride. *The Astrophysical Journal*, 298, 375-381.
- Petter, D.J. (1990). Methods for Measuring the Saturated Hydraulic Conductivity of Tills. *Nordic Hydrology*, 21, 95-106.
- Pfeiffer, D., & Chong, F.S., (1974). *Groundwater exploration in Kota Bharu*. Report no. 21. Geological Survey of Malaysia, 139.
- Pfeiffer, D., & Tiedemann, O. (1975). *Geologic logs of exploration boreholes drilled in 1975, in Kota Bharu area*. Geological Survey Report, No GPH 2/1975.
- Pfeiffer, D., & Tiedemann, O. (1986). *Hydrogeological studies and the development of groundwater in the Kelantan Coastal plain, Malaysia*, Vol. 24. Tubingen, Germany: Natural Resources and Development, Institute for Scientific Cooperation, 72–82.

- Reynolds, J.M. (1997). *An Introduction to Applied and Environmental Geophysics*. Chichester: John Wiley and Sons,.
- Robinson, E.S. (1988). *Basic Exploration Geophysics*. John wiley & Sons. Inc.
- Roy, A., & Apparao, A. (1971). Depth of investigation in direct current methods. *Geophysics*, 36, 943-1959.
- Saadi, Z., & Maslouhi, A. (2003). Modeling nitrogen dynamics in unsaturated soils for evaluating nitrate contamination of the Mnasra groundwater. *Advances in Environmental Research*, 7, 803–823.
- Saim, S. (1999). *Groundwater protection in North Kelantan, Malaysia*. SOURCE: Seminar on Water: Forestry and Landuse Perspectives (30-31 Mar 1999: Kuala Lumpur), Paper 11 (11p.).
- Samouelian, A., Cousin, I., Tabbagh, A., Bruand, A., & Richard, G. (2005). Electrical resistivity survey in soil science: a review. *Soil & Tillage Research*, 83, 173–193.
- Samsudin, A. R., Haryono, A., Hamzah, U., & Rafek, A.G. (2007). Salinity mapping of coastal groundwater aquifers using hydrogeochemical and geophysical methods: a case study from north Kelantan, Malaysia. *Environ Geol*, doi: 10.1007/s00254-007-1124-9.
- Samsudin, A.R., et. al. (1997). Salinity study of coastal groundwater aquifers in north Kelantan, Malaysia. *Bulletin of the Geological Society of Malaysia*, 41, 159-165.
- Samsudin, A.R., et. al. (2003). Application of geophysical method to delineate contamination in waste disposal site of Ampar Tenang, Dengkil, Selangor D.E. Annual Geological Conference 2003, *Bulletin of the Geological Society of Malaysia*.

- Schofield, S., & Jankowski, J. (2004). Hydrochemistry and isotopic composition of Na–HCO₃-rich groundwaters from the Ballimore region, central New South Wales, Australia. *Chemical Geology*, 211, 111–134.
- Schrott, L., & Sass, O. (2008). Application of field geophysics in geomorphology: Advances and limitations exemplified by case studies. *Geomorphology*, 93, 55–73.
- Silva, R.G., Holub, S.M., Jorgensen, E.E., & Ashanuzzaman, A.N.M. (2005). Indicators of nitrate leaching loss under different land use of clayey and sandy soils in southeastern Oklahoma. *Agriculture, Ecosystems and Environment*, 109, 346–359.
- Simon, A.Q.B., & Jim, I. (2001). Autotrophic Ammonia Oxidation at Low pH through Urea Hydrolysis. *Applied and Environmental Microbiology*, 67(7), 2952–2957.
- Slater, L., & Reeve, A. (2002). Investigation peatland stratigraphy and hydrogeology using integrated electrical geophysics. *Geophysics*, 67, 365–378.
- Songyu, L., Lei, C., & Lihua, H. (2008). *Experimental Study on Electrical Resistivity Characteristics of Contaminated Soils*. Transportation Research Board 87th Annual Meeting, Mar 2008, Washington, DC, (10pages).
- Tan, E.H., & Singh, K. (1989). Groundwater supply studies in North Kelantan. *Geol. Soc. Malaysia*, 24, 13–26.
- Tao, S.G., Lou, C.Z., Yuan, X.S., Xia, Y.C., Juan, B.C., & Li, W. (2009). Salinity and Persistent Toxic Substances in Soils from Shanghai, China. *Soil Science Society of China*, 19(6), 779–789.
- Taylor, J.R. (1997). *An Introduction to Error Analysis*. University Science Books, Sausalito, CA.
- Telford, W.M., Geldart, L.P., & Sheriff, R.E. (1990). *Applied Geophysics*, 2nd Edition, Cambridge University.

- Till, R. (1974). *Statistical methods for the earth scientist*. The Macmillan Press, Ltd.
- Turesson, A. (2006). Water content and porosity estimated from ground-penetrating radar and resistivity. *Journal of Applied Geophysics*, 58, 99–111.
- U.S.EPA (U.S. Environmental Protection Agency). (2002). *Nitrification*. Retrieved from http://epa.gov/OGWDW/disinfection/tcr/pdfs/whitepaper_tcr_nitrification.pdf, May 7th, 2007.
- U.S.EPA, (U.S. Environmental Protection Agency). (1980). *Nitrogen-ammonia/nitrite/nitrate, water quality standards criteria summaries*. GPO: 1980-341-082/107. Washington, DC.
- Umar, B.H., Haryono., Abdul, R.S., Abdul, G.R., & Che, A.A. (1997). High resolution multichannel seismic profiling: a case study at Pak Pura, Bachok, Kelantan. *Warta Geol*, 23, 231–237.
- USGS Water Resources U.S. Department of the Interior U.S. (2000). Geological Survey Maintained by CAPP Webteam Last modified, 2000, *Ground Water Glossary Friday*. Retrieved from <http://pubs.usgs.gov>, February 11th, 2008.
- Van Genuchten, M.T.H. (1980). A Closed-form Equation for Predicting the Hydraulic Conductivity of Unsaturated Soil. *Soil Sci. Soc. Am. J.* 44, 892-898.
- Van Hoorn, J.W. (2007), *Determining hydraulic conductivity with the inversed auger hole and infiltrometer methods*. Retrieved from <http://www.2.alterra.wur.nl/webdocs/ilri-publicaties/Pub25/pub25-h4.2.pdf>
- Verma, R.K., & Bandyopadhyay, T.K. (1983). Use of the resistivity method in geological mapping case histories from Raniganj coal field, India. *Geophys Prospect*, 31, 490–507.
- Wolfe, A. H., & Patz, J. A. (2002). Reactive nitrogen and human health: acute and long-term implications. *Ambio*, 31(2).

- World Health Organization (WHO). (1984). *Guideline for Drinking-Water*, vol. 1. Recommendations. Geneva: World Health Organization,.
- Yang, S., Li, F., Suo, D., Guo, T., Wang, J., Song, B., & Jin, S. (2006). Effect of long-term fertilization on soil productivity and nitrate accumulation in Gansu Oasis. *Agricultural Science in China*, 5(1), 57-67.