

Table of Contents

Abstract	i
Abstrak	iv
Acknowledgment	vii
Preface	vii
Table of Contents	xi
List of Figures	xvii
List of Tables	xxv
Chapter 1: Introduction	1
1.1. Description of the Study Area	1
1.1.1. Geology and Hydrogeology	3
1.1.2. Groundwater Status	3
1.2. Scope of the Study.....	5
1.3. Importance of the Study	6
1.4. Aim and Objective.....	7
1.5. Organization of Thesis	8
Chapter 2: Physical Environment	10
2.1. Introduction	10
2.2. Previous Research	10
2.2.1. Geology Project	11
2.2.2. Hydrogeology and Geophysics Project	13
2.3. Site Geology	16
2.3.1. Description of Area 1	18

2.3.2. Description of Area 2	23
2.3.3. Description of Area 3	26
2.4. Hydrology and Hydrogeology	30
2.4.1. Hydrology	30
2.4.1.1. Drainage	30
2.4.1.2. Climate	31
2.4.1.3. Rainfall	32
2.4.2. Hydrogeology	36
2.4.2.1. Lithology	36
2.4.2.2. Aquifer	37
2.4.2.3. Water Recharge	38
2.4.3. Groundwater Use	39
2.4.4. Groundwater Contamination	41
Chapter 3: Methodology and Data Acquisition.....	43
3.1. Introduction	43
3.2. Desk Study.....	44
3.3. Geoelectrical Resistivity Method	45
3.3.1. Equipment Test	47
3.3.2. Field Procedures	49
3.3.3. Data Presentation.....	53
3.3.4. Inverse Parameter Examination.....	55
3.3.5. Data Collection.....	59
3.4. Borehole Geophysics	62
3.4.1. Field Procedures	62
3.4.2. Data Collection.....	63
3.5. Hydrogeochemical Method	65

3.5.1. Field Procedure for In-situ Parameter Measurement	65
3.5.2. Field Procedure for Cation and Anion Measurement	67
3.5.3. Data Collection	69
3.6. Soil Properties Analysis	71
Chapter 4: Result and Discussion of Area 1	73
4.1. Introduction	73
4.2. Geoelectrical Resistivity and Hydrogeochemical Correlation in Specific Soil Characters	76
4.2.1. Geoelectrical Resistivity and Hydrogeochemical Contrast Between Fertilization and Non-Fertilization	77
4.2.1.1. Soil Properties Results	81
4.2.1.1.1. Grain Size Distribution.....	81
4.2.1.1.2. Moisture Content.....	84
4.2.1.1.3. Hydraulic Conductivity	84
4.2.1.2. Water Chemical Results	86
4.2.1.3. Geoelectrical Resistivity Model	89
4.2.1.4. Soil Parameter, Water Chemical Content and Geophysical Parameters Contrast.....	93
4.2.2. Relationship of Soil Properties and Geoelectrical Resistivity in Test-Site 3	95
4.2.2.1. The Borehole WA1 Soil Grain Size Distribution.....	96
4.2.2.2. The WA1 Soil and Water Chemistry Contents	98
4.2.2.3. Geoelectrical Resistivity and Its Correlation to the Other Parameters in Test-Site 3.....	102
4.3. Groundwater Investigation for Area 1	104
4.3.1. Water Chemistry and Its Environment Impact.....	106
4.3.2. Conductivity and Anion Content.....	113

4.3.3. Nitrate Distribution and Groundwater Flow Pattern	114
4.3.4. Geoelectrical Resistivity Model	118
4.3.5. Correlation between Geoelectrical Resistivity and Hydrogeochemical Result	137
4.3.6. The Near Surface Resistivity Distribution and Basement Geometry	141
4.3.7. Depth Slice Resistivity Distribution	145
4.3.8. Subsurface Geological Model	149
4.4. Time Lapse Nitrate Evaluation and Monitoring in Palm Oil Plantation	157
4.4.1. Soil Moisture and Extracted Soil Water Chemical Content.....	161
4.4.1.1. Moisture Content	161
4.4.1.2. Extracted Soil Water Chemical Content	162
4.4.2. Time Lapse Geoelectrical Resistivity Model in palm Oil Plantation	167
4.4.3. The Correlation of Extracted Water Chemical Content, Soil Properties and Geoelectrical Model	173
4.4.4. Fate of Nitrate	178
4.5. Summary.....	185
Chapter 5: Result and Discussion of Area 2	188
5.1. Introduction	188
5.2. Groundwater Investigation for Area 2.....	190
5.2.1. Hydrogeochemical Result	192
5.2.2. Geoelectrical Resistivity Result	197
5.2.3. Resistivity Distribution	228
5.3. Sources of Groundwater Pollution	233
5.3.1. Soil Chemical Result	235
5.3.2. Iron and Aluminium in Soil	239
5.3.3. Iron Distribution in Aquifer	242

5.4. Summary	248
Chapter 6: Result and Discussion of Area 3	250
6.1. Introduction	250
6.2. Resistivity Characterization in Soil Saturated Seawater Mixture	253
6.2.1. Grain Size Distribution.....	253
6.2.2. Chemical Content of Seawater and Seawater-Freshwater Mixtures.....	255
6.2.3. Correlation of Soil Property and Resistivity Measurement	257
6.3. Groundwater Investigation for Area 3.....	262
6.3.1. Hydrogeochemical Results.....	263
6.3.2. Geoelectrical Resistivity Result	271
6.3.3. Salt/Brackish-Freshwater Interface Mapping.....	306
6.3.4. Coastal Aquifer	311
6.4. Time Lapse Nitrate Evaluation and Monitoring in Tobacco Plantation	317
6.4.1. Soil Properties	322
6.4.1.1. Soil Grain Size and Hydraulic Conductivity Characteristics ...	322
6.4.1.2. Moisture Content	325
6.4.2. Extracted Soil Water Chemical Content	327
6.4.3. Geoelectrical Resistivity Model.....	331
6.4.4. Fate of Nitrate	338
6.5. Summary	344
Chapter 7: Conclusions and Recommendations	346
7.1. Introduction	346
7.2. Conclusion	347
7.3. Recommendations	350

Bibliography	352
Appendix	365

List of Figures

Figure 1.1. Location and Land Use Map of Research Area	2
Figure 2.1. Map of the Brackish and Freshwater Interface in the second groundwater aquifer	15
Figure 2.2. The location of Area 1 (high land), Area 2 (mid land) and Area 3 (coastal)	17
Figure 2.3. Map of Area 1 with elevation contour	19
Figure 2.4. A view of the exposed granite at Sungai Buluh Quarry	20
Figure 2.5. Exposed granite in Kampong Merbau Condong (left) and close up photo of granite (right).	20
Figure 2.6. Boulder from 2.5 m depth of digging area for developing bridge	21
Figure 2.7. Weathered materials found from digging zone in 2.5 meter depth	22
Figure 2.8. Photograph of compacted clay materials in the northern part of Area 1. .	22
Figure 2.9. Map of Area 2 with ground elevation contour.....	25
Figure 2.10. Map of Area 3 with elevation contour	27
Figure 2.11. Geomorphology of the North part of Kelantan’s delta plain	28
Figure 2.12. Amount of rainfall distribution and its number in Kota Bharu in 1996 and 1997 (A), 1988 and 1989 (B) and 2008 and 2009 (C).....	34
Figure 2.13. Mean of monthly rainfall and number of rainfall for three stations (2004 to 2007).....	35
Figure 2.14. Fence diagram of Kelantan River Delta.....	38
Figure 2.15. Diagram of ground water use in the research area.....	41
Figure 3.1. General flowchart of the study	45
Figure 3.2. ABEM Terrameter SAS4000 and its accessories	46
Figure 3.3. Measurement set up for Terrameter SAS4000 and standard device	48

Figure 3.4. The equipment used for navigation (GPS Garmin eTrex Vista HCx)	50
Figure 3.5. Equipment set up for four wheel cables	51
Figure 3.6. Equipment set up for direct surface resistivity measurement with Standard Measurement tool	53
Figure 3.7. Example of Wenner converted data (left side) and direct surface resistivity measurement (right down)	54
Figure 3.8. Graphical presentation of two separate data readings, displaying differences in quality	56
Figure 3.9. Damping factor application to relatively bad quality data	57
Figure 3.10. Damping factor application to relatively good quality data	58
Figure 3.11. Geoelectrical model	60
Figure 3.12. Direct surface resistivity measurement data for 5 cm of electrodes spacing	61
Figure 3.13. Boring equipment to drill a well	63
Figure 3.14. Gamma ray data of Kubang Kerian (left) and Perol (right) pumping well stations	64
Figure 3.15. Equipment used in order to attain in-situ parameters: pH meter (left), and Conductivity-TDS-Salinity-Temperature meter (right)	67
Figure 3.16. Deep meter for water level equipment	67
Figure 3.17. Equipment for cation and anion analyses in Hydrogeochemical lab	68
Figure 3.18. Water chemical data	71
Figure 3.19. Hand auger with a diameter of 11 centimetres (A). Mechanical sieving equipment (B).....	72
Figure 4.1. The land use and topography map of Area 1	74
Figure 4.2. Location of Test-site 1, 2 and 3.....	78
Figure 4.3. Photograph; (A) grass field, (B and C) old palm oil plantation in Kampung Tok Bok, Machang	79

Figure 4.4. Grain size distribution in each sampling locations for Test-site 1 (A,B,C,D) and Test-site 2 (E,F,G,H).....	82
Figure 4.5. Moisture content for Test-site 1 and Test-site 2.....	85
Figure 4.6. Result of hydraulic conductivity test for Test-site 1 (A) and Test-site 2 (B)	85
Figure 4.7. Cations concentration in Test-site 1 and Test-site 2	88
Figure 4.8. Graph of nitrate (A) and chloride (B) concentration in Test-site 1 and Test-site 2	89
Figure 4.9. Geoelectrical resistivity model of Test-site 1 (left) and Test-site 2 (right)	91
Figure 4.10. Grain size distribution and lithology log of WA1.....	98
Figure 4.11. Soil chemical content within WA1	101
Figure 4.12. Geoelectrical model of Test-site 3	103
Figure 4.13. Map of survey location for geoelectrical resistivity, groundwater and soil sample.....	105
Figure 4.14. pH, K, Ca, Mg, Na, Al, Fe, HCO ₃ , SO ₄ , Cl, and NO ₃ distribution in groundwater sample	110
Figure 4.15. Land uses and nitrate concentration map within the shallow aquifer (less than 11 m depth).....	115
Figure 4.16. Groundwater level (solid colour), topography (line contour) and vector direction of groundwater movement (black arrow).....	117
Figure 4.17. Location of geoelectrical resistivity survey in Area 1	119
Figure 4.18. Geoelectrical model of line A101	120
Figure 4.19. Geoelectrical model of line A102	121
Figure 4.20. Geoelectrical model of line A103	122
Figure 4.21. Geoelectrical model of line A104	123
Figure 4.22. Geoelectrical model of line A105	124
Figure 4.23. Geoelectrical model of line A106	125
Figure 4.24. Geoelectrical model of line A107	126

Figure 4.25. Geoelectrical model of line A108	127
Figure 4.26. Geoelectrical model of line A109	128
Figure 4.27. Geoelectrical model of line A110	129
Figure 4.28. Geoelectrical model of line A111	130
Figure 4.29. Geoelectrical model of line A112	131
Figure 4.30. Geoelectrical model of line A113	132
Figure 4.31. Geoelectrical model of line A114	133
Figure 4.32. Geoelectrical model of line A115	134
Figure 4.33. Geoelectrical model of line A116	135
Figure 4.34. Geoelectrical model of line A117	136
Figure 4.35. Geoelectrical model of line A118	137
Figure 4.36. Percentage weight map of gravel and sand	138
Figure 4.37. Nitrate concentrations versus lowest resistivity value of geoelectrical model	140
Figure 4.38. Surface resistivity distribution	142
Figure 4.39. Basement map relative to mean sea level derived from interpreted geoelectrical model	143
Figure 4.40. Basement map relative to mean sea level in 3D shape	144
Figure 4.41. Resistivity distribution relative to mean sea level	146
Figure 4.42. Resistivity distribution from surface to a depth of 12.5 m	147
Figure 4.43. Base map and cross line section	150
Figure 4.44. Cross section of line A1B1	151
Figure 4.45. Cross section of line A2B2	152
Figure 4.46. Cross section of line C1D1 and C2D2	153
Figure 4.47. Cross section of line C3D3 and C4D4	154
Figure 4.48. Stacked geological model	155
Figure 4.49. Field set up for nitrate monitoring in Kampong Tok Bok	159

Figure 4.50. Average amount and number of rainfall within 2004-2008.....	160
Figure 4.51. Moisture content versus depth sampling for each time lapse monitoring	162
Figure 4.52. Average concentration of anion content ranging	167
Figure 4.53. Geoelectrical result for Monitoring-1 to Monitoring-5	169
Figure 4.54. Total anion content versus soil resistivity within fertilized zone	177
Figure 4.55. Moisture content versus soil resistivity	177
Figure 4.56. Increases anion content against percentage differences between soil resistivity in non-fertilized and fertilized zone	178
Figure 4.57. Nitrate concentration versus time (survey days) for each sampling depth	180
Figure 4.58. Nitrate concentration versus sampling depth (cm) for each monitoring	181
Figure 4.59. Amount of rainfall during the monitoring survey	182
Figure 4.60. The fate of nitrate in palm oil plantation area	184
Figure 5.1. Location and land uses map of Area 2	189
Figure 5.2. Map of survey location for geoelectrical resistivity, groundwater and soil sample within Area 2	191
Figure 5.3. Wells location of groundwater sampling	193
Figure 5.4. Location of geoelectrical resistivity survey in Area 2	198
Figure 5.5. Geoelectrical model of Pintu Gang line	200
Figure 5.6. Geoelectrical model of line A201	202
Figure 5.7. Geoelectrical model of line A202	203
Figure 5.8. Geoelectrical model of line A203	204
Figure 5.9. Geoelectrical model of line A204	205
Figure 5.10. Geoelectrical model of line A205	206
Figure 5.11. Geoelectrical model of line A206	207

Figure 5.12. Geoelectrical model of line A207	208
Figure 5.13. Geoelectrical model of line A208	209
Figure 5.14. View of Marak Hill where Geoelectrical model of line A209	210
Figure 5.15. Geoelectrical model of line A209	211
Figure 5.16. Geoelectrical model of line A210	211
Figure 5.17. Geoelectrical model of line A211	212
Figure 5.18. Geoelectrical model of line A212	213
Figure 5.19. Geoelectrical model of line A213	214
Figure 5.20. Geoelectrical model of line A214	215
Figure 5.21. Geoelectrical model of line A215	216
Figure 5.22. Geoelectrical model of (A) line A216 and (B) line A217	217
Figure 5.23. Geoelectrical model of line A218	219
Figure 5.24. Geoelectrical model of line A219	220
Figure 5.25. Geoelectrical model of line A220	221
Figure 5.26. Geoelectrical model of line A221	222
Figure 5.27. Geoelectrical model of line A222	223
Figure 5.28. Geoelectrical model of line A223	224
Figure 5.29. Geoelectrical model of line A224	225
Figure 5.30. Geoelectrical model of line A225	226
Figure 5.31. Geoelectrical model of line A226	227
Figure 5.32. Geoelectrical model of line A227	228
Figure 5.33. Basement map of Area 2 (relative to mean sea level) derived from interpretation of geoelectrical model	229
Figure 5.34. Depth slice resistivity distribution	231
Figure 5.35. Location of soil sample for chemical analysis	234
Figure 5.36. Al and Fe concentration in soil sample at certain depths	238
Figure 5.37. Correlation between aluminium and iron in soil sample	240

Figure 5.38. Correlation between Fe in soil and Fe in groundwater	241
Figure 5.39. Fe concentration (mg/L) in shallow aquifer (less than 10 m depth)	244
Figure 5.40. Fe concentration (mg/L) in aquifer with depth ranging from 10 m to 20 m	245
Figure 5.41. Fe concentration (mg/L) in aquifer with depth more than 20 m	246
Figure 6.1. The location map of Area 3 and its land uses	251
Figure 6.2. Location of soil samples	254
Figure 6.3. Chemical concentration in the water with variation percentage of sea water	256
Figure 6.4. Resistivity versus amount of seawater (%) in different soil sample	260
Figure 6.5. Location of groundwater sampling	264
Figure 6.6. Bivariate plots of chemical constituents in groundwater for deeper aquifer	269
Figure 6.7. Bivariate plots of chemical constituents in groundwater for shallow aquifer	270
Figure 6.8. Geoelectrical resistivity lines survey location map	272
Figure 6.9. Lithology of Tanjung Mas subsurface	274
Figure 6.10. Geoelectrical model for Tanjung Mas	275
Figure 6.11. Geoelectrical model of line A301A-D	277
Figure 6.12. Geoelectrical model of line A302	279
Figure 6.13. Geoelectrical model of line A303A-B	281
Figure 6.14. Line A304A-B and wells in Pengkalan Chepa	283
Figure 6.15. Line A304A-B with other scaling of resistivity value	284
Figure 6.16. Geoelectrical model of line A305A-C	287
Figure 6.17. Geoelectrical model of line A306A-B	289
Figure 6.18. Geoelectrical model of line A307A-C	291
Figure 6.19. Geoelectrical model of line A308	292

Figure 6.20. Beris Kubur Besar well and Geoelectrical model of line A309A-B	294
Figure 6.21. Geoelectrical model of line A310A-B	295
Figure 6.22. Geoelectrical model of line A311A-B	297
Figure 6.23. Beris Kubur Besar wells and Geoelectrical model of line A311C	298
Figure 6.24. Geoelectrical model of line A312A-B	301
Figure 6.25. Geoelectrical model of line A312C-D	302
Figure 6.26. Digging zone in Figure 6.25	303
Figure 6.27. Geoelectrical model of line A313A-B	305
Figure 6.28. Geoelectrical model of line A314A-B	306
Figure 6.29. The map with a line of the salt/brackish-fresh water interface (blue line) in the interval depth of 20 to 30 meters	307
Figure 6.30. Depth slice of resistivity distribution relative to mean sea level	309
Figure 6.31. The base map for the cross section location given in Figure 6.32	311
Figure 6.32. Cross section of Line 1-7	315
Figure 6.33. Field set up for monitoring of nitrate concentration in Bachok	320
Figure 6.34. View around the site survey and fertilizer introduction after monitoring-1	321
Figure 6.35. Grain size distribution with depth	323
Figure 6.36. Graph of inversed auger data for determining hydraulic conductivity	325
Figure 6.37. Graph of sampling depth versus moisture content for each Monitoring	326
Figure 6.38. Rainfall data within survey period	326
Figure 6.39. Average concentration of anion content ranging from 0 cm to 100 cm depth	330
Figure 6.40. Geoelectrical model of Monitoring-1, 2, 3 and 4	332
Figure 6.41. Nitrate concentration versus survey time (days) for each depth	340
Figure 6.42. Nitrate concentration versus depth for each monitoring	341
Figure 6.43. Nitrate concentration at the near surface	342

List of Table

Table 2.1. A summary of the geological succession given by MacDonald	12
Table 2.2. List of existing pumping well stations	25
Table 2.3. Lithologic of Borehole 37 in Pengkalan Chepa pumping well station	29
Table 2.4. Water resources system in North Kelantan	40
Table 3.1. The raw data of Terrameter SAS4000 and conventional device reading ..	48
Table 3.2. Summary data for ten different sites measurement	49
Table 3.3. Physical well data and in-situ water parameters data	70
Table 4.1. Fertilization scheme of palm oil plantation in the Test-site 2 Kampung Tok Bok	80
Table 4.2. Soil properties result of Test-site 1 and Test-site 2	83
Table 4.3. Water extraction analysis result of Test-site 1 and Test-site 2	87
Table 4.4. Statistical values of Geoelectrical resistivity extraction derived from surface to 75 cm depth	94
Table 4.5. Summary of soil resistivity characters in Test-site 1 and Test-site 2	95
Table 4.6. Grain size distribution within WA1	97
Table 4.7. Soil and water chemical content within WA1	100
Table 4.8. Summary of geoelectrical resistivity correspondent in Test-Site 3	103
Table 4.9. In-situ parameters and results of groundwater samples within Area 1 ...	107
Table 4.10. Time lapse extracted water chemical content in palm oil plantation ...	164
Table 4.11. Statistical values of extracted geoelectrical model (surface) for all monitoring and chemical pore water	174
Table 4.12. Correlation of modelled geoelectrical resistivity with soil properties ...	176

Table 5.1. Water chemical result of groundwater sample in Area 2	241
Table 5.2. Soil chemical results for W1, W2 at certain depth and several soils sampling at 2 m depth	236
Table 6.1. Grain size distribution of the selected locations	254
Table 6.2. Major chemical content of water sample with variation of sea water content	256
Table 6.3. Direct resistivity measurement in the soil saturated with seawater variation	259
Table 6.4. Geoelectrical resistivity value in different soil characteristics with different pore seawater mixture content	261
Table 6.5. Water chemistry results for Area 3	265
Table 6.6. Chemical content of fertilizer for tobacco plantation	317
Table 6.7. Soil grain size distribution in tobacco site	324
Table 6.8. Time lapse extracted water chemical content in tobacco site	328