

- Abd-Jamil, J., Cheah, C.Y., and AbuBakar, S. (2008). "Dengue virus type 2 envelope protein displayed as recombinant phage attachment protein reveals potential cell binding sites." *Protein Eng Des Sel* 21(10): 605-611.
- Aivazi, A.A., and Vijayan V.A. (2009). "Larvicidal activity of oak *Quercus infectoria* Oliv. (Fagaceae) gall extracts against *Anopheles stephensi* Liston." *Parasitol Res* 104(6): 1289-1293.
- Allcock, O.M., Lemey, P., Tatem, A.J., Pybus, O.G., Bennett, S.N., Mueller, B.A., Suchard, M.A., Foster, J.E., Rambaut, A., and Carrington, C.V. (2012). "Phylogeography and Population Dynamics of Dengue Viruses in the Americas." *Mol Biol Evol*.
- Anastasiadi, M., Zira, A., Magiatis, P., Haroutounian, S.A., Skaltsounis, A.L., and Mikros, E. (2009). "¹H NMR-based metabonomics for the classification of Greek wines according to variety, region, and vintage. Comparison with HPLC data." *J Agric Food Chem* 57(23): 11067-11074.
- Anderson, B., de Peyster, A., Gad, S.C., Hakkinen, P.J.B., Wexler, P., Kamrin, M., Locey, B., Mehendale, H.M., Pope, C., and Shugart, L. (2005). *Encyclopedia of Toxicology, Four-Volume Set: 1 - 3*, Elsevier Science.
- Anonymous, (1995). "The Wealth of India: A Dictionary of Indian Raw Materials and Industrial Products, 13 volume series." Publications & Information Directorate (CSIR), New Delhi, p. 351.
- Arias, C.F., Preugschat, F. and Strauss, J.H. (1993). "Dengue 2 virus NS2B and NS3 form a stable complex that can cleave NS3 within the helicase domain." *Virology* 193(2): 888-899.
- Ashoori, F., Suzuki, S., Zohou, J.H., Isshiki, N., and Miyachi, Y. (1994). Involvement of lipid peroxidation in necrosis of skin flaps and its suppression by ellagic acid. *Plast. Reconstr. Surg.* 95, 1027–1037.
- Aswal, B.S., Goel, A.K., Kulshrestha, D.K., Mehrotra, B.N., and Patnaik, G.K. (1996). "Screening of Indian plants for biological activity: Part XV." *Indian J Exp Biol* 34(5): 444-467.
- Bazan J.F. and Fletterick R.J. (1990). "Structural and catalytic models of trypsin-like viral proteases." *Semin Virol.* 1:311–322.
- Basri, D.F., and Fan, S.H. (2005). The potential of aqueous and acetone extracts of galls of *Quercus infectoria* as antibacterial agents. *Indian J Pharmacol* 37(1): 26-29.
- Basri, D.F., and Khairon, R. (2012). "Pharmacodynamic Interaction of *Quercus infectoria* Galls Extract in Combination with Vancomycin against MRSA Using Microdilution Checkerboard and Time-Kill Assay." *Evid Based Complement Alternat Med* 2012: 493156.
- Bourke, E. and Moynagh, P.N. (1999). "Antiinflammatory effects of glucocorticoids in brain cells, independent of NF-kappa B." *J Immunol* 163(4): 2113-2119.

- Cahour, A., Falgout, B. and Lai, C.J. (1992). "Cleavage of the dengue virus polyprotein at the NS3/NS4A and NS4B/NS5 junctions is mediated by viral protease NS2B-NS3, whereas NS4A/NS4B may be processed by a cellular protease." *J Virol* 66(3): 1535-1542.
- Cappelli, C., Mennucci, B. Monti, S. (2005). "Environmental effects on the spectroscopic properties of gallic acid: a combined classical and quantum mechanical study." *J Phys Chem A* 109(9): 1933-1943.
- Chambers, T.J., Hahn, C.S., Galler, R. and Rice, C.M. (1990a). Flavivirus genome organization expression and replication. *Annu. Rev. Microbiol.* 44, 649-688.
- Chambers, T.J., Weir, R.C. Grakoui, A., McCourt, D.W., Bazan, J.F., Fletterick, R.J., and Rice, C.M. (1990b). "Evidence that the N-terminal domain of nonstructural protein NS3 from yellow fever virus is a serine protease responsible for site-specific cleavages in the viral polyprotein." *Proc Natl Acad Sci U S A* 87(22): 8898-8902.
- Chambers, T.J., Nestorowicz, A., Amberg, S.M. and Rice, C.M. (1993). Mutagenesis of the yellow fever virus NS2B protein: effects on proteolytic processing, NS2B-NS3 complex formation, and viral replication. *Journal of Virology* 67, 6797-6807.
- Chambers, T.J., McCourt, D.W. and Rice, C.M. (1989). "Yellow fever virus proteins NS2A, NS2B, and NS4B: identification and partial N-terminal amino acid sequence analysis." *Virology* 169(1): 100-109.
- Change, T.W., and Saydram, D.R. (1979). *Drugs* 18: 354-379.
- Cho, Y.S., Kim, S.K., Ahn, C.B., and Je, J.Y. (2011). Preparation, characterization, and antioxidant properties of gallic acid-grafted-chitosans. *Carbohydrate Polymers.* 83(4): 1617-1622.
- Chusri, S. and Voravuthikunchai, S.P. (2009). "Detailed studies on *Quercus infectoria* Olivier (nutgalls) as an alternative treatment for methicillin-resistant *Staphylococcus aureus* infections." *J Appl Microbiol* 106(1): 89-96.
- Clark, A.M. (1996). "Natural products as a resource for new drugs." *Pharmaceutical Research* 13(8): 1133-1141.
- Copeland, R. A. (2002). *Tight Binding Inhibitors. Enzymes*, John Wiley & Sons, Inc.: 305-317.
- Corthout, J., Peiters, L.A., Claeys, M., Vanden Berghe, D.A., and Vleitnick, A.J. (1991). Antiviral ellagitannins from *Spondia mombin*. *Phytochemistry* 30, 1129-1130.
- Da Silva, S.L., Calgarotto, A.K., Chaar, J.S., and Marangoni, S. (2008). "Isolation and characterization of ellagic acid derivatives isolated from *Casearia sylvestris* SW aqueous extract with anti-PLA (2) activity." *Toxicon* 52(6): 655-666.

- Daniel, E.M., Krupnick, A.S., Heur, Y.-H., Blinzlewr, J.A., Nims, R.W., Stoner, and G.D. (1989). Extraction, stability and quantification of ellagic acid in various fruits and nuts. *Journal of Food Composition and Analysis* 2, 338–349.
- Dar, M. S., Ikram, M. and Fakouhi, T., (1976). "Pharmacology of *Quercus infectoria*." *J Pharm Sci* 65(12): 1791-1794.
- Dar, M. S. and Ikram, M. (1979). "Studies on *Quercus infectoria*; isolation of syringic acid and determination of its central depressive activity." *Planta Med* 35(2): 156-161.
- Della-Porta, A.J. and E.G. Westaway (1977). "Immune response in rabbits to virion and nonvirion antigens of the *Flavivirus kunjin*." *Infect Immun* 15(3): 874-882.
- Deubel, V., Kinney, R.M. and Trent, D.W. (1988). "Nucleotide sequence and deduced amino acid sequence of the nonstructural proteins of dengue type 2 virus, Jamaica genotype: comparative analysis of the full-length genome." *Virology* 165(1): 234-244.
- Falgout, B., Miller, R. H. & Lai, C. J. (1993). Deletion analysis of dengue virus type 4 nonstructural protein NS2B: identification of a domain required for NS2B–NS3 protease activity. *Journal of Virology* 67, 2034-2042
- Falgout, B. and Markoff, L. (1995). "Evidence that flavivirus NS1-NS2A cleavage is mediated by a membrane-bound host protease in the Endoplasmic Reticulum." *J. Virol.* 69. 7232-7243.
- Falgout, B., Pethel, M., Zhang, Y.M., and Lai, C. J. (1991). "Both nonstructural proteins NS2B and NS3 are required for the proteolytic processing of dengue virus nonstructural proteins." *J Virol* 65(5): 2467-2475.
- Falkler, W.A., Diwan, A.R., and Halstead, S.B. (1973). "Human antibody to dengue soluble complement-fixing (SCF) antigens." *J Immunol* 111(6): 1804-1809.
- Falsaperla M., Morgia G., Tartarone A., Ardito R., and Romano G. (2005). Support ellagic acid therapy in patients with hormone refractory prostate cancer (HRPC) on standard chemotherapy using vinorelbine and estramustine phosphate. *Eur Urol.* 47:449–54.
- Feighny, R., Burrous. J., McCown, J., Hoke, C. and Putnak, R. (1992). Purification of native dengue 2 viral proteins and the ability of purified Proteins to protect mice. *Am. J. Trop. Med. Hyg.* 47(4), 405-412.
- Fong, M.Y., Koh, C.L., and Lam, S.K. (1998), Molecular epidemiology of Malaysian dengue 2 viruses isolated over twenty-five years (1968-1993), *Res. Virol*, 149, 457-464.
- Gali H.U., Perchellet E.M. and Perchellet J.P. (1991). "Inhibition of tumor promoter-induced ornithine decarboxylase activity by tannic acid and other polyphenols in mouse epidermis in vivo." *Cancer Res* 51:2820–2825.

- Gali, H.U., Perchellet, E.M., Klish, D.S., Johnson, J.M. and Perchellet J.P. (1992). "Hydrolyzable tannins: potent inhibitors of hydroperoxide production and tumor promotion in mouse skin treated with 12-Otetradecanoylphorbol-13-acetate in vivo." *Int J Cancer* 51:425–432.
- Gil, M.I., Francisco, A., Barberan, T., Pierce, B.H., Holcroft, D.M., and Kader, A.A. (2000). Antioxidant activity of pomegranate juice and its relationship with phenolic composition and processing. *J. Agric. Food Chem.* 48, 4581–4589.
- Glauert, H.P., Calfee-Mason, K., Stemm, D.N., Tharappel, J.C., and Spear, B.T. (2010). Dietary antioxidants in the prevention of hepatocarcinogenesis: a review. *Mol Nutr Food Res.* 54:875–96.
- Goh, S.H. 1999. Bioactive principles from folkloric anti-neoplastic plants and from bio-prospecting the Malaysian Forest. In: *The International Conference on Biodiversity and Bioresources: Conservation and Utilization*, Phuket, Thailand, November. 23-27.
- Gohar, A.A., Lahloub, M.E., and Niwa, M. (2003). "Antibacterial polyphenol from *Erodium glaucophyllum*." *Z Naturforsch C* 58(9-10): 670-674.
- Gubler, D.J. and Clark G.G. (1996). "Community involvement in the control of *Aedes aegypti*." *Acta Tropica.* 61,170.
- Gubler, D.J. and Clark G.G. (1994). "Community-based integrated control of *Aedes aegypti*: a brief overview of current programs." *Am J Trop Med Hyg* 50(6 Suppl): 50-60.
- Gubler, D.J. (1988). "Dengue. In: *Epidemiology of arthropod-borne viral disease.*" Monath T.P.M, editor. Boca Raton (FL): CRC Press, 223-260.
- Gubler, D.J. (1998). "Dengue and dengue hemorrhagic fever." *Clin Microbiol Rev* 11(3): 480-496.
- Gubler D.J. (1998). "Resurgent Vector-Borne Diseases as a Global Health Problem." *Emerg Infect Dis* 4(3): 442–450.
- Gubler, D.J. (2002). "Epidemic dengue/dengue haemorrhagic fever as a public health, social and economic problem in the 21st century". *Trends in Microbiology* 10: 100–103
- Guha-Sapir, D. and Schimmer, B. (2005). "Dengue fever: new paradigms for a changing epidemiology." *Emerg Themes Epidemiol* 2(1): 1.
- Guzman, M.G., Halstead, S.B., Artsob, H., Buchy, P., Farrar, J., Gubler, D. J., Hunsperger, E., Kroeger, A., Margolis, H.S., Martinez, E., Nathan, M.B., Pelegriño, J.L., Simmons, C., Yoksan, S., and Peeling, R.W. (2010). "Dengue: a continuing global threat." *Nat Rev Microbiol* 8(12 Suppl): S7-16.
- Gratz, N.G. (1991). "Emergency control of *Aedes aegypti* as a disease vector in urban areas." *J Am Mosq Control Assoc* 7(3): 353-365.

- Häkkinen, S.H., Kärenlampi, S.O., Mykkänen, H.M., Heinonen, I.M., Törrönen, A.R. (2000). "Ellagic acid content in berries: influence of domestic processing and storage." *European Food Research and Technology*. 212, 75–80.
- Hadinur, Sidik, K., Juni, S.M., Rahman, N.A., and Yusof, R. (2003). "Inhibitory potential of water-based extract from tropical plants on dengue virus type-2 protease activity." *Malaysian Journal of Biochemistry and Molecular Biology*. 8, 87
- Hahn, Y.S., Galler, R., Hunkapiller, T., Dalrymple, J.M., Strauss, J.H., and Strauss, E.G. (1988). Nucleotide sequence of dengue 2 RNA and Comparison of the encoded proteins with those of other flaviviruses. *Virology* 162, 167-180.
- Halstead, S.B. (1989). "Antibody, macrophages, dengue virus infection, shock and hemorrhage: a pathogenic cascade." *Rev. Infect. Dis.* 11:831-839
- Halstead, S. B. (1992). "The XXth century dengue pandemic: need for surveillance and research." *World Health Stat Q* 45(2-3): 292-298.
- Halstead, S.B. (1993). "Global epidemiology of dengue: health system in disarray." *Am. J. Trop. Med. Hyg.* 35: 137-146.
- Halstead, S. B., Heinz, F. X., Barrett, A. D., and Roehrig, J. T (2005). "Dengue virus: molecular basis of cell entry and pathogenesis, 25-27 June 2003, Vienna, Austria." *Vaccine* 23(7): 849-856.
- Harbon, J.B., and Williams, C.A. (2000). Advance in flavonoid research since 1992. *Phytochemistry*. 55, 481-504.
- Hassoun, E.A., Vodhanel, J., and Abushaban, A. (2004). The modulatory effects of ellagic acid and vitamin E succinate on TCDD-induced oxidative stress in different brain regions of rats after subchronic exposure. *J Biochem Mol Toxicol*. 18:196–203.
- Henritte's Herbal Homepage. (2009). 111. *Quercus infectoria*, Olivier-the gall, or Dyer's Oak. Henriette Kress.
- Henchal, E.A., Henchal, L.S. and Schlesinger, J.J. (1988). "Synergistic interactions of anti-NS1 monoclonal antibodies protect passively immunized mice from lethal challenge with dengue 2 virus." *J Gen Virol* 69 (Pt 8): 2101-2107.
- Henchal, E.A., Narupiti, S., Feighny, R., Padmanabhan, R. and Vakharia, V. (1987). "Detection of dengue virus RNA using nucleic acid hybridization." *J Virol Methods* 15(3): 187-200.
- Henchal, E.A., and Putnak, J.R. (1990). The dengue viruses. *Clin. Microbiol. Rev.* 3, 376-396.
- Huang, J.L., Huang, J.H., Shyu, R.H., Teng, C.W., Lin, Y.L., Kuo, M.D., Yao, C.W. and Shiao, M.F. (2001). "High-level expression of recombinant dengue viral NS-1 protein and its potential use as a diagnostic antigen." *J Med Virol* 65(3): 553-560.

- Huang, W.Y., Cai, Y.Z. and Zhang, Y. (2010). "Natural phenolic compounds from medicinal herbs and dietary plants: potential use for cancer prevention." *Nutr Cancer* 62(1): 1-20.
- Hwang, J.K., Kong, T.W., Baek, N. I., and Pyun, Y.R. (2000). "Alpha-Glycosidase inhibitory activity of hexagalloylglucose from the galls of *Quercus infectoria*." *Planta Med* 66(3): 273-274.
- Ikram, M. and Nowshad, F. (1977). "Constituents of *Quercus infectoria*." *Planta Med* 31(3): 286-287.
- Innis, B.L., Nisalak, A., Nimmanitya, S., Kusalerdchariya, S., Chongswasdi, V, Suntayakorn, S., Puttisri, P., and Hoke, S. (1989). An enzyme-linked Immunosorbent assay to characterize dengue infections where dengue and Japanese encephalitis co-circulate. *Am. J. Trop. Med. Hyg.* 40, 418-427.
- Ito, H., Yamaguchi, K., Kim, T.H., Khennouf S., Gharzouli, K., and Yoshida, T. (2002). "Dimeric and Trimeric Hydrolyzable Tannins from *Quercus coccifera* and *Quercus suber*." *Journal of Natural Products* 65(3): 339-345.
- Kahkonen, M.P., Hopia, A.I., Vuorela, H.J., Rauha, J.P., Pihlaja, K., Kujala, T.S., and Heinonen, M. (1999). Antioxidant activity of plant extracts containing phenolic compounds. *Food Chem.* 47 (10), 3954-62.
- Kandil, F.E., and Nassar, M.I. (1998). "A tannin anti-cancer promoter from *Terminalia arjuna*." *Phytochemistry* 47(8): 1567-1568.
- Kang, E.H., Kwon, T.Y., Oh, G.T., Park, W.F., Park, S.I., Park, S.K., and Lee, Y.I. (2006). The flavonoid ellagic acid from a medicinal herb inhibits host immune tolerance induced by the hepatitis B virus-e antigen. *Antiviral Research.* 72:100–106.
- Kalt, W., Forney, C.F., Martin, A., and Prior, R.L. (1999). Antioxidant capacity, vitamin C, phenolics, and anthocyanins after storage of small fruits. *Journal of Agricultural and Food Chemistry* 47, 4638–4644.
- Kaur, G., Hamid, H., Ali, A., Alam, M.S., and Athar, M. (2004). "Antiinflammatory evaluation of alcoholic extract of galls of *Quercus infectoria*." *Journal of Ethnopharmacology* 90(2–3): 285-292.
- Kaur G., Athar M. and Alam M.S. (2008). "*Quercus infectoria* galls possess antioxidant activity and abrogates oxidative stress-induced functional alterations in murine macrophages." *Chem Biol Interact* 171(3): 272-282.
- Kashiwada, Y., Nonaka, G., Nishioka, I., Chang, J.J., and Lee, K.H. (1992). "Antitumor agents, 129. Tannins and related compounds as selective cytotoxic agents." *J Nat Prod* 55(8): 1033-1043.
- Kettle, D.S. (1984). "Medical and Veterinary Entomology". P. 8.

- Kiat, T.S., Pippen, R., Yusof, R., Ibrahim, H., Khalid, N. and Rahman, N.A. (2006). "Inhibitory activity of cyclohexenyl chalcone derivatives and flavonoids of fingerroot, *Boesenbergia rotunda* (L.), towards dengue-2 virus NS3 protease." *Bioorg Med Chem Lett* 16(12): 3337-3340.
- Kirtikar, K.R. and Basu, B.D. (1980). *Indian Medicinal Plants*, volume III. Lalit Mohan Basu, M.B., Allhabad, India. P.2356-2357.
- Kong, J.M., Goh, N.K., Chia, L.S. and Chia, T.F. (2003). "Recent advances in traditional plant drugs and orchids." *Acta Pharmacol Sin* 24(1): 7-21.
- Kwak, H.M., Jeon, S.Y., Sohng, B.H., Kim, J.G., Lee, J.M., Lee, K.B., Jeong, H.H., Hur, J.M., Kang, Y.H., and Song, K.S. (2005). "beta-Secretase (BACE1) inhibitors from pomegranate (*Punica granatum*) husk." *Arch Pharm Res* 28(12): 1328-1332.
- Lefkowitz, D.L., Gelderman, M.P., Fuhrmann, S.R., Graham, S., Starnes, J.D., Lefkowitz, S.S., Bollen, A., Moguilevsky, N. (1999). "Neutrophilic lysozyme-macrophage interactions perpetuate chronic inflammation associated with experimental arthritis." *Clinical Immunology* 91, 145–155.
- Li, X.C., Elsohly, H.N., Hufford, C.D. and Clark, A.M. (1999). "NMR assignments of ellagic acid derivatives." *Magnetic Resonance in Chemistry* 37(11): 856-859.
- Lin, B., Parrish, C.R., Murray, J.M. and Wright, P.J. (1994). "Localization of a neutralizing epitope on the envelope protein of dengue virus type 2." *Virology* 202(2): 885-890.
- Lin, H.E., Tsai, W.Y., Liu I.J., Li P.C., Liao M.Y., Tsai J.J., Wu Y.C., Lai C.Y., Lu C.H., Huang J.H., Chang G.J., Wu H.C., and Wang W.K. (2012). "Analysis of epitopes on dengue virus envelope protein recognized by monoclonal antibodies and polyclonal human sera by a high throughput assay." *PLoS Negl Trop Dis* 6(1): e1447.
- Lin, L.T., Chen, T.Y., Chung, C.Y., Noyce, R.S., Grindley, T.B., McCormick, C. Lin, T.C. Wang, G.H., Lin, C.C. and Richardson, C.D. (2011). "Hydrolyzable tannins (chebulagic acid and punicalagin) target viral glycoprotein-glycosaminoglycan interactions to inhibit herpes simplex virus 1 entry and cell-to-cell spread." *J Virol* 85(9): 4386-4398.
- Mackow, E., Makino, Y., Zhao, B., Zhang, Y.M., Markoff, L., Buckler-White, A., Guiler, M., Chanock, R., and Lai, C.J. (1987). The nucleotide sequence of dengue type 4 virus: Analysis of genes coding for nonstructural proteins. *Virology* 159, 217-228.
- Madlener, S., Illmer, C., Horvath, Z., Saiko, P., Losert, A., Herbacek, I., Grusch, M., Elford, H.L., Krupitza, G., Bernhaus, A., Fritzer-Szekeres, M., and Szekeres, T. (2007). Gallic acid inhibits ribonucleotide reductase and cyclooxygenases in human HL-60 promyelocytic leukemia cells. *Cancer Lett* 245:156–162.
- Madsen, H. L., and Bertelsen, G. (1995). Spices as antioxidants. *Trends in Food Science and Technology*, 6, 271–277.

- Majid, S., Khanduja, K.L., Ghandhi, R.K., Kapur, S., and Sharma, R.R. (1991). Influence of ellagic acid on antioxidant defense system and lipid peroxidation in mice. *Biochem. Pharmacol.* 42, 1441–1445.
- Malavige, G.N., Fernando, S., Fernando, D.J., and Seneviratne, S.L. (2005). "Dengue viral infections." *Postgrad Med J* 80(948): 588-601.
- Mandl, C.W., Heinz, F.X. and Kunz, C. (1988). "Sequence of the structural proteins of tick-borne encephalitis virus (western subtype) and comparative analysis with other flaviviruses." *Virology* 166(1): 197-205.
- Mandl, C.W., Guirakhoo, F., Holzaman, H., Heinz, F.X., and Kunz, C. (1989). Antigenic structure of the flavivirus envelope protein E at the molecular level, using tick-borne encephalitis virus as a model. *J. Virol.* 63, 564-571.
- Marijke, M., Alen, F. and Schols, D. (2012). "Dengue Virus Entry as Target for Antiviral Therapy." *Journal of Tropical Medicine* 2012.
- Mason, P.W., Mcada, P.C., Mason, T.L., and Fournier, M.J. (1987). Sequence of the dengue-1 virus genome in the region encoding the three structural proteins and the major nonstructural protein NS1. *Virology* 161, 262-267.
- Matusan, A.E., Pryor, M.J., Davidson, A.D., and Wright, P.J. (2001). "Mutagenesis of the Dengue virus type 2 NS3 protein within and outside helicase motifs: effects on enzyme activity and virus replication." *J Virol* 75(20): 9633-9643.
- McBried, W.J.H., and Othmann H.B. (2000). "Dengue viral infections; pathogenesis and epidemiology." *Microbes infect.* 2, 1041-1050.
- Miller, S., Kastner, S., Krijnse-Locker, J., Buhler, S. and Bartenschlager, R. (2007). "The non-structural protein 4A of dengue virus is an integral membrane protein inducing membrane alterations in a 2K-regulated manner." *J Biol Chem* 282(12): 8873-8882.
- Monath, T.P., and Heinz, F.X. (1996). Flavivirus. In: Fields BM, Knipe DM, Howley PM, editors. *Virology*. 2nd ed. Philadelphia: Lippincott-Raven Publishers. P 961±1034.
- Monath, T. P. (1994). "Dengue: the risk to developed and developing countries." *Proc Natl Acad Sci U S A* 91(7): 2395-2400.
- Munoz-Jordan, J.L., Laurent-Rolle, M., Ashour, J., Martinez-Sobrido, L., Ashok, M., Lipkin, W.I. and Garcia-Sastre, A. (2005). "Inhibition of alpha/beta interferon signaling by the NS4B protein of flaviviruses." *J Virol* 79(13): 8004-8013.
- Murthy, H.M., Judge, K., DeLucas, L. and Padmanabhan, R. (2000). "Crystal structure of Dengue virus NS3 protease in complex with a Bowman-Birk inhibitor: implications for flaviviral polyprotein processing and drug design." *J Mol Biol* 301(4): 759-767.
- Nakatani, N. (1992). *Natural Antioxidants from Spices. Phenolic Compounds in Food and Their Effects on Health II*, American Chemical Society. 507: 72-86.

- Nishiura, H., Halstead, S.B. (2007). "Natural history of dengue virus (DENV)-1 and DENV-4 infections: reanalysis of classic studies." *J Infect Dis* 195(7): 1007-1013.
- Nonaka, G., Nishioka, I., Nishizawa, M., Yamagishi, T., Kashiwada, Y., Dutschman, G.E., Bodner, A.J., Kilkuskie, R.E., Cheng, Y.C., and Lee, K.H. (1990). "Anti-AIDS agents, 2: Inhibitory effects of tannins on HIV reverse transcriptase and HIV replication in H9 lymphocyte cells." *J Nat Prod* 53(3): 587-595.
- Nowak, T. and Wengler G. (1987). "Analysis of disulfides present in the membrane proteins of the West Nile flavivirus." *Virology* 156(1): 127-137.
- O'Reilly, E. K. and C. C. Kao (1998). "Analysis of RNA-dependent RNA polymerase structure and function as guided by known polymerase structures and computer predictions of secondary structure." *Virology* 252(2): 287-303.
- PAHO (1994). *Dengue and Dengue Hemorrhagic Fever in the Americas: Guidelines for Prevention and Control*. (Pan American Health Organization, Washington, DC, USA).
- Parida, M.M., Upadhyay, C., Pandya, G., and Jana, A.M. (2002). "Inhibitory potential of neem (*Azadirachta indica* Juss) leaves on dengue virus type-2 replication." *J Ethnopharmacol.* 79(2): 273-278.
- Perlman, D. and Halvoron, H.O. (1983). "A putative signal peptidase recognition site and sequence in eukaryotic and prokaryotic signal peptides". *J. Mol. Biol.* 167, 391-409.
- Phillips, M.L. (2008). "Dengue reborn: widespread resurgence of a resilient vector. *Environmental Health Perspectives.*" 116(9): 382-388.
- Pithayanukul, P., S. Nithitanakool, et al. (2009). "Hepatoprotective potential of extracts from seeds of *Areca catechu* and nutgalls of *Quercus infectoria*." *Molecules* 14(12): 4987-5000.
- Putnak, R., Feighny, R., Burroces, J., Cochran, M., Hackett, C., Smith, G. and Hoke, C. (1991). "Dengue-I virus envelope glycoprotein gene expressed in recombinant baculovirus elicits virus-neutralizing antibody in mice and protects them from virus challenge". *Am. J. Trop. Hyg.* 45(2), 159-167.
- Preugschat, F., Yao, C.W. and Strauss, J. H. (1990). "In vitro processing of dengue virus type 2 nonstructural proteins NS2A, NS2B, and NS3." *J Virol* 64(9): 4364-4374.
- Qin, G.W. and Xu, R.S. (1998). "Recent advances on bioactive natural products from Chinese medicinal plants." *Med Res Rev* 18(6): 375-382.
- Racloz, V., Ramsey, R., Tong, S. and Hu, W. (2012). "Surveillance of dengue fever virus: a review of epidemiological models and early warning systems." *PLoS Negl Trop Dis* 6(5): e1648.

- Ralph Harbach (2008). "Family Culicidae Meigen, 1818". Mosquito Taxonomic Inventory
- Randolph, V.B., Winkler, G. and Stollar, V. (1990). Acidotrophic amines inhibit proteolytic processing of flavivirus prM protein. *Virology* 174, 450-458.
- Rao, C.V., Tokumo, K., Rigoty, J., Zang, E., Kelloff, G., Reddy, B.S. 1991. Chemoprevention of colon carcinogenesis by dietary administration of piroxicam, difluoromethlornithine, 16 β -fluor-5-androsten- 17-one and ellagic acid individually and in combination. *Cancer Research* 51, 4528–4534.
- Redwane, A., Markouk, M., Lazrek, H.B., Amarouch, H. and Jana, M. (1998). "Laboratory evaluation of molluscicidal activity of extracts from *Cotula cinerea* (L) and *Quercus lusitania* var. *infectoria* galls (Oliv.)." *Ann Pharm Fr* 56(6): 274-276.
- Redwane, A., Lazrek, H. B., Bouallam, S., Markouk, M., Amarouch, H., and Jana, M. (2002). "Larvicidal activity of extracts from *Quercus lusitania* var. *infectoria* galls (Oliv.)." *J Ethnopharmacol* 79(2): 261-263.
- Regenmortel M.H.V., Fauquet, C.M., Bishop, D.H.I., Arstens, C.E.B., Estes, M.K., Lemon, S.M., Maniloff, J., Mayo, M.A., McGeoch, D.J., Pringle, C.R., and Wickner, R.B. (2000). *Virus taxonomy: classification and nomenclature of viruses. Seventh report of the International Committee on Taxonomy of Viruses.* Academic Press, San Diego, Cali. 1162
- Rice, C.M., Lenches, E.M., Eddy, S.R., Shin, S.J., Sheets, R.L. and Strauss, J.H. (1985). Nucleotide sequence of yellow fever virus: Implications for flavivirus gene expression and evolution. *Science* 229, 726-733.
- Rice, C.M., Strauss, E.G., and Strauss, J.H. (1986). "Structure of the flavivirus genome. In : the *Togaviridae* and *Flaviviride*. Edited by Schesinger S, Schesinger M.J, New York: Plenum. 279-327.
- Rice, C. M. (1990). Overview of flavivirus molecular biology and future vaccine development via recombinant DNA. *Southeast Asian J. Trop. Med. Pub. Hlth.* 21 (4), 670-677.
- Rigau-Perez, J.G., Clark, G.G., Gubler, D.J., Reiter, P., Sanders, E.J., and Vorndam, A.V. (1998). "Dengue and dengue haemorrhagic fever." *Lancet* 352(9132): 971-977.
- Rozilawati, H., Zairi, J. and Adanan, C.R. Rozilawati, H., J. Zairi, et al. (2007). "Seasonal abundance of *Aedes albopictus* in selected urban and suburban areas in Penang, Malaysia." *Trop Biomed* 24(1): 83-94.
- Rudnick, A., Tan, E.E., Lucas, J.K. and Bin Omar, M. (1965), Mosquito-borne haemorrhagic fever in Malaya. *Brit. Med. J.*, 1, 1269-1272.
- Russell, P.K., Brandt, W.E. and Dalrymple, J.M. (1980). Chemical and antigenic structure of flavivirus. Pages 503-529. In: *Togaviruses.* Schlesinger, R.W. (ed). Academic Press Inc., New York.

- Sánchez, I., F. Gómez-Garibay, et al. (2000). "Antiviral effect of flavonoids on the Dengue virus." *Phytotherapy Research* 14(2): 89-92.
- Sabin, A.B. (1952). "Research on dengue during World War II." *Am. J. Trop. Med. Hyg.* 1: 30-50.
- Sai-Kato, K., Uermura, T., Takagi, A., Hisegawa, R., Tanimura, A., and Kurakaw, Y. (1995). Pentachlorophenol-induced oxidative DNA damage in mouse liver and protective effect of antioxidants. *Food Chem. Toxicol.* 33, 877–882.
- Samuelson, G. (1992). "Drugs of Natural Origin." Swedish Pharmaceutical Press, Stockholm, p. 86.
- Saleem, A., Husheem, M., Harkonen, P., and Pihlaja, K. (2002). Inhibition of cancer cell growth by crude extract and phenolics of *Terminalia chebul retz.* fruit. *J. Ethnopharmacol.* 81, 327–336.
- Sawangjaroen, N., Sawangjaroen, K., and Poonpanang, P. (2004). "Effects of Piper longum fruit, Piper sarmentosum root and Quercus infectoria nut gall on caecal amoebiasis in mice." *J Ethnopharmacol* 91(2-3): 357-360.
- Schlesinger, J.J., Brandriss, M.W. and Walsh, E.E. (1985). "Protection against 17D yellow fever encephalitis in mice by passive transfer of monoclonal antibodies to the nonstructural glycoprotein gp48 and by active immunization with gp48." *J Immunol* 135(4): 2805-2809.
- Serrano, A., Palacios, C., Roy, G., Cespon, C., Villar, L.M., Nocito, M., and Gonzalez-Porque, P. (1998). Derivatives of gallic acid induce apoptosis in tumoral cell lines and inhibit lymphocyte proliferation. *Arch Biochem Biophys.* 350:49–54.
- Shahrzad, S. and Bitsch, I. (1996). "Determination of some pharmacologically active phenolic acids in juices by high-performance liquid chromatography." *Journal of Chromatography A.* 741(2): 223-231.
- Shin, M.S., Kang, E.H., and Lee, Y.I. (2005). Flavonoid from medicinal plants blocks hepatitis B virus-e antigen secretions in HBV-infected hepatocyte. *Antiviral Research* 67 (3), 163–167.
- Skae, F.M. (1902). "Dengue Fever in Penang." *Br Med J* 2(2185): 1581-1582.
- Silva, A.R.A., Morais, S.M., Marques, M.M.M., Lima, D.M., Santos, S.C.C., Almeida, R.R., Vieira, I.G.P., and Guedes, M.I.F. (2011). "Antiviral activities of extracts and phenolic components of two *Spondias* species against dengue virus". *Journal of Venomous Animals and Toxins including Tropical Diseases.* 17(4): 406-413.
- Sligh, D.F., Ueda, H., Arvigo, R., and Balick, M.J. (1999). "Ethnobotany in the search for vasoactive herbal medicines." *J Ethnopharmacol* 66(2): 159-165.
- Suzuki N., Masamune A., Kikuta K., Watanabe T., Satoh K., and Shimosegawa T. (2009). Ellagic acid inhibits pancreatic fibrosis in male Wistar Bonn/Kobori rats. *Dig Dis Sci.* 54:802–10.

- Stocks, C. E. and M. Lobigs (1998). "Signal peptidase cleavage at the flavivirus C-prM junction: dependence on the viral NS2B-3 protease for efficient processing requires determinants in C, the signal peptide, and prM." *J Virol* 72(3): 2141-2149.
- Stollar, V. (1969). Studies on the nature of dengue viruses. IV. The structural proteins of type 2 dengue virus. *Virology* 39, 426-438.
- Stollar, V., Stevens, T.M., and Schlesinger, R.W. (1966). "Studies on the nature of dengue viruses. II. Characterization of viral RNA and effects of inhibitors of RNA synthesis." *Virology* 30(2): 303-312.
- Stoner, G.D., Morse, M.A., (1997). Isocyanates and plant polyphenols as inhibitors of lung and esophageal cancer. *Cancer Letters* 114, 113–119.
- Talarico, L.B., Pujol, C.A., Zibetti, R.G.M., Far'ia, P.C.S., Nosedá, M.D., Duarte M.E.R., and Damonte E.B. (2005). "The antiviral activity of sulfated polysaccharides against dengue virus is dependent on virus serotype and host cell." *Antiviral Research* 66(2–3): 103-110.
- Tan, S.K., Phippen, R., Yusof, R., Ibrahim, H., Khalid, N., and Abd Rahman, N. (2006). "Inhibitory activity of cyclohexenyl chalcone derivatives and flavonoids of fingerroot, *Boesenbergia rotunda* (L.), towards dengue-2 virus NS3 protease." *Bioorganic & Medicinal Chemistry Letters* 16(12): 3337-3340.
- TDR and WHO (2009). In *Dengue: Guidelines for Diagnosis, Treatment, Prevention and Control*. 23–55 (TDR/WHO, Geneva, Switzerland).
- Thitilertdecha, N., Teerawutgulrag, A. et al. (2010). "Identification of Major Phenolic Compounds from *Nephelium lappaceum* L. and Their Antioxidant Activities." *Molecules* 15(3): 1453-1465.
- Thulstrup, P.W., Thormann, T., Spangetlarsen, J., and Bisgaard, H.C. (1999). Interaction between ellagic acid and calf thymus DNA studied with flow linear dichroism UV–vis spectroscopy. *Biochem. Biophys. Res. Commun.* 265, 416–421.
- Turner, C., Witwer, C., Hofacker, I.L. and Stadler, P.F. (2004). "Conserved RNA secondary structures in Flaviviridae genomes." *J Gen Virol* 85(Pt 5): 1113-1124.
- Tomlinson, S. M. and Watowich, S.J. (2011). "Anthracene-based inhibitors of dengue virus NS2B-NS3 protease." *Antiviral Res* 89(2): 127-135.
- Umachigi, S.P., Jayaveera, K.N., Ashok Kumar, C.K., Kumar, G.S., Vrushabendra swamy B.M. and Kishore Kumar D.V. (2008). "Studied on wound healing properties of *Quercus infectoria*." *Tropical Journal of Pharmaceutical Research*, 7(1), 913-919.
- Valle, R. P. and B. Falgout (1998). "Mutagenesis of the NS3 protease of dengue virus type 2." *J Virol* 72(1): 624-632.

- Vijayan, P., Raghu, C., Ashok, G., Dhanaraj, S.A. and Suresh, B. (2004). "Antiviral activity of medicinal plants of Nilgiris." *Indian J Med Res* 120(1): 24-29.
- Volk, D.E., Lee, Y.C. Li, X., Thiviyanathan, V., Gromowski, G.D., Li, L., Lamb, A.R., Beasley, D.W., Barrett, A.D. and Gorenstein, D.G. (2007). "Solution structure of the envelope protein domain III of dengue-4 virus." *Virology* 364(1): 147-154.
- Voravuthikunchai, S.P. and Suwalak, S. (2008). "Antibacterial activities of semipurified fractions of *Quercus infectoria* against enterohemorrhagic *Escherichia coli* O157:H7 and its verocytotoxin production." *J Food Prot* 71(6): 1223-1227.
- Wang, X., Wang, J., and Yang, N. (2007). Flow injection chemiluminescent detection of gallic acid in olive fruits. *Food Chemistry*, 105, 340e345.
- Wengler, G. (1993). "The NS 3 nonstructural protein of flaviviruses contains an RNA triphosphatase activity." *Virology* 197(1): 265-273.
- Westaway, E.G., Brinton, M.A., Gaimamovich, S.Y., Hornizek, MC., Igarashi, A., Kaariainen, L., Lvov, D.K., Porterfield, J.S., Russell, P.K. & Trent, D.W. (1985), *Flaviviridae*. *Zntervirolgy*, 24, 183- 192.
- Whitby, K., Pierson, T.C., Geiss, B., Lane, K., Engle, M., Zhou, Y., Doms, R.W., and Diamond, M.S. (2005). "Castanospermine, a potent inhibitor of dengue virus infection in vitro and in vivo." *J Virol* 79(14): 8698-8706.
- White, D.O., Fenner, F.J. (1994). *Medical Virology*, 4th ed. Academy Press. New York. pp. 418-432. Chapter 25.
- WHO (1998). Dengue and dengue haemorrhagic fever. WHO fact sheet, No: 117.
- WHO (2008). Traditional medicine. WHO fact sheet, No: 134.
- WHO (2009). Monographs on Selected Medicinal Plants - Volume 4, 456 pages
- WHO (2011). The World Medicines Situation 2011 - Traditional Medicines: Global Situation, Issues and Challenges
- WHO (2012). Dengue and severe dengue. WHO fact sheet, No: 117.
- WHO (2011). http://gamapservers.who.int/mapLibrary/Files/Maps/Global_DengueTransmission_ITHRiskMap.png.
- WHO (1998). Global situation of dengue fever/ dengue haemorrhagic fever. Division of control of tropical diseases.
- Wuart, C., Mogana, S., Khalifah, S., Mahan, M., Ismail, S., Buckle, M., Narayana, A.K., and Sulaiman, M. (2004). "Antimicrobial screening of plants used for traditional medicine in the state of Perak, Peninsular Malaysia." *Fitoterapia* 75(1): 68-73.
- Wood, E. J. (1996). "Harper's biochemistry 24th edition by R K Murray, D K Granner, P A Mayes and V W Rodwell. pp 868. Appleton & Lange, Stamford, CT. 1996. £28.95 ISBN 0-8385-3612-3." *Biochemical Education* 24(4): 237-237.

- Yamshchikov, V. F. and Compans, R.W. (1995). "Formation of the flavivirus envelope: role of the viral NS2B-NS3 protease." *J Virol* 69(4): 1995-2003.
- Yusof, R., Clum, S., Wetzel, M., Krishna Murthy, H.M. and Padmanabhan, R. (2000). Purified NS2B/NS3 serine protease of dengue virus type 2 exhibits cofactor NS2B dependence for cleavage of substrates with dibasic amino acids in vitro. *J. Biol. Chem.* 275(14), 9963-9969.
- Zakaria, M and Mohammad, M.A. (1994). Traditional Malay medicinal plants. Penerbit Fajar Bakti, Sdn. Bhd., Kuala Lumpur: Malaysia.
- Zandi, K., Teoh, B.T., Sam, S.S., Wong, P.F., Mustafa, M.R. and Abubakar, S. (2011). "Antiviral activity of four types of bioflavonoid against dengue virus type-2." *Virol J* 8: 560.
- Zhang, Y.M., Hayes, E.P., McCarty, T.C., Dubois, D.R., Summers, P.L., Eckels, K.H., Chanock, R.M. and Lai, C.J. (1988). "Immunization of mice with dengue structural proteins and nonstructural protein NS1 expressed by baculovirus recombinant induces resistance to dengue virus encephalitis." *J Virol* 62(8): 3027-3031.
- Zhang, W., Chipman, P.R., Corver, J., Johnson, P.R., Zhang, Y., Mukhopadhyay, S., Baker, T.S., Strauss, J. H., Rossmann, M.G., and Kuhn, R.J. (2003). "Visualization of membrane protein domains by cryo-electron microscopy of dengue virus." *Nat Struct Biol* 10(11): 907-912.
- Zhang, Y., Varced, S.K., and Nair, M.G. (2005). Human tumor cell growth inhibition by nontoxic anthocyanidins, the pigments in fruits and vegetables. *Lifes Sci.* 76, 1465–1472.
- Zhao, B., Mackow, E., Buckler-White, A. Markoff, L., Chanock, R.M., Lai, C.J. and Makino, Y. (1986). "Cloning full-length dengue type 4 viral DNA sequences: analysis of genes coding for structural proteins." *Virology* 155(1): 77-88.