

REFERENCES

- Abdulla, M.A., Ahmed, K.A., Abu-Luhoom, F.M., and Muhanid, M. (2010). Role of *Ficus deltoidea* extract in the enhancement of wound healing in experimental rats. *Biomedical research*, 21(2), 241-245.
- Abudulla, M.A., Pouya, H., Hapipah, M.A., Suzita M.N., Fouad, H.M., Nor Syuhada, A.B., Rosainawat, H.R. and Wjidah, I.K. (2009) Acceleration of wound healing potential by *Lantana camara* leaf extract in experimental rats. *Research Journal of Medical Science*, 3(2), 75-79.
- Aljady, A.A. and Kamaruddin, M.Y. (2002) Evaluation of the phenolic contents and antioxidant capacities of two Malaysian floral honeys. *Food Chemistry*, 85, 513-518.
- Aljady, A.M., Kamaruddin, M., Y., Jamal, A.M. and Mohd. Yassim, M.Y. (2000) Biochemical study on the efficacy of Malaysian honey on inflicted wounds: an animal model. *Medical Journal of Islam Academy of Sciences*. 13(3), 125-132.
- Aljady, A.M.A. (2003). Biochemical study on the wound healing property of honey. PhD thesis. University of Malaya, Kuala Lumpur.
- Baie, S.H. and Sheikh, K. A. (2000). The wound healing properties of *Channa striatus*-centrimide cream-tensile strength measurement. *J. Ethnopharmacol*, 71, 93-100.
- Ballard, K. and Bazter, H. (2000). Development in wound care for difficult manage wounds. *Br.J. Nursing* 9(7), 405-412.
- Bansal, V., Medhi, B. and Pandhi, P. (2005). Honey-A remedy rediscovered and its therapeutic utility. *Kathmandu University Medical Journal*, 3(3)11: 305-309
- Bates-Jensen B.M. (2001). Management of exudates and infection in Wound Care. A collaborative practical manual for physical therapists and nurses (Sussman, C. and Bates-Jensen, B.M., eds) Maryland, Aspen Publishers, Inc:216-232.

Bogdanov, S.(2010a) The book of honey: Chapter 1 A short history of honey. Bee product science. Retrieved on 11 October 2010 from [111. bee-hexagon.net](http://111.bee-hexagon.net).

Bogdanov, S.(2010b) The book of honey: Chapter 2, Elaboration and harvest of honey. Bee product science. Retrieved on 11 October 2010 from [111. bee-hexagon.net](http://111.bee-hexagon.net).

Bogdanov, S. (2010c). The book of honey: Chapter 5 honey composition. Retrieved on 5 April 2011 from www.bee-hexagon.net.

Bogdanov, S. (2010d). The book of honey: Chapter 6 Honey Types. Retrieved from www.bee-hexagon.net on 5 April 2011.

Braiman-Wiksmann, L ., Solomonik, I., Spira,R., and Tennenbau,T. (2007). Novel insights into wound healing sequence of event. *Toxicologic pathology*, 35,767-779.

Brannon, H.L. (2007). Skin anatomy. Retrieved on 30 October 2010, from <http://dermatology.about.com/cs/skinanatomy/a/anatomy.html>

Cavanagh, D., Beazley J., and Ostapowics, F. (1970). Radical operation for carcinoma of the vulva: A new approach to wound healing. *J. Obstet. Gynaecol. Br. Commonw*, 77 (11).1037-40.

Chepulis L. (2008) Healing honey:a natural remedy for better health and wellness. *Brown walkerPress*.

Chithra,P., Sajithlal, G.B. and Chandrakasan, G.(1998) Influence of aloe vera on the healing of dermal wound in diabetic rats. *J., Ethnopharmac*, 59.195-201.

Clark, R.A.F (1996) Wound repair : overview and general considerations. In: Clark, R.A.F,(editor) *The molecular and cellular biology of wound repair* (2nd ed.) London: *Plenum Press*.3-50

- Davidson, J.M. (1998). Animal models for wound repair. *Arch Dermatol Res.* 290 (Suppl): S1–S11.
- Davis, M., Dunkley, P., Harden, R.M., Harding, K., Laidlaw, J.M., Moris, R.M., and Wood, R.A.B. (1992). The wound programme. Centre for Medical Education: Dundee.
- Davis, S.C., & Perez,R. (2009) Cosmeceuticals and natural products: wound healing. *Clinics in Dermatology* 27, 502-506.
- Diegelmann, R.F. and Evans M.C. (2004) Wound Healing: An overview of acute, fibrotic and delayed healing. *Frontiers in Bioscience* 9, 283-289.
- Doner, L.W., White, J.W. and Philips, J.G. (1979). Gas-liquid chromatographic test for honey adulteration by high fructose corn syrup. *J. assoc. off. Anal. Chem.* 62,186-189
- Dorsett-Martin, W.A., (2004) Rat models in skin wound healing: a review. *Wound Rep Reg* 12: 591-599.
- Eaglstien, W. (1989)Wound healing and aging. *Clin. Geriat. Med*, 5 (1).183-188
- Efem, S.E,E(1988). Clinical observations on the wound healing properties of honet. *Br. J. Surg.*75.679-681
- Efem, S.E.E(1993). Recent advances in the management of Fournier's gangrene: preliminary observation. *Surgery.*113 (2), 200-204
- El-Banby, M., Kandil, A.,Abou-Sehly, G/. El-sherif M.E. Abdel-Wahed K. (1989) Healing effect of floral honey and honey from sugar fed bees on surgical wounds (animal model) Fourth International Conferenc on Apiculture in Tropical Climates; *Cairo, Egypt*. 48-49.

Enoch, S. and Leaper, D.J. (2007) Basic science of wound healing. *Surgery*, 2-7.

Eva, Crane(1975) Honey a comprehensive study. London: Heinemen

Frankle, S., Robinson, G.E. and Berenbaum, M.R. (1998). Antioxidant capacity and correlated characteristics of 14 unifloral honeys. *J. Apic. Res.* 37(1). 27-31.

Friedrich, L. (2010) Nutritional and wound healing : From Kitchen to the pharmacy.
Retrieved from
http://www.dmaonline.org/Events/11Annual_handouts/lfriedrich_nutritionWoundHealing.pdf

Gabrie, A., Mussman, J., Rosenberg, L. Z., and Torre, J. I. d. I. (2009). Wound Healing, Growth Factors (Publication. Retrieved 25 February 2009, from eMedicine from WebMD: <http://emedicine.medscape.com/article/1298196-overview>

Gal P, Kilik R, Mokry M, Vidinsky B, Valsilenko T, Mozes S, Bobrov N, Tomori Z, Bober J, Lenhardt L (2008). Simple method of open skin wound healing model in corticosteriod treated and diabetic rats: standardization of semi quantitative and quantitative histological assessments. *Veterinari Medicina*; 53 (12): 652-59.

Goly, B., Godeau,G., Gilbert, S., Legrand, J.M., Kut, C., Pellat, B., and Goldberg, M.(1997) Morphometric analysis of collagen and elastic fibers in normal skin and gingiva in relation to the age. *Clin. Oral Invest.*1:147-152.

Gottrup ,F (2001). Experimental wound healing research: the use of models. *EWMA Journal*, 2:5-8.

Gottrup, F., Agren M.S. and Karlsmark, T. (2000). Models for use in wound healing research: a survey focusing on in-vitro and in-vivo adult soft tissue. *Wound Repair Regen* .8(2):83–96.

Gupta, S.K., Singh, H., Varshiney, A.C. and Prakash, P. (1992). Therapeutic efficacy of honey in infected wounds in buffaloes. *Ind. J. Anim. Sci.* 62(6).521-523.

Halloran and Slavin (2002) Pathophysiology of Wound Healing, *Surgery (Oxford)* 20(5).

Halloran, C.M and Slavin, J.P. (2002) Pathophysiology of wound healing, The medicine publishing company. *Surgery*.i-v.

Indiana University Bloomington (2008). Anatomy A215 Virtual microscopy: Thin skin. Retrieved on 4 Nov 2010, from http://www.indiana.edu/~a215note/virtualscope2/docs/chap3_2.htm

Ingle, R.,Levin, J., Polinder, K.(2006) Wound healing with honey-a randomised controled trial. *S Afr med.* 96(9):831-35.

Jeffery, A.E and Echazarreta, C.M (1996) medical uses of honey. *Rec Biomed.*7:43-49.

Kamaruddin, M.Y. Personal Communication

Kaye, E.T. (2000) Topical antibacterial agents. *Infects Dis Clin North Am.*14:321-339

Kerstein, M.D., Bensing, K.A. and brill, L. R. (1998). The physiology of wound healing. Philadelphia: The Oxford Institute for continuing education and Allegheny university of Health science.

Khana, S.,Venojarvi, M.,Roy, S., Sharma, N., Trika, P., Bagchi, D., and Sen, C.K. (2002) Dermal wound healing properties of redox-active grape seed proanthocyanidins. *Free Radical Biol. Med.*, 33:1089-1096.

Khalil, M.I., Sualaiman, S.A., Alam, N. Ramli, N., Mohamed, M., Saringa, B and Gan, S.H (2012) Content and antioxidant properties of processed Tualang Honey (Argomas) Collected from Different Regions in Malaysia. *International Journal of Pharmacy and Pharmaceutical Science*. ISSN- 0975-1491

Khoo, Y. T., Halim, A. S., Singh, K.K. B. and Mohamad, N.A. (2010) Wound contraction effects and antibacterial properties of Tualang honey on full-

thickness burn wounds in rats in comparison to hydrofibre. *BMC Complementary & Alternative Medicine*.10:48.

Korth, W. and Ralson, J. (2002) Techniques for detection of adulterated honey. A report for the rural industries research and development corporation. Agriculture Fisheries and Forestry, Australia.

Kumar, A.,Samar, V.K., Singh, H.P. Prakash, P., and Sign, S.P. (1993) Efficacy of some indigenous drugs in tissue repair in buffaloes. *Indian vet. J.*70:42-44.

Li, J., Chen, J. and Kirsner, R.(2007). Pathophysiology of acute wound healing. *Clinics in Dermatology*. 25, 9-18.

Lotfi, A.(2008) Use of honey as a medicinal product in wound dressing (Human and animal studies): A review. *Research journal of Biological Sciences* 3(1):136-140.

Mackay,D. and Miller A.L.(2003) Nutritional Support for wound healing. *Alternative medicine review*. 8(4) p359-374

MacLellan, D.G.(2000). Chronic wound management.*Aust Prescr*,23, 6–9.

Marshall, J.M., (1990) Aloe vera gel: what is the evidence? *Pharm J*, 14: 360-2.

Martini, F.H. (2006). Fundamentals of anatomy and physiology (7th ed.). San Francisco : Benjamin Cummings.

Medhi B., Puri, A., Upadhyay,S. and Kaman, L. (2008)Topical application of honey in the treatment of wound healing: A metaanalysis. *JK science*. 10 (4). Pg 166-69.

Melisa, C (2000) Oestrogens and wound healing. *Maturitas* 34,195-210.

- Merchandetti, M. and Cohen, A.J. (2008). Wound healing, healing and repair.
Retrieved on 11 November 2010, from emedicine from webMD.
- Mohammad, H., Pipelzede, and Naylor, I.L. (1998). The in vitro enhancement of rat myofibroblast contractility by alterations to the pH of the physiological solution. *Eur. J. Pharmacol.* 357 (2-3). 257-259.
- Molan, P. C. (2006). The Evidence Supporting the Use of Honey as a Wound Dressing. *International Journal of Lower Extremity Wounds*, 5(1), 40-54
- Molan, P.C (2000) Establishing honey as a recognize medicine. *J. Am. Apitherapy Soc.* (1),7-9.
- Molan, P.C.(2001) Potential of honey in the treatment if wounds and burns. *Am.J.Clinic. Dermatol.*2:13-19.
- Monaco, J.L.and Lawrence, T.(2003) Acute wound healing. an overview. *Clin Plastic Surg* 30 ,1– 12
- Moon, C.H. and Crabtree, T.G. (2003) New wound dressing techniques to accelerate wound healing. *Current Treatment Options in Infectious Diseases* 5:251–260
- Mortimer, D., (2007) Moist wound dressings and pressure relieving surfaces mechanisms, materials and a review of some cost-effectiveness findings. Working paper 104. Centre for Health Program Evaluation. West Heidelberg, Australia.
- National Honey Board (1996) Definition of honey and honey products. Updated on 27 September 2003.
- Nisbet, A.O., Nisbet, C., Yarim, M., Guler, A., and Ozak, A. (2010) Effect of three types of honey on cutaneous wound healing. *WOUNDS* 22(11):275-283.
- Noorlander, M.L., Melis, P., Jonker, A., and Van Noorden, C.J.(2002). A quantitative method to determine the orientation of collagen fibers in the dermis.

J.Histochem. Cytochem. 50(11):1469-1474.

Norimah, Y., Ainuh Hafiza, A.H., Rozaini, M.Z., and Md Zuki, A.B. (2007) Development of honey hydrogel dressing enhanced wound healing. *Radiation physics and chemistry*. 76:1767-1770.

Nuriza, T., Arsyayiah, N., Halim, A., Shahjahan M., Noor Izani, N., Munavvar, J., Sattar, A., Abdul, H.K., and Mohsin., S.S.J. (2005) Antibacterial activity of local Malaysian honey. *Malaysian Journal of Pharmaceutical Science*. 2:1-10.

Office of Complementary Medicines (1998). Honey: scientific report. Retrieved on 3 november 2011 from <http://www.tga.gov.au/pdf/archive/report-honey-9812.pdf>

Olandejo, O.W., Imosemi, I.O., Osuagwu F.C., et al (2003) A comparative study of the wound healing properties of honey and *Ageratum conyzoides*. *Afr J Med Sci*, 32(2):193-6

Omerbegović, M., Durić, A., Muratović, N., Mulalić, L., and Hamzanija, E. (2003) Metabolic response to trauma and stress. *Med Arh*. 2003;57:57-60.

Osuagwu, F.C., Oladejo, O.W. and Imosemi, I.O. (2004) Enhanced wound contraction in fresh wounds dressed with honey in wistar rats (*Rattus Novergicus*). *West Afr Med*. 23:114-118.

Percival, M. (1997) Nutritional support for connective tissue repair and wound healing. NUT026/98.

Perez, B. and Davis, S. C (2008) Relevance of Animal Models for Wound Healing. Retrieved on 9 Dec 2009 from <http://www.woundsresearch.com/article/8200>.

Rao, K.S., Patil, P.A. and Malur, P.R. (2007) Promotion of cutaneous wound healing by famotidine in Wistar rats. *Indian J., Med. Res.*, 125(2):149-154

- Regan, M.C., and Barbul, A. (1994). The cellular biology of wound healing, in Fibrin Sealing in Surgical and Nonsurgical Fields. (Schlag,G and Redi, H. eds)
- Richard, J.L., Daures, J.P. Parer-Richard, Vennereau, D and Boulot, I. (2000) Of Mice and wounds reproducibility and accuracy of a bovel planmetry program for measuring wound area. *Wounds*. 12(6):148-154
- Robbins, S.L., Kumar, V. and Cotran, R.S.W.B (1989). Robbins Pathologic basis of disease:Wound healing. Saunders company: Philadelphia.
- Rozaini, M.Z., Zuki, A. B.Z., Noordin, M.M., Norimah,Y. & Nazrul Hakim,A. (2004) The effects of different types of honey on tensile strength evaluation of burn wounds tissue healing. *Int J Appl Res Vet Med*.2(4):290-296. ISSN 1028-8880.
- Rozaini, M.Z., Zuki, A. B.Z., Noordin, M.M., Norimah,Y. & Nazrul Hakim,A. (2005) Macroscopic evaluation of burn wounds healing progress treated with different types of honey. *Pakistan Journal of Biological Sciences* 8(5):672-8. ISSN 1028-8880.
- Salami, A.A, Imosemi I.O. and Owoeye, O.O (2006) A comparison of the effect of chlorhexidine, tap water and normal saline on healing wounds.
- Salmi, S. M., Halim, A.S. and Banga Singh, K.K. (2011) Evaluation of bacterial contaminated full thickness burn wound healing in Sprague Dawley rats treated with Tualang honey. *Indian Journal of Plastic Surgery*. 1 (44): 112-117.
- Sanford, M.T. (2003). Honey Adulteration. Reviewed on 1 May , 20010 at <http://edis.ifas.ufl.edu>. http://edis.ifas.ufl.edu/topic_a95436840
- Schubert V. Measuring the area of chronic ulcers for consistent documentation in clinical practice. *WOUNDS* (1997); 9:153-9.

- Shaw, T.J. and Martin, P (2009) Wound repair at a glance. *Journal of cell science*. 122 3209-3213.
- Shukla, A., Rasik, A.M., and Dahwan, B.N. (1999) Asiaticoside-induced elevation of antioxidant levels during acute wound healing. *Phytother. Res*. 13. 50-54.
- Singer, A.J., and Clark, R.A. (1999). Cutaneous wound healing. *N Eng; J Med* 341, 738-46.
- Stephen C, Davis B.S.and Robert, P. (2009). Cosmeceuticals and natural products: wound healing. *Clinics in dermatology*. 17:502-506.
- Su, W. H., Cheng, M.H. , Lee,W.L., Tsou,T.S.,Chang, W.H., Chen,C.S., and Wang, P.H.(2010) Nonsteroidal Anti-inflammatory Drugs for wounds: pain relief or excessive scar formation. *Mediator of Inflammation* 2010 .DOI10.1155/2010/413238.
- Subramanyam, M. (1998). A prospective randomized clinical and histological study of superficial burn wound healing with honey and silver sulfadiazine. *Burns*. 24 (2).157-161.
- Subramanyam, M. (1999). Early tangential excision and skin grafting of moderate burns is superior to honey dressing. A prospective randomized trial. *Burns*. 25:729-731.
- Subramanyam, M., Sahapure, A.G., Nagane, N.S., Bhagwat, V.R. and Ganu, J.V. (2001). Effect of topical application of honey on burn wound healing. *Annals of Burn and Fire Disasters XIV* (3).143-145.
- Suguna, L., Chandrakansan G., Thomas J.k (1992). Influence of honey on biochemical and biophysical parameters of wounds in rats. *J Clin Biochem nutr*. 13:7-12.
- Sussman, C. and Bates Jensen, B.M. (2001). Wound healing physiology and chronic wound healing in wound care. A collaborative Practice Manual for Physical Therapists and Nurses.(Sussman, C. and Bates-Jensen,B.M.eds), p.26-51.Maryland: Aspen Publisher, Inc.

- Szabo, S. Kusstatscher, G., Chandrakasan, G (1995). Growth factors: New endogenous drugs for ulcer healing *Scand. J. Gastroenterol. Suppl.* 210:15-18.PMID:8578198.
- Taylor, M.D., Roberts, J.R., Hubbs, A.F., Reasor, M.J., and Antonini, J.M.(2002) Quantitative image analysis of drug-induced lung fibrosis using laser scanning confocal microscopy. *Toxic. Sci.*, 67:295-302.
- Thomas Romo III, Pearson, J. M., Yalamanchili, H., and Zoumalan, R. A. (2008). Wound Healing, Skin (Publication. Retrieved 25 february 2010, from eMedicine from Web MD: <http://emedicine.medscape.com/article/884594-overview>
- Thomas, S. (1990). Wound management and dressing. London: the Pharmaceutical Press.
- Tomlinson A, Ferguson MWJ (2003). Chapter 26: wound healing. In: Winyard PG, Willoughby DA. *Methods in molecular biology*, vol. 225: Inflammation protocols. Totowa, NJ: Humana Press Inc; p249-60.
- Torre, J. I. D. L., and Chambers, J. A. (2008). Wound Healing, Chronic Wounds (Publication. Retrieved 25 February 2010, from Emedicine from webMD: <http://emedicine.medscape.com/article/1298452-overview>
- Trujeque, T.R. (2001) How do fibroblast interact with the extracellular matrix in wound contraction? *J wound Care* 10(6) 237-42.
- Truong, N., Vern, A.K., Latenser, B.A., Wiley, D. E., & Walter, R.J. (2005) Comparison of dermal substitutes in wound healing utilizing a nude mouse model. *J. Burns Wounds.*, 14(4);(4ed.) 72-78.
- Ukong, S., Ampawong, S. and kengkoom,K (2008) Collagen measurement and staining pattern of wound healing comparison with fixation and stains.
- Vidinsky,B., Gal, P., Toporcer, T., Longauer,F. Lenhardt,L., Bobrov,N. and Sabo,J. (2006) Histological study of the first seven days of skin wound healing in rats.

Watson, T. (2006) Soft tissue wound healing review. Retrived on 11 Nov 2010 from <http://www.electrotherapy.org/downloads/Modalities/tissue%20repair.pdf>

Wheater, P.R., Young, B., Lowe, J.S., Stevens, A. & Heath, J.W. (2006). *Wheater's functional histology : a text and colour atlas* (5th ed.). London : Churchill Livingstone.

White, J. (1979). Spectrophotometric method for hydroxymethylfurfural in honey. *Journal of the Association of Official Analytical Chemists*, 62, 509–514.

White, J. W.(1957) Composition of honey. Crane E (ed). *Honey. A comprehensive survey*. Heinemann: London.

White, J.W. (1979)Spectrophotometric method for hydroxymethylfurfural in honey. *Association of Official Analytical Chemists*. 62(3):509-514

Williams, C (1994) Intrasil Gel: a hydrogel dressing. *Br J Nurs*. 3:843-846

Winter, G., (1962), Formation of scab and the rate of epithelialization of superficial wounds.*Nature*,193:293-4.

Zumla, A.; Lulat, A. 1989: Honey—a remedy rediscovered. *Journal of the Royal Society of Medicine* 8:384-385