

## REFERENCES

- Adedapo, A. A., Jimoh, F. O., Koduru, S., Masika, P. J. & Afolayan, A. J. (2008). Evaluation of the medicinal potentials of the methanol extracts of the leaves and stems of *Halleria lucida*. *Bioresource Technology*, 99, 4158-4163.
- Agarwal, A., Saleh, R. A. & Bedaiwy, M. A. (2003). Role of reactive oxygen species in the pathophysiology of human reproduction. *Fertility and Sterility*, 79, 829-843.
- Alexandru, V., Balan, M., Gaspar, A., Craciunescu, O. & Moldovan, L. (2007). Studies on the antioxidant activity, phenol and flavonoid contents of some selected Romanian medicinal plants used for wound healing. Available: <http://ebooks.unibuc.ro/biologie/RBL/vol12nr6/2.htm>.
- Atmani, D., Chaher, N., Berboucha, M., Ayouni, K., Lounis, H., Hania Boudaoud, Debbache, N. & Atmani, D. (2009). Antioxidant capacity and phenol content of selected Algerian medicinal plants. *Food Chemistry*, 112, 303-309.
- Bagchi, D., Bagchi, M., Stohs, S. J., Das, D. K., Ray, S. D., Kuszynski, C. A., Joshi, S. S. & Pruess, H. G. (2000). Free radicals and grape seed proanthocyanidin extract: Importance in human health and disease prevention. *Toxicology*, 148, 187-197.
- Bartosz, M., Kedziora, J. Z. & Bartosz, G. (1997). Antioxidant and Prooxidant Properties of Captopril and Enalapril. *Free Radical Biology & Medicine*, 23, 729-735.
- Berker, K. I., Guclu, K., Demirata, B. & Apak, R. (2010). A novel antioxidant assay of ferric reducing capacity measurement using ferrozine as the colour forming complexation reagent. *Analytical Methods*, 2, 1770-1778.
- Berra, K. & Miller, N. H. (2009). Inhibiting the renin-angiotensin system: Why and in which patients. *Journal of the American Academy of Nurse Practitioners* 21, 66-75.
- Beug, M. W. & Bigwood, J. (1981). Quantitative analysis of psilocybin and psilocin and psilocybe baecystis (singer and smith) by high-performance liquid chromatography and by thin-layer chromatography *Journal of Chromatography A*, 207, 379-385.
- Bocxlaer, J. F. V., Clauwaert, K. M., Lambert, W. E., Deforce, D. L., Eeckhout, E. G. V. D. & Leenheer, A. P. D. (2000). Liquid Chromatography-Mass Spectrometry in Forensic Toxicology. *Mass Spectrometry Reviews*, 19, 165-214.
- Bramer, S. E. V. (1997). An Introduction to Mass Spectrometry. Available: <http://science.widener.edu/svb/massspec/massspec.pdf>.
- Bussemaker, E., Hillebrand, U., Hausberg, M., Pavenstadt, H. & Oberleithner, H. (2010). Pathogenesis of Hypertension: Interactions Among Sodium, Potassium, and Aldosterone. *American Journal of Kidney Diseases*, 55, 1111-1120.
- Campbell, N. A. & Reece, J. B. (eds.) (2002). *Biology*: Benjamin Cummings.

- Carretero, O. A. & Oparil, S. (2000). Essential Hypertension : Part I: Definition and Etiology. *Journal of The American Heart Association*, 101, 329-335.
- Castro, M. D. L. D. & Priego-Capote, F. (2010). Soxhlet extraction: Past and present panacea. *Journal of Chromatography A*, Volume 1217, 2383-2389.
- Castro, M.M., Rizzi, E., Rodrigues, G.J., Ceron, C.S., Bendhack, L.M., Gerlach, R.F., & Santos, J.E.T. (2009). Antioxidant treatment reduces matrix metalloproteinase-2-induced vascular changes in renovascular hypertension. *Free Radical Biology and Medicine*, 46, 1298-1307.
- Chen, H., Zuo, Y. & Deng, Y. (2001). Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography. *Journal of Chromatography A*, 913, 387-395.
- Choi, S.H., Cho, H. Y., Yang, H. C., RA, K. S. & Suh, H. J. (2001). Angiotensin I-converting enzyme inhibitor from *Grifola frondosa*. *Food Research International* 34, 177-182.
- Chvatalova, K., Slaninova, Brezinova, L. & Slanina, J. (2008). Influence of dietary phenolic acids on redox status of iron: Ferrous iron autoxidation and ferric iron reduction. *Food Chemistry*, 106, 650-660.
- Circosta, C., Pasquale, R. D. & Occhiuto, F. (2005). Cardiovascular effects of the aqueous extract of *Gynostemma pentaphyllum* Makino. *Phytomedicine*, 12, 638-643.
- Clifford, M. N., WU, W. & Kuhnert, N. (2006). The chlorogenic acids of *Hemerocallis*. *Food Chemistry*, 95, 574-578.
- Dai, J. & Mumper, R. J. (2010). Plant Phenolics: Extraction, Analysis and Their Antioxidant and Anticancer Properties. *Molecules*, 15, 7313-7352.
- Dam, R. M. V. (2008). Coffee Consumption and Coronary Heart Disease: Paradoxical Effects on Biological Risk Factors versus Disease Incidence. *Clinical Chemistry*, 54, 1418-1420.
- Decker, E. A. & Clarkson, P. M. (2000). Dietary sources and bioavailability of essential and nonessential antioxidants. In: SEN, C. K., Packer, L. & Hanninen, O. (eds.) *Handbook of Oxidants and Antioxidants in Exercise*. Elsevier Science.
- Descalzo, A. M. & Sancho, A. M. (2008). A review of natural antioxidants and their effects on oxidative status, odor and quality of fresh beef produced in Argentina. *Meat Science*, 79, 423-436.
- Dive, V., Chang, C.-F., Yiotakis, A. & Sturrock, E. D. (2009). Inhibition of Zinc Metalloproteinase in Cardiovascular Disease-From Unity to Trinity, or Duality? *Current Pharmaceutical Design*, 15, 3606-3621.

- Drach, M., Narkiewicz-Michalek, J., Sienkiewicz, A., Szymula, M. & Bravo-Diaz, C. (2011). Antioxidative properties of vitamins C and E in micellar systems and in microemulsions. *Colloids and Surfaces A: Physicochemical Engineering Aspects* 379, 79-85.
- Dykes, L. & Rooney, L. W. (2007). Phenolic Compounds in Cereal Grains and their Health Benefits. *Cereal Foods World* [Online], 52.
- Dzau, V.J., Bernstein, K., Celermajer, D., Cohen, J., Dahlaf, B., Deanfield, J., Diez, J., Drexler, H., Ferrari, R., Gilst, W.V., Hansson, L., Hornig, B., Husain, A., Johnston, C., Lazar, H., Lonn, E., Luscher, T., Mancini, J., Mimtan, A., Pepine, C., Rabelink, T., Remme, W., Ruilope, L., Ruzicka, M., Schunkert, H., Swedberg, K., Unger, T., Vaughan, D., & Weber, M. (2001). The relevance of Tissue Angiotensin-Converting Enzyme: Manifestations in Mechanistic and Endpoint Data. *The American Journal of Cardiology*, 88,1L-20L.
- Elzaawely, A. A., Xuan, T. D. & Tawata, S. (2007). Essential Oils, Kava Pyrones and Phenolic Compounds from Leaves and Rhizomes of *Alpinia zerumbet* (Pers.) B.L. Burtt. & R.M. Sm. and their antioxidant activity. *Food Chemistry*, 103, 486-494.
- Erdogan, D., Gonul, E., Icli, A., Yucel, H., Arslan, A., Akcay, S. & Ozaydin, M. (2010). Effects of normal blood pressure, prehypertension, and hypertension on autonomic nervous system function. *International Journal of Cardiology*.
- Eriz, G., Sanhueza, V., Roeckel, M., & Fernandez, K. (2011). Inhibition of the angiotensin-converting enzyme by grape seed and skin proanthocyanidins extracted from *Vitis vinifera* L.Cv. Pais. *LWT-Food Science and Technology*, 44, 860-865.
- Escobales, N. & Crespo, M. J. (2005). Oxidative-Nitrosative Stress In Hypertension. *Current Vascular Pharmacology*, 3, 231-246.
- Florencio, T. T., Ferreira, H. S., Cavalcante, J. C. & Sawaya, A. L. (2004). Short stature, obesity and arterial hypertension in a very low income population in North-eastern Brazil *Nutrition, Metabolism, and Cardiovascular Diseases*, 14, 26-33.
- Freeland, C. (2012). Flora of China Illustrations. 24. Available: <http://www.tropicos.org/Image/66817>.
- Fried, B. S., Joseph. (1999). Thin-Layer Chromatography (4th Edition). In: Fried, B. S., Joseph (ed.). New York, NY, USA: Marcel Dekker.
- Fuchs, B., Sub, R., Teuber, K., Eibisch, M. & Schiller, J. (2011). Lipid analysis by thin-layer chromatography—A review of the current state. *Journal of Chromatography A*, 1218, 2754-2774.
- Geng, F., He, Y., Yang, L. & Wang, Z. (2010). A rapid assay for angiotensin-converting enzyme activity using ultra-performance liquid chromatography–mass spectrometry. *Biomedical Chromatography*, 24, 312-317.

- Gocan, S., Cimpan, G. & Muresan, L. (1996). Automated multiple development thin layer chromatography of some plant extracts. *Journal of Pharmaceutical and Biomedical Analysis* 14, 1221-1227.
- Grossman, E. & Messerli, F. H. (2012). Drug-induced Hypertension: An Unappreciated Cause of Secondary Hypertension. *The American Journal of Medicine*, 125, 14-22.
- Gulcin, I., Berashvili, D. & Gepdiremen, A. (2005). Antiradical and antioxidant activity of total anthocyanins from *Perilla pankinensis* decne. *Journal of Ethnopharmacology*, 101, 287-293.
- Gupta, M. M. & Shanker, K. (2008). Process-scale High Performance Liquid Chromatography for Medicinal and Aromatic Plants. In: Handa, S. S., Khanuja, S. P. S., Longo, G. & Rakesh, D. D. (eds.) *Extraction Technologies For Medicinal and Aromatic Plants*.
- Hahn-Deinstrop, E. (ed.) (2007). *Applied Thin-Layer Chromatography: Best practice and avoidance of mistakes*, Weinheim: Wiley-VCH
- Hamilton, R. J. & Sewell, P. A. (eds.) (1977). *Introduction to high performance liquid chromatography*: Chapman and Hall Ltd.
- Handa, S. S. (2008). An Overview of Extraction Techniques for Medicinal and Aromatic Plants In: Handa, S. S., Khanuja, S. P. S., Longo, G. & Rakesh, D. D. (eds.) *Extraction Technologies For Medicinal and Aromatic Plants*. International Centre For Science and High Technology.
- Harrison, D.G., Gongora, M.C., Guzik, T.J., & Widder, J. (2007). Oxidative Stress and Hypertension. *Journal of the American Society of Hypertension*, 1, 30-44.
- He, Y.-H., Jiang, G.-X., Yang, Y., Huang, H.-E., Li, R., Li, X.-Y., Ning, G. & Cheng, Q. (2009). Obesity and its associations with hypertension and type 2 diabetes among Chinese adults age 40 years and over. *Nutrition*, 25, 1143-1149.
- Held, P. (2010). An Introduction to Reactive Oxygen Species. *Measurement of ROS in Cells* [Online]. Available: [http://www.biotek.com/assets/tech\\_resources/ROS\\_White\\_Paper.pdf](http://www.biotek.com/assets/tech_resources/ROS_White_Paper.pdf).
- Hock, G. S., Hock, C. C., Mok, J. S. L. & Soepadmo, E. (1995). *Malaysian Medicinal Plants For The Treatment Of Cardiovascular Diseases*, Pelanduk Publications Sdn Bhd.
- Hsouna, A. B., Trigui, M., Culioli, G., Blache, Y. & Jaoua, S. (2011). Antioxidant constituents from *Lawsonia inermis* leaves: Isolation, structure elucidation and antioxidative capacity. *Food Chemistry* 125, 193-200.
- Hung, T. M., Na, M., Thuong, P. T., Su, N. D., Sok, D., Song, K. S., Seong, Y. H. & Bae, K. (2006). Antioxidant activity of caffeoyl quinic acid derivatives from the roots of *Dipsacus asper* Wall. *Journal of Ethnopharmacology*, 108, 188-192.

- Hussain, M. I., Gonzalez, L. & Reigosa, M. J. (2010). p-hydroxybenzoic acid inhibited photosynthetic efficiency, yield and non-photochemical fluorescence quenching in *Lactuca sativa*. *15th European Weed Research Society Symposium* [Online]. Available: <http://precedings.nature.com/documents/4573/version/1>.
- Ibrahim, M. A., Kanzaki, T., Yamagata, S.-I., Satoh, N. & Ueda, S. (2005). Effect of diabetes on aortic nitric oxide synthesis in spontaneously hypertensive rats; does captopril modulate this effect? *Life Sciences*, 77, 1003 - 1014.
- Igic, R. & Behnia, R. (2007). Pharmacological, Immunological, and Gene Targeting of the Renin-Angiotensin System for Treatment of Cardiovascular Disease. *Current Pharmaceutical Design*, 13, 1199-1214.
- Ionita, P. (2005). Is DPPH Stable Free Radical a Good Scavenger for Oxygen Active Species? *Chemical Papers*, 59, 11-16.
- Iwalewa, E. O., Iwalewa, O. J. & Adeboye, J. O. (2003). Analgesic, antipyretic, anti-inflammatory effects of methanol, chloroform and ether extracts of *Vernonia cinerea* less leaf. *Journal of Ethnopharmacology*, 86, 229-234.
- Jia, Z. & Tia, C. (2009). Quantitative determination of polyethylene glycol with modified Dragendorff reagent method. *Desalination*, 247, 423-429.
- Jiang, B., Chen, J., Xu, L., Gao, Z., Deng, Y., Wang, Y., Xu, F., Shen, X. & Guo, D.-A. (2010). Salvianolic acid B functioned as a competitive inhibitor of matrix metalloproteinase-9 and efficiently prevented cardiac remodeling. *Biomedical Central Pharmacology*, 10.
- Jin, U.-H., Lee, J.-Y., Kang, S.-K., Kim, J.-K., Park, W.-H., Kim, J.-G., Moon, S.-K. & Kim, C.-H. (2005). A phenolic compound, 5-caffeoylquinic acid (chlorogenic acid), is a new type and strong matrix metalloproteinase-9 inhibitor: Isolation and identification from methanol extract of *Euonymus alatus*. *Life Sciences* 77, 2760-2769.
- Kirby, A. J. & Schmidt, R. J. (1997). The antioxidant activity of Chinese herbs for eczema and of placebo herbs I. *Journal of Ethnopharmacology*, 56 103-108
- Kitjaroennirut, N., Jansakul, C. & Sawangchote, P. (2005). Cardiovascular effects of *Tacca integrifolia* Ker-Gawl. extract in rats. *Journal Science Technology*, 27, 281-289.
- Krishnaiah, D., Sarbatly, R. & Nithyanandam, R. (2011). A review of the antioxidant potential of medicinal plant species. *Food and Bioproducts Processing*, 89, 217-233.
- Lacaille-Dubois, M. A., Franck, U. & Wagner, H. (2001). Search for potential Angiotensin Converting Enzyme (ACE)-inhibitors from plants. *Phytomedicine*, 8, 47-52.
- Lahogue, V., Rehel, K., Taupin, L., Haras, D. & Allaume, P. (2010). A HPLC-UV method for the determination of angiotensin I-converting enzyme (ACE) inhibitory activity. *Food Chemistry*, 118, 870-875.

- Lee, C. H., Yang, L., Xu, J. Z., Yeung, S. Y. V. & Chen, Y. H.-Y. (2005). Relative antioxidant activity of soybean isoflavones and their glycosides. *Food Chemistry*, 90, 735-741.
- Lee, S.-H., Qian, S.-J. & Kim, S.-K. (2010). A novel angiotensin I converting enzyme inhibitory peptide from tuna frame protein hydrolysate and its antihypertensive effect in spontaneously hypertensive rats. *Food Chemistry*, 118, 96-102.
- Levine, B. E., Weller, J. M. & Remington, R. D. (1961). Serum Sodium and Potassium in Essential Hypertension. *Circulation*, 24, 29-33.
- Li, L., Ni, W., Li, X.-R., Hua, Y., Fang, P.-L., Kong, L.-M., Pan, L.-L., Li, Y., Chen, C.-X. & Liu, H.-Y. (2011). Taccasubosides A–D, four new steroidal glycosides from *Tacca subflabellata*. *Steroids* 76, 1037-1042.
- Little, J. L., Wempe, M. F. & Buchanan, C. M. (2006). Liquid chromatography–mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma. *Journal of Chromatography B*, 833.
- Liu, C.-L., Xie, L.-X., Li, M., Durairajan, S. S. K., Goto, S. & Huang, J.-D. (2007). Salvianolic Acid B Inhibits Hydrogen Peroxide-Induced Endothelial Cell Apoptosis through Regulating PI3K/Akt Signaling. *PLoS ONE* [Online], 2. Available: <http://www.plosone.org/article/info:doi%2F10.1371%2Fjournal.pone.0001321>.
- Liu, C. H., Hu, Y. Y., Wang, X. L., Liu, P. & Xu, L. M. (2000). Effects of salvianolic acid-A on NIH/3T3 fibroblast proliferation, collagen synthesis and gene expression. *World Journal of Gastroenterology*, 6, 361-364.
- Hossain, M.A., Shah, M. D., Gnanaraj, C., & Iqbal, M. (2011). *In vitro* total phenolics, flavonoids contents and antioxidant activity of essential oil, various organic extracts from the leaves of tropical medicinal plant *Tetrastigma* from Sabah *Asian Pacific Journal of Tropical Medicine*, 4, 717-721.
- Manilal, A., Sujith, S., Kiran, G. S., Selvin, J. & Shakir, C. (2009). Cytotoxic Potentials of Red Alga, *Laurencia brandenii* Collected from the Indian Coast. *Global Journal of Pharmacology*, 3, 90-94.
- Marczak, E. D., Usui, H., Fujita, H., Yang, Y., Yokoo, M., Lipkowski, A. W. & Yoshikawa, M. (2003). New antihypertensive peptides isolated from rapeseed. *Peptides* 24, 791-798.
- Mate, J. M. & Sanchez-Jimenez, F. M. (2000). Role of reactive oxygen species in apoptosis: Implications for cancer therapy. *The International Journal of Biochemistry & Cell Biology*, 32, 157-170.
- Mehanna, A. S. & Dowlin, M. (1999). Liquid chromatographic determination of hippuric acid for the evaluation of ethacrynic acid as angiotensin converting enzyme inhibitor. *Journal of Pharmaceutical and Biomedical Analysis*, 19, 967-973.

- Meng, Q. C., Balcells, E., Dell'italia, L., Durand, J. & Oparil, S. (1995). Sensitive method for quantitation of angiotensin-converting enzyme (ACE) activity in tissue. *Biochemical Pharmacology*, 50, 1445-1450.
- Meng, Q. C. & Oparil, S. (1996). Purification and assay methods for angiotensin-converting enzyme. *Journal of Chromatography A*, 743, 105-122.
- Mindaryani, A. & Rahayu, S. S. (eds.) (2007). *Essential Oil from Extraction and Steam Distillation of Ocimum Basillicum*, San Francisco: WCECS.
- Navar, L. G. & Hamm, L. L. (1997). The Kidney in Blood Pressure Regulation. Available: <http://www.kidneyatlas.org/book3/adk3-01.QXD.pdf>.
- Niessen, W. V. (1999). State-of-the-art in liquid chromatography–mass spectrometry. *Journal of Chromatography A*, 856, 179-197.
- Niki, E. (2010). Assessment of Antioxidant Capacity in vitro and in vivo. *Free Radical Biology & Medicine*, 49, 503-515.
- Niu, W., Qi, Y., Gao, P. & Zhu, D. (2010). A meta-analysis of the bradykinin B2 receptor gene –58C/T polymorphism with hypertension. *Clinica Chimica Acta*, 411, 324-328.
- Nyman, U., Joshi, P., Madsen, L. B., Pedersen, T. B., Pinstруп, M., Rajasekharan, S., George, V. & Pushpangadan, P. (1998). Ethnomedical information and in vitro screening for angiotensin-converting enzyme inhibition of plants utilized as traditional medicines in Gujarat, Rajasthan and Kerala (India). *Journal of Ethnopharmacology*, 60, 247-263.
- Oh, H., Kang, D.-G., Lee, S. & Lee, H.-S. (2002). Angiotensin converting enzyme inhibitors from *Cuscuta japonica* Choisy. *Journal of Ethnopharmacology*, 83, 105-108.
- Okuda, T. (1999). Antioxidants in Herbs: Polyphenols. *Antioxidant Food Supplements in Human Health*. Academic Press.
- Otte, J., Shalabya, S. M., Zakoraa, M., Prippa, A. H. & El-Shabrawy, S. A. (2007). Angiotensin-converting enzyme inhibitory activity of milk protein hydrolysates: Effect of substrate, enzyme and time of hydrolysis. *International Dairy Journal* 17, 488-503.
- Park, Y., Lee, H.-J., Lee, S.-S., Choi, D.-H. & Oh, J.-S. (2004). New Isoflavone Glycoside from the Woods of *Sophora japonica*. *Bulletin of the Korean Chemical Society* 25, 147-148.
- Pietta, P. & Simonetti, P. (1999). Dietary Flavonoids and Interaction with Physiologic Antioxidants. *Antioxidant Food Supplements in Human Health*. Academic Press.
- Podymow, T. & August, P. (2011). Antihypertensive Drugs in Pregnancy. *Seminars in Nephrology*, 31.

- Ratnam, D. V., Ankola, D. D., Bhardwaj, V., Sahana, D. K. & Kumar, M. N. V. R. (2006). Role of antioxidants in prophylaxis and therapy: A pharmaceutical perspective. *Journal of Controlled Release*, 113, 189-207.
- Rawani, A., Pal, S. & Goutamchandra (2011). Evaluation of antimicrobial properties of four plant extracts against human pathogens. *Asian Pacific Journal of Tropical Biomedicine*, S71-S75.
- Razak, M.-F. A., Aidoo, K. E. & Candlish, A. G. G. (2007). Mutagenic and cytotoxic properties of three herbal plants from Southeast Asia. *Tropical Biomedicine* 24, 49-59.
- Renner, E.L. (1995). Liver Function tests. *Bailliere's Clinical Gastroenterology*, 9 (4), 661-677.
- Ringot, D., Chango, A., Schneider, Y.-J. & Larondelle, Y. (2006). Toxicokinetics and toxicodynamics of ochratoxin A, an update. *Chemico-Biological Interactions* 159 18-46.
- Risinger, A. L. & Mooberry, S. L. (2010). Taccalonolides: Novel microtubule stabilizers with clinical potential. *Cancer Letters* 291, 14-19.
- Rohman, A., Riyanto, S., Yuniarti, N., Saputra, W. R., Utami, R., & Mulatsih, W. (2010). Antioxidant activity, total phenolic, and total flavonoid of extracts and fractions of red fruit (*Pandanus conoideus* Lam). *International Food Research Journal* 17, 97-106.
- Rumsey, S. C. & Levine, M. (1998). Absorption, transport, and disposition of ascorbic acid in humans. *Journal of Nutritional Biochemistry*, 9, 116-130.
- Sabbatini, M., Strocchi, P., Vitaioli, L. & Amenta, F. (2000). The Hippocampus in Spontaneously Hypertensive Rats: A Quantitative Microanatomical Study. *Neuroscience*, 100, 251-258.
- Saely, C.H., Vonbank, A., Rein, P., Woess, M., Beer, S., Aczel, S., Jankovic, V., Boehnel, C., Risch, L., & Drexel, H. (2008). Alanine aminotransferase and gamma-glutamyl transferase are associated with the metabolic syndrome but not with angiographically determined coronary atherosclerosis. *Clinica Chimica Acta*, 397, 82-86.
- Schmieder, R. E. (2005). Mechanisms for the Clinical Benefits of Angiotensin II Receptor Blockers. *American Journal of Hypertension*, 18, 720–730.
- Seeman, T. S., Palyzova, D., Dus̃ek, J. I. & Janda, J. 2005. Reduced Nocturnal Blood Pressure Dip and Sustained Nighttime Hypertension are Specific Markers of Secondary Hypertension. *The Journal of Pediatrics*, 147, 366-371.
- Setchell, K. D., Brown, N. M., Zimmer-Nechemias, L., Brashear, W. T., Wolfe, B. E., Kirschner, A. S. & Heubi, J. E. (2002). Evidence for lack of absorption of soy isoflavone glycosides in humans, supporting the crucial role of intestinal metabolism for bioavailability<sup>1–3</sup>. *American Journal of Clinical Nutrition*, 76, 447-53.



- Sharifi, A. M., Akbarloo, N. & Darabi, R. (2005). Investigation of local ACE activity and structural alterations during development of l-NAME-induced hypertension. *Pharmacological Research* 52, 438-444.
- Sharifi, A. M., Akbarloo, N., Darabi, R. & Larijani, B. (2004). Study of correlation between elevation of blood pressure and tissue ACE activity during development of hypertension in 1K1C rats. *Vascular Pharmacology*, 41, 15-20.
- Sharma, O. P., Bhat, T. K. & Singh, B. (1998). Thin-layer chromatography of gallic acid, methyl gallate, pyrogallol, phloroglucinol, catechol, resorcinol, hydroquinone, catechin, epicatechin, cinnamic acid, p-coumaric acid, ferulic acid and tannic acid *Journal of Chromatography A*, 822, 167-171.
- Sherma, J. (2000). Thin-layer chromatography in food and agricultural analysis. *Journal of Chromatography A*, 880 129-147.
- Sies, H. (1999). Glutathione and its role in cellular functions. *Free Radical Biology & Medicine*, 27, 916-921.
- Skotnicka, E. (2003). Circadian variations of plasma renin activity (PRA), aldosterone and electrolyte concentrations in plasma in pregnant and non-pregnant goats. *Comparative Biochemistry and Physiology Part C* 134, 385-395.
- Sondhi, D., Lippmann, M. & Murali, G. (2004). Airway Compromise Due to Angiotensin-Converting Enzyme Inhibitor-Induced Angioedema. *American College of Chest Physicians*, 400-404.
- Stahl, E. (ed.) (1969). *Thin-Layer Chromatography: A Laboratory Handbook*: Springer International.
- Starr, J. M. & Whalley., L. J. (1994). *Ace inhibitors : central actions*, New York : Raven Press.
- Subramanyama, R., Gollapudi, A., Bonigala, P., Chinnaboina, M. & Amooru, D. G. (2009). Betulinic acid binding to human serum albumin: A study of protein conformation and binding affinity. *Journal of Photochemistry and Photobiology B: Biology*, 94, 8-12.
- Talaulikar, V. S. & Manyonda, I. T. (2011). Vitamin C as an antioxidant supplement in women's health: A myth in need of urgent burial. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 157, 10-13.
- Tanner, M. A., Bu, X., Steimle, J. A. & Myers, P. R. (1999). The direct release of nitric oxide by gypenosides derived from the herb *Gynostemma pentaphyllum*. *Nitric Oxide*, 3, 359-365.
- Thurman, J. M. & Schrier, R. W. (2003). Comparative Effects of Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers on Blood Pressure and the Kidney. *American Journal Medical*, 114, 588-598.
- Tierney, M. S., Croft, A. K. & Hayes, M. (2010). A Review of Antihypertensive and antioxidant activities in microalgae. *Botanica Marina*, 53, 387-408.

- Tirapelli, C. R., Ambrosio, S. R., Oliveira, A. M. D. & Tostes, R. C. (2010). Hypotensive action of naturally occurring diterpenes: A therapeutic promise for the treatment of hypertension. *Fitoterapia*, 81, 690-702.
- Toma, B., Dendorfer, A. & Danser, A. H. J. (2003). Bradykinin, angiotensin-(1-7), and ACE inhibitors: how do they interact? *The International Journal of Biochemistry & Cell Biology*, 35, 792-801.
- Treasure, J. (2003). Urtica semen reduces serum creatinine levels. *The Journal of the American Herbalists Guild*, 4, 22-25.
- Tseng, T.-H., Wang, C.-J., Kao, E.-S. & Chu, H.-Y. (1996). Hibiscus protocatechuic acid protects against oxidative damage induced by tertbutylhydroperoxide in rat primary hepatocytes. *Chemico-Biological Interactions*, 101, 137- 148.
- Urban-Morlan, Z., Castro-Rios, Chavez-Montes, A., Melgoza-Contreras, L. M., Pinon-Segundo, E., Ganem-Quintanar, A. & Quintanar-Guerrero, D. (2008). Determination of poloxamer 188 and poloxamer 407 using high-performance thin-layer chromatography in pharmaceutical formulations. *Journal of Pharmaceutical and Biomedical Analysis*, 46, 799-803.
- Wang, J., Hu, J., Cui, J., Bai, X., Du, Y., Miyaguchi, Y. & Lin, B. (2008). Purification and identification of a ACE inhibitory peptide from oyster proteins hydrolysate and the antihypertensive effect of hydrolysate in spontaneously hypertensive rats. *Food Chemistry*, 111, 302-308.
- Watson, L. & Dallwitz, M. J. (1992). The Families of Flowering Plants: Descriptions, Illustrations, Identification, and Information Retrieval. Available: <http://delta-intkey.com/angio/www/taccacea.htm>.
- Wootton-Beard, P. C. & Ryan, L. (2011). Improving public health?: The role of antioxidant-rich fruit and vegetable beverages. *Food Research International*, 44, 3135-3148.
- Wu, J., Aluko, R. E. & Muir, A. D. (2002). Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzyme catalyzed reactions. *Journal of Chromatography A*, 950, 125-130.
- Xie, D.-Y. & Dixon, R. A. (2005). Proanthocyanidin biosynthesis – still more questions than answers? *Phytochemistry*, 66, 2127-2144.
- Xu, Y.-J., Sun, S.-B., Sun, L.-M., Qiu, D.-F., Liu, X.-J., Jiang, Z.-B. & Yuan, C.-S. (2008). Quinic acid esters and sesquiterpenes from *Sonchus arvensis*. *Food Chemistry*, 111, 92-97
- Yeh, C.-T., Huang, W.-H. & Yen, G.-C. (2009). Antihypertensive effects of Hsian-tsao and its active compound in spontaneously hypertensive rats. *Journal of Nutritional Biochemistry*, 20, 866-875.
- Yen, P.L., Chen, B.H., Yang, F.L., & Lu, Y.F. (2010). Effects of deep-frying oil on blood pressure and oxidative stress in spontaneously hypertensive and normotensive rats. *Nutrition*, 26, 331-336.

- Yoshii, H., Tachi, N., Ohba, R., Sakamura, O., Takeyama, H. & Itani, T. (2001). Antihypertensive effect of ACE inhibitory oligopeptides from chicken egg yolks. *Comparative Biochemistry and Physiology Part C*, 128, 27-33.
- Young, I. S. & Woodside, J. V. (2001). Antioxidants in health and disease. *Journal of Clinical Pathology*, 54, 176-186.
- Yung, L. M., Leung, F. P., Yao, X., Chen, Z.-Y. & Huang, Y. (2006). Reactive Oxygen Species in Vascular Wall. *Cardiovascular and Haematological Disorders-Drug Targets*, 6, 1-19.
- Zheng, W. & Clifford, M. N. (2008). Profiling the chlorogenic acids of sweet potato (*Ipomoea batatas*) from China. *Food Chemistry*, 106 147-152.
- Zhu, K.-X., Lian, C.-X., Guo, X.-N., Peng, W. & Zhou, H.-M. (2011). Antioxidant activities and total phenolic contents of various extracts from defatted wheat germ. *Food Chemistry*, 126, 1122-1126.
- Zschocke, S., Drewes, S. E., Paulus, K., Bauer, R. & Staden, J. V. (2000). Analytical and pharmacological investigation of *Ocotea bullata* (black stinkwood) bark and leaves. *Journal of Ethnopharmacology*, 71, 219-230.
- Zulueta, A., Esteve, M. A. J., Frassetto, I. & Frigola, A. (2007). Vitamin C, vitamin A, phenolic compounds and total antioxidant capacity of new fruit juice and skim milk mixture beverages marketed in Spain. *Food Chemistry*, 103, 1365-1374.