LIST OF FIGURES AND SCHEMES

- Figure 1: Formation of Schiff base ligands.
- Figure 2: Tautomerization of thiosemicarbazone ligands
- Figure 3: Tautomerization of hydrazone ligands
- Figure 4: Various dioxomolybdenum(VI) hydrazide Schiff base complexes of different **R** functional groups
- Figure 5: Example of TG curve
- Figure 6: Cyclic Voltammogram
- Figure 7: Mechanism of DMSO reductase reduce DMSO to DMS.
- Figure 8: Coordination mode of ligands
- Figure 9: Displacement reaction of dioxomolybdenum(VI) complexes
- Figure 10: Cyclic Voltammogram of C3 in DMF at the rate of 0.1 Vs⁻¹
- Figure 11:Cyclic Voltammogram of L4 in DMF at the rate of 0.1 Vs⁻¹
- Figure 12: Cyclic Voltammogram of C6 in DMF at the rate of 0.1 Vs⁻¹
- Figure 13: Cyclic Voltammogram of L6 in DMF at the rate of 0.1 Vs⁻¹
- Figure 14: Cyclic Voltammogram of **C8** in DMF at the rate of 0.1 Vs⁻¹
- Figure 15: Cyclic Voltammogram of L14 in DMF at the rate of 0.1 Vs⁻¹
- Figure 16: Cyclic Voltammogram of C18 in DMF at the rate of 0.1 Vs⁻¹
- Figure 17: Cyclic Voltammogram of C24 in DMF at the rate of 0.1 Vs⁻¹
- Figure 18: Ellipsoidal Plot of C1 with 50% Level of Probability.
- Figure 19: Ellipsoidal Plot of C2 with 50% Level of Probability.
- Figure 20: Ellipsoidal Plot of C3 with 50% Level of Probability.

Figure 21: Arrangement of **C1** molecules showing hydrogen bond interaction in dotted line.

- Figure 22: Arrangement of C3 molecules showing hydrogen bond interaction in dotted line.
- Figure 23: Ellipsoidal Plot of C4 with 50% Level of Probability.
- Figure 24: Ellipsoidal Plot of C6 with 50% Level of Probability..
- Figure 25: Ellipsoidal Plot of C7 with 50% Level of Probability.
- Figure 26: Ellipsoidal Plot of C8 with 50% Level of Probability.
- Figure 27: Ellipsoidal Plot of **C9** with 50% Level of Probability.
- Figure 28: Ellipsoidal Plot of C10 with 50% Level of Probability.
- Figure 29: Ellipsoidal Plot of C11 with 50% Level of Probability.
- Figure 30: Ellipsoidal Plot of C12 with 50% Level of Probability.
- Figure 31: Ellipsoidal Plot of C13 with 50% Level of Probability.
- Figure 32: Ellipsoidal Plot of C14 with 50% Level of Probability..
- Figure 33: Ellipsoidal Plot of C15 with 50% Level of Probability.
- Figure 34: Ellipsoidal Plot of **C8** with 50% Level of Probability.. Hydrogen bond represented by dotted line.
- Figure 35: Ellipsoidal Plot of **C13** with 50% Level of Probability.. Hydrogen bond represented by dotted line.
- Figure 36: Ellipsoidal Plot of **C15** with 50% Level of Probability. Hydrogen bond represented by dotted line.
- Figure 37: Ellipsoidal Plot of C16 with 50% Level of Probability.
- Figure 38: Hydrogen bond generated helical chains along b aixs of the monoclinic unit cell of **C16**.
- Figure 39: Packing diagram of C17
- Figure 40: Ellipsoidal Plot of C18 with 50% Level of Probability.

Figure 41: Ellipsoidal Plot of C19 with 50% Level of Probability.

Figure 42: Ellipsoidal Plot of C20 with 50% Level of Probability.

Figure 43: Ellipsoidal Plot of C21 with 50% Level of Probability.

Figure 44: Ellipsoidal Plot of C22 with 50% Level of Probability.

Figure 45: Ellipsoidal Plot of C23 with 50% Level of Probability.

Figure 46: Ellipsoidal Plot of C24 with 50% Level of Probability.

- Figure 47: Intermolecular hydrogen bond in the crystal structure of C18
- Figure 48: Interlocking of chain assembled by hydrogen bonding in **C18** the along the *a*-axis
- Figure 49: Intermolecular hydrogen bond in the crystal structure of C19.
- Figure 50: X-ray crystal structure of **C19** showing the arrangement of molecules into hydrogen bonded polymeric helical chain.
- Figure 51: Intermolecular hydrogen bond in the crystal structure of C20.
- Figure 52: Crystal structure packing of C20
- Figure 53: The picture of coordinative bond between the 4,4'-bipyridine and the molybdenum atom along the one dimensional chain of the title complex.
- Figure 54: Inter-chains hydrogen bond of C24
- Figure 55: Oxidation Reaction Catalyzed by Different Type of Dioxomolybdenum(VI) Complexes
- Figure 56: Conversion of benzyl alcohol to benzoic acid using 1.0, 2.0 and 2.5 mmol of C13
- Figure 57: Conversion of benzyl alcohol to benzoic acid using 1.0, 2.0 and 2.5 mmol of **C18**
- Figure 58: Conversion of benzyl alcohol to benzoic acid using 1.0, 2.0 and 2.5 mmol of **C24**



- Figure 60: Conversion of benzyl alcohol by C24 using different molar ratio of substance
- Figure 61: Percentage of conversion of benzyl alcohol by **C13** at different temperatures
- Figure 62: Percentage of conversion of benzyl alcohol by C24 at different temperatures
- Scheme 1: Structural Formula For The Ligands and Molybdenum Complexes
- Scheme 2: Reaction synthetic routes
- Scheme 3: Thermal decomposition of mononuclear dioxomolybdenum(VI) complexes
- Scheme 4: Thermal decomposition of dinuclear and polynuclear oxomolybdenum(VI) complexes.