
REFERENCES

- Abdullah, N., Ismail, S. M., Aminudin, N., Shuib, A. S., & Lau, B. F. (2011). Evaluation of selected culinary-medicinal mushrooms for antioxidant and ACE inhibitory activities. *Evidence-Based Complementary and Alternative Medicine*, Volume 2012, Article ID 464238, 12 pages.
- Abubakar, A., Saito, T., Aimar, M. V., & Itoh, T. (1996). New derivation of the inhibitory activity against angiotensin converting enzyme (ACE) from sweet cheese whey. *Journal of Agricultural Research*, 47(1-2).
- Akers, B. P., Ruiz, J. F., Piper, A., & Ruck, C. A. P. (2011). A prehistoric mural in Spain depicting neurotropic *Psilocybe* mushrooms? *Economic Botany*, 65(2), 121-128.
- Akihisa, T., Nakamura, Y., Tagata, M., Tokuda, H., Yasukawa, K., Uchiyama, E., et al. (2007) Anti-inflammatory and anti-tumor promoting effects of triterpene acids. *Chemistry and Biodiversity*, 4, 224-231.
- Atkinson, A. B., & Robertson, J. I. S. (1979). Captopril in the treatment of clinical hypertension and cardiac failure. *Lancet*, 2, 836-839.
- Barbana, C., & Boye, J. I. (2010). Angiotensin I-converting enzyme inhibitory activity of chickpea and pea protein hydrolysates. *Food Research International*, 43, 1642-1649.
- Benowitz, N. L. (1996). Pharmacology of nicotine: Addiction and therapeutics. *Annual Review of Pharmacology and Toxicology*, 36, 597-613.
- Berovič, M., Habijanič, J., Zore, I., Wraber, B., Hodžar, D., Boh, B., et al. (2003) Submerged cultivation of *Ganoderma lucidum* biomass and immunostimulatory effects of fungal polysaccharides. *Journal of Biotechnology*, 103, 77-86.
- Bhosle, S., Ranadive, K., Bapat, G., Garad, S., Deshpande, G., & Vaidya, J. (2010). Taxonomy and diversity of *Ganoderma* from the western parts of Maharashtra (India). *Mycosphere* 1(3), 249-262.
- Biron, P., Koiw, E., & Nowaczynski, W. (1961). The effects of intravenous infusions of valine-5 angiotensin II and other pressor agents on urinary electrolytes and corticoids including aldosterone. *Journal of Clinical Investigation*, 60, 338-347.

- Brunner-La Rocca, H. P., Vaddadi, G. & Esler, M. D. (1999). Recent insight into therapy of congestive heart failure: Focus on ACE inhibition and angiotensin-II antagonism. *Journal of the American College of Cardiology*, 33(5), 1163-1173.
- Bukharova, T., Weijer, G., Bosgraaf, L., Dormann, D., van Haastert, P. J., & Weijer, C. J. (2005). Paxillin is required for cell-substrate adhesion, cell sorting and slug migration during *Dictyostelium* development. *Journal of Cell Science*, 118(18), 4295-4310.
- Burgess, R. R. (2008). *Proteomics of the Nervous System*. (H.G. Nothwang & S.E. Pfeiffer, Eds.). Weinheim, Germany: Wiley.
- Byun, H. G., & Kim, S. K. (2001). Purification and characterization of angiotensin I converting enzyme (ACE) inhibitory peptides from Alaska pollack (*Theragra chalcogramma*) skin. *Process Biochemistry*, 36(12), 1155-1162.
- Chan, S. L., & Yeung, J. H. (2006). Polysaccharide peptides from COV-1 strain of *Coriolus versicolor* induce hyperalgesia via inflammatory mediator release in the mouse. *Life Sciences*, 78, 2463-2470.
- Chandra, A., & Purkayastha, R. P. (1977). Physiological studies on Indian mushrooms. *Transactions of the British Mycological Society*, 69, 63-70.
- Chang, B. W., Chen, R. L. C., Huang, I. J., & Chang, H. C. (2001). Assays for angiotensin converting enzyme inhibitory activity. *Analytical Biochemistry* 291, 84-88.
- Chang, S. T., & Buswell, J. A. (1996). Mushroom nutriceuticals. *World Journal of Microbiology and Biotechnology*, 12, 473-476.
- Chang, S. T., & Miles, P. G. (1992). Mushroom biology – a new discipline. *Mycologist*, 6, 64-65.
- Charrier, S., Michaud, A., Badaoui, S., Giroux, S., Ezan, E., Sainteny, F., et al. (2004). Inhibition of angiotensin I-converting enzyme induces radioprotection by preserving murine hematopoietic short-term reconstituting cells. *Blood*, 104(4), 978-985.

- Chen, H. S., Tsai, Y. F., Lin, S., Lin, C. C., Khoo, K. H., Lin, C. H., et al. (2004). Studies on the immuno-modulating and anti-tumor activities of *Ganoderma lucidum* (Reishi) polysaccharides. *Bioorganic & Medicinal Chemistry*, 12, 5595-5601.
- Chen, Y. G., Shen, Z. J., & Chen, X. P. (2009). Modulatory effect of *Ganoderma lucidum* polysaccharides on serum antioxidant enzymes activities in ovarian cancer rats. *Carbohydrate Polymers*, 78, 258-262.
- Chobanian, A. V., Bakris, G. L., Black, H. R., Cushman, W. C., Green, L. A., Izzo, J. L. Jr, et al. (2003). Seventh report of the Joint National Committee on prevention, detection, evaluation, and treatment of high blood pressure. *Hypertension*, 42, 1206-1252.
- Chobert, J. M., El-Zahar, K., Sitohy, M., Dalgalarondo, M., Métro, F., Coiset, Y., et al. (2005). Angiotensin I-converting-enzyme (ACE)-inhibitory activity of tryptic peptides of ovine β -lactoglobulin and of milk yogurts obtained by using different starters. *Lait*, 141-152. (article in English)
- Choi, H. S., Cho, H. Y., Yang, H. C., Ra, K. S., & Suh, H. J. (2001). Angiotensin I-converting enzyme inhibitor from *Grifola frondosa*. *Food Research International*, 34, 177-182.
- Cui, J., & Chisti, Y. (2003). Polysaccharopeptides of *Coriolus versicolor*: physiological activity, uses, and production. *Biotechnology Advances*, 21, 109-122.
- Cushman, D. W., & Cheung, H. S. (1971). Spectrophotometric assay and properties of the angiotensin-converting enzyme of rabbit lung. *Biochemical Pharmacology*, 20, 1637-1648.
- Cushman, D. W., Cheung, H. S., Sabo, E. F., & Ondetti, M. A. (1977). Design of potent competitive inhibitors of angiotensin-converting enzyme. Carboxyalkanoyl and mercaptoalkanoyl amino acids. *Biochemistry*, 16, 5484-5491.
- Cushman, D. W., & Ondetti, M. A. (1999). Design of angiotensin converting enzyme inhibitors. *Nature Medicine*, 5, 1110-1112.
- Dahl, L. K. (2005). Possible role of salt intake in the development of essential hypertension. *International Journal of Epidemiology*, 34, 967-972.

- Damasceno, A., Azevedo, A., Silva-Matos, C., Prista, A., Diogo, D., & Lunet, N. (2009). Hypertension prevalence, awareness, treatment, and control in Mozambique: Urban/rural gap during epidemiological transition. *Hypertension*, 54, 77-83.
- Dixon, M. (1953). A nomogram for ammonium sulphate solutions. *Biochemical Journal*, 54(3), 457-458.
- Donk, M. A. (1964). A conspectus of families of Aphyllophorales. *Persoonia*, 3(2), 199-324. (article in English)
- Du, M., Zhao, L., Li, C., Zhao, G., & Hu, X. (2007). Purification and characterization of a novel fungi Se-containing protein from Se-enriched *Ganoderma lucidum* mushroom and its Se-dependent radical scavenging activity. *European Food Research and Technology*, 224, 659-665.
- Dumetz, A. C., Snellinger-O'Brien, A. N., Kaler, E. W., & Lenhoff, A. M. (2007). Patterns of protein-protein interactions in salt solutions and implications for protein crystallization. *Protein Science*, 16, 1867-1877.
- Edelson, G. W., & Sowers, J. R. (1993). Insulin resistance in hypertension: A focused review. *The American Journal of the Medical Sciences*. 306, 345-347.
- Ehlers, M. R. W., & Riordan, J. F. (1991). Angiotensin-converting enzyme: Zinc- and inhibitor-binding stoichiometries of the somatic and testis isoforms. *Biochemistry*, 30, 7118-7126.
- El-Mekkawy, S., Meselhy, M. R., Nakamura, N., Tezuka, Y., Hattori, M., Kakiuchi, N., et al. (1998). Anti-HIV-1 and anti-HIV-1-protease substances from *Ganoderma lucidum*. *Phytochemistry*, 49(6), 1651-1657.
- Elliott, P., Stamler, J., Dyer, A. R., Appel, L., Dennis, B., Kesteloot, H., et al. (2006). Association between protein intake and blood pressure. The INTERMAP study. *Archives of Internal Medicine*, 166(1), 79-87.
- Eo, S. K., Kim, Y. S., Lee, C. K., & Han, S. S. (1999). Antiherpetic activities of various protein bound polysaccharides isolated from *Ganoderma lucidum*. *Journal of Ethnopharmacology*, 68, 175-181.

- Epstein, R., & Sowers, J. R. (1992). Diabetes mellitus and hypertension. *Hypertension*, 19, 403-418.
- Erdös, E. G. (1990). Angiotensin I converting enzyme and the changes in our concepts through the years. Lewis K. Dahl memorial lecture. *Hypertension*, 16, 363-370.
- Erdös, E. G., & Skidgel, R. A. (1986). Human angiotensin I converting enzyme: Unusual substrate specificity and distribution. *Hypertension*, 8(Supplement I), I34-I37.
- Erdös, E. G., & Yang, H. Y. T. (1967). An enzyme in microsomal fraction of kidney that inactivates bradykinin. *Life Sciences*, 6, 569-574.
- Erhardt, L. (2009). Cigarette smoking: An undertreated risk factor for cardiovascular disease. *Atherosclerosis*, 205, 23-32.
- Erickson, J. A., Cousin, R., Wu, J. T., & Ashwood, E. R. (2003). Quantitative spectrophotometric microplate assay for angiotensin converting enzyme in cerebrospinal fluid. *Clinical Chemistry*, 49(6), 970-972.
- Fang, Q. H., & Zhong, J. J. (2002). Submerged fermentation of higher fungus *Ganoderma lucidum* for production of valuable bioactive metabolites-ganoderic acid and polysaccharide. *Biochemical Engineering Journal*, 10, 61-65.
- Fang, X., Kaduce, T. L., Weintraub, N. L., Harmon, S., Teesch, L. M., Morisseau, C., et al. (2001). Pathways of epoxyeicosatrienoic acid metabolism in endothelial cells: Implications for the vascular effects of soluble epoxide hydrolase inhibition. *The Journal of Biological Chemistry*, 276(18), 14867-14874.
- Folkow, B., Johansson, B., & Mellander, S. (1961). The comparative effects of angiotensin and noradrenaline on consecutive vascular sections. *Acta Physiologica Scandinavica*, 53, 99-104. (article in English)
- Ganten, D., Minnich, J. L., Granger, P., Hayduk, K., Brecht, H. M., Barbeau, A., et al. (1971). Angiotensin-forming enzyme in brain tissue. *Science*, 173(991), 64-65.
- Gao, J. J., Hirakawa, A., Min, B. S., Nakamura, N., & Hattori, M. (2006). *In vivo* antitumor effects of bitter principles from the antlered form of fruiting bodies of *Ganoderma lucidum*. *Journal of Natural Medicines*, 60, 42-48.

- Gao, J. J., Min, B. S., Ahn, E. M., Nakamura, N., Lee, H. K., & Hattori, M. (2002). New triterpene aldehydes, lucialdehydes A-C, from *Ganoderma lucidum* and their cytotoxicity against murine and human tumor cells. *Chemical and Pharmaceutical Bulletin*, 50(6), 837-840.
- Gao, X. J., Yan, P. S., Wang, J. B., & Yu, J. J. (2012). ACE inhibitory, antitumor and antioxidant activities of submerged culture materials of three medicinal mushrooms. *Applied Mechanics and Materials*, 145, 179-183.
- Garraway, O. M., & Evans, C. R. (1984). *Fungal nutrition and physiology*. New York: John Wiley and Sons.
- Geerlings, A., Villar, I. C., Zarco, F. H., Sánchez, M., Vera, R., Gomez, A. Z., et al. (2006). Identification and characterization of novel angiotensin converting enzyme inhibitors obtained from goat milk. *Journal of Dairy Science*, 89, 3326-3335.
- Gianos, M. E., Klaustermeyer, W. B., Kurohara, M., Tarnasky, P., & Gordon, E. (1990). Enalapril induced angioedema. *The American Journal of Emergency Medicine*, 8(2), 124-126.
- Gobbetti, M., Ferranti, P., Smacchi, E., Goffredi, F., & Addeo, F. (2000). Production of angiotensin I-converting enzyme inhibitory peptides in fermented milks started by *Lactobacillus delbrueckii* subsp. *bulgaricus* SS1 and *Lactococcus lactis* subsp. *cremoris* FT4. *Applied and Environmental Microbiology*, 66, 3898-3904.
- Goodfriend, T. L., Egan, B. M., & Kelley, D. E. (1998). Aldosterone in obesity. *Endocrine Research*, 24, 789-796.
- Gómez-Ruiz, J. Á., Ramos, M., & Recio, I. (2002). Angiotensin converting enzyme inhibitory peptides in Manchego cheeses manufactured with different starter cultures. *International Dairy Journal*, 12(8), 697-706.
- Gregori, A., Švagelj, M., Pahor, B., Berovič, M., & Pohleven, F. (2008). The use of spent brewery grains for *Pleurotus ostreatus* cultivation and enzyme production. *New Biotechnology*, doi:10.1016/j.nbt.2008.08.003.

- Grekin, R. J., Dumont, C. J., Vollmer, A. P., Watts, S. W., & Webb, R. C. (1997). Mechanisms in the pressor effects of hepatic portal venous fatty acid infusion. *American Journal of Physiology*, 273, R324-R330.
- Guo, L., Xie, J., Ruan, Y., Zhou, L., Zhu, H., Yun, X., et al. (2009). Characterization and immunostimulatory activity of a polysaccharide from the spores of *Ganoderma lucidum*. *International Immunopharmacology*, 9, 1175-1182.
- Haber, E. (1976). The role of renin in normal and pathological cardiovascular homeostasis. *Circulation*, 54(6), 849-861.
- Hajjaj, H., Macé, C., Roberts, M., Niederberger, P., & Fay, L., B. (2005). Effect of 26-oxygenosterols from *Ganoderma lucidum* and their activity as cholesterol synthesis inhibitors. *Applied and Environmental Microbiology*, 71(7), 3653-3658.
- Halpern, G. M. (2007). *Healing mushrooms*. New York: Square One Publishers.
- He, J., Wofford, M. R., Reynolds, K., Chen, J., Chen, C. S., Myers, L., et al. (2011). Effect of dietary protein supplementation on blood pressure: A randomized, controlled trial. *Circulation*, 124, 589-595.
- Heleno, S. A., Barros, L., Martins, A., Queiroz, M. J. R. P., Santos-Buelga, C., & Ferreira, I. C. F. R. (2012). Fruiting body, spores and *in vitro* produced mycelium of *Ganoderma lucidum* from Northeast Portugal: A comparative study of the antioxidant potential of phenolic and polysaccharidic extracts. *Food Research International*, 46(1), 135-140.
- Hernandez, A. F., & Harrington, R. A. (2008). Comparative effectiveness of angiotensin converting enzyme inhibitors: Is an ACE always an ace? *Canadian Medical Association Journal*, 178(10), 1316-1319.
- Holmquist, B., Büning, P., & Riordan, J. F. (1979). A continuous spectrophotometric assay for the angiotensin converting enzyme. *Analytical Biochemistry*, 95, 540-548.
- Hornig, B., Kohler, C., & Drexler, H. (1997). Role of bradykinin in mediating vascular effects of angiotensin converting enzyme inhibitors in humans. *Circulation*, 95, 1115-1118.

- Huang, S. Q., & Ning, Z. X. (2010). Extraction of polysaccharide from *Ganoderma lucidum* and its immune enhancement activity. *International Journal of Biological Macromolecules*, 47(3), 336-341.
- Igić, R., & Behnia, R. (2003) .Properties and distribution of angiotensin I converting enzyme. *Current Pharmaceutical Design*, 9(9), 697-706.
- Ignjatovic, T., Tan, F., Brovkovych, V., Skidgel, R. A., & Erdös, E. G. (2002). Novel mode of action of angiotensin I-converting enzyme inhibitors. *The Journal of Biological Chemistry*, 277(19), 16847-16852.
- Imig, J. D. (2005). Epoxide hydrolase and epoxigenase metabolites as therapeutic targets for renal diseases. *American Journal of Physiology-Renal Physiology*, 289, F496-F503.
- Jayasinghe, C., Imtiaj, A., Hur, H., Lee, G. W., Lee, T. S., & Lee, U. Y. (2008). Favorable culture conditions for mycelial growth of Korean wild strains in *Ganoderma lucidum*. *Mycobiology*, 36(1), 28-33.
- Jäkälä, P., & Vapaatalo, H. (2010). Antihypertensive peptides from milk proteins. *Pharmaceuticals*, 3, 251-272.
- Je, J. Y., Park, J. Y., Jung, W. K., Park, P. J., & Kim, S. K. (2005). Isolation of angiotensin I-converting enzyme (ACE) inhibitor from fermented oyster sauce, *Crassostrea gigas*. *Food Chemistry*, 90(4), 809-814.
- Ji, Z., Tang, Q., Zhang, J., Yang, Y., Jia, W., & Pan, Y. (2007). Immunomodulation of RAW264.7 macrophages by GLIS, a proteopolysaccharide from *Ganoderma lucidum*. *Journal of Ethnopharmacology*, 112, 445-450.
- Jia, J., Zhang, X., Hua, Y. S., Wu, Y., Wang, Q. Z., Li, N. N., et al. (2009). Evaluation of *in vivo* antioxidant activities of *Ganoderma lucidum* polysaccharides in STZ-diabetic rats. *Food Chemistry*, 115, 32-36.
- Jung, W. K., Mendis, E., Je, J. Y., Park, P. J., Son, B. W., Kim, H. C., et al. (2006). Angiotensin I-converting enzyme inhibitory peptide from yellowfin sole (*Limanda aspera*) frame protein and its antihypertensive effect in spontaneously hypertensive rats. *Food Chemistry*, 94(1), 26-32.

- Kabir, Y., Kimura, S., & Tamura, T. (1988). Dietary effect of *Ganoderma lucidum* mushroom on blood pressure and lipid levels in spontaneously hypertensive rats (SHR). *Journal of Nutritional Science and Vitaminology*, 34, 433-438.
- Kang, B. Y., Hu, C., Ryu, S., Khan, J. A., Biancolella, M., Prayaga, S., et al. (2010). Genomics of cardiac remodeling in angiotensin II-treated wild-type and LOX-1-deficient mice. *Physiological Genomics*, 42, 42-54.
- Kannel, W. B., Garrison, R. J., & Dannenberg, A. L. (1993). Secular blood pressure trends in normotensive persons. *American Heart Journal*, 125, 1154-1158.
- Kanwar, N., Sharma, B. M., & Sing, B. M. (1990). Nutritive value of *Amanita caesarea* (Scop. ex. Fr.) Quel. *Indian Journal of Mycology and Plant Pathology*, 20, 249-250.
- Kearney, P. M., Whelton, M., Reynolds, K., Muntner, P., Whelton, P. K., & He, J. (2005). Global burden of hypertension: Analysis of worldwide data. *Lancet*, 365, 217-223.
- Ker, C. L., Petit, K. E., Biard, J. F., & Fleurence, J. (2011). Search for hydrophilic marine fungal metabolites: A rational approach for their production and extraction in a bioactivity screening context. *Marine Drugs*, 9, 82-97.
- Kino, K., Yamashita, A., Yamaoka, K., Watanabe, J., Tanaka, S., Ko, K., et al. (1989). Isolation and characterization of a new immunomodulatory protein, Ling Zhi-8 (LZ-8), from *Ganoderma lucidum*. *The Journal of Biological Chemistry*, 264(1), 472-478.
- Kohama, Y., Oka, H., Kayamori, Y., Tsujikawa, K., Mimura, T., Nagase, Y., et al. (1991). Potent synthetic analogues of angiotensin converting enzyme inhibitor derived from tuna muscle. *Agricultural and Biology Chemistry*, 55(8), 2169-2170.
- Koo, K. C., Lee, D. H., Kim, J. H., Yu, H. E., Park, J. S., & Lee, J. S. (2006). Production and characterization of antihypertensive angiotensin I-converting enzyme inhibitor from *Pholiota adiposa*. *Journal of Microbiology and Biotechnology*, 16(5), 757-763.

- Korhonen, H. (2009). Milk-derived bioactive peptides: From science to applications. *Journal of Functional Foods*, 1, 177-187.
- Kumakura, K., Kumakura, H., Ogura, M., & Eguchi, F. (2008). Pharmacological effects of *Ganoderma lucidum* collected from ume (Japanese apricot) trees. *Journal of Wood Science*, 54, 502-508.
- Laemmli, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, 227, 680-685.
- Laggner, H., Hermann, M., Esterbauer, H., Muellner, M. K., Exner, M., Gmeiner, B. M., et al. (2007). The novel gaseous vasorelaxant hydrogen sulfide inhibits angiotensin converting enzyme activity of endothelial cells. *Journal of Hypertension*, 25, 2100-2104.
- Lam, L. H., Shimamura, T., Manabe, S., Ishiyama, M., & Ukeda, H. (2008). Assay of angiotensin I-converting enzyme inhibiting activity based on the detection of 3-hydroxybutyrate with water-soluble tetrazolium salt. *Analytical Sciences*, 24, 1057-1060.
- Lam, L. H., Shimamura, T., Sakaguchi, K., Noguchi, K., Ishiyama, M., Fujimura, Y., et al. (2007). Assay of angiotensin I-converting enzyme inhibiting activity based on the detection of 3-hydroxybutyric acid. *Analytical Biochemistry*, 364, 104-111.
- Lee, D. H., Kim, J. H., Park, J. S., Choi, Y. J., & Lee, J. S. (2004a). Isolation and characterization of a novel angiotensin I-converting enzyme inhibitory peptide derived from the edible mushroom *Tricholoma giganteum*. *Peptides*, 25, 621-627.
- Lee, D. L., Webb, R. C., & Jin, L. (2004b). Hypertension and rhoA/rho-kinase signaling in the vasculature: Highlights from the recent literature. *Hypertension*, 44, 796-799.
- Lee, J. E., Bae, I. Y., Lee, H. G., & Yang, C. B. (2006). Tyr-Pro-Lys, an angiotensin I-converting enzyme inhibitory peptide derived from broccoli (*Brassica oleracea Italica*). *Food Chemistry*, 99, 143-148.

- Lee, S. Y., & Rhee, H. M. (1990). Cardiovascular effects of mycelium extract of *Ganoderma lucidum*: inhibition of sympathetic outflow as a mechanism of its hypotensive action. *Chemical and Pharmaceutical Bulletin*, 38(5), 1359-1364.
- Li, J., Yang, Q., Zhao, L. H., Zhang, S. M., Wang, Y. X., & Zhao, X. Y. (2009). Purification and characterization of a novel antifungal protein from *Bacillus subtilis* strain B29. *Journal of Zhejiang University Science B*, 10(4), 264-272. (article in English)
- Li, L., & Moore, P. K. (2007). An overview of the biological significance of endogenous gases: New roles for old molecules. *Biochemical Society Transactions*, 35, 1138-1141.
- Lim, J. I., Jeong, K. C., Kang, I. S., & Kim, S. J. (2004). A new cyclophilin inhibitor from *Ganoderma lucidum*: Purification and characterization. *Bulletin of the Korean Chemical Society*, 25(7), 1055-1060. (article in English)
- Linder, P. (2006). Dead-box proteins: A family affair-active and passive players in RNP-remodeling. *Nucleic Acids Research*, 34(15), 4168-4180.
- Liu, J., Shimizu, K., Konishi, F., Kumamoto, S., & Kondo, R. (2007). The anti-androgen effect of ganoderol B isolated from the fruiting body of *Ganoderma lucidum*. *Bioorganic & Medicinal Chemistry*, 15, 4966-4972.
- Liu, J., Yang, F., Ye, L. B., Yang, X. J., Timani, K. A., Zheng, Y., et al. (2004). Possible mode of action of antiherpetic activities of a proteoglycan isolated from the mycelia of *Ganoderma lucidum* *in vitro*. *Journal of Ethnopharmacology*, 95, 265-272.
- Liu, Z. P., & Olson, E. N. (2002). Suppression of proliferation and cardiomyocyte hypertrophy by CHAMP, a cardiac-specific RNA helicase. *Proceedings of the National Academy of Sciences of the United States of America*, 99(4), 2043-2048.
- Ma, M. S., Bae, I. Y., Lee, H. G., & Yang, C. B. (2006). Purification and identification of angiotensin I-converting enzyme inhibitory peptide from buckwheat (*Fagopyrum esculentum* Moench). *Food Chemistry*, 96, 36-42.

- Mancheva, I., Kleinschmidt, T., Aleksiev, B., & Braunitzer, G. (1984). Sequence homology between phospholipase and its inhibitor in snake venom. The primary structure of the inhibitor of vipoxin from the venom of the Bulgarian viper (*Vipera ammodytes ammodytes*, Serpentes). *Hoppe Seylers Z Physiological Chemistry*, 365(8), 885-94. (abstract)
- Maschio, G., Alberti, D., Janin, G., Locatelli, F., Mann, J. F. E., Motolese, M., et al. (1996). Effect of the angiotensin converting enzyme inhibitor benazepril on the progression of chronic renal insufficiency. *The New England Journal of Medicine*, 334(15), 939-945.
- Megías, C., Pedroche, J., del Mar Yust, M., Alaiz, M., Giró-Calle, J., Millán, F., et al. (2009). Purification of angiotensin converting enzyme inhibitory peptides from sunflower protein hydrolysates by reverse-phase chromatography following affinity purification. *LWT - Food Science and Technology*, 42, 228-232.
- Mendez, M. A., Cooper, R., Wilks, R., Luke, A., & Forrester, T. (2003). Income, education, and blood pressure in adults in Jamaica, a middle-income developing country. *International Journal of Epidemiology*, 32, 400-408.
- Meng, Q. C., & Oparil, S. (1996). Purification and assay methods for angiotensin converting enzyme. *Journal of Chromatography A*, 743, 105-122.
- Miguel, M., Recio, I., Ramos, M., Delgado, M. A., & Aleixandre, M. A. (2006). Antihypertensive effect of peptides obtained from *Enterococcus faecalis*-fermented milk in rats. *Journal of Dairy Science*, 89, 3352-3359.
- Morigiwa, A., Kitabatake, K., Fujimoto, Y., & Ikekawa, N. (1986) Angiotensin converting enzyme inhibitory triterpenes from *Ganoderma lucidum*. *Chemical and Pharmaceutical Bulletin*, 34, 3025-3028.
- Mukae, S., Aoki, S., Itoh, S., Iwata, T., Ueda, H., & Katagiri, T. (2000). Bradykinin B2 receptor gene polymorphism is associated with angiotensin converting enzyme inhibitor-related cough. *Hypertension*, 36(1), 127-131.
- Nakamura, Y., Yamamoto, N., Sakai, K., Okubo, A., Vamazaki, S., & Takano, T. (1995). Purification and characterization of angiotensin I-converting enzyme inhibitors from sour milk. *Journal of Dairy Science*, 78, 777-783.

- Nandakumar, M. P., & Marten, M. R. (2002). Comparison of lysis methods and preparation protocols for 1-D and 2-D electrophoresis of *Aspergillus oryzae* intracellular proteins. *Electrophoresis*, 23, 2216-2222.
- Nardini, M., & Dijkstra, B. W. (1999). α/β hydrolase fold enzymes: The family keeps growing. *Current Opinion in Structural Biology*, 9, 732-737.
- Natesh, R., Schwager, S. L., Sturrock, E. D., & Acharya, K. R. (2003). Crystal structure of the human angiotensin converting enzyme-lisinopril complex. *Nature*, 421, 551-554.
- Ng, K. K. F., & Vane, J. R. (1967). Conversion of angiotensin I to angiotensin II. *Nature*, 216, 762-766.
- Noble, R., Hobbs, P. J., Mead, A., & Dobrovin-Pennington, A. (2002). Influence of straw types and nitrogen sources on mushroom composting emissions and compost productivity. *Journal of Industrial Microbiology and Biotechnology*, 29, 99-110.
- Ohtsuru, M., Horio, H., & Masui, H. (2000). Angiotensin I-converting enzyme inhibitory peptides from pepsin digest of maitake (*Grifola frondosa*). *Food Science and Technology Research*, 6(1), 9-11.
- Okino, T., Matsuda, H., Murakami, M., & Yamaguchi, K. (1993). Microginin, an angiotensin converting enzyme inhibitor from the blue-green alga *Microcystis aeruginosa*. *Tetrahedron Letters*, 34(3), 501-504.
- Oliveira, E. M., Santos, R. A. S., & Krieger, J. E. (2000). Standardization of a fluorimetric assay for the determination of tissue angiotensin converting enzyme activity in rats. *Brazilian Journal of Medical and Biological Research*, 33, 755-764.
- Ondetti, M. A., Rubin, B., & Cushman, D. W. (1977). Design of specific inhibitors of angiotensin converting enzyme: New class of orally active antihypertensive agents. *Science*, 196, 441-444.
- Padfield, P. L., & Morton, J. J. (1977). Effects of angiotensin II on arginine-vasopressin in physiological and pathological situations in man. *Journal of Clinical Endocrinology*, 74, 251-259.

- Pahor, M., Psaty, B. M., Alderman, M. H., Applegate, W. B., Williamson, J. D., & Furberg, C. D. (2000). Therapeutic benefits of ACE inhibitors and other antihypertensive drugs in patients with type 2 diabetes. *Diabetes Care*, 23, 888-892.
- Pedneault, K., Angers, P., Gosselin, A., & Tweddell, R. J. (2006). Fatty acid composition of lipids from mushrooms belonging to the family *Boletaceae*. *Mycological Research*, 110(10), 1179-1183.
- Pedroche, J., Yust, M. M., Megías, C., Lqari, H., Alaiz, M., Girón-Calle, J., et al. (2004). Utilisation of rapeseed protein isolates for production of peptides with angiotensin I-converting enzyme (ACE) inhibitory activity. *Grasas y Aceites*, 55(4), 354-358. (article in English)
- Petit, V., Boyer, B., Lentz, D., Turner, C. E., Thiery, J. P., & Vallés, A. M. (2000). Phosphorylation of tyrosine residues 31 and 118 on paxillin regulates cell migration through an association with CRK in NBT-II Cells. *The Journal of Cell Biology*, 148(5), 957-969.
- Pihlanto, A., Akkanena, S., & Korhonen, H. J. (2008). ACE inhibitory and antioxidant properties of potato (*Solanum tuberosum*). *Food Chemistry*, 109(1), 104-112.
- Pihlanto, A., Virtanen, T., & Korhonen, H. (2010). Angiotensin I-converting enzyme (ACE) inhibitory activity and antihypertensive effect of fermented milk. *International Dairy Journal*, 20(1), 3-10.
- Pihlanto-Leppälä, A., Rokka, T., & Korhonen, H. (1998). Angiotensin I-converting enzyme inhibitory peptides derived from bovine milk proteins. *International Dairy Journal*, 8, 325-331.
- Proudfoot, M., Sanders, S. A., Singer, A., Zhang, R., Brown, G., Binkowski, A., et al. (2008). Biochemical and structural characterization of a novel family of cystathionine beta-synthase domain proteins fused to a Zn ribbon-like domain. *Journal of Molecular Biology*, 375, 301-315.
- Quirós, A., Hernández-Ledesma, B., Ramos, M., Amigo, L., & Recio, I. (2005). Angiotensin converting enzyme inhibitory activity of peptides derived from caprine kefir. *Journal of Dairy Science*, 88, 3480-3487.

- Raghavan, S., & Kristinsson, H. G. (2009). ACE inhibitory activity of tilapia protein hydrolysates. *Food Chemistry*, 117(4), 582-588.
- Ramos-Nino, M. E. & Blumen, S. R. (2009). Benefits of ACE inhibitors in diabetes. *Clinical Medicine: Therapeutics*, 1, 1041-1051.
- Ray, A., Ray, S., & Koner, B.C. (2004). Hypertension, cancer and angiogenesis: Relevant epidemiological and pharmacological aspects. *Indian Journal of Pharmacology*, 36(6), 341-347.
- Reid, J. L. (1997). From kinetics to dynamics: Are there differences between ACE inhibitors? *European Heart Journal*, 18(Supplement E), E14-E18.
- Rho, S. J., Lee, J. S., Chung, Y. I., Kim, Y. W., & Lee, H. G. (2009). Purification and identification of an angiotensin I-converting enzyme inhibitory peptide from fermented soybean extract. *Process Biochemistry*, 44, 490-493.
- Ryan, J. W., Chung, A., & Ryan, U. S. (1980). Angiotensin converting enzyme: I. New strategies for assay. *Environmental Health Perspectives*, 35, 165-170.
- Sahni, A., Wang, N., & Alexis, J. D. (2010). UAP56 is an important regulator of protein synthesis and growth in cardiomyocytes. *Biochemical and Biophysical Research Communications*, 393(1), 106-110.
- Saiga, A., Iwai, K., Hayakawa, T., Takahata, Y., Kitamura, S., Nishimura, T., et al. (2008). Angiotensin I-converting enzyme inhibitory peptides obtained from chicken collagen hydrolysate. *Journal of Agricultural and Food Chemistry*, 56, 9586-9591.
- Saltarelli, R., Ceccaroli, P., Iotti, M., Zambonelli, A., Buffalini, M., Casadei, L., et al. (2009). Biochemical characterisation and antioxidant activity of mycelium of *Ganoderma lucidum* from Central Italy. *Food Chemistry*, 116, 143-151.
- Samorini, G. (1992). The oldest representations of hallucinogenic mushrooms in the world (Sahara Desert, 9000-7000 B.P.). *Integration* 2(3), 69-78.
- Sarangi, I., Ghosh, D., Bhutia, S. K., Mallick, S. K., & Maiti, T. K. (2006). Anti-tumor and immunomodulating effects of *Pleurotus ostreatus* mycelia derived proteoglycans. *International Immunopharmacology*, 6, 1287-1297.

- Schildbach, R., Ritter, W., Schmithals, K., & Burbridge, M. (Eds.). 1992. Proceedings from Convention-Institute of Brewing (Asia Pacific Section): *New developments in the environmentally safe disposal of spent grains and waste kieselguhr from breweries*. Melbourne, Australia: Winetitles.
- Seppo, L., Jauhainen, T., Poussa, T., & Korpela, R. (2003). A fermented milk high in bioactive peptides has a blood pressure lowering effect in hypertensive subjects. *American Journal of Clinical Nutrition*, 77, 326-330.
- Serra, C. P., Côrtes, S. F., Lombardi, J. A., Braga de Oliveira, A., & Braga, F. C. (2005). Validation of a colorimetric assay for the *in vitro* screening of inhibitors of angiotensin converting enzyme (ACE) from plant extracts. *Phytomedicine*, 12, 424-432.
- Shalaby, S. M., Zakora, M., & Otte, J. (2006). Performance of two commonly used angiotensin converting enzyme inhibition assays using FA-PGG and HHL as substrates. *Journal of Dairy Research*, 73, 178-186.
- Shi, Y., Sun, J., He, H., Guo, H., & Zhang, S. (2008). Hepatoprotective effects of *Ganoderma lucidum* peptides against D-galactosamine-induced liver injury in mice. *Journal of Ethnopharmacology*, 117, 415-419.
- Sinal, C. J., Miyata, M., Tohkin, M., Nagata, K., Bend, J. R., & Gonzalez, F. J. (2000). Targeted disruption of soluble epoxide hydrolase reveals a role in blood pressure regulation. *The Journal of Biological Chemistry*, 275(51), 40504-40510.
- Singh, N. B., & Singh, P. (2002). Biochemical composition of *Agaricus bisporus*. *Journal of Indian Botanical Society*, 81, 235-237.
- Skeggs, L. T., Kahn, J. R., & Shumway, N. P. (1956). Preparation and function of the hypertensin-converting enzyme. *Journal of Experimental Medicine*, 103, 295-299.
- Smith, P. K., Krohn, R. I., Hermanson, G. T., Mallia, A. K., Gartner, F. H., Provenzano, M. D., et al. (1985). Measurement of protein using bicinchoninic acid. *Analytical Biochemistry*, 150, 76-85.
- Song, C. H., & Cho, K. Y. (1987). A synthetic medium for the production of submerged cultures of *Lentinus edodes*. *Mycologia*, 79(6), 866-876.

- Sowers, J. R. (1990). Insulin resistance and hypertension. *Molecular and Cellular Endocrinology*, 74, 87-89.
- Suetsuna, K. (1998). Isolation and characterization of angiotensin I-converting enzyme inhibitor dipeptides derived from *Allium sativum* L (garlic). *Journal of Nutritional Biochemistry*, 9, 415-419.
- Sun, H., Zhao, C. G., Tong, X., & Qi, Y. P. (2003). A lectin with mycelia differentiation and antiphytovirus activities from the edible mushroom *Agrocybe aegerita*. *Journal of Biochemistry and Molecular Biology*, 36(2), 214-222.
- Suzuki, H., Okubo, A., Yamazaki, S., Suzuki, K., Mitsuya, H., & Toda, S. (1989). Inhibition of the infectivity and cytopathic effect of human immunodeficiency virus by water-soluble lignin in an extract of the culture medium of *Lentinus edodes* mycelia (LEM). *Biochemical and Biophysical Research Communication*, 160(1), 367-373.
- Suzuki, N., Ishii, Y., & Kitamura, S. (1994). Effects of nicotine on production of endothelin and eicosanoid by bovine pulmonary artery endothelial cells. *Prostaglandins, Leukotrienes and Essential Fatty Acids*, 50, 193-197.
- Tang, D. D., & Anfinogenova, Y. (2008). Physiologic properties and regulation of the actin cytoskeleton in vascular smooth muscle. *Journal of Cardiovascular Pharmacology and Therapeutics*, 13(2), 130-140.
- Tang, W., Liu, J. W., Zhao, W. M., Wei, D. Z., & Zhong, J. J. (2006). Ganoderic acid T from *Ganoderma lucidum* mycelia induces mitochondria mediated apoptosis in lung cancer cells. *Life Sciences*, 80, 205-211.
- Tang, Y. J., Zhu, L. W., Li, H. M., & Li, D. S. (2007). Submerged culture of mushrooms in bioreactors – Challenges, current state-of-the-art, and future prospects. *Food Technology and Biotechnology*, 45(3), 221-229.
- Tang, Y. J., & Zhong, J. J. (2002). Fed-batch fermentation of *Ganoderma lucidum* for hyperproduction of polysaccharide and ganoderic acid. *Enzyme and Microbial Technology*, 31, 20-28.
- Treich, I., Riva, M., & Sentenac, A. (1991) Zinc-binding subunits of yeast RNA polymerases. *Journal of Biological Chemistry*, 266(32), 21971-21976.

- Tsai, J. S., Chen, J. L., & Pan, B. S. (2008). ACE inhibitory peptides identified from the muscle protein hydrolysate of hard clam (*Meretrix lusoria*). *Process Biochemistry*, 43, 743-747.
- Umeki, Y., Hayabuchi, H., Hisano, M., Kuroda, M., Honda, M., Ando, B., et al. (2008). The effect of the dried-bonito broth on blood pressure, 8-hydroxydeoxyguanosine (8-OHdG), an oxidative stress marker and emotional states in elderly subjects. *Journal of Clinical Biochemistry and Nutrition*, 43, 175-184.
- van Platerink, C. J., Janssen, H-G. M., & Haverkamp, J. (2007). Development of an at-line method for the identification of angiotensin-I inhibiting peptides in protein hydrolysates. *Journal of Chromatography B*, 846, 147-154.
- Vaughan, D. E., Rouleau, J. L., Ridker, P. M., Arnold, J. M., Menapace, F. J., Pfeffer, M. A. (1997). Effects of ramipril on plasma fibrinolytic balance in patients with acute anterior myocardial infarction. *Circulation*, 96, 442-447.
- Vecchi, B., & Añón, M. C. (2009). ACE inhibitory tetrapeptides from *Amaranthus hypochondriacus* 11S globulin. *Phytochemistry*, 70, 864-870.
- Villalba, A. C., McDonald, J. M., & Rutledge, J. C. (2000). Smoking and cardiovascular disease. *Clinics in Chest Medicine*, 21, 159-172.
- Wagner, R., Mitchell, D. A., Sasaki, G. L., Lopes de Almeida Amazonas, M. A. & Berovič, M. (2003). Current techniques for the cultivation of *Ganoderma lucidum* for the production of biomass, ganoderic acid and polysaccharides. *Food Technology and Biotechnology*, 41(4), 371-382.
- Wang, G., Zhao, J., Liu, J., Huang, Y., Zhong, J. J., & Tang, W. (2007). Enhancement of IL-2 and IFN- γ expression and NK cells activity involved in the anti-tumor effect of ganoderic acid Me *in vivo*. *International Immunopharmacology*, 7, 864-870.
- Wang, H. X., Liu, W. K., Ng, T. B., Ooi, V. E. C., & Chang, S. T. (1995). Immunomodulatory and antitumour activities of a polysaccharide-peptide complex from a mycelial culture of *Tricholoma* sp., a local edible mushroom. *Life Sciences*, 57, 269-281.

- Wang, J., Hu, J., Cui, J., Bai, H., Du, Y., Miyaguchi, Y., et al. (2008). Purification and identification of a ACE inhibitory peptide from oyster proteins hydrolysate and the antihypertensive effect of hydrolysate in spontaneously hypertensive rats. *Food Chemistry*, 111, 302-308.
- Wang R. (2002). Two's company, three's a crowd: Can H₂S be the third endogenous gaseous transmitter? *Faseb Journal*, 16, 1792-1798.
- Ward, P. E., Sheridan, M. A., Hammon, K. J., & Erdös, E. G. (1980). Angiotensin I-converting enzyme (kininase II) of the brush border of human and swine intestine. *Biochemical Pharmacology*, 29, 1525-1529.
- Wasser, S. P. (2005). Reishi or Ling Zhi (*Ganoderma lucidum*). In *Encyclopedia of Dietary Supplements* (pp. 603-622). New York: Marcel Dekker.
- Wei, L., Alhenc-Gelas, F., Corvol, P., & Clauser, E. (1991). The two homologous domains of human angiotensin I-converting enzyme are both catalytically active. *The Journal of Biological Chemistry*, 266(14), 9002-9006.
- Wilkin, J. K., Hammond, J. J., & Kirkendall, W. M. (1980). The captopril-induced eruption. A possible mechanism: Cutaneous kinin potentiation. *Archives of Dermatology*, 116(8), 902-905.
- Wu, J., & Ding, X. (2002). Characterization of inhibition and stability of soy-protein-derived angiotensin I-converting enzyme inhibitory peptides. *Food Research International*, 35, 367-375.
- XiaoPing, C., Yan, C., ShuiBing, L., YouGuo, C., JianYun, L., & LanPing, L. (2009). Free radical scavenging of *Ganoderma lucidum* polysaccharides and its effect on antioxidant enzymes and immunity activities in cervical carcinoma rats. *Carbohydrate Polymers*, 77, 389-393.
- Xiaozhen, H., Yun, Z., Mei, Z., & Yu, S. (2010). Effect of carvedilol on coronary flow reserve in patients with hypertensive leftventricular hypertrophy. *Blood Pressure*, 19(1), 40-47.
- Yamaguchi, S., & Ninomiya, K. (2002). Umami and food palatability. *The Journal of Nutrition*, 130, 921S-926S.

- Yang, F. C., & Liau, C. B. (1998). Effects of cultivating conditions on the mycelial growth of *Ganoderma lucidum* in submerged flask cultures. *Bioprocess Engineering*, 19, 233-236.
- Yang, Q., Wang, S., Xie, Y., Sun, J., & Wang, J. (2010). HPLC analysis of *Ganoderma lucidum* polysaccharides and its effect on antioxidant enzymes activity and Bax, Bcl-2 expression. *International Journal of Biological Macromolecules*, 46, 167-172.
- Yang, X. J., Liu, J., Ye, L. B., Yang, F., Ye, L., Gao, J. R., et al. (2006). *In vitro* and *in vivo* protective effects of proteoglycan isolated from mycelia of *Ganoderma lucidum* on carbon tetrachloride induced liver injury. *World Journal of Gastroenterology*, 12(9), 1379-1385.
- Yang, Y., Marczak, E. D., Yokoo, M., Usui, H., & Yoshikawa, M. (2003). Isolation and antihypertensive effect of angiotensin I-converting enzyme (ACE) inhibitory peptides from spinach rubisco. *Journal of Agricultural and Food Chemistry*, 51(17), 4897-4902.
- Yu, Z., Xu, F., Huse, L. M., Morisseau, C., Draper, A. J., Newman, J. W., et al. (2000). Soluble epoxide hydrolase regulates hydrolysis of vasoactive epoxyeicosatrienoic acids. *Circulation Research*, 87, 992-998.
- Yue, Q. X., Song, X. Y., Ma, C. Feng, L. X., Guan, S. H., Wu, W. Y., et al. (2010). Effects of triterpenes from *Ganoderma lucidum* on protein expression profile of HeLa cells. *Phytomedicine*, 17, 606-613.
- Zambahari, R. (2004). Trends in cardiovascular diseases and risk factors in Malaysia. *International Congress Series*, 1262, 446-449.
- Zhang, G. L., Wang, Y. H., Ni, W., Teng, H. L., & Lin, Z. B. (2002). Hepatoprotective role of *Ganoderma lucidum* polysaccharide against BCG-induced immune liver injury in mice. *World Journal of Gastroenterology*, 8(4), 728-733.
- Zhang, H. N. and Lin, Z. B. (2004). Hypoglycemic effect of *Ganoderma lucidum* polysaccharides. *Acta Pharmacologica Sinica*, 25(2), 191-195. (article in English)
- Zhang, Q., Zuo, F., Nakamura, N., Ma, C. M., & Hattori, M. (2009). Metabolism and pharmacokinetics in rats of ganoderiol F, a highly cytotoxic and antitumor triterpene from *Ganoderma lucidum*. *Journal of Natural Medicine*, 63, 304-310.

- Zhao, L., Dong, Y., Chen, G., & Hua, Q. (2010). Extraction, purification, characterization and antitumor activity of polysaccharides from *Ganoderma lucidum*. *Carbohydrate Polymers*, 80, 783-789.
- Zhao, Y., Li, B., Dong, S., Liu, Z., Zhao, X., Wang, J., et al. (2009). A novel ACE inhibitory peptide isolated from *Acaudina molpadioidea* hydrolysate. *Peptides*, 30, 1028-1033.
- Zimmerman, B. G., Sybertz, E. J., & Wong, P. C. (1984). Interaction between sympathetic and renin-angiotensin system. *Journal of Hypertension*, 2, 581-587.

REFERENCES FROM WEBSITE:

- [http://en.wikipedia.org/wiki/Renin-angiotensin system](http://en.wikipedia.org/wiki/Renin-angiotensin_system) (Last retrieved on 30th July 2010)
- <http://www.hbp.usm.my/1b/GT/ganoderma.htm> (Last retrieved on 9th June 2011)
- <http://www.matrixscience.com> (Last retrieved on 28th September 2011)
- <http://prowl.rockefeller.edu> (Last retrieved on 25th October 2011)

